

H.Harigae, O.Nakajima, N.Suwabe, H.Yokoyama, K.Furuyama, T.Sasaki, M.Kaku, M.Yama	Aberrant iron accumulation and xidized status of erythroid-specific δ -aminolevulinatase synthase (ALAS2) –deficient definitive	Blood	101	1188-1193	2003
T. Okazaki, Y. Iwai, and T. Honjo	New regulatory co-receptors: inducible co-stimulator and PD-1.	Curr Opin Immunol.	14: 6	779-782	2002
Y. Iwai, M. Ishida, Y. Tanaka, T. Okazaki, T. Honjo, and N. Minato	Involvement of PD-L1 on tumor cells in the escape from host immune system and tumor immunotherapy by PD-L1 blockade.	Proc Natl Acad Sci U S A.	99: 19	12293-12297	2002
M. Ishida, Y. Iwai, Y. Tanaka, T. Okazaki, G.J. Freeman, N. Minato, and T. Honjo	Differential expression of PD-L1 and PD-L2, ligands for an inhibitory receptor PD-1, in the cells of lymphohematopoietic tissues.	Immunol Lett.	84: 1	57-62	2002
Y. Iwai, T. Okazaki, H. Nishimura, A. Kawasaki, H. Yagita, T. Honjo	Microanatomical localization of PD-1 in human tonsils.	Immunol Lett.	83: 3	215-220	2002
Ogawa, N., Ping, L., Zhenjun, L., Takada, Y., Sugai, S.	Involvement of IFN γ -induced T cell-attracting chemokines, IFN γ -inducible protein of 10kDa; IP-10 (CXCL10) and monokine induced by IFN γ ; Mig (CXCL9) in the salivary gland lesions of Sjogren's syndrome.	Arthritis & Rheumatism	46 : 10	2730-2741.	2002
Yasuda M, Nakano K, Yasumoto K, Tanaka Y.	CD44: functional relevance to inflammation and malignancy	Histol Histopathol	17	945- 950	2002
Mine S, Tabata T, Wada Y, Fujisaki T, Iida T, Noguchi N, Niki E, Kodama T, Tanaka Y.	Oxidized low density lipoprotein-induced LFA-1-dependent adhesion and transmigration of monocytes via the protein kinase C pathway.	Atherosclerosis	160	281- 288.	2002
Toda Y, Tsukada J, Misago M, Kominato Y, Auron PE, Tanaka Y.	Autocrine induction of the human prointerleukin 1 β gene promoter by interleukin 1 β in monocytes.	J Immunol	168	1984-1991	2002
Iida T, Mine S, Fujimoto H, Suzuki K, Minami Y, Tanaka Y.	Hypoxia-inducible factor-1 α induces cell cycle arrest of endothelial cells.	Genes to Cells	7	143- 149	2002
Tanaka Y, Nakayamada S, Fujimoto H, Okada Y, Umehara H, Kataoka T, Minami Y.	H-Ras/mitogen-activated protein kinase pathway inhibits integrin-mediated adhesion and induces apoptosis in osteoblasts.	J Biol Chem	277	21446-21452	2002
Kamizono J, Okada Y, Shisahata A, Tanaka Y.	Bisphosphonate induces remission of refractory osteolysis in Langerhans cell histiocytosis.	J Bone Miner Res	17	1926-1928	2002
Sirikong M, Tsuchiya N, Chandanyong D, Bejrachandra S, Suthipinittharm P, Luangtrakool K, Srinak D, Thongpradit R, Siriboonrit U, Tokunaga K	Association of HLA-DRB1*1502 - DQB1*0501 haplotype with susceptibility to systemic lupus erythematosus in Thais.	Tissue Antigens	59	113-117	2002
Kyogoku C, Dijstelbloem HM, Tsuchiya N, Hatta Y, Kato H, Yamaguchi A, Fukazawa T, Jansen MD, Hashimoto H, van de Winkel JGJ, Kallenberg CGM, Tokunaga K	Association of Fc γ receptor gene polymorphisms in Japanese patients with systemic lupus erythematosus: Contribution of FCGR2B to the genetic susceptibility to SLE.	Arthritis Rheum	46	1242-1254	2002
Kuroki K, Tsuchiya N, Tsao BP, Grossman JM, Fukazawa T, Hagiwara K, Kano H, Takazoe M, Iwata T, Hashimoto H, Tokunaga K	Polymorphisms of human CD19 gene: Possible association with susceptibility to systemic lupus erythematosus in Japanese	Genes Immun	3 (Suppl 1)	S21- S30	2002
Kawasaki A, Tsuchiya N, Fukazawa T, Hashimoto H, Tokunaga K	Analysis on the association of human BLYS (BAFF, TNFSF13B) polymorphisms with systemic lupus erythematosus and rheumatoid arthritis	Genes Immun	3	424- 429	2002
Sato M, Ohashi J, Tsuchiya N, Kashiwase K, Ishikawa Y, Arita H, Hanaoka K, Tokunaga K, Yabe T	Association of HLA-A*3303 - B*4403 - DRB1*1302 haplotype, but not of TNF α promoter and NKp30 polymorphism, with postherpetic neuralgia (PHN) in the Japanese population	Genes Immun	3	477-481	2002
Kyogoku C, Tsuchiya N, Matsuta K, Tokunaga K	Studies on the association of Fc γ receptor IIA, IIB, IIIA and IIIB polymorphisms with rheumatoid arthritis in Japanese: Evidence for a genetic interaction between HLA-DRB1 and FCGR3A.	Genes Immun	3	488-493	2002

Tsuchiya N, Ohashi J, Tokunaga K.	Variations in immune response genes and their associations with multifactorial immune disorders.	Immunol Rev	190,	169-181	2002
Hikami K, Tsuchiya N, Yabe T, Tokunaga K.	Variations of human killer cell lectin-like receptors : common occurrence of NKG2-C deletion in the general population.	Genes Immun			(in press)
Tsuchiya N, Kobayashi S, Kawasaki A, Kyogoku C, Arimura Y, Yoshida M, Katsushi Tokunaga K, Hashimoto H.	Genetic background of Japanese patients with ANCA-associated vasculitis: Association of HLA-DRB1*0901 with microscopic polyangiitis.	J. Rheumatol.			(in press)
Siriboonrit U, Tsuchiya N, Sirikong M, Kyogoku C, Bejrachandra S, Suthipinittharm P, Luangtrakool K, Srinak D, Thongpradit R, Fujiwara K, Chandanayingyong D, Tokunaga K.	Association of Fcγ receptor IIB, IIIA and IIIB polymorphisms with susceptibility to systemic lupus erythematosus in Thais.	Tissue Antigens			(in press)
Tsuji, T., Chamoto, K., Funamoto, H., Kosaka, A., Matsuzaki, Z., Abe, H., Fujio, K., Yamamoto, K., Kitamura, T., Togashi, Y., Koda, T., and Nishimura, T.	An efficient methods to prepare T cell receptor gene-transduced cytotoxic T lymphocytes type 1 applicable to tompr gene cell therapy.	Cancer Science	---	---	2002
Sekimoto, M., Tsuji, T., Matsuzaki, J., Chamoto, K., Koda, T., Nemoto, K., Degawa, M., Nishimura, S., and Nishimura, T.	Functional expression of TrkC gene encoding a high affinity receptor for NT-3 in antigen-specific T helper-type 2 (Th2) cells.	Immunol. Letters	---	---	2002
Hirokawa K, Takasaki Y, Takeuchi K, Kaneda K, Ikeda K, Hashimoto H	Anti-TS1-RNA: Characterization of novel antibodies against sequence-specific RNA by random RNA selection in patients with Sjogren's syndrome.	J Rheum 29	29	931-937	2002
Tamura N, Kobayashi S, Hashimoto H	Anticardiolipin antibodies in patients with post-streptococcal reactive arthritis.	Ann rheum dis	61	374	2002
Yano T, Takasaki Y, Takeuchi K, Hirokawa K, Yamanaka K, Hashimoto H	Anti-Ki antibodies recognize an epitope homologous with SV40 nuclear localization signal: clinical significance and reactivities in various immunoassays.	Mod Rheum	12	50-55	2002
Kyogoku C, Dijstelbloem H M, Tuchiya N, Hatta Y, Kato H, Yamaguchi A, Fukazawa T, Jansen M D, Hashimoto H, van de Winkle J G J, Kallenberg C G M, Tokunaga K	Fcγ receptor gene polymorphisms in Japanese patients with systemic lupus erythematosus.	Arthritis Rheum 46: 1242-1254	46	1242-1254	2002
Miura-Shimura Y, Nakamura K, Ohtsuji M, Tomita K, Tomita H, Jiang Y, Abe M, Zhang D, Hamano Y, Tsuda H, Hashimoto H, Nishimura H, Taki S, Shirai T, Hirose S	C1q regulatory region polymorphism down-regulating murine C1q protein levels with linkage to lupus nephritis.	J Immunol	169	1335-1339	2002
Sugimoto K, Morimoto S, Kaneko H, Nozawa K, Tokano Y, Takasaki Y, Hashimoto H	Decreased IL-4 producing CD4+ T cells in patients with active systemic lupus erythematosus-relation to IL-12R expression.	Autoimmunity	35	381-387	2002
Takasaki Y, Ando S, Matsumoto K, Yamada H, Ikeda K, Masuyuki N, Matsushita M, Matsudaira R, Kaneda K, Takeuchi K, Tokano Y, Hashimoto H	Activated peripheral blood mononuclear cells detected in lupus patients using cDNA coding for proliferating cell nuclear antigen.	Mod Rheum	12	239-245	2002
Kuroki K, Tsuchiya N, Tsao BP, Grossman JM, Fukuzawa T, Hagiwara K, Kano H, Takazoe M, Iwata T, Hashimoto H, Tokunaga K	Polymorphisms of human CD19 gene: possible association with susceptibility to systemic lupus erythematosus in Japanese.	Genes Immunity	3	S21- S30	2002
Kawasaki A, Tsuchiya N, Fukazawa T, Hashimoto H, Tokunaga K	Analysis on the association of human BLYS (BAFF, TNFS13B) polymorphisms with systemic lupus erythematosus and rheumatoid arthritis.	Genes Immunity	3	424- 429	2002
Kawaguchi Y, Harigai M, Hara M, Fukasawa C, Takagi K, Tanaka M, Nishimagi E, Kamatani N	Expression of hepatocyte growth factor and its receptor (c-met) in skin fibroblasts from patients with sytemic sclerosis.	J Rheumatol	29	1877- 83	2002

Sugiura T, Harigai M, Kawaguchi Y, Takagi K, Fukasawa C, Ohsako-Higami S, Ohta S, Tanaka M, Hara M, Kamatani N.	Increased IL-15 production of muscle cells in polymyositis and dermatomyositis.	Int Immunol	14	917- 924	2002
Sugiura T, Kawaguchi Y, Harigai M, Terajima-Ichida H, Kitamura Y, Furuya T, Ichikawa N, Kotake S, Tanaka M, Hara M, Kamatani N.	Association between adult-onset Still's disease and interleukin-18 gene polymorphisms.	Genes Immun	3	394- 399	2002
Kawaguchi Y, Hara M, Kamatani N, Wright TM.	Identification of an IL1A gene segment that determines aberrant constitutive expression of interleukin-1a in systemic sclerosis	Arthritis Rheum	48 (1)	193- 202	2003
Furuta, A., Fujii, T., Yasuoka, H., Takada, R., Hirakata, M., Mimori, T.	Severe hypertension associated with multiple intra-renal microaneurysms in patients with systemic lupus erythematosus and antiphospholipid antibodies.	Mod. Rheumatol.	12 : 2	178 -181	2002
Yuasa, S., Suwa, A., Hirakata, M., Hibi, N., Iwao, Y., Koizumi, K., Mimori, T., Ikeda, Y.	A case of systemic lupus erythematosus presenting with rectal ulcers as the initial clinical manifestation of disease	Clin. Exp. Rheumatol.	20 : 3	407 -410	2002
Kuwana, M., Kimura, K., Hirakata, M, Kawakami, Y., Ikeda, Y.	Differences in autoantibody response to Th/To between systemic sclerosis and other autoimmune diseases.	Ann. Rheum. Dis.	61 : 9	842 -846	2002
Matsuura, E., Kobayashi, K., Kasahara, J., Yasuda, T., Makino, H., Koike, T., Shoenfeld, Y.	Anti- β 2-glycoprotein I autoantibodies and atherosclerosis.	Int. Rev. Immunol.	21: 1	51-66	2002
Iverson, G.M., Matsuura, E., Victoria, E.J., Cockerill, K.A., Linnik, M.D.	The orientation of β 2GPI on the plate is important for the binding of anti- β 2GPI autoantibodies by ELISA.	J. Autoimmun.	18: 4	289-297	2002
Ambrozic, A., Avicin, T., Ichikawa, K., Kveder, T., Matsuura, E., Hojnik, M., Atsumi, T., Rozman, B., Koike T.	Anti- β 2-glycoprotein I antibodies in children with atopic dermatitis.	Int. Immunol.	14: 7	823-830	2002
Liu Q, Kobayashi K, Furukawa J, Inagaki J, Sakairi N, Iwado A, Yasuda T, Koike T, Voelker DR, Matsuura E.	ω -Carboxyl variants of 7-ketocholesterol esters are ligands for β 2-glycoprotein I and mediate antibody-dependent uptake of oxidized LDL by macrophages.	J. Lipid Res.	43: 9	1486-1495	2002
Matsuura, E., Kobayashi, K., Koike, T., Shoenfeld, Y.	Autoantibody-mediated atherosclerosis.	Autoimmunity Reviews	1: 6	348-353	2002
Matsuura, E., Kobayashi, K., Takao Koike, T., Shoenfeld, Y, Khamashta, M.A., Hughes, G.R.V.	Atherogenic autoantigen: Oxidized LDL complexes with β 2-glycoprotein I.	Immunobiol.	207:1	17-22	2003
Kobayashi, K., Kishi, M., Atsumi, T., Bertolaccini, M.L., Makino, H., Sakairi, N., Yamamoto, I., Yasuda, T., Khamashta, M.A., Hughes, G.R.V., Koike, T., Voelker, D.R., Matsuura, E.	Circulating oxidized low density lipoprotein forms complexes with β 2-glycoprotein I: implication as an atherogenic autoantigen.	J. Lipid Res.		Jan 16 [epub ahead of print]	2003 (in press)
Inagaki, J., Sugiura-Ogasawara, M., Nomizu, M., Nakatsuka, M., Ikuta, K., Suzuki, N., Kaihara, K., Kobayashi, K., Yasuda, T., Shoenfeld, Y., Aoki, K., Matsuura, E.	An association of IgG anti-laminin-1 autoantibodies with endometriosis in infertile patients.	Human Reprod.			in press
Matalon, T.S., Blank, M., Matsuura, E., Inagaki, J., Nomizu, M., Koike, T., Ornoy, A., Shoenfeld Y.	Immunization of naïve mice with mouse laminin-1 affected pregnancy outcome in a mouse model.	Am. J. Reprod. Immunol.			in press
Matsuura, E., Kobayashi, K., Koike, T., Shoenfeld, Y., Khamashta, M.A., Hughes, G.R.V.	Oxidized LDL as a risk factor of thrombosis in antiphospholipid syndrome.	Lupus			in press
Hirata, D., Nagashima, T., Saito, S., Okazaki, H. Kano, S., Minota, S.	Elevated muscle enzymes in a patient with severe hypocalcemia mimicking polymyositis.	Mod Rheumatol	12	186-189	2002
Hirata, D., Nara, H., Inaba, T., Muroi, R., Kanegame, H., Miyawaki, T., Okazaki, H., Minota, S.	von Recklinghausen Disease in a Patient with X-linked Agammaglobulinemia.	Internal Medicine	41	1039-1043	2002

Okazaki, H., Hirata, D., Kamimura, T., Sato, H., Iwamoto, M., Yoshio, T., Masuyama, J., Fujimoto, A., Kobayashi, E., Kano, S., Minota, S.	Effects of FTY720 in MRL-lpr/lpr Mice: Therapeutic Potential in Systemic Lupus Erythematosus.	J Rheumatol	29	707-716	2002
Ikeda, M., Okazaki, H., Minota, S.	Cogan's syndrome with antineutrophil cytoplasmic autoantibody.	Ann Rheum Dis	61	761-762	2002
Iwamoto, M., Nara, H., Hirata, D., Minota, S., Nishimoto, N., Yoshizaki, K.	Humanized monoclonal anti-interleukin-6 receptor antibody for treatment of intractable adult-onset Still's disease.	Arth Rheum	46:12	3388-3389	2002
Kaneko, N., Masuyama, J., Nara, H., Hirata, D., Iwamoto, M., Okazaki, H., Minota, S., Yoshio, T.	Production of thromboxane A2 and prostaglandin I2 affected by interaction of heat aggregated IgG, endothelial cells, and platelets in lupus nephritis.	J Rheumatology	29	2106-2113	2002
Masuyama, J., Kaga, S., Kano, S., Minota, S.	A novel costimulation pathway via the 4C8 antigen for the induction of CD4+ regulatory T cells.	J Immunol	169	3710-3716	2002
Okazaki, H., Kakurai, M., Hirata, D., Sato, H., Kamimura, T., Onai, N., Matsushima, K., Nakagawa, H., Kano, S., Minota, S.:	Characterization of chemokine receptor expression and cytokine production in circulating CD4+ T cells from patients with atopic dermatitis: up-regulation of C-C chemokine receptor 4 in atopic dermatitis.	Clin Exp Allergy	32	1236-1242	2002
Ogasawara K, Hida S, Weng Y, Saiura A, Sato K, Takayanagi H, Sakaguchi S, Yokochi T, Kodama T, Naitoh M, De Martino JA, Taniguchi T.	Requirement of the IFN-alpha/beta-induced CXCR3 chemokine signalling for CD8+ T cell activation	Genes Cells.	7:3	309-20.	2002
Takayanagi H, Kim S, Matsuo K, Suzuki H, Suzuki T, Sato K, Yokochi T, Oda H, Nakamura K, Ida N, Wagner EF, Taniguchi T.	RANKL maintains bone homeostasis through c-Fos-dependent induction of interferon-beta	Nature.	416:6882	744-9.	2002
Kanda H, Hamasaki K, Kubo K, Tateishi S, Yonezumi A, Kanda Y, Yamamoto K, Mimura T.	Antiinflammatory effect of simvastatin in patients with rheumatoid arthritis	J Rheumatol.	29:9	2024-6.	2002
Asakura H, Okudaira M, Yoshida T, Ontachi Y, Yamazaki M, Morishita E, Miyamoto KI, Nakao S	Induction of vasoactive substances differs in LPS-induced and TF-induced DIC models in rats.	Thromb Haemost	88(4):	663- 667	2002
Ontachi Y, ASakura H, Takami A, Mizutani T, Kato M, Ito T, Saito M, Morishita E, Yamazaki M, Hayashi S, Minami S, Nakao S	A case of cardiac B cell lymphoma complicated by hemophagocytic syndrome.	Haematologica	87(8)	ECR27,	2002
Asakura H, Ichino T, Yoshida T, Suga Y, Ontachi Y, Mizutani T, Kato M, Ito T, Yamazaki M, Aoshima K, Morishita E, Saito M, Miyamoto KI, Nakao S	Beneficial effect of JTV-803, a new synthetic inhibitor of activated factor X, against both lipopolysaccharide-induced and tissue factor-induced disseminated intravascular coagulation in rat models.	Blood Coagul Fibrinolysis	13(3)	233- 239	2002
Asakura H, Suga Y, Aoshima K, Ontachi Y, Mizutani T, Kato M, Saito M, Morishita E, Yamazaki M, Takami A, Yoshida T, Miyamoto KI, Nakao S	Marked difference in pathophysiology between tissue factor- and lipopolysaccharide- induced disseminated intravascular coagulation models in rats.	Crit Care Med	30(1)	161- 164	2002

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Nishimoto N, Yoshizaki K, Kishimoto T.	Interleukin-6.	Smolen J, Lipsky P,	Targeted Therapy in Rheumatology.	Martin Dunitz	London	2003	231- 241
Atsumi, T., Matsuura, E., Koike, T.	Immunology of antiphospholipid antibodies and cofactors.	Lahita, R.G.	Systemic Lupus Erythematosus. (Fourth edition)	Academic Press	New York		in press