

分担研究者：今泉 勉

所属機関名：久留米大学医学部第三内科 主任教授

書籍

1. 長田克則, 今泉 勉：心臓移植. 循環器疾患最新の治療 2002-2003, 篠山重威, 矢崎義雄編, 南江堂, 東京：294-297, 2002
2. 岡 直樹, 相賀 素, 今泉 勉：心筋症における excitation-contraction coupling の変化. Annual Review 循環器 2003, 杉下靖郎, 門間和夫, 矢崎義男, 高本眞一編, 中外医学社, 東京：72-76, 2003

雑誌

1. Kuwahara F et al.: Hypoxia-inducible factor-1 α /vascular endothelial growth factor pathway for adventitial vasa vasorum formation in hypertensive rat aorta. Hypertension 39:46-50, 2002
2. Kuwahara F et al.: Transforming growth factor- β function blocking prevents myocardial fibrosis and diastolic dysfunction in pressure-overloaded rats. Circulation 106:130-135, 2002

分担研究者：小川 聡

所属機関名 慶應義塾大学医学部内科学呼吸循環 教授

雑誌

1. Baba A, Yoshikawa T, Ogawa S.: Autoantibodies produced against sarcolemmal Na-K-ATPase : possible upstream targets of arrhythmias and sudden death in patients with dilated cardiomyopathy. J Am Coll Cardiol 40:1153-9, 2002
2. 馬場彰泰, 吉川 勉, 茅野真男, 村山 晃, 三谷和彦, 中川 晋, 藤井 効, 島田 恵, 小山卓史, 赤石 誠, 三田村秀雄, 小川 聡：うっ血性心不全患者における発作性心房細動の新しい upstream としての自己抗体. J Cardiol 40 : 217-23, 2002
3. 吉川 勉, 馬場彰泰, 安齊俊久：免疫学的アプローチによる心不全治療. 呼と循 50 : 999-1006, 2002

分担研究者：豊岡 照彦

所属機関名 東京大学医学部器官病態内科・保健センター 教授

書籍

1. Shin WS, Hemmi C, Toyo-oka T: Co-culture and crosstalk between endothelial cells and vascular smooth muscle cells mediated by intracellular calcium. In Methods in Molecular Biology, E.Clare ed, Medical Research Council, London:347-357, 2002

雑誌

1. Kawada T, Nakazawa M, Nakauchi S, et al.: Rescue of hereditary form of dilated cardiomyopathy by rAAV-mediated somatic gene therapy. Proc.Natl.Acad.Sci.USA. 99:901-906, 2002
2. Toyo-oka T, Kawada T, Xi H, Nakazawa M. et al.: Gene therapy prevents disruption of dystrophin-related proteins in a model of hereditary dilated cardiomyopathy in

- hamsters. Heart, Lung & Circulation 11:174-181, 2002
3. Terasawa K, Nakajima T, Iida H, Iwasawa K, et al.: Nonselective cation currents regulate membrane potential of rabbit coronary arterial cell: modulation by lysophosphatidyl-choline. Circulation 106:311-319, 2002
 4. Hakamada-Taguchi R, Uehara Y, Haebara T, et al.:The relationship between changes in normal- range systolic blood pressure and cognitive function in middle-aged healthy women. Hypertens Res. 25:565-569, 2002
 5. Negoro H, Shin WS, Hakamada- Taguchi R, et al.: Endogenous prostaglandin D2 synthesis reduces an increase in plasminogen activator inhibitor-1 following interleukin stimulation in bovine endothelial cells. J.Hypertens. 20:1347-1354, 2002
 6. Tsuji T, Suzuki J, Shimamoto R, et al.: Vector analysis of the wall shear rate at the human aortoiliac bifurcation using cine MR velocity mapping. Am.J.Roentgenol. 178:995-999, 2002

分担研究者：堀 正二
大阪大学大学院医学研究科病態情報内科学 教授

書籍

1. 堀 正二：心不全の病態生化学。循環器病フロンティア，小室一成，メジカルビュー社，東京：138-143, 2002

雑誌

1. Masatsugu Hori: HB-EGF and ErbB signaling is essential for heart function. Proc Natl Acad Sci U S A., in press, 2003

分担研究者氏名 松崎 益徳
山口大学医学部循環病態内科学 教授

書籍

1. 高田智子, 中村浩士, 松崎益徳：劇症型心筋炎の病態生理。劇症型心筋炎の臨床, 和泉 徹編, 医学書院, 東京：37-44, 2003
2. 松崎益徳：心筋炎。今日の治療指針 2004 年度版, 山口 徹, 北原光夫編, 医学書院, 東京, 2004 (In press)

分担研究者：松森 昭
京都大学大学院医学研究科循環病態学 助教授

雑誌

1. 松森 昭ほか：Epidemiologic and Clinical Characteristics of Cardiomyopathies in Japan-Results From Nationwide Surveys-. Circulation Journal Vol.66 No.4:323-336, 2002
2. 尾野 亘ほか：Endothelin Antagonism with Bosentan : Current Status and Future Perspectives. Cardiovascular Drug Reviews Vol.20 No.1:1-18, 2002
3. 佐藤幸人ほか：Measurements of serum cardiac troponin T in patients with heart

- failure. *American Heart Journal* Vol.143 No.5:814-820, 2002
4. 西尾亮介ほか：Left Ventricular Pressure-Volume Relationship in a Murine Model of Congestive Heart Failure Due to Acute Viral Myocarditis. *Journal of American College of Cardiology* Vol. 40 No.8:1506-14, 2002
 5. 松森 昭：Cytokines in Experimental Myocarditis. *Totowa New Journal, USA* CHAPTER 5:109-133, 2002
 6. 松森 昭：Cytokines in myocarditis and dilated cardiomyopathy. *European Heart Journal Supplement I*:142-145, 2002
 7. 木下 慎ほか：Thrombosis Increases Circulatory Hepatocyte Growth Factor by Degranulation of Mast Cells. *Circulation* Vol.106:3133-38, 2002
 8. 西尾亮介ほか：Carvedilol Increases the Production of Interleukin-12 and Interferon- γ and Improves the Survival of Mice Infected With the Encephalomyocarditis Virus. *Journal of American College of Cardiology* Vol.41 No.2:340-345, 2003

分担研究者：横山 光宏
神戸大学大学院医学系研究科 教授

雑誌

1. Kawashima S, Yamashita T, Miwa Y, et al.: A HMG-CoA reductase inhibitor reduces stroke events in stroke-prone spontaneously hypertensive rats. *Stroke* 34:157-163, 2003
2. Yamashita T, Kawashima S, Miwa Y, et al.: A 3-hydroxy-3-methylglutaryl co-enzyme A reductase inhibitor reduces hypertensive nephrosclerosis in stroke-prone spontaneously hypertensive rats. *J Hypertens* 20:2465-2473, 2002
3. Ozaki M, Kawashima S, Yamashita T, et al.: Overexpression of endothelial nitric oxide synthase accelerates atherosclerotic lesion formation in apoE-deficient mice. *J Clin Invest* 110:331-340 2002
4. Ozaki M, Kawashima S, Hirase T, et al.: Overexpression of endothelial nitric oxide synthase in endothelial cells is protective against ischemia-reperfusion injury in mouse skeletal muscle. *Am J Pathol* 160:1335-1344, 2002
5. Yamashita T, Kawashima S, Ozaki M, et al.: Propagermanium reduces atherosclerosis in apolipoprotein E knockout mice via inhibition of macrophage infiltration. *Arterioscler Thromb Vasc Biol* 22:969-974, 2002
6. Yamashita T, Kawashima S, Ozaki M, et al.: Mouse coronary angiograph using synchrotron radiation microangiography. *Circulation* 105:E3-E4, 2002
7. Namiki M, Kawashima S, Yamashita T, et al.: Local overexpression of monocyte chemoattractant protein-1 at vessel wall induces infiltration of macrophages and formation of atherosclerotic lesion : synergism with hypercholesterolemia. *Arterioscler Thromb Vasc Biol* 22:115-120, 2002
8. Ozaki M, Kawashima S, Yamashita T et al.: Overexpression of endothelial nitric oxide synthase attenuates cardiac hypertrophy induced by chronic isoproterenol infusion. *Circ J* 66:851-856, 2002
9. Kawai M, Kawashima S, Sakota T, et al.: Ral GDP dissociation stimulator and Ral GTPase are involved in myocardial hypertrophy. *Hypertension*, 2003 (in press)
10. Kobayashi-Satomi S, Kawashima S, Ueyama T, et al.: Cardiac myocytes are recruited by bone marrow-derived cells in intact murine hearts. *Kobe J Med*, 2003 (in press)

分担研究者：藤原 久義
岐阜大学再生応用（循環器内科学） 教授

雑誌

1. Tsuchiya M, et al.: Vasopressin inhibits sarcolemmal ATP-sensitive K⁺ channels via V1 receptors activation in the guinea pig heart. *Circ J.* 66:277-282, 2002
2. Kawase Y, et al.: Abundant apoptosis in nutmeg liver of cardiomyopathic hamsters - Apoptotic cell death as a possible mechanism of hepatic remodeling by congestion-. *Pathol Res Pract.* 198:291-298, 2002
3. Kawasaki M, et al.: In vivo quantitative tissue characterization of human coronary arterial plaques by use of integrated backscatter intravascular ultrasound and comparison with angioscopic findings. *Circulation* 105:2487-2492, 2002
4. Hayakawa K, et al.: Sensitivity to apoptosis signal, clearance rate, and ultrastructure of Fas ligand-induced apoptosis in in vivo adult cardiac cells. *Circulation* 105:3039-3045, 2002
5. Sano H, et al. Blockade of platelet-derived growth factor receptor-beta pathway induces apoptosis of vascular endothelial cells and disrupts glomerular capillary formation in neonatal mice. *Am J Pathol.* 161:135-143, 2002
6. Aoyama T, et al.: Molecular mechanisms of non-apoptosis by Fas stimulation alone versus apoptosis with an additional actinomycin D in cultured cardiomyocytes. *Cardiovasc Res.* 55:787-798, 2002
7. Wang N, et al.: Sheng-Mai-San is protective against post-ischemic myocardial dysfunction in rats through its opening of the mitochondrial KATP channels. *Circ J.* 66:763-768, 2002
8. Shimizu Y, et al.: The role of serotonin in ischemic cellular damage and the infarct size-reducing effect of sarpogrelate, a 5-hydroxytryptamine-2 receptor blocker, in rabbit heart. *J Am Coll Cardiol.* 40:1347-1355, 2002
9. Murata I, et al.: Apoptotic cell loss following cell proliferation in renal glomeruli of Otsuka Long-Evans Tokushima Fatty rats, a model of human type 2 diabetes. *Am J Nephrol.* 22:587-595, 2002
10. Kagawa T, et al.: Hydroxyl radical generation by the combination of iron and ascorbic acid is greatly attenuated but still significant in human gastric juice. *Intern Med.* 41:1213-1214, 2002
11. Minatoguchi S, et al.: Cross-talk among noradrenalin, adenosine and protein kinase C in the mechanisms of ischemic preconditioning in rabbits. *J Cardiovasc Pharmacol.* 41:S39-S47, 2003
12. Koda M, et al.: Myocytes positive for in situ markers for DNA breaks in human hearts which are hypertrophic, but neither failed nor dilated : a manifestation of cardiac hypertrophy rather than failure. *J Pathol.* 199:229-236, 2002

分担研究者：山口 巖
筑波大学臨床医学系循環器内科 教授

1. Murakoshi N, Miyauchi T, Kakinuma Y, Ohuchi T, Goto K, Yanagisawa M, Yamaguchi I.: Vascular endothelin-B receptor system in vivo plays a favorable inhibitory role in vascular remodeling after injury revealed by endothelin-B receptor-

- knockout mice. *Circulation* 106: 1991-1998, 2002
2. Maeda S, Miyauchi T, Iemitsu M, Tanabe T, Irukayama-Tomobe Y, Goto K, Yamaguchi I, Matsuda M.: Involvement of endogenous endothelin-1 in exercise-induced redistribution of tissue blood flow: An endothelin receptor antagonist reduces the redistribution. *Circulation* 106:2188-2193, 2002
 3. Ueno M, Miyauchi T, Sakai S, Yamauchi-Kohno R, Goto K, Yamaguchi I.: A combination of oral endothelin-A receptor antagonist and oral prostacyclin analogue is superior to each drug alone in ameliorating pulmonary hypertension in rats. *Journal of the American College of Cardiology*. 40:175-181, 2002
 4. Nishi I, Iida K, Kawano S, Masumi T, Fumikura Y, Ohtsuka S, Watanabe S, Yamaguchi I.: Effects of anti-vasospastic agents in Japanese patients with dilated cardiomyopathy and coronary vasospasm. *Jpn Heart J* 43:333-342, 2002
 5. Sakai S, Miyauchi T, Irukayama-Tomobe Y, Ogata T, Goto K, Yamaguchi I.: Peroxisome proliferator-activated receptor- γ activators inhibit endothelin-1-related cardiac hypertrophy in rats. *Clinical Science* 103:16S-20S, 2002.
 6. Iemitsu M, Miyauchi T, Maeda S, Tanabe T, Irukayama-Tomobe Y, Goto K, Matsuda M, Yamaguchi I.: Effects of aging and subsequent exercise training on gene expression of endothelin-1 in rat heart. *Clinical Science* 103: 152S-157S, 2002
 7. Iemitsu M, Miyauchi T, Maeda S, Tanabe T, Takanashi M, Irukayama-Tomobe Y, Sakai S, Ohmori H, Matsuda M, Yamaguchi I.: Aging-induced decrease in the PPAR- α level in hearts is improved by exercise training. *American Journal of Physiology* 283:H1750-H1760, 2002
 8. Kakinuma Y, Miyauchi T, Suzuki T, Yuki K, Murakoshi N, Goto K, Yamaguchi I.: Enhancement of glycolysis in cardiomyocytes elevates endothelin-1 expression through the transcriptional factor hypoxia-inducible factor-1 α . *Clinical Science* 103:210S-214S, 2002
 9. Ogata T, Miyauchi T, Sakai S, Irukayama-Tomobe Y, Goto K, Yamaguchi I.: Stimulation of peroxisome-proliferator-activated receptor α (PPAR α) attenuates cardiac fibrosis and endothelin-1 production in pressure-overloaded rat hearts. *Clinical Science* 103:284S-288S, 2002
 10. Miyauchi T, Maeda S, Iemitsu M, Kobayashi T, Kumagai Y, Yamaguchi I, Matsuda M.: Exercise causes a tissue-specific change of NO production in the kidney and lung. *Journal of Applied Physiology* 94:60-68, 2003

分担研究者：竹下 彰・久保田 徹
九州大学大学院医学研究院循環器内科学 教授・助手

雑誌

1. Funakoshi H, Kubota T, Machida Y, Kawamura N, Feldman AM, Tsutsui H, Shimokawa H, Takeshita A.: Involvement of inducible nitric oxide synthase in cardiac dysfunction with tumor necrosis factor-alpha. *Am J Physiol Heart Circ Physiol* 282:H2159, 2002
2. Funakoshi H, Kubota T, Kawamura N, Machida Y, Feldman AM, Tsutsui H, Shimokawa H, Takeshita A.: Disruption of inducible nitric oxide synthase improves beta-adrenergic inotropic responsiveness but not the survival of mice with cytokine-induced cardiomyopathy. *Circ Res* 90:959 2002

3. Machida Y, Kubota T, Kawamura N, Funakoshi H, Ide T, Utsumi H, Li YY, Feldman AM, Tsutsui H, Shimokawa H, Takeshita A.: Overexpression of tumor necrosis factor-alpha increases production of hydroxyl radical in murine myocardium. *Am J Physiol Heart Circ Physiol* 284:H449, 2003
4. Suematsu N, Tsutsui H, Wen J, Kang D, Ikeuchi M, Ide T, Hayashidani S, Shiomi T, Kubota T, Hamasaki N, Takeshita A.: Oxidative stress mediates tumor necrosis factor-alpha induced mitochondrial DNA damage and dysfunction in cardiac myocytes. *Circulation* (in press)

分担研究者氏名：川名 正敏
東京女子医科大学循環器内科 助教授

雑誌

1. Hidai H, Kawana M. et al.: FGF-1 Enhanced Cardiogenesis in Differentiating Embryonal Carcinoma Cell Cultures, which was Opposite to the Effect of FGF-2. *J Moll Cell Cardiol March*, 2003 (in press)
2. Nagashima H, Kawana M et al.: An angiotensin-converting enzyme inhibitor, not an angiotensin II type-1 receptor blocker, prevents beta-aminopropionitrile monofumarate-induced aortic dissection in rats. *J Vasc Surg* 36:818-23, 2002
3. Nagashima H, Kawana M et al.: 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, cerivastatin, suppresses production of matrix metalloproteinase-9 in human abdominal aortic aneurysm wall. *J Vasc Surg* 36 158-63 2002

分担研究者氏名：木村 彰方
東京医科歯科大学難治疾患研究所 教授

書籍

1. Kimura A, Hayashi T, Itoh-Satoh M, Arimura T, Lee WH, Lee SY, Park JE: Molecular etiology of idiopathic cardiomyopathy : Identification of novel disease genes for hypertrophic cardiomyopathy and dilated cardiomyopathy. *In Proceedings of ICCHF*. Matsumori A, et al eds., Klumer Academic Publishers, Boston (in press)
2. Kimura A, Itoh-Satoh M, Hayashi T, Takahashi M, Arimura T, Yasunami M, Lee SY, Hwang TH, Lee WH, Park JE: Mutational profiles and molecular pathogenesis of hypertrophic cardiomyopathy and dilated cardiomyopathy in Asian populations. *In Frontiers in Cardiovascular Health*. Dhalla NS, et al eds., Klumer Academic Publishers Boston (in press)

雑誌

1. Itoh-Satoh M, Hayashi T, Nishi H, Koga Y, Arimura T, Ueda K, Hohta S, Nouchi T, Takahashi M, Hiroe M, Marumo F, Imaizumi T, Yasunami M, Kimura A Titin mutations as the molecular basis for dilated cardiomyopathy. *Biochem. Biophys. Res. Commun.* 291:385-393, 2002
2. Knoell R, Hoshijima M, Hoffmann HM, Person V, Lorenzen-Schmidt I, Bang M-L, Hayashi T, Shiga N, Yasukawa H, Schaper W, McKenna W, Yokoyama M, Schork J, Jeffrey H, Omens J, Andrew D, McCulloch A, Kimura A, Gregorio CC, Poller W,

Schaper J, Schulthelss HP, Chien KR The cardiac mechanical stretch sensor machinery involves a Z disc complex that is defective in a subset of human dilated cardiomyopathy. *Cell* 111:943-955, 2002

分担研究者：田中 雅嗣
財団法人岐阜県国際バイオ研究所 遺伝子治療研究部長

雑誌

1. Fuku N, Oshida Y, Takeyasu T, Guo L-J, Kurata M, Yamada Y, Sato Y, Tanaka M.: Mitochondrial ATPase subunit 6 and cytochrome b gene polymorphisms in young obese adults. *Biochem Biophys Res Commun* 290:1199-1205, 2002
2. Tanaka M.: Mitochondrial genotypes and cytochrome b variants associated with longevity or Parkinson's disease. *J Neurol* 249:II/11-II/18, 2002
3. Tanaka M, Borgeld H-J, Zhang J, Gong J-S, Yoned M, Maruyama W, Naoi M, Ibi T, Sahashi K, Shamoto M, Fuku N, Kurata M, Yamada Y, Nishizawa K, Akao Y, Ohishi N, Miyabayashi S, Umemoto H, Muramatsu T, Furukawa K, Kikuchi A, Yagi K: Gene therapy for mitochondrial disease by delivering restriction endonuclease SmaI into mitochondria. *J Biomed Sci* 9:534-541, 2002
4. Tanaka M, Fuku N, Takeyasu T, Guo L-J, Hirose R, Kurata M, Borgeld H-J, Yamada Y, Maruyama W, Arai Y, Hirose N, Oshida Y, Sato Y, Hattori N, Mizuno Y, Yagi K.: Golden mean to longevity : Rareness of mitochondrial cytochrome b variants in centenarians but not in patients with Parkinson's disease. *J Neurosci Res* 70:347-355, 2002
5. Uchigata Y, Okada T, Gong J-S, Yamada Y, Iwamoto Y, Tanaka M.: A mitochondrial genotype associated with development of autoimmune-related type-1 diabetes. *Diabetes Care* 25:2106, 2002
6. Yamada Y, Fujisawa M, Ando F, Niino N, Tanaka M, Shimokata H.: Association of a polymorphism of the transforming growth factor-beta1 gene with blood pressure in Japanese individuals. *J Hum Genet* 47:243-248, 2002
7. Yamada Y, Ichihara S, Takatsu F, Ishihara H, Hirayama H, Sone T, Tanaka M, Yokota M.: Prediction of the risk of myocardial infarction from polymorphisms in candidate genes. *N Engl J Med* 347:1916-1923, 2002
8. Yamamoto T, Maruyama W, Kato Y, Yi H, Shamoto-Nagai M, Tanaka M, Sato Y, Naoi M.: Selective nitration of mitochondrial complex I by peroxynitrite : involvement in mitochondria dysfunction and cell death of dopaminergic SH-SY5Y cells. *J Neural Transm* 109:1-13, 2002

分担研究者：河合 祥雄
順天堂大学医学部循環器内科 助教授

書籍

1. 河合祥雄：たこつぼ型心筋障害. *Annual Review 循環器* 2003, 杉下靖郎, 門間和夫, 矢崎義雄, 高本信一編, 中外医学社, 東京: 77-82, 2003

雑誌

1. 河合祥雄：“タコツボ”型心筋炎とはどういう疾患か——“タコツボ”型心筋障害炎症説の検討——. *心エコー* 2:860-865, 2001

分担研究者

廣江 道昭（国立国際医療センター 腎臓循環器科部長）
今中-吉田恭子（三重大学医学部病理・講師）
吉田 利通（三重大学医学部病理・教授）
矢崎 義雄（国立国際医療センター・総長）

雑誌

1. Imanaka-Yoshida, K., Hiroe, M., Yasutomi, Y., Toyozaki, T., Tsuchiya, T., Noda, N., Maki, S., Nishikawa, T., Sakakura, T., and Yoshida, T.: Tenascin-C is a useful marker for disease activity in myocarditis. *J. Pathol.* 197:387-94, 2002
2. Sato, M., Toyozaki, T., Odaka, K., Uehara, T., Arano, Y., Hasegawa, H., Yoshida, K., Imanaka-Yoshida, K., Yoshida, T., Hiroe, M., Tadokoro, H., Irie, T., Tanada, S., and Komuro, I.: Detection of experimental autoimmune myocarditis in rats by 111In monoclonal antibody specific for tenascin-C. *Circulation* 106:1397-402, 2002
3. Imanaka-Yoshida K, Matsumoto K, Hara M, Sakakura, T., and Yoshida, T.: The dynamic expression of tenascin-C and tenascin-X during early heart development. *Differentiation* (in press)

分担研究者氏名：磯部 光章
東京医科歯科大学循環制御学 教授

雑誌

1. Aoyama N, Izumi T, Hiramori K, Isobe M, Kawana M, Hiroe M, Hishida H, Kitaura Y, Imaizumi T: National Survey of Fulminant Myocarditis in Japan-Therapeutic Guidelines and Long-Term Prognosis of Using Percutaneous Cardiopulmonary Support for Fulminant Myocarditis (Special Report From a Scientific Committee). *Cir J* 66:133-144, 2002
2. Tsukioka K, Suzuki J, Fujimori M, Wada Y, Yamaura K, Ito K, Morishita R, Kaneda Y, Isobe M, Amano J: Expression of matrix metalloproteinases in cardiac allograft vasculopathy and attenuation of it by anti MMP-2 ribozyme gene transfection. *Cardiovasc Res* 56:472-278, 2002
3. Watanabe Y, Yoshimura R, Wada S, Chargui J, Suzuki J, Kishimoto T, Isobe M: Expression of myosin heavy chain B (SMemb) in rat allogeneic kidney transplantation. *Nephron* 91:316-323, 2002
4. Nobori K, Ito H, Tamamori-Adachi M, Adachi S, Ono Y, Kawauchi J, Kitajima S, Marumo F, Isobe M: ATF3 inhibits doxorubicin-induced apoptosis in cardiac myocytes: A novel cardioprotective role of ATF3. *J Moll Cell Cardiol* 34:1387-1397, 2002
5. Fujisawa H, Koide N, Kono T, Takayama K, Tsukioka K, Wada Y, Zhang T, Kitahara H, Nakano H, Suzuki J, Isobe M, Amano J: Expression of basic fibroblast growth factor and its receptor-1 in cardiac myxoma. *J Cardiovasc Surg* 42:589-594, 2002

6. Kosuge H, Suzuki J, Gotoh R, Koga N, Isobe M, Inobe M, Uede T: The induction of immunological tolerance to cardiac allograft by simultaneous blockade of inducible co-stimulator (ICOS) and CTLA4 pathway. *Transplantation* (in press)
7. Futamatsu H, Suzuki J, Kosuge H, Yokoseki O, Kamada M, Ito H, Inobe M, Isobe M, Uede T: Attenuation of Experimental Autoimmune Myocarditis by Blocking Activated T Cells through Inducible Costimulatory Molecule Pathway. *Cardiovasc Res* (in press)
8. Tamamori-Adachi M, Ito H, Nobori K, Hayashida K, Kawauchi J, Adachi S, Ikeda M, Kitajima S: Expression of cyclin D1 and CDK4 causes hypertrophic growth of cardiomyocytes in culture: a possible implication for cardiac hypertrophy. *Biochem. Biophys. Res Commun.* 296:274-280, 2002
9. Tamamori-Adachi M, Ito H, Sumrejkanchanakij P, Adachi S, Hiroe M, Shimizu M, Kawauchi J, Sunamori M, Marumo F, Kitajima S, Ikeda MA.: Critical role of Cyclin D1 nuclear import in cardiomyocyte proliferation. *Circ Res* 92:12-19, 2003

分担研究者：岡野 光夫

東京女子医科大学 先端生命医科学研究所所長・教授

雑誌

1. Shimizu T, Yamato M, Kikuchi A, Okano T: Tissue engineering for myocardial regeneration. *J Artif Org* 5:216-222, 2002
2. 清水達也, 岡野光夫: 組織工学によるバイオ人工心臓. *救急・集中治療* 14:1077-185, 2002

分担研究者：福田 恵一

慶應義塾大学医学部心臓病先進治療学 講師

書籍

1. Keiichi Fukuda: Use of mesenchymal stem cells for regeneration of cardiomyocytes and its application to the treatment of congestive heart failure. *In Cardiovascular genomics: New pathophysiological concepts*, Pieter Doevendans, Stefan Kaab eds, Kluwer Academic Publishers, The Netherlands 245-256, 2002

雑誌

1. Keiichi Fukuda: Reprogramming of bone marrow mesenchymal stem cells into cardiomyocytes. *Competes Rendus Biologies* 325:1-12, 2002
2. Keiichi Fukuda: Use of adult mesenchymal stem cells for regeneration of cardiomyocyte and its application to cell transplantation therapy. *J Bone Marrow Transplant.* 2003 (In press)
3. H Kodama, K Fukuda, et al.: Role of EGF receptor and Pyk2 in endothelin-1-induced ERK activation in rat cardiomyocytes. *J. Mol. Cell. Cardiol.* 341:169-150, 2002
4. D Hakuno, K Fukuda, et al.: Bone marrow-derived cardiomyocytes (CMG cell) expressed functionally active adrenergic and muscarinic receptors. *Circulation* 105:380-386, 2002
5. Keiichi Fukuda: Stem cell transplantation as a mode of regenerative medicine *Jpn Med Assoc J* 2003 (In press)
6. Keiichi Fukuda: Molecular characterization of regenerated cardiomyocytes derived

from adult mesenchymal stem cells. *Congenital anomalies*. 42:1-9, 2002

分担研究者：武田 信彬

東京慈恵会医科大学青戸病院総合診療部 助教授

書籍

1. 武田信彬：二次性心筋疾患・諸種疾患に伴う心疾患. 内科学書, 島田 馨編, 中山書店, 東京, 1385-1392, 2002

雑誌

1. Takeda N: Cardiomyopathy: Molecular and immunological aspects (Review) *Int J Mol Med* 11:13-16, 2003

分担研究者：北畠 顕

北海道大学大学院医学研究科 教授

雑誌

1. Toshihiro Shimizu, Hiroshi Okamoto, Akira Kitabatake et al.: Impaired VEGF-mediated Angiogenesis by Angiotensin type 1 Receptor Blockade In Cardiomyopathic Hamster Hearts. *Cardiovasc Res* (In press)
2. Toshihiro Shimizu, Hiroshi Okamoto, Akira Kitabatake et al.: Role of Microvasculature in Cardiac Remodeling Process of dilated cardiomyopathy. *Jpn Heart J* (In press)
3. Yutaka Matsui, Hiroshi Okamoto, Akira Kitabatake et al.: Adenovirus-mediated gene transfer of ICOSIg fusion protein ameliorates ongoing experimental autoimmune myocarditis. *Human Gene Therapy* (In Press)
4. Yutaka Matsui, Hiroshi Okamoto, Akira Kitabatake et al.: Blockade of T cell costimulatory signals using adenovirus vectors could prevent both the onset and the progression of experimental autoimmune myocarditis. *J Molle Cell Cardiol* 34 (3):279-95, 2002
5. S. Chiba, Hiroshi Okamoto, Akira Kitabatake et al.: Development of Atherosclerosis in E- μ Osteopontin Transgenic Mice. 6 (3) *Heart Vessels* 6 (3):1-7, 2002
6. Hisao Onozuka, Hiroshi Okamoto, Akira Kitabatake et al.: In vivo echocardiographic detection of cardiovascular lesions in apolipoprotein E-knockout mice using a novel high-frequency high-speed echocardiography technique. *Circulation Journal* 66:3:272-276, 2002
7. Shimizu Toshihiro, Hiroshi Okamoto, Akira Kitabatake et al.: Long-term combined therapy with an angiotensin type receptor blocker and an angiotensin converting enzyme inhibitor prolongs survival in dilated cardiomyopathy. *Human Gene Therapy* (In Press)