

interferon-gamma in the development of murine bronchus-associated lymphoid tissues induced by silica in vivo. *Toxicol. Appl. Pharmacol.*, (2002) 185, 1-7

- 10) Yoshida, M., Shirai, Y., Watanabe, T., Yamori, M., Iwakura, Y., Chiba T., Kita, T., and Wakatsuki, Y. Differential localization of colitogenic Th1 and Th2 cells monospecific to a microflora-associated antigen in mice. *Gastroenterology*. (2002) 123, 1949-1961
- 11) Oguri, S., Motegi, K., Iwakura, Y., and Endo, Y. Primary role of interleukin-1 α and Interleukin-1 β in lipopolysaccharide-induced hypoglycemia in mice. *Clin. Diagn. Lab. Immunol.*, (2002) 9, 1307-1312
- 12) Kakuta, S., Shibata, S., and Iwakura, Y. Genomic structure of the mouse 2', 5'-oligoadenylate synthetase gene family. *J. Interferon Cytokine Res.*, (2002) 22, 981-993
- 13) Sakamaki, K., Inoue, T., Asano, M., Sudo, K., Kazama, H., Sakagami, J., Sakata, S., Ozaki, M., Nakamura, S., Toyokuni, S., Osumi, N., Iwakura, Y. and Yonehara, S. Ex vivo whole-embryo culture of caspase-8-deficient embryos normalize their aberrant phenotypes in the developing neural tube and heart. *Cell Death and Differentiation*, (2002) 11, 1196-1206.
- 14) Nakae, S., Komiyama, Y., Nambu, A., Sudo, K., Iwase, M., Homma, I., Sekikawa, K., Asano, M., and Iwakura, Y. Antigen-specific T cell sensitization is impaired in IL-17-deficient mice, resulting in the suppression of allergic cellular and humoral responses. *Immunity*, (2002) 17, 375-387
- 15) Yan, X., Kita, M., Minami, M., Yamamoto, T., Kuriyama, H., Ohno, T., Iwakura, Y., and Imanishi, J. Antibacterial effect of Kampo herbal formulation Hochu-ekki-to (Bu-Zhong-Yi-Qi-Tang) on *Helicobacter pylori* infection in mice. *Microbiol. Immunol.*, (2002) 46, 475-482
- 16) Iwakura, Y. Roles of IL-1 in the development of rheumatoid arthritis: Consideration from mouse models. *Cytokine Growth Factor Rev.*, (2002) 13, 341-355
- 17) Mizuki, M., Nakane, A., Sekikawa, K., Tagawa, Y.-I., Iwakura, Y. Comparison of host resistance to primary and secondary *Listeria monocytogenes* infections in mice by intranasal and intravenous routes. *Infect. Immun.*, (2002) 70, 4805-4811
- 18) Minami, M., Kita, M., Yan, X.-Q., Yamamoto, T., Iida, T., Sekikawa, K., Iwakura, Y., and Imanishi, J. Role of IFN- α and tumor necrosis factor- α in herpes simplex virus type I infection. *J. Interferon Cytokine Res.*, (2002) 22, 671-676
- 19) Ishida, Y., Kondo, T., Ohshima, T., Fujiwara, H., Iwakura, Y., and Mukaida, N. A pivotal involvement of IFN- α in the pathogenesis of acetaminophen-induced acute liver injury. *FASEB J.*, (2002) 16, 1227-1236

- 20) Konishi, H., Tsutsui, H., Murakami, T., Yumikura-Futatsugi, S., Yamanaka, K., Tanaka, M., Iwakura, Y., Suzuki, N., Fuchs, E. V., Takeda, K., Akira, S., Nakanishi, K., and Mizutani, H. IL-18 contributes to the spontaneous development of atopic dermatitis-like inflammatory skin lesion independently of IgE/stat6 under specific pathogen-free conditions. *Proc. Natl. Acad. Sci. USA*, (2002) 99, 11340-11345
- 21) Sasaki, S., Omoe, K., Tagawa, Y., Iwakura, Y., Sekikawa, K., Shinagawa, K., and Nakane, A. Roles of gamma interferon and tumor necrosis factor-alpha in shiga toxin lethality. *Microb. Pathog.*, (2002) 33, 43-47
- 22) Nagai, Y., Akashi, S., Nagafuku, M., Ogata, M., Iwakura, Y., Akira, S., Kitamura, T., Kosugi, A., Kimoto, M., and Miyake, K. Essential role of MD-2 in LPS responsiveness and TLR4 distribution. *Nat. Immunol.*, (2002) 3, 667-672
- 23) Yamamoto, S., Oka, S., Inoue, M., Shimuta, M., Manabe, T., Takahashi, H., Miyamoto, M., Asano, M., Sakagami, J., Sudo, K., Iwakura, Y., and Kawasaki, T. Mice deficient in nervous system-specific carbohydrate epitope HNK-1 exhibit impaired synaptic plasticity and spatial learning. *J. Biol. Chem.*, (2002) 277, 27227-27231
- 24) Asada, H., Kishida, T., Hirai, H., Satoh, E., Ohashi, S., Takeuchi, M., Kubo, T., Kita, M., Iwakura, Y., Imanishi, J., and Mazda, O. Significant antitumor effects obtained by autologous tumor cell vaccine engineered to secrete interleukin (IL)-12 and IL-18 by means of the EBV/lipoplex. *Molec. Therapy*, (2002) 5, 609-616,
- 25) Oguro, T., Takahashi, Y., Ashino, T., Takaki, A., Shioda, S., Horai, R., Asano, M., Sekikawa, K., Iwakura, Y., and Yoshida, T. Involvement of tumor necrosis factor α , rather than interleukin-1 or nitric oxides in the HEME Oxygenase-1 gene expression by lipopolysaccharide in the mouse liver. *FEBS Letters*, (2002) 516, 63-66
- 26) Battsetseg, B., Mamiro, K., Inoue, N., Makala, L., Nagasanw, H., Iwakura, Y., Toyoda, Y., Mikami, T., Fujisaki, K. Immune responses of interferon gamma (IFN-gamma) knock out mice to repeated *Haemaphysalis longicornis* (Acari: Ixodidae) nymph infestations. *J. Med. Entomol.*, (2002) 39, 173-176
- 27) Asahi, Y., Yoshikawa, T., Watanabe, I., Iwasaki, T., Hasegawa, H., Sato, Y., Shimada, S., Nanno, M., Matsuoka, Y., Ohwaki, M., Iwakura, Y., Suzuki, Y., Aizawa, C., Sata, T., Kurata, T. and Tamura, S. Protection against influenza virus infection in polymeric Ig receptor knockout mice immunized intranasally with adjuvant-combined vaccines. *J. Immunol.*, (2002) 168, 2930-2938
- 28) Shinozawa, Y., Matsumoto, T., Uchida, K., Tsujimoto, S., Iwakura, Y., and Yamaguchi, K. Role of interferon-gamma in inflammatory responses in murine respiratory infection with

Legionella pneumophila. J. Med. Microbiol., (2002) 51, 225-230

- 29) Kyuwa, S., Shibata, S., Tagawa, Y., Iwakura, Y., Machii, K., and Urano, T. Acute hepatic failure in IFN- γ -deficient BALB/c mice after murine coronavirus infection. Virus Research, (2002) 83, 169-177
- 30) Nagai, Y., Shimazu, R., Ogata, H., Akashi, S., Sudo, K., Yamasaki, H., Hayashi, S., Iwakura, Y., Kimoto, M., and Miyake, K. Requirement for MD-1 in cell surface expression of RP105/CD180 and B-cell responsiveness to lipopolysaccharide. Blood. (2002) 99,1699-1705
- 31) Kakuta, S., Tagawa, Y., Shibata, S., Nanno, M., and Iwakura, Y. Inhibition of B16 melanoma experimental metastasis by interferon- γ through direct inhibition of cell proliferation and activation of anti-tumor host mechanisms. Immunology, (2002) 105, 92-100
- 32) Saijo, S., Asano, M., Horai, R., Yamamoto, H., and Iwakura, Y. Suppression of autoimmune arthritis in IL-1-deficient mice in which T cell activation is impaired due to low levels of CD40L and OX40 expression on T cells. Arth. Rheum., (2002) 46, 533-544

(尾崎 承一)

- 1) Okazaki T., Ozaki S., Nagaoka T., Kozuki, M., Sumita S., Tanaka M., Osakada F., Kishimura M., Kakutani T. and Nakao K.: Antigen-specific Th1 cell as direct effectors of Propionibacterium acnes-primed lipopolysaccharide-induced hepatic injury. Int. Immunol. 13 (5): 607-613, 2001.
- 2) Akamizu T., Ozaki S., Hiratani H., Uesugi H., Sobagima J., Hataya Y., Kanamoto N., Saijo M., Hattori Y., Moriyama K., Ohmori K and Nakao K.: Drug-induced neutropenia associated with anti-neutrophil cytoplasmic antibodies (ANCA): possible involvement of complement in granulocyte cytotoxicity. Clin Exp Immunol 127:92-98,2002.
- 3) Fujita Y., Murakami M., Ogawa Y., Masuzaki H., Tanaka M., Ozaki S., Nakao K and Mimori T.: Leptin inhibits stress-induced apoptosis of T lymphocytes. Clin Exp Immunol 128: 21-26,2002
- 4) Fida S., Myers A.M., Whittingham S., Rowley j.M., Ozaki S., and Mackay R.I.:Autoantibodies to the Transcriptional Factor SOX13 in Primary Biliary Cirrhosis Compared with Other Diseases. J.Autoimmunity. Journal of Autoimmunity 19:251-257,2002
- 5) Tanaka M., Ozaki S., Kawabata D., Kishimura M., Osakada F., Okubo M., Murakami M., Nakao K. and Mimori T. : Potential preventive effects of follistatin-related protein / TSC-36 on joint destruction and antagonistic modulation of its autoantibodies in rheumatoid arthritis. Int. Immunol 15: 71-77, 2003.

- 6) Shibata T, Yamasaki E, Shimojo S, Mizoguchi M, Ozaki S : Heterogeneity of Central Nervous System Manifestation of Sweet's Syndrome: Contribution of Underlying Behcet's Disease. 聖マリアンナ医科大学雑誌 29 : 519-527, 2001.
- 7) 中野弘雅、岡寛、尾崎承一、松田隆秀、大岡正道、鈴木典子 : ペーチェット病におけるレーザー散乱光法を用いた血小板自然凝集能の検討。臨床リウマチ 14 : 205-210, 2002.
- 8) 中野弘雅、岡寛、松田隆秀、大岡正道、大久保道子、尾崎承一 : 金チオリンゴ酸ナトリウム (シオゾール®) による間質性肺炎。リウマチ科 28 (6) : 596-597, 2002.
- 9) 尾崎承一 : 血管炎症候群の診断と病態把握 : 免疫血清学的検査。「血管炎」(長澤俊彦監修・橋本博史編集)、朝倉書店 (東京)、PP・113-118, 2001.
- 10) 尾崎承一 : 慢性関節リウマチ。「知っておきたい骨・関節疾患の新たな診療」(西岡久寿樹監修) 真興交易 (東京)、PP・46-73, 2001.
- 11) 尾崎承一 : Behcet 病。「内科学」(小俣政男・金澤一郎・北原光夫・山口徹、総編集)、医学書院 (東京)、(印刷中)
- 12) 尾崎承一 : 結節性多発動脈炎。「新・膠原病 診断と治療の最新ポイント 皮膚から内臓へ」(竹原和彦、桑名正隆、宮地良樹編) 診断と治療社 (東京)、PP・100-105, 2002.
- 13) 尾崎承一 : ANCA と血管炎。「新・膠原病 診断と治療の最新ポイント 皮膚から内臓へ」(竹原和彦、桑名正隆、宮地良樹編) 診断と治療社 (東京)、PP・100-105, 2002.
- 14) 尾崎承一 : 可容型 gp130 と慢性関節リウマチ。免疫・Immunology Frontier 11(2):46-52, 2001.
- 15) 尾崎承一、傍島淳子 : 自己免疫性肝疾患と ANCA。Bio Clinica 16(5):90-95, 2001.
- 16) 尾崎承一 : 結節性多発動脈炎。毎日ライフ 6 : 40-44, 2001.
- 17) 尾崎承一、田中真生 : 慢性関節リウマチの新規自己抗原のクローニング。組織培養工学 27 (5) : 20-23, 2001.
- 18) 橋本博史、吉木敬、尾崎承一 他 26 名 : 厚生労働省厚生科学特定疾患・難治性血管炎に関する調査研究報告。日本臨床免疫学会会誌 24 (6) : 336-346, 2001.
- 19) 大矢直子、尾崎承一 : ループス腎炎および MPO-ANCA 関連腎炎。総合臨床 51 (7) : 2176-2181, 2002.
- 20) 山本直弘、尾崎承一 : 混合性結合組織病。臨床医増刊号 28: 1556-1558, 2002.
- 21) 池内俊三、尾崎承一 : 側頭動脈炎。リウマチ科 27 (Suppl. 1): 713-717, 2002.

22) 山田秀裕、浜信昭、吉田智彦、尾崎承一：SLE患者の妊娠、出産におけるリスクをどう回避するか。EBM 3(6)：63-68,2002

23) 岡寛、尾崎承一：炎症性筋疾患。Current Therapy 21(3):34-37,2003.

(高柳 広)

- 1) Takayanagi, H., Kim, S., Koga T., Nishina H., Isshiki, M., Yoshida, H., Saiura, A., Isobe, M., Yokochi, T., Inoue, J-I, Wagner, E. F., Mak T. W., Kodama, T., and Taniguchi, T. Induction and activation of the transcription factor NFATc1 (NFAT2) integrate RANKL signaling for terminal differentiation of osteoclasts. *Dev Cell* 3, 889-901(2002)
- 2) Takayanagi, H., Kim, S., Matsuo, K., Suzuki, H., Suzuki, T., Sato, K., Yokochi, T., Oda, H., Nakamura, K., Ida, N., Wagner, E. F. & Taniguchi, T. RANKL maintains bone homeostasis through c-Fos-dependent induction of *IFN- γ* . *Nature* 416, 744-49 (2002).
- 3) Takayanagi, H., Kim, S., and Taniguchi, T. (2002). Signaling crosstalk between RANKL and interferons in osteoclast differentiation. *Arthritis Res* 4, S227-232
- 4) Nakamura, I., Kadono, Y., Takayanagi, H., Jimi, E., Miyazaki, T., Oda, H., Nakamura, K., Tanaka, S., Rodman, G. A. & Duong le, T. IL-1 regulates cytoskeleton organization in osteoclasts via TNF receptor-associated factor 6/c-Src complex. *J Immunol* 168, 5103-9. (2002).
- 5) Yamamoto, A., Miyazaki, T., Kadono, Y., Takayanagi, H., Miura, T., Nishina, H., Katada, T., Wakabayashi, K., Oda, H., Nakamura, K. & Tanaka, S. Possible involvement of I κ B kinase 2 and MKK7 in osteoclastogenesis induced by receptor activator of nuclear factor κ B ligand. *J Bone Miner Res* 17, 612-21. (2002).
- 6) Ogasawara, K., Hida, S., Weng, Y., Saiura, A., Sato, K., Takayanagi, H., Sakaguchi, S., Yokochi, T., Kodama, T., Naitoh, M., De Martino, J. A. & Taniguchi, T. Requirement of the IFN- γ -induced CXCR3 chemokine signalling for CD8⁺ T cell activation. *Genes Cells* 7, 309-320. (2002).

(妻木 範行)

- 1) 妻木範行, 木全弘治 “軟骨分化と軟骨細胞” 骨と軟骨のバイオロジー (金原出版) 91-99 2002
- 2) Tsumaki, N., Nakase T, Miyaji T, Kakiuchi M, Kimura T, Ochi T, and Yoshikawa H “BMP signals are required for cartilage formation and differently regulate joint development during skeletogenesis” *J Bone Miner Res* 17: 898-906 2002
- 3) Tanaka K, Tsumaki N., Kozak CA, Matsumoto Y, Nakatani F, Iwamoto Y, and Yamada Y “A

Krüppel-Associated Box-Zinc Finger Protein, NT2, Represses Cell-Type-Specific Promoter Activity of the $\alpha 2(XI)$ Collagen Gene” *Mol Cell Biol.* 22: 4256-4267 2002

- 4) Matsui Y, Chansky HA, Barahmand-Pour F, Zielinska-Kwiatkowska A, Tsumaki N, Myoui A, Yoshikawa H, Yang L, Eyre DR. “COL11A2 collagen gene transcription is differentially regulated by EWS/ERG sarcoma fusion protein and wild-type ERG” *J Biol Chem.* *in press* 2003
- 5) Matsui Y, Araki N, Tsuboi H, Tsumaki N, Nakata K, Kawabata H, Eyre DR, Yoshikawa H. “Differential expression of aggrecan mRNA isoforms by chondrosarcoma cells” *Anticancer Res* 22: 4169-4172 2002
- 6) 妻木範行 『最新学際情報』XI型コラーゲン遺伝子 *関節外科* 21:1136-1137 2002
- 7) 妻木範行, 中瀬尚長, 宮地高弘, 越智隆弘, 吉川秀樹 軟骨形成における BMP の役割 *骨・関節・靭帯* 15: 255-260 2002
- 8) 妻木範行, 最新基礎科学／知っておきたい 「トランスジェニックマウス」 *臨床整形外科*, 36: 778-780 2001

(戸山 芳昭)

- 1) Nozaki J, Aizawa M, Uchida H, Itatani K, Suemasu H, Nozue A, Okada I, Matsumoto M, Matsumoto H, Toyama Y : Biocompatibility of hydroxyapatite films formed on Ti metal by a simple urea and urease treatment. *Key Engineering Materials* 240-242:603-606,2003
- 2) Mamoru Aizawa, Hiroki Shinoda, Hiroshi Uchida, Kiyoshi Itatani, Isao Okada, Morio Mtsumoto, Hikaru Morisue, Hideo Matsumoto, Yoshiaki Toyama : Development and biological evaluation of apatite fibre scaffolds with large pore size and high porosity for bone regeneration. *Key Engineering Materials* 240-242:647-650,2003
- 3) Hiroyuki Enomoto, Isao Inoki, Koichiro Komiya, Takayuki Shiomi, Eiji Ikeda, Kenichiro Obata, Hideo Matusmo, Yoshiaki Toyama, Yasunori Okada : Vascular endothelial growth factor isoforms and their receptors are expressed in human osteoarthritic cartilage. *American J Pathology* 162:171-181,2003
- 4) Yasuo Niki, Hideo Matsumoto, Yasunori Suda, Toshiro Otani, Kyosuke Fujikawa, Yoshiaki Toyama, Noriyuki Hisamori, Akira Nozue : Metal ions induce bone-resorbing cytokine production through the redox pathway in synoviocytes and bone marrow macrophage. *Biomaterials* 24(8):1447-1457,2003
- 5) Tomonori Abe, Harumoto Yamada, Hideto Nakajima, Toshiyuki Kikuchi, Hironari Takaishi,

Takushi Tadakuma, Kyosuke Fujikawa, Yoshiaki Toyama : Repair of full-thickness cartilage defects using liposomal transforming growth factor- β 1. J Orthop Sci. 8:92-101,2003

- 6) Aizawa M, Ito M, Itatani K, Suemasu H, Nozue A, Okada I, Matsumoto M, Ishikawa M, Matsumoto H, Toyama Y : In vivo and in vitro evaluation of the biocompatibility of the hydroxyapatite-PMMA hybrid materials having mechanical property similar to that of cortical bone. Key Engineering Materials 218-220:465-468,2002
- 7) Kiwamu Horiuchi, Shigeki Momohara, Taisuke Tomatsu, Kazuhiko Inoue, Yoshiaki Toyama : Arthroscopic synovectomy of the elbow in rheumatoid arthritis. J Bone Joint Surg.(Am) 84-A(3):342-347,2002
- 8) Toshiyuki Miyasaka, Hideo Matsumoto, Yasunori Suda, Toshiro Otani, Yoshiaki Toyama : Coordination of the anterior and posterior cruciate ligaments in constraining the varus-valgus and internal-external rotatory instability. J Orthop Sci. 7:348-353,2002
- 9) Toshikichi Hayashi, Toshio Kaneda, Yoshiaki Toyama, Masayoshi Kumegawa, Yoshiyuki Hakeda : Regulation of receptor activator of NF- κ B ligand-induced osteoclastogenesis by endogeneous interferon- β (INF- β) and suppressors of cytokine signaling(SOCS). J Biological Chemistry 277(31):27880-27886,2002
- 10) Kensuke Ochi, Grouping Chen, Takashi Ushida, Satoshi Gojo, Kaoru Segawa, Hitoshi Tai, Kenju Ueno, Hiroyuki Ohkawa, Taisuke Mori, Yoshiaki Toyama, Junichi Hata, Akihiro Umezawa : Use of isolated mature osteoblasts in abundance acts as desired-shaped bone regeneration in combination with a modified Poly-DL-Lactic-Co-Glycolic Acid(PLGA)-Collagen sponge. J Cellular Physiology 194:45-53,2002
- 11) Yasuo Niki, Harumoto Yamada, Shuhji Seki, Toshiyuki Kikuchi, Hironari Takaishi, Yoshiaki Toyama, Kyosuke Fujikawa, Norihiro Toda : Macrophage-and neutrophil-dominant arthritis in human IL-1 α transgenic mice. J. Clin. Invest. 107(9):1127-1135,2001
- 12) Yasuo Niki, Hideo Matsumoto, Toshiro Otani, Yasunori Suda, Yoshiaki Toyama : Metal ion concentrations in the joint fluid immediately after total knee arthroplasty. Mod Rheumatol. 11:192-196,2001
- 13) Hironori Kaneko, Toshiya Arakawa, Hiroshi Mano, Toshio Kaneda, Aichi Ogasawara, Mari Nakagawa, Yoshiaki Toyama, Yutaka Yabe, Masayoshi Kumegawa, Yoshiyuki Hakeda : Direct stimulation of osteoclastic bone resorption by bone morphogenetic protein(BMP)-2 and expression of BMP receptors in mature osteoclasts. Bone 27:479-486,2000

(中島 利博)

- 1) H. Fujita, R. Fujii, S. Aratani, T. Amano, A. Fukamizu, T. Nakajima, "Opposite effects of

- MBD2a on gene regulation" *Molecular and Cellular Biology* in press 2003
- 2) S. Aratani, R. Fujii, H. Fujita, A. Fukamizu, T. Nakajima, "Aromatic residues are required for RNA helicase A mediated transactivation." *International Journal of Molecular Medicine* in press 2003
 - 3) T. Hirose, R. Fujii, H. Nakamura, A. Aratani, H. Fujita, M. Nakazawa, K. Nakamura, K. Nishioka, T. Nakajima, "Regulation of CREB-mediated transcription by association of CDK4 binding protein p34 SEI-1 with CBP" *International Journal of Molecular Medicine* in press 2003
 - 4) N. Araya, K. Hirota, Y. Shimamoto, M. Miyagishi, E. Yoshida, J. Ishida, S. Kaneko, M. Kaneko, T. Nakajima, A. Fukamizu. "Cooperative Interaction of EWS with CBP Selectively Activates HNF4-mediated Transcription." *J Biol Chem.* in press 2003
 - 5) M. Nakazawa, S. Aratani, M. Hatta, N. Araya, H. Daitoku, K. Kawahara, S. Watanabe, H. Nakamura, S. Yoshino, A. Fukamizu, K. Nishioka T. Nakajima. "TNF α induces acetylation of p53 but attenuates its transcriptional activation in rheumatoid synoviocytes" *International Journal of Molecular Medicine* 10 : 269-275 2002.
 - 6) T. Imaizumi, S. Aratani, T. Nakajima, M. Carlson, T. Matsumiya, K. Tanji, K. Ookawa, H. Yoshida, S. Tsuchida, T. M. McIntyre, S. M. Prescott, G. A. Zimmerman, K. Satoh. "Retinoic Acid-Inducible Gene-1 Is Induced in Endothelial Cells by LPS and Regulates Expression of COX-2." *Biochemical and Biophysical Research Communications* 292 : 274-279 2002
 - 7) Nguyen Ngoc Chau, H. Nakamura, M. Nakazawa, T. Hirose, T. Kobata, K. Nishioka, T. Nakajima. "Expression of HOXD9 in fibroblast-like synoviocytes from rheumatoid arthritis patients." *International Journal of Molecular Medicine* 10 : 41-48 2002
 - 8) H. Kitagawa, J. Yanagisawa, H. Fuse, S. Ogawa, Y. Yogiashi, A. Okuno, H. Nagasawa, T. Nakajima, T. Matsumoto, S. Kato. "Ligand Selective Potentiation of Rat Mineralocorticoid Receptor Activation Function-1 (AF-1) by ACBP-containing HAT complex." *Mol. Cell. Biol.* 22 : 3698-3706 2002.
 - 9) H. Kawabata, K. Kawahara, T. Kanekura, N. Araya, H. Daitoku, M. Hatta, N. Miura, A. Fukamizu, T. Kanzaki, I. Maruyama, T. Nakajima. "Possible role of transcriptional coactivator P/CAF and nuclear acetylation in calcium induced keratinocyte differentiation." *Biol Chem.* 277 : 8099-8105 2002
 - 10) H. Ishii, M. Nakazawa, S. Yoshino, H. Nakamura, K. Nishioka, T. Nakajima. "Expression of otch homologues in the synovium of rheumatoid arthritis and osteoarthritis patients." *Rheumatology International* 21:10-14 2001.

- 11) H. Daitoku, J. Ishida, K. Fujiwara, T. Nakajima, A. Fukamizu. "Dimerization of small TPase Rab5" *International Journal of Molecular Medicine* 8 : 397-404 2001.
- 12) S. Aratani, R. Fujii, T. Oishi, H. Fujita, T. Amano, T. Ohshima, M. Hagiwara, A. Fukamizu, and T. Nakajima. "Dual roles of RNA helicase A in CREB-dependent transcription." *Mol. Cell. Biol.* 21 : 4460-4469 2001.
- 13) M. Nakazawa, H. Ishii, H. Aono, M. Takai, T. Honda, S. Aratani, A. Fukamizu, H. Nakamura, S-I, Yoshino, T. Kobata, K. Nishioka, T. Nakajima "Role of Notch-1 intracellular domain in activation of rheumatoid synoviocytes." *Arthritis and Rheumatism* 44 : 1545-1554 2001.
- 14) R Fujii, M Okamoto, S Aratani, T Oishi, T Ohshima, K Taira, M Baba, A Fukamizu, T. Nakajima "A role for RNA helicase A in TAR-dependent transcriptional regulation of the human immunodeficiency virus type 1" *J Biol Chem.* 276 : 5445-5451 2001.
- 15) Nguyen Dinh Khoa, Minako Nakazawa, Tomoko Hasunuma, Toshihiro Nakajima, Hiroshi Nakamura, Tetsuji Kobata, Kusuki Nishioka. "Potential role of HOXD9 in synoviocyte proliferation." *Arthritis and Rheumatism* 44 : 1013-1021 2001
- 16) KP. Sarker, M. Nakata, T. Tokioka, I. Kitajima, T. Nakajima, I. Maruyama. "Inhibition of Caspase-3 Activation by SB203580, p38 Mitogen-Activated Protein Kinase Inhibitor in Nitric Oxide-Induced Apoptosis of PC-12 Cells." *Journal of Molecular Neuroscience* 15: 243-250 2001.
- 17) Ohshima T, Yoshida Y, Nakajima T, Yagami K, Fukamizu A. "Effects of interaction between parvovirus minute virus of mice NS1 and coactivator CBP on NS1-and p53 -transactivation." *International Journal of Molecular Medicine* 7: 49-54 2001.
- 18) Nakazawa M, Ishii H, Nakamura H, Yoshino S, Fukamizu A, Nishioka K, Nakajima T. "NF κ B2 (p52) promoter activation via Notch signaling pathway in rheumatoid synoviocytes." *International Journal of Molecular Medicine* 7: 31-35 2001.
- 19) Miyagishi M, Fujii R, Hatta M, Yoshida E, Araya N, Nagafuchi A, Ishihara S, Nakajima T, Fukamizu A. "Regulation of Lef-mediated transcription and p53-dependent pathway by associating β -catenin with CBP/p300." *J Biol Chem.* 275: 35170-35175 2000.
- 20) Shimohata T, Nakajima T, Yamada M, Uchida C, Onodera O, Naruse S, Kimura T, Koide R, Nozaki K, Sano Y, Ishiguro H, Sakoe K, Ooshima T, Sato A, Ikeuchi T, Oyake M, Sato T, Aoyagi Y, Hozumi I, Nagatsu T, Takiyama Y, Nishizawa M, Goto J, Kanazawa I, Davidson I, Tanese N, Takahashi H. Tsuji S. "Interaction of expanded polyglutamine stretches associated with CAG repeat diseases and hTAFII130 interferes with CREB-dependent

transcription. " *Nature Genetics* 26: 29-36 2000

- 21) Pitkanen J, Doucas V, Sternsdorf T, Nakajima T, Aratani S, Jensen K, Will H, Vahamurto P, Ollila J, Vihinen M, Scott HS, Antonarakis SE, Kudoh J, Shimizu N, Krohn K, Peterson P. "APECED protein AIRE has transcriptional transactivating properties and interacts with common co-activator CBP. " *J.Biol. Chem.* 275: 16802-16809 2000.
- 22) Nakazawa m. Hasunuma T. Ohshima T. Tanaka Y. Nishioka k. Nakajima T. "CBP: a target molecule of HTLV-1 Tax in synoviocyte activation. " *Biochem. Biophys. Res. Comm.* 269: 584-590 2000
- 23) M. Miyagishi, T. Ohshima, J-I. Ishida, R. Fujii, T. Nakajima, A. Fukamizu "Molecular characterization of mesoderm-restricted basic helix-loop-helix protein, POD-1/capsulin. " *International Journal of Molecular Medicine* 5: 27-31 2000.
- 24) Miyagishi, M. Nakajima T. Fukamizu A. "Cell type-dependent transactivation or repression of mesoderm-restricted basic helix-loop-helix protein, POD-1/Capsulin. " *Molecular and Cellular Biochem.* 205: 141-147 2000.

(開 祐司)

- 1) K. Kusafuka, Y. Hiraki, C. Shukunami, T. Kayano, and T. Takemura (2002) *Acta Histochem.*, 104, 167-175; Cartilage-specific matrix protein, chondromodulin-I (ChM-I), is a strong angio-inhibitor in endochondral ossification of human neonatal vertebral tissues in vivo: relationship with angiogenic factors in the cartilage.
- 2) H. Inoue, Y. Hiraki, T. Nawa, and K. Ishizeki (2002) *Anat. Sci. Int.* 77, 237-246; Phenotypic switching of in vitro mandibular chondylar cartilage during matrix mineralization.