

研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kunita R, Otomo A, Ikeda JE.	Identification and characterization of novel members of the CREG family, putative secreted glycoproteins expressed specifically in brain.	Genomics.	80(5)	456-460	2002
Singaraja RR, Hadano S, Metzler M, Givan S, Wellington CL, Warby S, Yanai A, Gutekunst CA, Leavitt BR, Yi H, Fichter K, Gan L, McCutcheon K, Chopra V, Michel J, Hersch SM, Ikeda JE, Hayden MR.	HIP14, a novel ankyrin domain-containing protein, links huntingtin to intracellular trafficking and endocytosis.	Hum Mol Genet.	11(23)	2815-2828.	2002
Xu M, Okada T, Sakai H, Miyamoto N, Yanagisawa Y, MacKenzie AE, Hadano S, Ikeda JE.	Functional human NAIP promoter transcription regulatory elements for the NAIP and PsiNAIP genes.	Biochim Biophys Acta.	1574(1)	35-50.	2002
Okada T, Gondo Y, Goto J, Kanazawa I, Hadano S, Ikeda JE.	Unstable transmission of the RS447 human megasatellite tandem repetitive sequence that contains the USP17 deubiquitinating enzyme gene.	Hum Genet.	110(4)	302-313	2002
Wang F, Corbett D, Osuga H, Osuga S, Ikeda JE, Slack RS, Hogan MJ, Hakim AM, Park DS.	Inhibition of cyclin-dependent kinases improves CA1 neuronal survival and behavioral performance after global ischemia in the rat.	J Cereb Blood Flow Metab.	22(2)	171-82.	2002
Adachi H, Katsuno M, Minamiyama M, Sang C, Pagoulatos G, Kobayashi Y, Doyu M, Sobue G	Heat Shock Protein 70 Chaperone Overexpression Ameliorates Phenotypes of the Spinal and Bulbar Muscular Atrophy Transgenic Mouse Model by Reducing Nuclear-Localized Mutant Androgen Receptor Protein	J Neurosci	23(6)	2203-2211	2003
Hattori N, Yamamoto M, Yoshihara T, Koike H, Nakagawa M, Yoshikawa H, Ohnishi A, Hayasaka K, Onodera O, Baba M, Yasuda H, Saito T, Nakashima K, Kira J, Kaji R, Oka N, Sobue G.	Demyelinating and axonal features of Charcot-Marie-Tooth disease with mutations of myelin-related proteins (PMP22, MPZ and Cx32): a clinicopathological study of 205 Japanese patients.	Brain.	126(Pt 1)	134-151	2003
Takeuchi H, Kobayashi Y, Ishigaki S, Doyu M, Sobue G.	Mitochondrial localization of mutant superoxide dismutase 1 triggers caspase-dependent cell death in a cellular model of familial amyotrophic lateral sclerosis.	J Biol Chem.	277(52)	50966-50972	2002
Koike H, Misu K, Ikeda S, Ando Y, Nakazato M, Ando E, Yamamoto M, Hattori N, Sobue G.	Type I (transthyretin Met30) familial amyloid polyneuropathy in Japan: early- vs late-onset form.	Arch Neurol.	59(11)	1771-1776	2002

Yoshihara T, Ishigaki S, Yamamoto M, Liang Y, Niwa J, Takeuchi H, Doyu M, Sobue G.	Differential expression of inflammation- and apoptosis-related genes in spinal cords of a mutant SOD1 transgenic mouse model of familial amyotrophic lateral sclerosis.	J Neurochem.	80(1)	158-167	2002
Mori K, Hattori N, Sugiura M, Koike H, Misu K, Ichimura M, Hirayama M, Sobue G.	Chronic inflammatory demyelinating polyneuropathy presenting with features of GBS.	Neurology.	58(6)	979-982	2002
Ikeda S, Nakazato M, Ando Y, Sobue G.	Familial transthyretin-type amyloid polyneuropathy in Japan: clinical and genetic heterogeneity.	Neurology.	58(7)	1001-1007	2002
Watanabe H, Saito Y, Terao S, Ando T, Kachi T, Mukai E, Aiba I, Abe Y, Tamakoshi A, Doyu M, Hirayama M, Sobue G.	Progression and prognosis in multiple system atrophy: an analysis of 230 Japanese patients.	Brain.	125(Pt 5)	1070-1083	2002
Ishigaki S, Liang Y, Yamamoto M, Niwa J, Ando Y, Yoshihara T, Takeuchi H, Doyu M, Sobue G.	X-Linked inhibitor of apoptosis protein is involved in mutant SOD1-mediated neuronal degeneration.	J Neurochem.	82(3)	576-584	2002
Katsuno M, Adachi H, Kume A, Li M, Nakagomi Y, Niwa H, Sang C, Kobayashi Y, Doyu M, Sobue G.	Testosterone reduction prevents phenotypic expression in a transgenic mouse model of spinal and bulbar muscular atrophy.	Neuron.	35(5)	843-854	2002
Niwa J, Ishigaki S, Hishikawa N, Yamamoto M, Doyu M, Murata S, Tanaka K, Taniguchi N, Sobue G.	Dorfin ubiquitylates mutant SOD1 and prevents mutant SOD1-mediated neurotoxicity.	J Biol Chem.	277(39)	36793-36798	2002
Ohtaki H, Funahashi H, Dohi K, Oguro T, Horai R, Asano M, Iwakura Y, Yin L, Matsunaga M, Goto N, Shioda S.	Suppression of oxidative neuronal damage after transient middle cerebral artery occlusion in mice lacking interleukin-1.	Neurosci Res.	45(3)	313-24	2002
Voronov E, Shouval DS, Krelin Y, Cagnano E, Benharroch D, Iwakura Y, Dinarello CA, Apte RN.	IL-1 is required for tumor invasiveness and angiogenesis.	Proc Natl Acad Sci U S A.	100(5)	2645-2650	2003
Ikegaya Y, Delcroix I, Iwakura Y, Matsuki N, Nishiyama N.	Interleukin-1beta abrogates long-term depression of hippocampal CA1 synaptic transmission.	Synapse.	47(1)	54-57	2003
Nakae S, Komiyama Y, Nambu A, Sudo K, Iwase M, Honma I, Sekikawa K, Asano M, Iwakura Y.	Antigen-specific T cell sensitization is impaired in IL-17-deficient mice, causing suppression of allergic cellular and humoral responses.	Immunity.	17(3)	375-387	2002
Nagai Y, Akashi S, Nagafuku M, Ogata M, Iwakura Y, Akira S, Kitamura T, Kosugi A, Kimoto M, Miyake K.	Essential role of MD-2 in LPS responsiveness and TLR4 distribution.	Nat Immunol.	3(7)	667-72	2002

Konishi H, Tsutsui H, Murakami T, Yumikura-Futatsugi S, Yamanaka K, Tanaka M, Iwakura Y, Suzuki N, Takeda K, Akira S, Nakanishi K, Mizutani H.	IL-18 contributes to the spontaneous development of atopic dermatitis-like inflammatory skin lesion independently of IgE/stat6 under specific pathogen-free conditions.	Proc Natl Acad Sci U S A.	99(17)	11340-11345	2002
Mizushima H, Zhou CJ, Dohi K, Horai R, Asano M, Iwakura Y, Hirabayashi T, Arata S, Nakajo S, Takaki A, Ohtaki H, Shioda S.	Reduced postischemic apoptosis in the hippocampus of mice deficient in interleukin-1.	J Comp Neurol.	448(2)	203-216	2002
Yamamoto S, Oka S, Inoue M, Shimuta M, Manabe T, Takahashi H, Miyamoto M, Asano M, Sakagami J, Sudo K, Iwakura Y, Ono K, Kawasaki T.	Mice deficient in nervous system-specific carbohydrate epitope HNK-1 exhibit impaired synaptic plasticity and spatial learning.	J Biol Chem.	277(30)	27227-27231	2002
Brough D, Le Feuvre RA, Iwakura Y, Rothwell NJ.	Purinergic (P2X7) receptor activation of microglia induces cell death via an interleukin-1-independent mechanism.	Mol Cell Neurosci.	19(2)	272-280	2002
Iwakura Y.	Roles of IL-1 in the development of rheumatoid arthritis: consideration from mouse models.	Cytokine Growth Factor Rev.	13(4-5)	341-355	2002
Matsuoka Y, Furuyashiki T, Bito H, Ushikubi F, Tanaka Y, Kobayashi T, Muro S, Satoh N, Kayahara T, Higashi M, Mizoguchi A, Shichi H, Fukuda Y, Nakao K, Narumiya S.	Impaired adrenocorticotrophic hormone response to bacterial endotoxin in mice deficient in prostaglandin E receptor EP1 and EP3 subtypes.	Proc Natl Acad Sci U S A.	epub ahead of print		2002
Furuyashiki T, Arakawa Y, Takemoto-Kimura S, Bito H, Narumiya S.	Multiple spatiotemporal modes of actin reorganization by NMDA receptors and voltage-gated Ca <sup>2+</sup> channels.	Proc Natl Acad Sci U S A.	99(22)	14458-14463	2002
Narumiya S, Mabuchi I.	Cell biology: spinning actin to divide.	Nature.	419(6902)	27-28	2002
Chevrier V, Piel M, Collomb N, Saoudi Y, Frank R, Paintrand M, Narumiya S, Bornens M, Job D.	The Rho-associated protein kinase p160ROCK is required for centrosome positioning.	J Cell Biol.	157(5)	807-817	2002
Tsuji T, Ishizaki T, Okamoto M, Higashida C, Kimura K, Furuyashiki T, Arakawa Y, Birge RB, Nakamoto T, Hirai H, Narumiya S.	ROCK and mDia1 antagonize in Rho-dependent Rac activation in Swiss 3T3 fibroblasts.	J Cell Biol.	157(5)	819-830	2002
國田龍太, 大友麻子, 池田穰衛	脳特異的に発現する新規推定分泌糖タンパク質、ヒト CREG2並びにマウスCreg2のcDNA単離と発現解析	第25回日本分子生物学会年会プログラム・講演要旨集		122	2002

田中一則, 宮本なつき, 将口 (宮田) 淳子, 池田 穰衛	ハンチントン病遺伝子転写調節候補因子 の細胞内分子病態	第25回日本分 子生物学会年 会プログラ ム・講演要旨集		191	2002
池田穰衛	NAIPの抗アポトーシス機序と神経変性防 御薬の開発	生化学	74(8)	645	2002
田中一則, 宮本なつき, 将口 (宮田) 淳子, 池田 穰衛	Nuclear shuttle 活性を有する転写因子の 解析:ハンチントン病遺伝子転写の分子機 序	第20回染色体 ワークショップ	38	31	2002
Ikeda JE, Otomo A, Kunita R, Yoshida E, Hadano S, Osuga H	ALS2 gene accounting for amyotrophic lateral sclerosis 2 encodes multi guanine exchange factor (GEF) domains acting for small GTPases.	神経化学	41(3)	354	2002
Tanaka K, Showguchi-Miyata J, Miyamoto N, Ikeda JE	Functional analysis of the putative transcription factors for human Huntington' s disease gene.	神経化学	41(3)、	355	2002
Tanaka K, Showguchi-Miyata J, Miyamoto N, Ikeda JE	Functional analysis of the putative transcription factors for the human Huntington' s disease gene.	Human Genome Meeting 2002, Programme and Abstract book	148	115	2002
Hadano S, Hand CK, Osuga H, Yanagisawa Y, Otomo A, Devon RS, Miyamoto N, Showguchi-Miyata J, Okada Y, Singaraja R, Figlewicz DA, Kwiatkowski T, Hosler BA, Sagie T, Skaug J, Nasir J, Brown RH Jr, Scherer SW, Rouleau GA, Hayden MR, Ikeda JE.	Identification and characterization of the ALS2 causative gene that encodes a protein containing multiple GEF domains.	Human Genome Meeting 2002, Programme and Abstract book	420	191	2002
Tanaka K, Showguchi-Miyata J, Miyamoto N, Ikeda JE	Molecular behavior of the putative transcriptional factors for the human Huntington' s disease.	HE 15 <sup>th</sup> NAITO CONFERENCE ON MOLECULAR BIOLOGICAL APPROACHES FOR INTRACTABLE DISEASE [III]. PROGRAM, ABSTRACTS, LIST OF PARTICIPANTS	PS[II]-27	82	2002

20020860

以降は雑誌/図書に掲載された論文となりますので、  
「研究成果の刊行に関する一覧表」をご参照ください。