

IV. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表（岩倉洋一郎）

書籍

発表者氏名	論文タイトル名	発表誌名	巻号	ペー ジ	出版年
Nakae, S., Horai, R., Komiya, Y., Nambu, A., Asano, M., Nakane, A., and Iwakura, Y.	The role of IL-1 in the immune system.	In "Cytokine Knockouts", (ed. G. Fantuzzi), Humana Press, Totowa, NJ	In press		2003
Iwakura, Y.	Autoimmune chronic inflammatory arthropathy in mice transgenic for the HTLV-I tax gene.	Gann Monograph	In press		2003

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ペー ジ	出版年
Asada, H., Kishida, T., Hirai, H., Iwakura, Y., Imanishi, J., and Mazda, O.	Anti-melanoma immune responses induced by autologous tumor cell vaccine engineered to express interleukin (IL)-12 and IL-18 by means of the EBV/lipoplex.	6th Annual Meeting of American Society of Gene Therapy, Washington DC	6	4-8	2003
Voronov, E., Shouval, D. S., Krelin, Y., Cagnano, E., Benharroch, D., Iwakura, Y., Dinarello, C. A., and Apte, R. N.	Interleukin 1 is required for tumor invasiveness and angiogenesis.	Proc. Natl. Acad. Sci. USA	In press		2003
Nakae, S., Komiya, K., Yokoyama, H., Nambu, A., Umeda, M., Iwase, M., Homma, I., Sudo, K., Horai, R., Asano, M. and Iwakura, Y.	Interleukin-1 is required for allergen-specific Th2 cell activation and the development of airway hypersensitivity response.	Int. Immunol.	In press		2003

Ohtaki, H., Funahashi, H., Dohi, K., Oguro, T., Horai, R., Asano, M., Iwakura, Y., Yin, L., Matsunaga, M., Goto, N., and Shioda, S.	Suppression of oxidative neuronal damage after transient middle cerebral artery occlusion in mice lacking interleukin-1.	<i>Neuroscience Res..</i>	In press		2003
Sashinami, H., Nakane, A., Iwakura, Y., and Sasaki, M.	Effective induction of acquired resistance to <i>Listeria monocytogenes</i> by immunizing mice with <i>in vivo</i> -infected dendritic cells.	<i>Infect. Immun.</i>	71	117-125	2003
Li, H., Takeda, Y., Niki, H., Ogawa, J., Kobayashi, S., Kai, N., Akasaka, K., Asano, M., Sudo, K., Iwakura, Y., and Watanabe K.	Aberrant responses to acoustic stimuli in mice deficient for neural recognition molecule NB-2. Aberrant responses to acoustic stimuli in mice deficient for neural recognition molecule NB-2.	<i>Eur. J. Neurosci.</i>	In press		2003
Tanaka, J., Ishida, T., Choi, B.-I., Watanabe, T., Yasuda, J., and Iwakura, Y.	Latent HIV-1 reactivation in transgenic mice requires cell cycle-dependent demethylation of CREB/ATF sites in the LTR.	<i>AIDS</i>	17	167-175	2003
Nakae, S., Komiyama, Y., Narumi, S., Sudo, K., Horai, R., Tagawa, Y., Sekikawa, K., Matsushima, K., Asano, M., and Iwakura, Y.	IL-1-induced TNF α elicits inflammatory cell infiltration in the skin by inducing interferon- γ -inducible protein-10 in the elicitation phase of contact hypersensitivity response.	<i>Int. Immunol.</i>	15	251-260	2003
Ikegaya, Y., Delcroix, I., Iwakura, Y., Matsuki, N., and Nishiyama, N.	Interleukin-1 β abrogates long-term depression of hippocampal CA1 synaptic transmission.	<i>Synapse</i>	47	54-57	2003
Kurisaki, T., Masuda, A., Sudo, K., Sakagami, J., Higashiyama, S., Matsuda, Y., Nagabukuro, A., Tsuji, A., Nabeshima, Y., Asano, M., Iwakura, Y., and Sehara-Fujisawa, A.	Phenotypic analysis of Meltrin α (ADAM12)-deficient mice: involvement of Meltrin α in adipogenesis and myogenesis.	<i>Mol. Cell. Biol.</i>	23	54-57	2003
Yano, A., Mun, H.S., Chin, M., Norose, K., Hata, K., Kobayashi, M., Aosai, F., and Iwakura, Y.	Roles of IFN- γ on stage conversion of an obligate intracellular protozoan parasite, <i>Toxoplasma gondii</i> .	<i>Int. Rev. Immunol.</i>	21	405-421	2002

Desaki, M., Sugawara, I., Iwakura, Y., Yamamoto, K., and Takizawa, H.	Role of interferon- γ in the development of murine bronchus-associated lymphoid tissues induced by silica <i>in vivo</i> .	<i>Toxicol. Appl. Pharmacol.</i>	185	1-7	2002
Yoshida, M., Shirai, Y., Watanabe, T., Yamori, M., Iwakura, Y., Chiba T., Kita, T., and Wakatsuki, Y.	Differential localization of colitogenic Th1 and Th2 cells monospecific to a microflora-associated antigen in mice.	<i>Gastroenterology</i>	123	1949 - 1961	2002
Oguri, S., Motegi, K., Iwakura, Y., and Endo, Y.	Primary role of interleukin-1 α and Interleukin-1 β in lipopolysaccharide-induced hypoglycemia in mice.	<i>Clin. Diagn. Lab. Immunol.</i>	9	1307 - 1312	2002
Kakuta, S., Shibata, S., and Iwakura, Y.	Genomic structure of the mouse 2', 5'-oligoadenylate synthetase gene family.	<i>J. Interferon Cytokine Res.</i>	22	981- 993	2002
Sakamaki, K., Inoue, T., Asano, M., Sudo, K., Kazama, H., Sakagami, J., Sakata, S., Ozaki, M., Nakamura, S., Toyokuni, S., Osumi, N., Iwakura, Y. and Yonehara, S.	<i>Ex vivo</i> whole-embryo culture of caspase-8-deficient embryos normalize their aberrant phenotypes in the developing neural tube and heart.	<i>Cell Death and Differentiation</i>	9	1196 - 1206	2002
Nakae, S., Komiya, Y., Nambu, A., Sudo, K., Iwase, M., Homma, I., Sekikawa, K., Asano, M., and Iwakura, Y.	Antigen-specific T cell sensitization is impaired in IL-17-deficient mice, resulting in the suppression of allergic cellular and humoral responses.	<i>Immunity</i>	17	375- 387	2002
Yan, X., Kita, M., Minami, M., Yamamoto, T., Kuriyama, H., Ohno, T., Iwakura, Y., and Imanishi, J.	Antibacterial effect of Kampo herbal formulation Hochu-ekki-to (Bu-Zhong-Yi-Qi-Tang) on <i>Helicobacter pylori</i> infection in mice.	<i>Microbiol. Immunol.</i>	46	475- 482	2002
Iwakura, Y.	Roles of IL-1 in the development of rheumatoid arthritis: Consideration from mouse models.	<i>Cytokine Growth Factor Rev.</i>	13	341- 355	2002
Mizuki, M., Nakane, A., Sekikawa, K., Tagawa, Y.-I., Iwakura, Y.	Comparison of host resistance to primary and secondary Listeria monocytogenes infections in mice by intranasal and intravenous routes.	<i>Infect. Immun.</i>	70	4805 - 4811	2002
Shiraishi, K., Hanada, K., Iwakura, Y., and Ikeda, H.	Roles of RecJ, RecO, and RecR in RecET-mediated illegitimate recombination in <i>Escherichia coli</i> .	<i>J. Bacteriol.</i>	184	4715 - 4721	2002

Minami, M., Kita, M., Yan, X.-Q., Yamamoto, T., Iida, T., Sekikawa, K., Iwakura, Y., and Imanishi, J.	Role of IFN- γ and tumor necrosis factor- α in herpes simplex virus type I infection.	<i>J. Interferon Cytokine Res.</i>	22	671-676	2002
Ishida, Y., Kondo, T., Ohshima, T., Fujiwara, H., Iwakura, Y., and Mukaida, N	A pivotal involvement of IFN- γ in the pathogenesis of acetaminophen-induced acute liver injury.	<i>FASEB J.</i>	16	1227-1236	2002
Konishi, H., Tsutsui, H., Murakami, T., Yumikura-Futatsugi, S., Yamanaka, K., Tanaka, M., Iwakura, Y., Suzuki, N., Fuchs, E. V., Takeda, K., Akira, S., Nakanishi, K., and Mizutani, H.	IL-18 contributes to the spontaneous development of atopic dermatitis-like inflammatory skin lesion independently of IgE/stat6 under specific pathogen-free conditions.	<i>Proc. Natl. Acad. Sci. USA</i>	99	1227-1236	2002
Sasaki, S., Omoe, K., Tagawa, Y., Iwakura, Y., Sekikawa, K., Shinagawa, K., and Nakane, A.	Roles of gamma interferon and tumor necrosis factor-alpha in shiga toxin lethality.	<i>Microb. Pathog.</i>	33	43-47	2002
Nagai, Y., Akashi, S., Nagafuku, M., Ogata, M., Iwakura, Y., Akira, S., Kitamura, T., Kosugi, A., Kimoto, M., and Miyake, K	Essential role of MD-2 in LPS responsiveness and TLR4 distribution..	<i>Nat. Immunol.</i>	3	667-672	2002
Yamamoto, S., Oka, S., Inoue, M., Shimuta, M., Manabe, T., Takahashi, H., Miyamoto, M., Asano, M., Sakagami, J., Sudo, K., Iwakura, Y.,	Mice deficient in nervous system-specific carbohydrate epitope HNK-1 exhibit impaired synaptic plasticity and spatial learning.	<i>J. Biol. Chem.</i>	277	2722-2723	2002
Mizushima, H., Cheng, J-Z., Dohi, K., Horai, R., Asano, M., Iwakura, Y., Hirabayashi, T., Arata, S., Nakajo, S., Takaki,A., Ohtaki, H., and Shioda, S.	Reduced postischemic apoptosis in the hippocampus of mice deficient in interleukin-1.	<i>J. comparative Neurol.</i>	448	203-216	2002
Asada, H., Kishida, T., Hirai, H., Satoh, E., Ohashi, S., Takeuchi, M., Kubo, T., Kita, M., Iwakura, Y., Imanishi, J., and Mazda, O.	Significant antitumor effects obtained by autologous tumor cell vaccine engineered to secrete interleukin (IL)-12 and IL-18 by means of the EBV/lipoplex.	<i>Molec. Therapy</i>	5	60-616	2002

Oguro, T., Takahashi, Y., Ashino, T., Takaki, A., Shioda, S., Horai, R., Asano, M., Sekikawa, K., Iwakura, Y., and Yoshida, T.	Involvement of tumor necrosis factor α , rather than interleukin-1 or nitric oxides in the HEME Oxygenase-1 gene expression by lipopolysaccharide in the mouse liver.	<i>FEBS Letters</i>	516	63-66	2002
Battsetseg, B., Mamiro, K., Inoue, N., Makala, L., Nagasanw, H., Iwakura, Y., Toyoda, Y., Mikami, T., Fujisaki, K., Toyoda, Y., Mikami, T., Fujisaki, K.	Immune responses of interferon gamma (IFN-gamma) knock out mice to repeated <i>Haemaphysalis longicornis</i> (Acari: Ixodidae) nymph infestations.	<i>J. Med. Entomol.</i>	39	173-176	2002
Asahi, Y., Yoshikawa, T., Watanabe, I., Iwasaki, T., Hasegawa, H., Sato, Y., Shimada, S., Nanno, M., Matsuoka, Y., Ohwaki, M., Iwakura, Y., Suzuki, Y., Aizawa, C., Sata, T., Kurata, T. and Tamura, S.	Protection against influenza virus infection in polymeric Ig receptor knockout mice immunized intranasally with adjuvant-combined vaccines.	<i>J. Immunol.</i>	168	2930-2938	2002
Furuzawa, M., Kuwahara, M., Ishii, K., Iwakura, Y., and Tsubone, H.	Diurnal variation of heart rate, locomotor activity, and body temperature in interleukin-1 α/β doubly deficient mice.	<i>Exp. Anim.</i>	51	49-56	2002
Shinozawa, Y., Matsumoto, T., Uchida, K., Tsujimoto, S., Iwakura, Y., and Yamaguchi, K.	Role of interferon-gamma in inflammatory responses in murine respiratory infection with <i>Legionella pneumophila</i> .	<i>J. Med. Microbiol.</i>	51	225-230	2002
Kyuwa, S., Shibata, S., Tagawa, Y., Iwakura, Y., Machii, K., and Urano, T.	Acute hepatic failure in IFN- γ -deficient BALB/c mice after murine coronavirus infection.	<i>Virus Research</i>	83	169-177	2002
Nagai, Y., Shimazu, R., Ogata, H., Akashi, S., Sudo, K., Yamasaki, H., Hayashi, S., Iwakura, Y., Kimoto, M., and Miyake, K.	Requirement for MD-1 in cell surface expression of RP105/CD180 and B-cell responsiveness to lipopolysaccharide.	<i>Blood</i>	99	1699-1705	2002
Brough, D., LeFeuvre, R. A., Iwakura, Y., and Rothwell, N. J.	Purinergic (P2X7) receptor activation of microglia induces cell death via an interleukin-1-independent mechanism.	<i>Mol. Cell. Neurosci.</i>	19	272-280	2002

Kakuta, S., Tagawa, Y., Shibata, S., Nanno, M., and Iwakura, Y.	Inhibition of B16 melanoma experimental metastasis by interferon- γ through direct inhibition of cell proliferation and activation of antitumour host mechanisms.	<i>Immunology</i>	105	92-100	2002
Saijo, S., Asano, M., Horai, R., Yamamoto, H., and Iwakura, Y.	Suppression of autoimmune arthritis in IL-1-deficient mice in which T cell activation is impaired due to low levels of CD40L and OX40 expression on T cells.	<i>Arth. Rheum.</i>	46	533-544	2002
Yokoyama, H., Yasuda, J., Okamoto, H., and Iwakura, Y.	Pathological changes of renal epithelial cells in mice transgenic for the TT virus ORF1 gene.	<i>J. Gen. Virol.</i>	83	141-150	2002
岩倉洋一郎	ヒトレトロウイルス感染症モデル：エイズおよび関節リウマチモデル	病理と臨床	20 (3)	291-299	2002

研究成果の刊行に関する一覧表（岡本 尚）

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Matsumoto S, Imaeda Y, Umemoto S, Kobayashi K and Okamoto T.	Cimetidine increases survival of colorectal cancer patients with high levels of sialyl Lewis-X and sialyl Lewis-A epitope expression on tumor cells.	<i>Br J Cancer.</i>	86	161-167	2002
Kawabe T, Suganuma M, Ando T, Kimura M, Hori H and Okamoto T.	Cdc25C interacts with PCNA at G2/M transition.	<i>Oncogene.</i>	21	1717- 1726	2002
Maki M, Matsukawa N, Yuasa H, Otsuka Y, Yamamoto T, Akatsu H, Okamoto T, Ueda R and Ojika K.	Decreased expression of hippocampal cholinergic neurostimulating peptide precursor protein mRNA in the hippocampus in alzheimer's disease.	<i>Neuropathol Exp Neurol.</i>	61	176-185	2002
Sarol L C, Imai K, Asamitsu K, Tetsuka T, Barzaga N G and Okamoto T.	Inhibitory effects of IFN- γ on HIV-1 replication in latently infected cells.	<i>Biochem Biophys Res Commun.</i>	291	890-896	2002
Tozawa K, Okamoto T, Hayashi Y, Sasaki S, Kawai N and Kohri K.	N-acetyl-L-cysteine enhances chemotherapeutic effect on prostate cancer cells.	<i>Urol Res.</i>	30	53-58	2002
Takada N, Sanda T, Okamoto H, Yang J-P, Asamitsu K, Sarol L C, Kimura G, Uranishi H, Tetsuka T, and Okamoto T.	RelA-associated inhibitor blocks transcription of HIV-1 by inhibiting NF- κ B and Spl actions.	<i>J Virol.</i>	76	8019- 8030	2002

Watanabe N, Ando K, Yoshida S, Inuzuka S, Kobayashi M, Matsui N and Okamoto T.	Gene expression profile analysis of rheumatoid synovial fibroblast cultures revealing the overexpression of genes responsible for tumor-like growth of rheumatoid synovium.	<i>Biochem Biophys Res Commun.</i>	294	1121-1129	2002
Takahashi N, Tetsuka T, Uranishi H and Okamoto T.	Inhibition of NF- κ -B Transcriptional Activity by Protein Kinase A.	<i>Eur J Biochem.</i>	269	4559-4565	2002
Jiang X, Takahashi N, Matsui N, Tetsuka T and Okamoto T.	The NF-kappaB activation in the lymphotoxin beta receptor signaling depends on the phosphorylation of p65 at serine 536.	<i>J Biol Chem.</i>	278	919-926	2003
Jiang X, Takahashi N, Ando K, Otsuka T, Tetsuka T and Okamoto T.	NF-kappaB p65 transactivation domain is involved in the NF-kappaB-inducing kinase (NIK) pathway.	<i>Biochem Biophys Res Commun.</i>	301	583-590	2003
Okano A, Usuda N, Furihata K, Nakayama K, Tian Q B, Okamoto T and Suzuki T.	Huntingtin-interacting protein-1-related protein of rat (rHIP1R) is localized in the postsynaptic regions	<i>Brain Res.</i>	(in press)		2003

研究成果の刊行に関する一覧表（神奈木真理）

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
神奈木真理	後天性免疫不全	谷口克、 宮坂昌之	標準免疫学 第2版	医学書院	日本	2002	421~ 426

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	版年
Hasegawa, T. Ohashi, S. Hanabuchi, H. Kato, F. Takemura, T. Masuda, and <u>M. Kannagi.</u>	Expansion of human T-cell leukemia virus type I (HTLV-I) reservoir in orally infected rats: Inverse correlation with HTLV-I-specific cellular immune response.	J. Virol.	77	2956-2963	2003
T. Ohashi, S. Hanabuchi, R. Suzuki, H. Kato, H. Tateno, T. Masuda, and <u>M.</u> <u>Kannagi.</u>	Correlation of major histocompatibility complex class I downregulation with resistance of human T cell leukemia virus type I-infected T cells to cytotoxic T-lymphocyte killing in a rat model.	J. Virol.	76	7010-7019	2002

研究成果の刊行に関する一覧表（志田壽利）

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hakata, Y., Yamada, M., Mabuchi, N., and Shida, H.	The Carboxy-terminal Region of the Human Immunodeficiency Virus-1 Protein Rev has Multiple Roles in Mediating CRM1-related Rev Functions.	J. Virol.	76	8079-8089	2002
Kidokoro,M., Aoki, A., Horiuchi, H., and Shida, H.	Large scale preparation of biologically active measles virus haemagglutinin expressed by attenuated vaccinia virus vectors.	Microbes and Infection	4	1035-1044	2002
Yasuda, J., Hunter, E., Nakao, M., and Shida, H.	Functional involvement of a novel Nedd4-like ubiquitin ligase on retrovirus budding.	EMBO Rep.	3	636-640.	2002

20021239

以降は雑誌/図書に掲載された論文となりますので、
P.38- P.47の「研究成果の刊行に関する一覧表」をご参照ください。