

239	Anxiolytic-hypnotic drugs: relationships between prescribing, abuse and suicide.	Melander,-A; Henricson,-K; Stenberg,-P; Lowenhielm,-P; Malmvik,-J; Sternebring,-B; Kaij,-L; Bergdahl,-U	Eur-J-Clin-Pharmacol. 1991; 41(6): 525-9
240	Firearms suicides in Australia.	Snowdon,-J; Harris,-L	Med-J-Aust. 1992 Jan 20; 156(2): 79-83
241	Youth suicide in New South Wales: urban-rural trends.	Dudley,-M; Waters,-B; Kelk,-N; Howard,-J	Med-J-Aust. 1992 Jan 20; 156(2): 83-8
242	Fertility and suicide rates: a time series analysis in the United States.	Lester,-D; Yang,-B	J-Biosoc-Sci. 1992 Jan; 24(1): 97-101
243	Miscounting suicides.	Lester,-D	Acta-Psychiatr-Scand. 1992 Jan; 85(1): 15-6
244	Sociological and economic theories of suicide: a comparison of the U.S.A. and Taiwan.	Yang,-B; Lester,-D; Yang,-C-H	Soc-Sci-Med. 1992 Feb; 34(3): 333-4
245	A cross-cultural study of suicide among the elderly in Singapore.	Kua,-E-H; Ko,-S-M	Br-J-Psychiatry. 1992 Apr; 160: 558-9
246	Suicide among elderly white men: development of a profile.	Mellick,-E; Buckwalter,-K-C; Stolley,-J-M	J-Psychosoc-Nurs-Ment-Health-Serv. 1992 Feb; 30(2): 29-34
247	Social and economic correlates of the elderly suicide rate.	Lester,-D; Yang,-B	Suicide-Life-Threat-Behav. 1992 Spring; 22(1): 36-47
248	The epidemiology of severe injuries to children in northern Manhattan: methods and incidence rates.	Davidson,-L-L; Durkin,-M-S; O'Connor,-P; Barlow,-B; Heagarty,-M-C	Paediatr-Perinat-Epidemiol. 1992 Apr; 6(2): 153-65
249	Is there a link between suicide in young men and unemployment? A comparison of the UK with other European Community Countries.	Pritchard,-C	Br-J-Psychiatry. 1992 Jun; 160: 750-6
250	New Zealand suicides 1984-8.	Thomas,-C-S; Read,-D-A; Mellsop,-G-W	N-Z-Med-J. 1992 Jun 24; 105(936): 231-3
251	Suicide and unemployment in Italy: description, analysis and interpretation of recent trends.	Platt,-S; Micciolo,-R; Tansella,-M	Soc-Sci-Med. 1992 Jun; 34(11): 1191-201
252	Low level of antidepressant prescription for people who later commit suicide: 15 years of experience from a population-based drug database in Sweden.	Isacsson,-G; Boethius,-G; Bergman,-U	Acta-Psychiatr-Scand. 1992 Jun; 85(6): 444-8

253	Healthcare in Finland.	Castledine,-G	Br-J-Nurs. 1992 Jun 11-24; 1(4): 208-9
254	Suicide among young people aged 10-29 in Sweden.	Hulten,-A; Wasserman,-D	Scand-J-Soc-Med. 1992 Jun; 20(2): 65-72
255	Mood influences on reasons for living in older adolescents.	Ellis,-J-B; Range,-L-M	Psychiatry. 1992 Aug; 55(3): 216-22
256	Effect of using age-adjusted suicide rates on the results of time-series analyses of the suicide rate.	Lester,-D; Motohashi,-Y	Percept-Mot-Skills. 1992 Aug; 75(1): 310
257	Suicides in the former Soviet republics.	Varnik,-A; Wasserman,-D	Acta-Psychiatr-Scand. 1992 Jul; 86(1): 76-8
258	The influence of antidepressants in overdose on the increased suicide rate in Ireland between 1971 and 1988.	Kelleher,-M-J; Daly,-M; Kelleher,-M-J	Br-J-Psychiatry. 1992 Nov; 161: 625-8
259	Effect of using age-adjusted suicide rates on time-series studies of the American suicide rate.	Lester,-D	Percept-Mot-Skills. 1992 Dec; 75(3 Pt 1): 778
260	State regulations for suicide prevention in jails and the jail suicide rate.	Lester,-D	Psychol-Rep. 1992 Dec; 71(3 Pt 2): 1170
261	Ictal and psychiatric aspects of suicide in epileptic patients.	Mendez,-M-F; Doss,-R-C	Int-J-Psychiatry-Med. 1992; 22(3): 231-7
262	A Durkheimian analysis of youth suicide: Canada, 1971 and 1981.	Trovato,-F	Suicide-Life-Threat-Behav. 1992 Winter; 22(4): 413-27
263	An epidemiological perspective of injuries in the Northwest Territories.	Young,-T-K; Moffatt,-M-E; O'Neill,-J-D	Arctic-Med-Res. 1992; 51 Suppl 7: 27-36
264	Suicide in the Nordic countries.	Retterstol,-N	Psychopathology. 1992; 25(5): 254-65
265	Erythropoietin-specific cell cycle progression in erythroid subclones of the interleukin-3-dependent cell line 32D.	Shimada,-Y; Migliaccio,-G; Ralph,-H; Migliaccio,-A-R; Shaw,-H	Blood. 1993 Feb 15; 81(4): 935-41
266	Contagious suicide in prisons and police cells.	Cox,-B; Skegg,-K	J-Epidemiol-Community-Health. 1993 Feb; 47(1): 69-72
267	Benzodiazepine prescribing patterns in a high-prescribing Scandinavian community.	Ekedahl,-A; Lidbeck,-J; Lithman,-T; Noreen,-D; Melander,-A	Eur-J-Clin-Pharmacol. 1993; 44(2): 141-6
268	Suicide in Hong Kong 1971-1990: age trend, sex ratio, and method of suicide.	Hau,-K-T	Soc-Psychiatry-Psychiatr-Epidemiol . 1993 Feb; 28(1): 23-7

269	The media and suicide: a nonadditive model, 1968-1980.	Stack,-S	Suicide-Life-Threat-Behav. 1993 Spring; 23(1): 63-6
270	The emergency department in surveillance of attempted suicide: findings and methodologic considerations.	Birkhead,-G-S; Galvin,-V-G; Meehan,-P-J; O'Carroll,-P-W; Mercy,-J-A	Public-Health-Rep. 1993 May-Jun; 108(3): 323-31
271	Recent changes in the age- and gender-specific rates of attempted suicide in Gent.	van-Heeringen,-C; Jannes,-C	Soc-Psychiatry-Psychiatr-Epidemiol. 1993 Apr; 28(2): 66-70
272	Mortality in major affective disorder: relationship to subtype of depression. The Danish University Antidepressant Group.	Buchholtz-Hansen,-P-E; Wang,-A-G; Kragh-Sorensen,-P	Acta-Psychiatr-Scand. 1993 May; 87(5): 329-35
273	Death due to overdose of antidepressants: experiences from Norway.	Retterstol,-N	Acta-Psychiatr-Scand-Suppl. 1993; 371: 28-32
274	Why are the British hanging themselves?	Pounder,-D-J	Am-J-Forensic-Med-Pathol. 1993 Jun; 14(2): 135-40
275	Suicide rates in Canada before and after tightening firearm control laws.	Lester,-D; Leenaars,-A	Psychol-Rep. 1993 Jun; 72(3 Pt 1): 787-90
276	Suicide after discharge from psychiatric inpatient care.	Goldacre,-M; Seagroatt,-V; Hawton,-K	Lancet. 1993 Jul 31; 342(8866): 283-6
277	Double jeopardy: suicide rates in forensic hospitals.	Haycock,-J	Suicide-Life-Threat-Behav. 1993 Summer; 23(2): 130-8
278	Suicide and attempted suicide reported by general practitioners in Belgium, 1990-1991.	Van-Casteren,-V; Van-der-Veken,-J; Tafforeau,-J; Van-Oyen,-H	Acta-Psychiatr-Scand. 1993 Jun; 87(6): 451-5
279	Suicides on Ontario farms.	Pickett,-W; Davidson,-J-R; Brison,-R-J	Can-J-Public-Health. 1993 Jul-Aug; 84(4): 226-30
280	Alcohol and suicide in Denmark 1911-24--experiences from a 'natural experiment'.	Skog,-O-J	Addiction. 1993 Sep; 88(9): 1189-93
281	Suicides among university students in Finland.	Niemi,-T; Lonqvist,-J	J-Am-Coll-Health. 1993 Sep; 42(2): 64-6
282	The effectiveness of suicide prevention centers.	Lester,-D	Suicide-Life-Threat-Behav. 1993 Fall; 23(3): 263-7
283	The impact of availability, attraction and lethality of suicide methods on suicide rates in Germany.	Wiedenmann,-A; Weyerer,-S	Acta-Psychiatr-Scand. 1993 Nov; 88(5): 364-8

284	Campus student suicide rates: fact or artifact?	Silverman,-M-M	Suicide-Life-Threat-Behav. 1993 Winter; 23(4): 329-42
285	Suicide rate, prevalence of diagnosed depression and prevalence of working physicians in Hungary.	Rihmer,-Z; Rutz,-W; Barsi,-J	Acta-Psychiatr-Scand. 1993 Dec; 88(6): 391-4
286	Suicide, alcohol, and divorce; aspects of gender and family integration.	Rosow,-I	Addiction. 1993 Dec; 88(12): 1659-65
287	Suicide in North and West Devon: a comparative study using Coroner's inquest records.	Pearson,-V-A	J-Public-Health-Med. 1993 Dec; 15(4): 320-6
288	Suicide in Alabama, 1980 to 1989.	Liu,-T; Waterbor,-J-W; Roseman,-J; Coombs,-D-W; Maetz,-H-M; Soong,-S-J	South-Med-J. 1994 Jan; 87(1): 10-6
289	High suicide rate in elderly white men.	Tueth,-M-J	Am-Fam-Physician. 1994 Feb 1; 49(2): 333-4
290	Perceptions of control in adults with epilepsy.	Gehlert,-S	Epilepsia. 1994 Jan-Feb; 35(1): 81-8
291	The heavy metal subculture and suicide.	Stack,-S; Gundlach,-J; Reeves,-J-L	Suicide-Life-Threat-Behav. 1994 Spring; 24(1): 15-23
292	Suicide and self-harm in Tasmanian children and adolescents.	Tulloch,-A-L; Blizzard,-L; Hornsby,-H; Pinkus,-Z	Med-J-Aust. 1994 Jun 20; 160(12): 775-80, 785-6
293	Suicide in adolescent psychiatric inpatients: incidence and predictive factors.	Kjelsberg,-E; Neegaard,-E; Dahl,-A-A	Acta-Psychiatr-Scand. 1994 Apr; 89(4): 235-41
294	Suicide in Wolverhampton (1976-1990).	Scott,-K-W	Med-Sci-Law. 1994 Apr; 34(2): 99-105
295	Suicide and homicide rates in Canada and the United States.	Leenaars,-A-A; Lester,-D	Suicide-Life-Threat-Behav. 1994 Summer; 24(2): 184-91
296	The sex ratio of suicide rates in China.	Zhao,-S; Qu,-G; Peng,-Z; Peng,-T	Crisis. 1994; 15(1): 44-8
297	Male suicides and alcohol consumption in the former USSR.	Wasserman,-D; Varnik,-A; Eklund,-G	Acta-Psychiatr-Scand. 1994 May; 89(5): 306-13
298	Murder-suicide in Fulton County, Georgia, 1988-1991. Comparison with a recent report and proposed typology.	Hanzlick,-R; Koponen,-M	Am-J-Forensic-Med-Pathol. 1994 Jun; 15(2): 168-73
299	Depression as a lethal disease: prevention strategies.	Coppen,-A	J-Clin-Psychiatry. 1994 Apr; 55 Suppl: 37-45

300	HIV seropositivity as a major risk factor for suicide in the general hospital.	Alfonso, -C-A; Aladjem, -A-D; Powell, -D-R; Orłowski, -B-K	Cohen, -M-A; Morrison, -F; Winters, -R-A;	Psychosomatics. 1994 Jul-Aug; 35(4): 368-73
301	Suicide in prison: a study of France from 1852 to 1913.	Lester, -D		Eur-Arch-Psychiatry-Clin-Neurosci. 1994; 244(2): 99-100
302	The middle-aged generation is at high risk for suicide in Japan. A comparison between the 1950s and the 1980s.	Ohara, -K; Matsunaga, -T; Miyasato, -K; Ohara, -K	Xie, -D; Sano, -H;	Acta-Psychiatr-Scand. 1994 Jul; 90(1): 14-5
303	Worsening suicide rate in black teenagers.	Shaffer, -D; Hicks, -R-C	Gould, -M;	Am-J-Psychiatry. 1994 Dec; 151(12): 1810-2
304	Relationships of measures of alcohol consumption with alcohol-related problems in multiple studies: a research synthesis from the collaborative alcohol-related longitudinal project.	Fillmore, -K-M; Leino, -E-V; Ager, -C-R;	Golding, -J-M; Motoyoshi, -M; Ferrer, -H-P	Addiction. 1994 Sep; 89(9): 1143-56
305	Do how-to-commit-suicide manuals increase the suicide rate?	Lester, -D		Percept-Mot-Skills. 1994 Aug; 79(1 Pt 1): 10
306	Suicide in children and adolescents in England and Wales 1960-1990.	McClure, -G-M		Br-J-Psychiatry. 1994 Oct; 165(4): 510-4
307	A five year review of youth suicide in Manitoba.	Sigurdson, -E; Matas, -M; Squair, -K	Staley, -D; Hildahl, -K;	Can-J-Psychiatry. 1994 Oct; 39(8): 397-403
308	Suicides in the Baltic countries, 1968-90.	Varnik, -A; Eklund, -G	Wasserman, -D;	Scand-J-Soc-Med. 1994 Sep; 22(3): 166-9
309	Predicting the suicide rate in Wales.	Lester, -D		Psychol-Rep. 1994 Oct; 75(2): 1054
310	Psychosurgery: stereotactic subcaudate tractomy. An indispensable treatment.	Bridges, -P-K; Hale, -A-S; Malizia, -A-L;	Bartlett, -J-R; Poynton, -A-M; Hodgkiss, -A-D	Br-J-Psychiatry. 1994 Nov; 165(5): 599-611; discussion 612-3
311	Synchronized annual rhythms in violent suicide rate, ambient temperature and the light-dark span.	Maes, -M; Thompson, -P; Cosyns, -P	De-Meyer, -F; Peeters, -D;	Acta-Psychiatr-Scand. 1994 Nov; 90(5): 391-6
312	Hungary as an aging society.	Blasszauer, -B; Hazafi, -K		Cent-Eur-J-Public-Health. 1994 Dec; 2(2): 115-7
313	Comparing the changing suicide rate in Singapore with the rates in England/Wales and the USA, 1950-1985.	Lester, -D		Singapore-Med-J. 1994 Oct; 35(5): 490-1

314	Mortality and causes of death in a 10-year follow-up of patients treated for self-poisonings in Oslo.	Ekeberg,-O; Jacobsen,-D	Ellingsen,-O;	Suicide-Life-Threat-Behav. 1994 Winter; 24(4): 398-405
315	Trends and availability of suicide methods in Finland. Proposals for restrictive measures.	Ohberg,-A; Sarna,-S; Vuori,-E; Penttila,-A	Lonnqvist,-J;	Br-J-Psychiatry. 1995 Jan; 166(1): 35-43
316	Lower suicide rates associated with a Tele-Help/Tele-Check service for the elderly at home.	De-Leo,-D; Dello-Buono,-M	Carollo,-G;	Am-J-Psychiatry. 1995 Apr; 152(4): 632-4
317	Suicide among schizophrenic adolescents in the long-term course of illness.	Krausz,-M; Muller-Thomsen,-T; Haasen,-C		Psychopathology. 1995; 28(2): 95-103
318	Suicide among children, adolescents, and young adults--United States, 1980-1992.	Anonymous		MMWR-Morb-Mortal-Wkly-Rep. 1995 Apr 21; 44(15): 289-91
319	Fatal and nonfatal suicide attempts among adolescents--Oregon, 1988-1993.	Anonymous		MMWR-Morb-Mortal-Wkly-Rep. 1995 Apr 28; 44(16): 312-5, 321-3
320	Explaining regional differences in suicide rates.	Lester,-D		Soc-Sci-Med. 1995 Mar; 40(5): 719-21
321	War and suicide in northern Sri Lanka.	Somasundaram,-D-J; Rajadurai,-S		Acta-Psychiatr-Scand. 1995 Jan; 91(1): 1-4
322	Relationship between suicide and myocardial infarction with regard to changing physical environmental conditions.	Stoupel,-E; Sulkes,-J; Martfel,-J; Stein,-N; Handelman,-M; Shimshoni,-M; Zadka,-P; Gabbay,-U	Abramson,-E;	Int-J-Biometeorol. 1995 May; 38(4): 199-203
323	Gender differences for the risk of alcohol-related problems in multiple national contexts.	Fillmore,-K-M; Kniep,-S; Shoemaker,-C; Ferrer,-H-P; Allebeck,-P; et al.	Golding,-J-M; Leino,-E-V; Ager,-C-R; Ahlstrom,-S; Amundsen,-A;	Recent-Dev-Alcohol. 1995; 12: 409-39
324	Suicide prevention in a treatment setting.	Litman,-R-E		Suicide-Life-Threat-Behav. 1995 Spring; 25(1): 134-42
325	Alcohol and suicide--the Portuguese experience.	Skog,-O-J; Barrias,-J; Moreira,-R	Teixeira,-Z;	Addiction. 1995 Aug; 90(8): 1053-61
326	Firearm deaths among children and youth.	O'Donnell,-C-R		Am-Psychol. 1995 Sep; 50(9): 771-6
327	Socioeconomic indices and suicide rate in Queensland.	Cantor,-C-H; Najman,-J-M	Slater,-P-J;	Aust-J-Public-Health. 1995 Aug; 19(4): 417-20

328	Research in adolescent suicide: implications for training, service delivery, and public policy.	Brent, -D-A; Perper, -J-A	Suicide-Life-Threat-Behav. 1995 Summer; 25(2): 222-30
329	Changes in suicide numbers in psychiatric hospitals: an analysis using log-linear time-trend models.	Keller, -F; Wolfersdorf, -M	Soc-Psychiatry-Psychiatr-Epidemiol. 1995 Nov; 30(6): 269-73
330	Ethnicity and elderly suicide in Singapore.	Ko, -S-M; Kua, -E-H	Int-Psychogeriatr. 1995 Summer; 7(2): 309-17
331	Suicidal thought and self-transcendence in older adults.	Buchanan, -D; Farran, -C; Clark, -D	J-Psychosoc-Nurs-Ment-Health-Serv. 1995 Oct; 33(10): 31-4
332	Effects of newspaper stories on the incidence of suicide in Australia: a research note.	Hassan, -R	Aust-N-Z-J-Psychiatry. 1995 Sep; 29(3): 480-3
333	Suicide and suicide attempts in general hospital psychiatry: clinical and statistical study.	Hattori, -T; Taketani, -K; Ogasawara, -Y	Psychiatry-Clin-Neurosci. 1995 Mar; 49(1): 43-8
334	Suicide risk among people living with AIDS.	Mancoske, -R-J; Wadsworth, -C-M; Dugas, -D-S; Hasney, -J-A	Soc-Work. 1995 Nov; 40(6): 783-7
335	The feasibility of suicide rates as an evaluation criterion in community psychiatry: methodological problems.	Flechtner, -K-M; Wolf, -T; Priebe, -S	J-Psychiatr-Res. 1995 Nov-Dec; 29(6): 481-6
336	Suicide rates in Canadian prisons.	Lester, -D	Percept-Mot-Skills. 1995 Dec; 81(3 Pt 2): 1230
337	Suicide rates in Canadian aboriginals and size of population.	Lester, -D	Percept-Mot-Skills. 1995 Dec; 81(3 Pt 2): 1282
338	Depression and suicide on Gotland. An intensive study of all suicides before and after a depression-training programme for general practitioners.	Rihmer, -Z; Rutz, -W; Pihlgren, -H	J-Affect-Disord. 1995 Dec 18; 35(4): 147-52
339	Victims of violence in Fiji.	Pridmore, -S; Ryan, -K; Blizzard, -L	Aust-N-Z-J-Psychiatry. 1995 Dec; 29(4): 666-70
340	Recent trends in suicidal behavior in Japan.	Takahashi, -Y	Psychiatry-Clin-Neurosci. 1995 May; 49 Suppl 1: S105-9
341	Attempted suicide: efficacy of treatment programs.	Kurz, -A; Moller, -H-J	Psychiatry-Clin-Neurosci. 1995 May; 49 Suppl 1: S99-103
342	Suicide and undetermined violent deaths in Malaysia, 1966-1990: evidence for the misclassification of suicide statistics.	Maniam, -T	Asia-Pac-J-Public-Health. 1995; 8(3): 181-5

343	Medical student suicide, 1989-1994.	Hays,-L-R; Patel,-P	Cheever,-T;	Am-J-Psychiatry. 1996 Apr; 153(4): 553-5
344	Acute isoniazid intoxication: a case report.	Chang,-Y-D; Lin,-T-J;	Yang,-C-C; Ger,-J; Deng,-J-F	Zhonghua-Yi-Xue-Za-Zhi-(Taipei). 1996 Feb; 57(2): 152-6
345	Increased risk of suicide with exposure to pesticides in an intensive agricultural area. A 12-year retrospective study.	Parron,-T; Villanueva,-E	Hernandez,-A-F;	Forensic-Sci-Int. 1996 May 17; 79(1): 53-63
346	Suicide rate following attendance at an accident and emergency department with deliberate self harm.	Ryan,-J; Perez-Avila,-C-A;	Rushdy,-A; Allison,-R	J-Accid-Emerg-Med. 1996 Mar; 13(2): 101-4
347	Suicidal feelings in a population sample of nondemented 85-year-olds.	Skoog,-I; Beskow,-J; Palsson,-S; Landahl,-S;	Aevarsson,-O; Larsson,-L; Waern,-M; Ostling,-S	Am-J-Psychiatry. 1996 Aug; 153(8): 1015-20
348	Suicides in two Scandinavian capitals--a comparative study.	Rogde,-S; Poulsen,-K	Hougen,-H-P;	Forensic-Sci-Int. 1996 Jul 12; 80(3): 211-9
349	Suicide levels in Cork City 1987/1991.	Daly,-C; Crowley,-M-J; Keohane,-B; McLeavey,-B-C	Kelleher,-M-J; Daly,-M; Daly,-F;	Ir-Med-J. 1996 May-Jun; 89(3): 99-101
350	The right to die: the dilemma for A&E nurses.	Toulson,-S		Prof-Nurse. 1996 Apr; 11(7): 435-6
351	Violent methods associated with high suicide mortality among the young.	Ohberg,-A; Sarna,-S;	Lonnqvist,-J; Vuori,-E	J-Am-Acad-Child-Adolesc-Psychiatr y. 1996 Feb; 35(2): 144-53
352	Changing patterns of suicide in Hong Kong.	Ho,-T-P		Soc-Psychiatry-Psychiatr-Epidemiol . 1996 Jun; 31(3-4): 235-40
353	Exemplars from an acute care geriatric psychiatry unit.	Cuttillo-Schmitter,-T-A; Massara,-E-B; Martin,-P; Cunningham,-F;	Wynne,-P; Sliner,-B-J; Bigdeli,-S-P	J-Gerontol-Nurs. 1996 Apr; 22(4): 13-27
354	Deliberate self harm and the Probation Service: an overlooked public health problem?	Wessely,-S; Brown,-I;	Akhurst,-R; Moss,-L	J-Public-Health-Med. 1996 Jun; 18(2): 129-32
355	Alcohol consumption and suicide mortality by age among Finnish men, 1950-1991.	Makela,-P		Addiction. 1996 Jan; 91(1): 101-12
356	Strategies of suicide prevention: focus on health care.	Rihmer,-Z		J-Affect-Disord. 1996 Jul 8; 39(2): 83-91

357	General practitioners and young suicides: a preventive role for primary care.	Appleby,-L; Amos,-T; Doyle,-U; Tomenson,-B; Woodman,-M	Br-J-Psychiatry. 1996 Mar; 168(3): 330-3
358	Suicides in Beijing, China, 1992-1993.	Zhang,-J	Suicide-Life-Threat-Behav. 1996 Summer; 26(2): 175-80
359	Suicide in south Tyrol 1980-1992: influence of affiliation to different language groups.	Deisenhammer,-E-A; Haring,-C; Kemmler,-G; Pycha,-R; Hinterhuber,-H	Eur-Arch-Psychiatry-Clin-Neurosci. 1996; 246(5): 273-8
360	Youth cohort size and suicide rates.	Lester,-D	Percept-Mot-Skills. 1996 Aug; 83(1): 306
361	A comparative evaluation of police suicide rate validity.	Violanti,-J-M; Vena,-J-E; Marshall,-J-R; Petralia,-S	Suicide-Life-Threat-Behav. 1996 Spring; 26(1): 79-85
362	Health conditions among workers who participated in the cleanup of the Chernobyl accident.	Kamarli,-Z; Abdulina,-A	World-Health-Stat-Q. 1996; 49(1): 29-31
363	Suicides in Hong Kong, Taiwan and Beijing.	Yip,-P-S	Br-J-Psychiatry. 1996 Oct; 169(4): 495-500
364	A retrospective study of suicides in a rural health district over ten years.	Roberts,-A-P; Simpson,-C-J; Wilkinson,-J-R	Med-Sci-Law. 1996 Jul; 36(3): 259-62
365	Are suicide trends among the young reversing? Age, period and cohort analyses of suicide rates in Sweden.	Allebeck,-P; Brandt,-L; Nordstrom,-P; Asgard,-U	Acta-Psychiatr-Scand. 1996 Jan; 93(1): 43-48
366	Suicide and HIV infection. Mortality follow-up of 4147 HIV-seropositive military service applicants.	Dannenberg,-A-L; McNeil,-J-G; Brundage,-J-F; Brookmeyer,-R	JAMA. 1996 Dec 4; 276(21): 1743-6
367	Increasing use of firearms in completed suicides in Wisconsin, 1979-1994.	Fox,-J; Stahlsmith,-L; Nashold,-R; Remington,-P	Wis-Med-J. 1996 May; 95(5): 283-5
368	Improving procedures for recording suicide statistics.	Kelleher,-M-J; Corcoran,-P; Keeley,-H-S; Dennehy,-J; O'Donnell,-I	Ir-Med-J. 1996 Jan-Feb; 89(1): 14-5
369	Suicides after pregnancy in Finland, 1987-94: register linkage study.	Gissler,-M; Hemminki,-E; Lonnqvist,-J	BMJ. 1996 Dec 7; 313(7070): 1431-4
370	The geographic variation of suicide rates by solid and liquid substances.	Lester,-D	Percept-Mot-Skills. 1996 Aug; 83(1): 98
371	Suicide by young men in Lothian 1993 and 1994.	Squires,-T; Gorman,-D	Health-Bull-(Edinb). 1996 Nov; 54(6): 458-66
372	Social psychological vs socioeconomic hypotheses on the epidemiology of suicide: an empirical study.	Ferrada-Noli,-M	Psychol-Rep. 1996 Dec; 79(3 Pt 1): 707-10

373	A feminist case against euthanasia. Women should be especially wary of arguments for "the freedom to die".	Callahan,-S	Health-Prog. 1996 Nov-Dec; 77(6): 21-9
374	Protective factors for suicidal black females.	Nisbet,-P-A	Suicide-Life-Threat-Behav. 1996 Winter; 26(4): 325-41
375	Suicide patterns and trends in people of Indian subcontinent and Caribbean origin in England and Wales.	Raleigh,-V-S	Ethn-Health. 1996 Mar; 1(1): 55-63
376	Psychogeriatric inpatient suicides in Australia.	Shah,-A; Ganesvaran,-T	Int-J-Geriater-Psychiatry. 1997 Jan; 12(1): 15-9
377	Social psychological indicators associated with the suicide rate: replying to the socioeconomic hypothesis.	Ferrada-Noli,-M	Psychol-Rep. 1997 Feb; 80(1): 315-22
378	Preventing suicide in young people: what is known and what is needed.	Williams,-K	Child-Care-Health-Dev. 1997 Mar; 23(2): 173-85
379	Changes in classification of suicide in England and Wales: time trends and associations with coroners' professional backgrounds.	Neeleman,-J; Wessely,-S	Psychol-Med. 1997 Mar; 27(2): 467-72
380	Suicide in an international perspective.	Lester,-D	Suicide-Life-Threat-Behav. 1997 Spring; 27(1): 104-11
381	Suicide rates and methods in different age groups: Australian data and perceptions.	Snowdon,-J	Int-J-Geriater-Psychiatry. 1997 Feb; 12(2): 253-8
382	Suicide among Manitoba's aboriginal people, 1988 to 1994.	Malchy,-B; Enns,-M-W; Young,-T-K; Cox,-B-J	CMAJ. 1997 Apr 15; 156(8): 1133-8
383	Psychiatric illness in female physicians. Are high rates of depression an occupational hazard?	North,-C-S; Ryall,-J-E	Postgrad-Med. 1997 May; 101(5): 233-6, 239-40, 242
384	Suicide and 'violent' death in a six-year cohort of male probationers compared with pattern of mortality in the general population: evidence of accumulative socio-psychiatric vulnerability.	Pritchard,-C; Dawson,-A; Cox,-M	J-R-Soc-Health. 1997 Jun; 117(3): 180-5
385	Female labor force participation and suicide.	Burr,-J-A; McCall,-P-L; Powell-Griner,-E	Soc-Sci-Med. 1997 Jun; 44(12): 1847-59
386	Are there social correlates to suicide?	Makinen,-I	Soc-Sci-Med. 1997 Jun; 44(12): 1919-29

387	Parapartum mental illness: an interview follow-up study.	Bagedahl-Strindlund,-M	Acta-Psychiatr-Scand. 1997 May; 95(5): 389-95
388	Social psychological indicators associated with the suicide rate: a comment.	Lester,-D; Savlid,-A-C	Psychol-Rep. 1997 Jun; 80(3 Pt 2): 1065-6
389	An analysis of unnatural deaths between 1990 and 1994 in A-Lein, Taiwan.	Wang,-C-S; Chou,-P	Injury. 1997 Apr; 28(3): 203-8
390	Psychiatric inpatient suicide rates: a 21-year study.	Ganesvaran,-T; Shah,-A-K	Med-Sci-Law. 1997 Jul; 37(3): 202-9
391	Suicides in Hong Kong, 1981-1994.	Yip,-P-S	Soc-Psychiatry-Psychiatr-Epidemiol. 1997 Jul; 32(5): 243-50
392	Suicides and other deaths in police custody.	Blaauw,-E; Kerkhof,-A-D; Vermunt,-R	Suicide-Life-Threat-Behav. 1997 Summer; 27(2): 153-63
393	Suicide mortality among medical doctors in Finland: are females more prone to suicide than their male colleagues?	Lindeman,-S; Laara,-E; Hirvonen,-J; Lonnqvist,-J	Psychol-Med. 1997 Sep; 27(5): 1219-22
394	Social psychological variables in populations contrasted by income and suicide rate: Durkheim revisited.	Ferrada-Noli,-M	Psychol-Rep. 1997 Aug; 81(1): 307-16
395	Psychiatric health, ethnicity and socioeconomic factors among suicides in Stockholm.	Ferrada-Noli,-M; Asberg,-M	Psychol-Rep. 1997 Aug; 81(1): 323-32
396	One hundred cases of attempted suicide in the elderly.	Hepple,-J; Quinton,-C	Br-J-Psychiatry. 1997 Jul; 171: 42-6
397	Elderly suicide and weather conditions: is there a link?	Salib,-E	Int-J-Geriatr-Psychiatry. 1997 Sep; 12(9): 937-41
398	Suicide in the 12 months after discharge from psychiatric inpatient care, Scotland 1968-92.	Geddes,-J-R; Juszczak,-E; O'Brien,-F; Kendrick,-S	J-Epidemiol-Community-Health. 1997 Aug; 51(4): 430-4
399	Health and socioeconomic indicators in psychiatric catchment areas with divergent suicide rates.	Ferrada-Noli,-M	Psychol-Rep. 1997 Oct; 81(2): 611-9
400	Youth suicide in Norway, 1990-1992: a comparison between children and adolescents completing suicide and age- and gender-matched controls.	Groholt,-B; Ekeberg,-O; Wichstrom,-L; Haldorsen,-T	Suicide-Life-Threat-Behav. 1997 Fall; 27(3): 250-63
401	Temporal trends and geographic patterns of teen suicide in Alaska, 1979-1993.	Gessner,-B-D	Suicide-Life-Threat-Behav. 1997 Fall; 27(3): 264-73

402	The Big Ten Student Suicide Study: a 10-year study of suicides on midwestern university campuses.	Silverman,-M-M; Meyer,-P-M; Sloane,-F; Raffel,-M; Pratt,-D-M	Suicide-Life-Threat-Behav. 1997 Fall; 27(3): 285-303
403	Adolescents at risk: causes of youth suicide in New Zealand.	Drummond,-W-J	Adolescence. 1997 Winter; 32(128): 925-34
404	From chaos to calm: one jail system's struggle with suicide prevention.	Hayes,-L-M	Behav-Sci-Law. 1997 Autumn; 15(4): 399-413
405	Driver suicides.	Ohberg,-A; Penttila,-A; Lonnqvist,-J	Br-J-Psychiatry. 1997 Nov; 171: 468-72
406	Time-series analysis of suicidal and undetermined deaths.	Lester,-D	Percept-Mot-Skills. 1997 Dec; 85(3 Pt 2): 1242
407	Suicide in three ethnic groups in Huhhot, Inner Mongolia.	Wang,-D; Wang,-Y-T; Wang,-X-Y	Crisis. 1997; 18(3): 112-4
408	Comment on "Social psychological variables in populations contrasted by income and suicide rate.	Lester,-D; Savlid,-C	Psychol-Rep. 1997 Dec; 81(3 Pt 2): 1386
409	Suicide in Trinidad and Tobago: associations with measures of social distress.	Hutchinson,-G-A; Simeon,-D-T	Int-J-Soc-Psychiatry. 1997 Winter; 43(4): 269-75
410	Hunting guns in homes and suicides in 15-24-year-old males in eastern Finland.	Hintikka,-J; Lehtonen,-J; Viinamaki,-H	Aust-N-Z-J-Psychiatry. 1997 Dec; 31(6): 858-61
411	Treatment-resistant schizophrenia--the role of clozapine.	Meltzer,-H-Y	Curr-Med-Res-Opin. 1997; 14(1): 1-20
412	Suicide in Greek prisons: 1977 to 1996.	Spinellis,-C-D; Themeli,-O	Crisis. 1997; 18(4): 152-6
413	The service implications of regional differences in suicide rates in the Republic of Ireland.	Kelleher,-M-J; Keeley,-H-S; Corcoran,-P	Ir-Med-J. 1997 Nov; 90(7): 262-4
414	Socioeconomic factors associated with suicide in elderly populations in British Columbia: an 11-year review.	Agbayewa,-M-O; Marion,-S-A; Wiggins,-S	Can-J-Psychiatry. 1998 Oct; 43(8): 829-36
415	Marked decrease in suicide among men and women in the former USSR during perestroika.	Varnik,-A; Wasserman,-D; Dankowicz,-M; Eklund,-G	Acta-Psychiatr-Scand-Suppl. 1998; 394: 13-9
416	Antidepressants and suicide mortality.	Ohberg,-A; Vuori,-E; Klaukka,-T; Lonnqvist,-J	J-Affect-Disord. 1998 Sep; 50(2-3): 225-33
417	Suicide mortality in patients on lithium maintenance therapy.	Coppen,-A; Farmer,-R	J-Affect-Disord. 1998 Sep; 50(2-3): 261-7

418	Testing Durkheim's theory of suicide in Hungary.	Lester,-D	Psychol-Rep. 1998 Dec; 83(3 Pt 1): 881-2
419	Bringing the public health approach to the problem of suicide.	Satcher,-D	Suicide-Life-Threat-Behav. 1998 Winter; 28(4): 325-7
420	Occurrence of suicide and seasonal variation.	Retamal,-P; Humphreys,-D	Rev-Saude-Publica. 1998 Oct; 32(5): 408-12
421	Ten year follow-up of depression after diagnosis in general practice.	van-Weel-Baumgarten,-E; van-den-Bosch,-W; van-den-Hoogen,-H; Zitman,-F-G	Br-J-Gen-Pract. 1998 Oct; 48(435): 1643-6
422	Are you prepared to S.A.V.E. your nursing student from suicide?	Goetz,-C-S	J-Nurs-Educ. 1998 Feb; 37(2): 92-5
423	Parasuicide and mental disorders.	Ferreira-de-Castro,-E; Cunha,-M-A; Pimenta,-F; Costa,-I	Acta-Psychiatr-Scand. 1998 Jan; 97(1): 25-31
424	Age, sex, marital status and suicide: an empirical study of east and west.	Yip,-P-S	Psychol-Rep. 1998 Feb; 82(1): 311-22
425	Suicide among black youths--United States, 1980-1995.	Anonymous	MMWR-Morb-Mortal-Wkly-Rep. 1998 Mar 20; 47(10): 193-6
426	Time-series studies of the French suicide rate using age-adjusted rates.	Lester,-D	Percept-Mot-Skills. 1998 Feb; 86(1): 126
427	High suicide mortality soon after diagnosis among cancer patients in central Italy.	Crocetti,-E; Arniani,-S; Acciai,-S; Barchielli,-A; Buiatti,-E	Br-J-Cancer. 1998 Apr; 77(7): 1194-6
428	Suicides in Hong Kong and Australia.	Yip,-P-S	Crisis. 1998; 19(1): 24-34
429	Is anorexia nervosa associated with elevated rates of suicide?	Coren,-S; Hewitt,-P-L	Am-J-Public-Health. 1998 Aug; 88(8): 1206-7
430	Predicting suicide rate among elderly persons in Canadian provinces.	Leenaars,-A-A; Lester,-D	Psychol-Rep. 1998 Jun; 82(3 Pt 2): 1202
431	Suicide prevention effects associated with clozapine therapy in schizophrenia and schizoaffective disorder.	Reid,-W-H; Mason,-M; Hogan,-T	Psychiatr-Serv. 1998 Aug; 49(8): 1029-33
432	Secular trends in the rates and seasonality of violent and nonviolent suicide occurrences in Finland during 1980-95.	Hakko,-H; Rasanen,-P; Tiihonen,-J	J-Affect-Disord. 1998 Jul; 50(1): 49-54

433	Risk factors for suicides of inpatients with depressive psychoses.	Krupinski, -M; Fischer, -A; Grohmann, -R; Engel, -R; Hollweg, -M; Moller, -H-J	Eur-Arch-Psychiatry-Clin-Neurosci. 1998; 248(3): 141-7
434	Atypical antipsychotics for treatment of depression in schizophrenia and affective disorders. Collaborative Working Group on Clinical Trial Evaluations.	Anonymous	J-Clin-Psychiatry. 1998; 59 Suppl 12: 41-5
435	Suicides hidden among undetermined deaths.	Ohberg, -A; Lonnqvist, -J	Acta-Psychiatr-Scand. 1998 Sep; 98(3): 214-8
436	An epidemiological profile of elderly suicides in Hong Kong.	Yip, -P-S; Chi, -I; Yu, -K-K	Int-J-Geriatr-Psychiatry. 1998 Sep; 13(9): 631-7
437	Suicide in Greece 1980-1995: patterns and social factors.	Zacharakis, -C-A; Madianos, -M-G; Papadimitriou, -G-N; Stefanis, -C-N	Soc-Psychiatry-Psychiatr-Epidemiol. 1998 Oct; 33(10): 471-6
438	Suicide rate rises as South Korea's economy falters.	Watts, -J	Lancet. 1998 Oct 24; 352(9137): 1365
439	Suicide in a spinal cord injured population: its relation to functional status.	Hartkopp, -A; Bronnum-Hansen, -H; Seidenschnur, -A-M; Biering-Sorensen, -F	Arch-Phys-Med-Rehabil. 1998 Nov; 79(11): 1356-61
440	The influence of alcohol drinking and alcohol use disorders on psychiatric disorders and suicidal behavior.	Berglund, -M; Ojehagen, -A	Alcohol-Clin-Exp-Res. 1998 Oct; 22(7 Suppl): 333S-345S
441	The Kobe earthquake and reduced suicide rate in Japanese males.	Shioiri, -T; Nishimura, -A; Nushida, -H; Tatsuno, -Y; Tang, -S-W	Arch-Gen-Psychiatry. 1999 Mar; 56(3): 282-3
442	Effect on suicide rate of having reduced unemployment is uncertain.	Makinen, -I-H	BMJ. 1999 Apr 3; 318(7188): 941-2
443	Major depression in 1998: are we providing optimal therapy?	Angst, -J	J-Clin-Psychiatry. 1999; 60 Suppl 6: 5-9
444	Aftercare and clinical characteristics of people with mental illness who commit suicide: a case-control study.	Appleby, -L; Dennehy, -J-A; Thomas, -C-S; Faragher, -E-B; Lewis, -G	Lancet. 1999 Apr 24; 353(9162): 1397-400
445	Suicide and social change in China.	Phillips, -M-R; Liu, -H; Zhang, -Y	Cult-Med-Psychiatry. 1999 Mar; 23(1): 25-50
446	Mortality and causes of death among Danish medical doctors 1973-1992.	Juel, -K; Mosbech, -J; Hansen, -E-S	Int-J-Epidemiol. 1999 Jun; 28(3): 456-60

447	Cultural influence on the incidence and choice of method of suicide in Saudi Arabia.	Elfawal, -M-A	Am-J-Forensic-Med-Pathol. 1999 Jun; 20(2): 163-8
448	High rates of paraquat-induced suicide in southern Trinidad.	Hutchinson, -G; Daisley, -H; Simeon, -D; Simmonds, -V; Shetty, -M; Lynn, -D	Suicide-Life-Threat-Behav. 1999 Summer; 29(2): 186-91
449	Wine consumption and suicide rates.	Lester, -D	Psychol-Rep. 1999 Jun; 84(3 Pt 1): 1054
450	Domestic integration and suicide in the provinces of Canada.	Leenaars, -A-A; Lester, -D	Crisis. 1999; 20(2): 59-63
451	Suicide in Nograd County, Hungary, 1970-1994.	Zonda, -T	Crisis. 1999; 20(2): 64-70
452	Suicide among the elderly in Italy: a descriptive epidemiological study (1969 to 1994).	Tatarelli, -R; Mancinelli, -I; Comparelli, -A; Polidori, -G; Taggi, -F	Compr-Psychiatry. 1999 Jul-Aug; 40(4): 253-60
453	Minimum-age drinking laws and youth suicide, 1970-1990.	Birckmayer, -J; Hemenway, -D	Am-J-Public-Health. 1999 Sep; 89(9): 1365-8
454	The misery index and suicide.	Yang, -B; Lester, -D	Psychol-Rep. 1999 Jun; 84(3 Pt 2): 1086
455	Effect of changing alcohol laws in Iceland on suicide rates.	Lester, -D	Psychol-Rep. 1999 Jun; 84(3 Pt 2): 1158
456	Mental disorders in the Greenlandic population. A register study.	Lynge, -I; Mortensen, -P-B; Munk-Jorgensen, -P	Int-J-Circumpolar-Health. 1999 Jul; 58(3): 188-97
457	Implications of the sex ratio for suicide and homicide.	Lester, -D	Percept-Mot-Skills. 1999 Aug; 89(1): 222
458	Predicting the suicide rate of children in America.	Lester, -D	Psychol-Rep. 1999 Aug; 85(1): 212
459	Suicide prevention among active duty Air Force personnel--United States, 1990-1999.	Anonymous	MMWR-Morb-Mortal-Wkly-Rep. 1999 Nov 26; 48(46): 1053-7
460	Psychological autopsy study of suicides by people aged under 35.	Appleby, -L; Cooper, -J; Amos, -T; Faragher, -B	Br-J-Psychiatry. 1999 Aug; 175: 168-74
461	Lifetime suicide risk in major depression: sex and age determinants.	Blair-West, -G-W; Cantor, -C-H; Mellsoy, -G-W; Eyeson-Annan, -M-L	J-Affect-Disord. 1999 Oct; 55(2-3): 171-8

462	Suicide among drug addicts in the UK.	Oyefeso, -A; Ghodse, -H; Clancy, -C; Corkery, -J-M	Br-J-Psychiatry. 1999 Sep; 175: 277-82
463	A demographic analysis of suicide among U.S. Navy personnel.	Hourani, -L-L; Warrack, -G; Coben, -P-A	Suicide-Life-Threat-Behav. 1999 Winter; 29(4): 365-75
464	Suicidal behavior in the Ukraine, 1988-1998.	Kryzhanovskaya, -L; Pilyagina, -G	Crisis. 1999; 20(4): 184-90
465	What is the Chinese suicide rate?	He, -Z-X; Lester, -D	Percept-Mot-Skills. 1999 Dec; 89(3 Pt 1): 898
466	Long-term survival in renal transplant recipients with graft function.	Ojo, -A-O; Hanson, -J-A; Wolfe, -R-A; Leichtman, -A-B; Agodoa, -L-Y; Port, -F-K	Kidney-Int. 2000 Jan; 57(1): 307-13
467	Mortality in 497 patients with affective disorders attending a lithium clinic or after having left it.	Kallner, -G; Lindelius, -R; Petterson, -U; Stockman, -O; Tham, -A	Pharmacopsychiatry. 2000 Jan; 33(1): 8-13
468	Recent trends in elderly suicide rates in England and Wales.	Hoxey, -K; Shah, -A	Int-J-Geriatr-Psychiatry. 2000 Mar; 15(3): 274-9
469	Urban/rural and gender differentials in suicide rates: east and west.	Yip, -P-S; Callanan, -C; Yuen, -H-P	J-Affect-Disord. 2000 Jan-Mar; 57(1-3): 99-106
470	Deaths due to injury in the military.	Powell, -K-E; Fingerhut, -L-A; Branche, -C-M; Perrotta, -D-M	Am-J-Prev-Med. 2000 Apr; 18(3 Suppl): 26-32
471	Suicidal behavior in the municipality of Baerum, Norway: a 12-year prospective study of parasuicide and suicide.	Dieserud, -G; Loeb, -M; Ekeberg, -O	Suicide-Life-Threat-Behav. 2000 Spring; 30(1): 61-73
472	Effects of weather on incidence of attempted suicide by carbon monoxide poisoning.	Geltzer, -A-J; Geltzer, -A-M; Dunford, -R-G; Hampson, -N-B	Undersea-Hyperb-Med. 2000 Spring; 27(1): 9-14
473	Lithium in unipolar depression and the prevention of suicide.	Coppen, -A	J-Clin-Psychiatry. 2000; 61 Suppl 9: 52-6
474	Suicide amongst Cambridge University students 1970-1996.	Collins, -I-P; Paykel, -E-S	Soc-Psychiatry-Psychiatr-Epidemiol. 2000 Mar; 35(3): 128-32
475	Doctors who kill themselves: a study of the methods used for suicide.	Hawton, -K; Clements, -A; Simkin, -S; Malmberg, -A	QJM. 2000 Jun; 93(6): 351-7
476	The prevalence of suicidal ideation and suicidal attempts among Norwegian physicians. Results from a cross-sectional survey of a nationwide sample.	Hem, -E; GrLnvold, -N-T; Aasland, -O-G; Ekeberg, -O	Eur-Psychiatry. 2000 May; 15(3): 183-9

477	Suicide: a 15-year review of the sociological literature. Part I: cultural and economic factors.	Stack, S	Suicide-Life-Threat-Behav. 2000 Summer; 30(2): 145-62
478	Methods of youth suicide in New Zealand: trends and implications for prevention.	Beautrais, A-L	Aust-N-Z-J-Psychiatry. 2000 Jun; 34(3): 413-9
479	Homicide and suicide rates associated with implementation of the Brady Handgun Violence Prevention Act.	Ludwig, J; Cook, P-J	JAMA. 2000 Aug 2; 284(5): 585-91
480	Suicide prevention—a medical breakthrough?	Isacsson, G	Acta-Psychiatr-Scand. 2000 Aug; 102(2): 113-7
481	The association of suicide attempts and comorbid depression and substance abuse in psychiatric consultation patients.	Dhossche, D-M; Meloukheia, A-M; Chakravorty, S	Gen-Hosp-Psychiatry. 2000 Jul-Aug; 22(4): 281-8
482	The long-term outcome of a depressive population in a Hungarian material.	Zonda, T; Groza, J	J-Affect-Disord. 2000 Nov; 60(2): 113-9
483	Cause-specific mortality risks of anesthesiologists.	Alexander, B-H; Checkoway, H; Nagahama, S-I; Domino, K-B	Anesthesiology. 2000 Oct; 93(4): 922-30
484	Mortality among persons with a history as psychiatric inpatients with functional psychosis.	Hannerz, H; Borga, P	Soc-Psychiatry-Psychiatr-Epidemiol. 2000 Aug; 35(8): 380-7
485	Economic burden of illness from pesticide poisonings in highland Ecuador.	Cole, D-C; Carpio, F; Leon, N	Rev-Panam-Salud-Publica. 2000 Sep; 8(3): 196-201
486	An educational intervention for front-line health professionals in the assessment and management of suicidal patients (The STORM Project).	Appleby, L; Morriss, R; Gask, L; Roland, M; Perry, B; Lewis, A; Battersby, L; Colbert, N; Green, G; Amos, T; Davies, L; Faragher, B	Psychol-Med. 2000 Jul; 30(4): 805-12
487	Geophysical variables and behavior: LXXXXIX. The influence of weather on suicide in Hong Kong.	Yan, Y-Y	Percept-Mot-Skills. 2000 Oct; 91(2): 571-7
488	Fifty years of prison suicide in Austria: does legislation have an impact?	Fruehwald, S; Frottier, P; Eher, R; Ritter, K; Aigner, M	Suicide-Life-Threat-Behav. 2000 Fall; 30(3): 272-81
489	The pace of life and suicide.	Lester, D	Percept-Mot-Skills. 2000 Dec; 91(3 Pt 1): 748

490	Firearms and suicide: the American experience, 1926-1996.	Cutright,-P; Fernquist,-R-M	Death-Stud. 2000 Dec; 24(8): 705-19
491	Prison suicides in Austria, 1975-1997.	Fruehwald,-S; Frottier,-P; Eher,-R; Ritter,-K; Gutierrez,-K	Suicide-Life-Threat-Behav. 2000 Winter; 30(4): 360-9
492	Suicide rates and mental health services in modern China.	Jianlin,-J	Crisis. 2000; 21(3): 118-21
493	Suicide prevention in Canada: a history of a community approach.	Leenaars,-A-A	Can-J-Commun-Ment-Health. 2000 Fall; 19(2): 57-73
494	Suicide rates from 1960 to 1989 in Norwegian physicians compared with other educational groups.	Aasland,-O-G; Ekeberg,-O; Schweder,-T	Soc-Sci-Med. 2001 Jan; 52(2): 259-65
495	Learnings from Durkheim and beyond: the economy and suicide.	Lester,-B-Y	Suicide-Life-Threat-Behav. 2001 Spring; 31(1): 15-31
496	An epidemiological profile of suicides in Beijing, China.	Yip,-P-S	Suicide-Life-Threat-Behav. 2001 Spring; 31(1): 62-70
497	Relationship of suicide rates to social factors and availability of lethal methods: comparison of suicide in Newcastle upon Tyne 1961-1965 and 1985-1994.	Schapira,-K; Linsley,-K-R; Linsley,-A; Kay,-D-W	Br-J-Psychiatry. 2001 May; 178: 458-64
498	Suicide in children and adolescents in England and Wales 1970-1998.	McClure,-G-M	Br-J-Psychiatry. 2001 May; 178: 469-74
499	Developing a comprehensive school suicide prevention program.	King,-K-A	J-Sch-Health. 2001 Apr; 71(4): 132-7
500	Suicide in Singapore: a changing sex ratio over the last decade.	Parker,-G; Yap,-H-L	Singapore-Med-J. 2001 Jan; 42(1): 011-4
501	Suicide in Travis County, Texas, from 1994 through 1998.	Li,-S; Hauser,-L-A; Gao,-B	Tex-Med. 2001 May; 97(5): 64-8
502	Major depressive disorder. Psychopathology, medical management and dental implications.	Friedlander,-A-H; Mahler,-M-E	J-Am-Dent-Assoc. 2001 May; 132(5): 629-38
503	Trends in age band-specific suicide rates among elderly people in England and Wales.	Shah,-A; Elanchenny,-N; Collinge,-T	Med-Sci-Law. 2001 Apr; 41(2): 102-6
504	Suicide rate in healthcare...a reliable index or misleading statistics?	Salib,-E; Agnew,-N; Tadros,-G	Med-Sci-Law. 2001 Apr; 41(2): 93-6

505	Low serum cholesterol concentration and risk of suicide.	Ellison,-L-F; Morrison,-H-I	Epidemiology. 2001 Mar; 12(2): 168-72
506	A randomized controlled trial of postcrisis suicide prevention.	Motto,-J-A; Bostrom,-A-G	Psychiatr-Serv. 2001 Jun; 52(6): 828-33
507	Elderly suicide: a 10-year retrospective study.	Bennett,-A-T; Collins,-K-A	Am-J-Forensic-Med-Pathol. 2001 Jun; 22(2): 169-72
508	Epidemiology of suicide in Israel: a nationwide population study.	Lubin,-G; Glasser,-S; Boyko,-V; Barell,-V	Soc-Psychiatry-Psychiatr-Epidemiol. 2001 Mar; 36(3): 123-7
509	Suicide during clozapine treatment: a case report.	Tamam,-L; Ozpoyraz,-N	Isr-J-Psychiatry-Relat-Sci. 2001; 38(2): 127-32
510	Characteristics of suicide among children and adolescents in Budapest.	Toero,-K; Nagy,-A; Sawaguchi,-T; Sawaguchi,-A; Sotonyi,-P	Pediatr-Int. 2001 Aug; 43(4): 368-71
511	Completed suicides among the Inuit of northern Quebec, 1982-1996: a case-control study.	Boothroyd,-L-J; Kirmayer,-L-J; Spreng,-S; Malus,-M; Hodgins,-S	CMAJ. 2001 Sep 18; 165(6): 749-55
512	Attempted suicide rates and trends during a period of severe economic recession in Helsinki, 1989-1997.	Ostamo,-A; Lonnqvist,-J	Soc-Psychiatry-Psychiatr-Epidemiol. 2001 Jul; 36(7): 354-60
513	Late mortality in severe depression.	Bradvik,-L; Berglund,-M	Acta-Psychiatr-Scand. 2001 Feb; 103(2): 111-6
514	Alcohol and suicide in 14 European countries.	Ramstedt,-M	Addiction. 2001 Feb; 96 Suppl 1: S59-75
515	Suicide in young people aged 15-24: a psychological autopsy study.	Houston,-K; Hawton,-K; Shepperd,-R	J-Affect-Disord. 2001 Mar; 63(1-3): 159-70
516	Depression in men.	Morgan,-H	Aust-Fam-Physician. 2001 Mar; 30(3): 206-11, 214-7
517	A retrospective study of general hospital patients who commit suicide shortly after being discharged from the hospital.	Dhossche,-D-M; Ulusarac,-A; Syed,-W	Arch-Intern-Med. 2001 Apr 9; 161(7): 991-4
518	Suicide in doctors: a study of risk according to gender, seniority and specialty in medical practitioners in England and Wales, 1979-1995.	Hawton,-K; Clements,-A; Sakarovitch,-C; Simkin,-S; Deeks,-J-J	J-Epidemiol-Community-Health. 2001 May; 55(5): 296-300
519	Are UN peacekeepers at risk for suicide?	Wong,-A; Escobar,-M; Lesage,-A; Loyer,-M; Vanier,-C; Sakinofsky,-I	Suicide-Life-Threat-Behav. 2001 Spring; 31(1): 103-12

520	Age and gender differences in suicide trends, Wisconsin and the United States, 1980-1994.	Chaudron, L-H; Remington, P	WMJ. 1999 Sep-Oct; 98(6): 35-8
-----	---	-----------------------------	--------------------------------