

III. 研究成果の 刊行に関する一覧表

- 1) Inazawa Y, Saeki K, Yuo A: Granulocyte colony-stimulating factor-induced terminal maturation of human myeloid cells is specifically associated with up-regulation of receptor-mediated function and CD10 expression. *Int J Hematol* 77:142-151,2003.
- 2) Saeki K, Saeki K, Yuo A: Distinct involvement of cAMP-response element-dependent transcriptions in functional and morphological maturation during retinoid-mediated human myeloid differentiation. *J Leukoc Biol* 73:673-681,2003.
- 3) Kobayashi N, Saeki K, Yuo A: Granulocyte-macrophage colony-stimulating factor and interleukin 3 induce cell cycle progression through the synthesis of c-Myc protein by internal ribosome entry site-mediated translation via phosphatidylinositol 3-kinase pathway in human factor-dependent leukemic cells. *Blood* 102:3186-3195,2003.
- 4) Saeki K, Zhang H, Nakatsu M, Yoshimori T, Kabeya Y, Yamamoto A, Kaburagi Y, Yuo A: Insulin-dependent signaling regulates azurophil granule-selective macroautophagy in human myeloblastic cells. *J Leukoc Biol* 74:1108-1116,2003.
- 5) Inazawa Y, Nakatsu M, Yasugi E, Saeki K, Yuo A: Lipid droplet formation in human myeloid NB4 cells stimulated by all trans retinoic acid and granulocyte colony-stimulating factor: possible involvement of peroxisome proliferator-activated receptor γ . *Cell Struct Funct* 28:487-493,2003.
- 6) Kawano Y, Kobune M, Yamaguchi M, Nakamura K, Ito Y, Sasaki K, Takahashi S, Nakamura T, Chiba H, Sato T, Matsunaga T, Azuma H, Ikebuchi K, Ikeda H, Kato J, Niitsu Y, Hamada H: Ex vivo expansion of human umbilical cord hematopoietic progenitor cells using a coculture system with human telomerase catalytic subunit (hTERT)-transfected human stromal cells. *Blood* 101:532-540,2003.
- 7) Uchida H, Shinoura N, Kitayama J, Watanabe T, Nagawa H, Hamada H: 5-Fluorouracil efficiently enhanced apoptosis induced by adenovirus-mediated transfer of caspase-8 in DLD-1 colon cancer cells. *J Gene Med* 5:287-299,2003.
- 8) Tsuda H, Wada T, Ito Y, Uchida H, Dehari H, Nakamura K, Sasaki K, Kobune M, Yamashita T, Hamada H: Efficient BMP2 gene transfer and bone formation of mesenchymal stem cells by a fiber-mutant adenoviral vector. *Mol Ther* 7:354-365,2003.
- 9) Nakamura T, Sato K, Hamada H: Reduction of natural adenovirus tropism to the liver by both ablation of fiber-Coxsackievirus and adenovirus receptor interaction and use of replaceable short fiber. *J Virol* 77:2512-2521,2003.
- 10) Dehari H, Ito Y, Nakamura T, Kobune M, Sasaki K, Yonekura N, Kohama G, Hamada H: Enhanced antitumor effect of RGD fiber-modified adenovirus for gene therapy of oral cancer. *Cancer Gene Ther* 10:75-85,2003.
- 11) Kobune M, Kawano Y, Ito Y, Chiba H, Nakamura K, Tsuda H, Sasaki K, Dehari H, Uchida H, Honmou O, Takahashi S, Bizen A, Takimoto R, Matsunaga T, Kato J, Kato K, Houkin K, Niitsu Y, Hamada H: Telomerized human multipotent mesenchymal cells can differentiate into hematopoietic and cobblestone area-supporting cells *Exp Hematol* 31:715-722,2003.
- 12) Takaoka A, Hayakawa S, Yanai H, Stoiber D, Negishi H, Kikuchi H, Sasaki S, Imai K,

- Shibue T, Honda K, Taniguchi T: Integration of interferon- α/β signalling to p53 responses in tumor suppression and antiviral defence. *Nature* 424:516-523,2003.
- 13) Min Y, Adachi Y, Yamamoto H, Ito H, Itoh F, Lee C-T, Nadaf S, Carbone DP, Imai K: Genetic blockade of the insulin-like growth factor-I receptor: a promising strategy for human pancreatic cancer. *Cancer Res* 63:6432-6441,2003.
 - 14) Toyota M, Sasaki Y, Satoh A, Ogi K, Kikuchi T, Suzuki H, Mita H, Tanaka N, Itoh F, Issa JP, Jair KW, Schuebel KE, Tokino T, Imai K: Epigenetic inactivation of CHFR in human tumors. *Proc Natl Acad Sci USA* 100:7818-7823,2003.
 - 15) Horiuchi S, Yamamoto H, Min Y, Adachi Y, Itoh F, Imai K: Association of Ets-related transcriptional factor E1AF expression with tumor progression and overexpression of MMP-1 and matrilysin in human colorectal cancer. *J Pathol* 200:568-576,2003.
 - 16) Satoh A, Toyota M, Itoh F, Sasaki Y, Suzuki H, Ogi K, Kikuchi T, Mita H, Yamashita T, Kojima T, Kusano M, Fujita M, Hosokawa M, Endo T, Tokino T, Imai K: Epigenetic inactivation of CHFR and sensitivity to microtubule inhibitors in gastric cancer. *Cancer Res* 63:8606-8613,2003.
 - 17) Obata T, Toyota M, Satoh A, Sasaki Y, Ogi K, Akino K, Suzuki H, Murai M, Kikuchi T, Mita H, Itoh F, Issa JP, Tokino T, Imai K: Identification of HRK as a target of epigenetic inactivation in colorectal and gastric cancer. *Clin Cancer Res* 9:6410-6418,2003.
 - 18) Yamamoto H, Iku S, Adachi Y, Imsumran A, Taniguchi H, Noshō K, Min Y, Horiuchi S, Idogawa M, Adachi M, Minami T, Yasui H, Imai K: Overexpression of BAD preferentially augments anoikis. *Int J Cancer* 107:215-223,2003.
 - 19) Adachi M, Zhang Y-B, Imai K: Mutation of BAD within the BH3 domain impairs its phosphorylation-mediated regulation. *FEBS Letters* 551:147-152,2003.
 - 20) Shen L, Toyota M, Kondo Y, Obata T, Daniel S, Pierce S, Imai K, Guillermin GM: Aberrant DNA methylation of p57KIP2 identifies a cell-cycle regulatory pathway with prognostic impact in adult acute lymphocytic leukemia. *Blood* 101:4131-4136,2003.
 - 21) Sato Y, Fujimoto K, Kawaguchi H: Detection of an K-ras point mutation employing peptide nucleic acid at the surface of a SPR biosensor. *Colloids and Surfaces B: Biointerfaces* 27:23-31,2003.
 - 22) 藤本啓二 : 微粒子の集積化。 *高分子* 52:701-705,2003.
 - 23) 藤本啓二 : ナノ粒子。血液・免疫・腫瘍、特集「DDS」 8:119-123,2003.
 - 24) 藤本啓二 : 高分子材料の個性と医学的なたらきーナノバイオマテリアルで生体に挑むー」、先端化学シリーズ<糖鎖、バイオマテリアル、分子認識、バイオインフォマティクス>、日本化学会 編、丸善、pp172-179, 2003.
 - 25) 藤本啓二 : 生体に働きかけるマテリアル、生命の科学と工学ーその最先端、三共出版、pp72-82, 2003.
 - 26) Ohe Y, Niho S, Kakinuma R, Kubota K, Ohmatsu H, Goto K, Nokihara H, Kunitoh H, Saijo N, Aono H, Watanabe K, Tango M, Yokoyama A, Nishiwaki Y: A phase II study of cisplatin and docetaxel administered as three consecutive weekly infusions for advanced non-small-cell lung cancer in elderly patients. *Ann Oncol* 15:45-50,2004.

- 27) Watanabe H, Yamamoto S, Kunitoh H, Sekine I, Yamamoto N, Ohe Y, Tamura T, Kodama T, Sugimura K, Saijo N: Tumor response to chemotherapy: The validity and reproducibility of RECIST guidelines in NSCLC patients. *Cancer Sci* 94:1015-1020,2003.
- 28) Natsume T, Watanabe J, Koh Y, Fujio N, Ohe Y, Horiuchi T, Saijo N, Nishio K, Kobayashi M: Antitumor activity of TZT-1027 (Soblidotin) against vascular endothelial growth factor-secreting human lung cancer in vivo. *Cancer Sci* 94:826-833,2003.
- 29) Ohe Y, Ishizuka N, Tamura T, Sekine I, Nishiwaki Y, Saijo N: Long-term follow-up of patients with unresectable locally advanced non-small cell lung cancer treated with chemoradiotherapy: a retrospective analysis of the data from the Japan Clinical Oncology Group trials (JCOG0003A). *Cancer Sci* 94:729-34,2003.
- 30) Sekine I, Nishiwaki Y, Kakinuma R, Kubota K, Hojo F, Matsumoto T, Ohmatsu H, Goto K, Kodama T, Eguchi K, Shinkai T, Tamura T, Ohe Y, Kunitoh H, Yoshimura K, Saijo N: Phase I/II trial of weekly cisplatin, etoposide, and irinotecan chemotherapy for metastatic lung cancer: JCOG 9507. *Br J Cancer* 88:808-813,2003.
- 31) Minemoto Y, Uchida S, Ohtsubo M, Shimura M, Sasagawa T, Hirata M, Nakagama H, Ishizaka Y, Yamashita K: Loss of p53 induces M-phase retardation following G2 DNA damage checkpoint abrogation. *Arch Biochem Biophys* 412:13-19,2003.
- 32) Chiba S, Takeshita K, Imai Y, Kumano K, Kurokawa M, Masuda S, Shimizu K, Nakamura S, Ruddle FR, Hirai H. A homeoprotein DLX-1 interacts with Smad4 and blocks a signaling pathway from activin A in hematopoietic cells. *Proc Natl Acad Sci, USA* 100:15577-15582, 2003.
- 33) Takahashi T, Tanaka Y, Nieda M, Azuma T, Chiba S, Juji T, Shibata Y, Hirai H: Dendritic cell vaccination for patients with chronic myelogenous leukemia. *Leuk Res* 27:795-802,2003.
- 34) Saito T, Chiba S, Ichikawa M, Kunisato A, Asai T, Shimizu K, Yamaguchi T, Yamamoto G, Seo S, Kumano K, Nakagami-Yamaguchi E, Hamada Y, Aizawa S, Hirai H: Notch2 is preferentially expressed in mature B cells and indispensable for marginal zone B lineage development. *Immunity* 18:675-685,2003.
- 35) Kumano K, Chiba S, Kunisato A, Sata M, Saito T, Nakagami-Yamaguchi E, Yamaguchi T, Masuda S, Shimizu K, Takahashi T, Ogawa S, Hamada Y, Hirai H: Notch1 but not Notch2 is essential for generating hematopoietic stem cells from endothelial cells. *Immunity* 18:699-711,2003.
- 36) Kunisato A, Chiba S, Nakagami-Yamaguchi E, Kumano K, Saito T, Masuda S, Yamaguchi T, Osawa M, Kageyama R, Nakauchi H, Nishikawa M, Hirai H: HES-1 preserves purified hematopoietic stem cells ex vivo and accumulates side population cells in vivo. *Blood* 101:1777-1783,2003.