

II . Background Examinations

- 1) State of sleep
- 2) State of smoking
- 3) Health status
- 4) Family history
- 5) Motor function
- 6) Dental status
- 7) Menstruation (for only women)
- 8) Hearing ability
- 9) Visual acuity
- 10) Urinary disturbance
- 11) Job
- 12) Education
- 13) Ikigai or hobby
- 14) About family

1) State of sleep

Sleeping hours (hour)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	6.7	0.9	167	6.8	1.0	212	7.1	1.0	227	7.5	1.3	199	7.8	1.4	34	7.1	1.1	839
Female	6.6	0.9	193	6.6	0.8	188	7.0	1.1	196	7.1	1.3	200	6.9	1.5	24	6.8	1.1	801
Total	6.6	0.9	360	6.7	0.9	400	7.1	1.0	423	7.3	1.3	399	7.4	1.5	58	7.0	1.1	1640

Sleeping state

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Hard to sleep in	Male	22	13.2	29	13.6	48	21.1	59	29.6	6	17.6	164	19.5
	Female	27	14.0	41	21.8	90	45.9	78	39.0	11	45.8	247	30.8
	Total	49	13.6	70	17.5	138	32.6	137	34.3	17	29.3	411	25.0
Awake in midnight	Male	23	13.8	39	18.3	82	36.1	65	32.7	13	38.2	222	26.4
	Female	21	10.9	38	20.2	84	42.9	87	43.5	10	41.7	240	30.0
	Total	44	12.2	77	19.2	166	39.2	152	38.1	23	39.7	462	28.2
Big snoring	Male	62	37.1	82	38.5	79	34.8	47	23.6	9	26.5	279	33.2
	Female	22	11.4	39	20.7	26	13.3	33	16.5	4	16.7	124	15.5
	Total	84	23.3	121	30.2	105	24.8	80	20.1	13	22.4	403	24.6
Often see dream	Male	26	15.6	34	16.0	45	19.8	51	25.6	13	38.2	169	20.1
	Female	24	12.4	28	14.9	38	19.4	31	15.5	3	12.5	124	15.5
	Total	50	13.9	62	15.5	83	19.6	82	20.6	16	27.6	293	17.9
Deep sleep	Male	58	34.7	101	47.4	97	42.7	89	44.7	17	50.0	362	43.1
	Female	64	33.2	79	42.0	78	39.8	94	47.0	12	50.0	327	40.8
	Total	122	33.9	180	44.9	175	41.4	183	45.9	29	50.0	689	42.0
Drowsy in daytime	Male	40	24.0	52	24.4	69	30.4	77	38.7	17	50.0	255	30.4
	Female	81	42.0	68	36.2	48	24.5	84	42.0	10	41.7	291	36.3
	Total	121	33.6	120	29.9	117	27.7	161	40.4	27	46.6	546	33.3
No adequate situation	Male	27	16.2	23	10.8	17	7.5	12	6.0	2	5.9	81	9.6
	Female	34	17.6	25	13.3	19	9.7	9	4.5	1	4.2	88	11.0
	Total	61	16.9	48	12.0	36	8.5	21	5.3	3	5.2	169	10.3
Total	Male	167	100.0	213	100.0	227	100.0	199	100.0	34	100.0	840	100.0
	Female	193	100.0	188	100.0	196	100.0	200	100.0	24	100.0	801	100.0
	Total	360	100.0	401	100.0	423	100.0	399	100.0	58	100.0	1641	100.0

State of a nap

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	1	0.5	0	0.0	0	0.0	1	2.9	2	0.2
	Female	0	0.0	0	0.0	1	0.5	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	1	0.2	0	0.0	1	1.7	3	0.2
More than 6 times a week	Male	2	1.2	8	3.8	13	5.7	16	8.0	5	14.7	44	5.2
	Female	4	2.1	3	1.6	5	2.6	18	9.0	3	12.5	33	4.1
	Total	6	1.7	11	2.7	18	4.3	34	8.5	8	13.8	77	4.7
3 to 5 times a week	Male	18	10.8	23	10.8	37	16.3	48	24.1	15	44.1	141	16.8
	Female	35	18.1	36	19.1	31	15.8	54	27.0	6	25.0	162	20.2
	Total	53	14.7	59	14.7	68	16.1	102	25.6	21	36.2	303	18.5
1 or 2 times a week	Male	55	32.9	73	34.3	85	37.4	66	33.2	6	17.6	285	33.9
	Female	82	42.5	81	43.1	83	42.3	70	35.0	9	37.5	325	40.6
	Total	137	38.1	154	38.4	168	39.7	136	34.1	15	25.9	610	37.2
None	Male	92	55.1	108	50.7	92	40.5	69	34.7	7	20.6	368	43.8
	Female	72	37.3	68	36.2	76	38.8	58	29.0	6	25.0	280	35.0
	Total	164	45.6	176	43.9	168	39.7	127	31.8	13	22.4	648	39.5

2) State of smoking

Smoking habit

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Non-smoker	Male	44	26.3	53	24.9	66	29.1	32	16.1	7	20.6	202	24.0
	Female	160	82.9	166	88.3	178	90.8	188	94.0	24	100.0	716	89.4
	Total	204	56.7	219	54.6	244	57.7	220	55.1	31	53.4	918	55.9
Ex-smoker	Male	57	34.1	75	35.2	104	45.8	129	64.8	20	58.8	385	45.8
	Female	14	7.3	8	4.3	6	3.1	6	3.0	0	0.0	34	4.2
	Total	71	19.7	83	20.7	110	26.0	135	33.8	20	34.5	419	25.5
Current-smoker	Male	66	39.5	85	39.9	57	25.1	38	19.1	7	20.6	253	30.1
	Female	19	9.8	14	7.4	12	6.1	6	3.0	0	0.0	51	6.4
	Total	85	23.6	99	24.7	69	16.3	44	11.0	7	12.1	304	18.5

Age of starting to smoke in ex-smoker (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	20.1	3.3	56	21.1	5.8	74	22.4	9.1	102	23.9	12.0	128	25.7	15.7	20	22.5	9.6	380
Female	21.4	5.0	14	23.6	7.0	8	31.4	10.4	5	24.8	2.9	5	.	.	.	24.1	7.0	32
Total	20.4	3.7	70	21.4	5.9	82	22.8	9.3	107	24.0	11.7	133	25.7	15.7	20	22.6	9.5	412

Age of stopping to smoke in ex-smoker (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	31.8	7.0	56	39.0	9.2	73	47.5	11.7	102	55.7	12.6	122	62.7	14.9	20	47.0	14.5	373
Female	30.0	9.1	14	33.9	13.7	8	52.2	5.8	5	56.2	10.4	5	.	.	.	38.5	14.6	32
Total	31.4	7.4	70	38.5	9.7	81	47.7	11.5	107	55.8	12.5	127	62.7	14.9	20	46.3	14.7	405

Previous amount of consumption in ex-smoker (pieces/day)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	17.5	7.1	56	22.3	11.3	73	23.4	10.4	102	19.7	10.5	129	16.0	5.8	20	20.7	10.2	380
Female	10.4	6.3	14	10.9	6.4	8	18.2	14.2	5	9.6	6.6	5	.	.	.	11.6	8.1	32
Total	16.1	7.5	70	21.1	11.4	81	23.2	10.6	107	19.3	10.5	134	16.0	5.8	20	20.0	10.4	412

Age of starting to smoke in current-smoker (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	19.3	2.0	65	21.9	7.5	84	22.0	7.4	56	22.2	7.8	37	21.4	3.9	7	21.2	6.5	249
Female	23.4	7.2	19	24.9	6.9	14	41.3	13.6	12	37.8	15.0	6	.	.	.	29.7	12.5	51
Total	20.2	4.2	84	22.3	7.5	98	25.4	11.4	68	24.3	10.5	43	21.4	3.9	7	22.7	8.5	300

Amount of consumption in current-smoker (pieces/day)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	22.5	9.8	66	22.8	9.8	85	20.7	10.5	57	16.8	8.9	37	15.7	6.1	7	21.2	10.0	252
Female	11.6	5.9	19	15.1	9.4	14	12.1	5.2	12	13.2	7.8	6	.	.	.	12.9	7.0	51
Total	20.1	10.1	85	21.7	10.1	99	19.2	10.3	69	16.3	8.7	43	15.7	6.1	7	19.8	10.0	303

Reason of quit smoking

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not want to smoke as previously	Male	10	17.5	6	8.0	7	6.7	13	10.1	3	15.0	39	10.1
	Female	5	35.7	2	25.0	0	0.0	1	16.7	0	0	8	23.5
	Total	15	21.1	8	9.6	7	6.4	14	10.4	3	15.0	47	11.2
Disease	Male	16	28.1	14	18.7	33	31.7	57	44.2	5	25.0	125	32.5
	Female	0	0.0	1	12.5	1	16.7	4	66.7	0	0	6	17.6
	Total	16	22.5	15	18.1	34	30.9	61	45.2	5	25.0	131	31.3
For health	Male	32	56.1	47	62.7	62	59.6	77	59.7	9	45.0	227	59.0
	Female	7	50.0	5	62.5	4	66.7	1	16.7	0	0	17	50.0
	Total	39	54.9	52	62.7	66	60.0	78	57.8	9	45.0	244	58.2
For family	Male	10	17.5	28	37.3	43	41.3	26	20.2	5	25.0	112	29.1
	Female	1	7.1	1	12.5	0	0.0	0	0.0	0	0	2	5.9
	Total	11	15.5	29	34.9	43	39.1	26	19.3	5	25.0	114	27.2
Economical problem	Male	8	14.0	2	2.7	4	3.8	3	2.3	0	0.0	17	4.4
	Female	1	7.1	0	0.0	0	0.0	0	0.0	0	0	1	2.9
	Total	9	12.7	2	2.4	4	3.6	3	2.2	0	0.0	18	4.3
Others	Male	8	14.0	10	13.3	16	15.4	21	16.3	3	15.0	58	15.1
	Female	6	42.9	3	37.5	0	0.0	1	16.7	0	0	10	29.4
	Total	14	19.7	13	15.7	16	14.5	22	16.3	3	15.0	68	16.2
Total	Male	57	100.0	75	100.0	104	100.0	129	100.0	20	100.0	385	100.0
	Female	14	100.0	8	100.0	6	100.0	6	100.0	0	0	34	100.0
	Total	71	100.0	83	100.0	110	100.0	135	100.0	20	100.0	419	100.0

Inhale of tobacco fumes

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	1	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	1	0.3
Puff	Male	4	6.1	15	17.6	5	8.8	11	28.9	5	71.4	40	15.8
	Female	0	0.0	2	14.3	6	50.0	5	83.3	0	0	13	25.5
	Total	4	4.7	17	17.2	11	15.9	16	36.4	5	71.4	53	17.4
Inhale	Male	51	77.3	51	60.0	30	52.6	16	42.1	0	0.0	148	58.5
	Female	16	84.2	6	42.9	1	8.3	0	0.0	0	0	23	45.1
	Total	67	78.8	57	57.6	31	44.9	16	36.4	0	0.0	171	56.3
Both	Male	11	16.7	19	22.4	22	38.6	11	28.9	1	14.3	64	25.3
	Female	3	15.8	6	42.9	5	41.7	1	16.7	0	0	15	29.4
	Total	14	16.5	25	25.3	27	39.1	12	27.3	1	14.3	79	26.0

Smoking of cigarette with filter

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Always	Male	66	100.0	85	100.0	57	100.0	35	92.1	7	100.0	250	98.8
	Female	19	100.0	14	100.0	12	100.0	5	83.3	0	0	50	98.0
	Total	85	100.0	99	100.0	69	100.0	40	90.9	7	100.0	300	98.7
Sometimes	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	16.7	0	0	1	2.0
	Total	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0	1	0.3
Rarely	Male	0	0.0	0	0.0	0	0.0	1	2.6	0	0.0	1	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0	1	0.3
Not smoke	Male	0	0.0	0	0.0	0	0.0	2	5.3	0	0.0	2	0.8
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	2	4.5	0	0.0	2	0.7

Inhale of tobacco fumes smoked by others at home

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	2	0.9	0	0.0	0	0.0	0	0.0	3	0.4
	Female	0	0.0	0	0.0	1	0.5	1	0.5	0	0.0	2	0.2
	Total	1	0.3	2	0.5	1	0.2	1	0.3	0	0.0	5	0.3
None	Male	143	85.6	169	79.3	187	82.4	167	83.9	27	79.4	693	82.5
	Female	112	58.0	114	60.6	118	60.2	143	71.5	21	87.5	508	63.4
	Total	255	70.8	283	70.6	305	72.1	310	77.7	48	82.8	1201	73.2
Sometimes	Male	9	5.4	34	16.0	33	14.5	26	13.1	6	17.6	108	12.9
	Female	37	19.2	30	16.0	43	21.9	37	18.5	1	4.2	148	18.5
	Total	46	12.8	64	16.0	76	18.0	63	15.8	7	12.1	256	15.6
Almost every day	Male	14	8.4	8	3.8	7	3.1	6	3.0	1	2.9	36	4.3
	Female	44	22.8	44	23.4	34	17.3	19	9.5	2	8.3	143	17.9
	Total	58	16.1	52	13.0	41	9.7	25	6.3	3	5.2	179	10.9

Inhaling tobacco fumes smoked by others at the office

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	1	0.5	0	0.0	0	0.0	1	0.1
	Total	1	0.3	0	0.0	1	0.2	0	0.0	0	0.0	2	0.1
None	Male	37	22.2	39	18.3	79	34.8	115	57.8	17	50.0	287	34.2
	Female	101	52.3	95	50.5	102	52.0	140	70.0	18	75.0	456	56.9
	Total	138	38.3	134	33.4	181	42.8	255	63.9	35	60.3	743	45.3
Sometimes	Male	61	36.5	90	42.3	125	55.1	80	40.2	17	50.0	373	44.4
	Female	72	37.3	76	40.4	74	37.8	58	29.0	5	20.8	285	35.6
	Total	133	36.9	166	41.4	199	47.0	138	34.6	22	37.9	658	40.1
Almost every day	Male	68	40.7	84	39.4	23	10.1	4	2.0	0	0.0	179	21.3
	Female	20	10.4	17	9.0	19	9.7	2	1.0	1	4.2	59	7.4
	Total	88	24.4	101	25.2	42	9.9	6	1.5	1	1.7	238	14.5

3) Health status

Health status

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.3	1	1.7	2	0.1
Excellent	Male	6	3.6	8	3.8	3	1.3	10	5.0	0	0.0	27	3.2
	Female	12	6.2	2	1.1	8	4.1	9	4.5	0	0.0	31	3.9
	Total	18	5.0	10	2.5	11	2.6	19	4.8	0	0.0	58	3.5
Good	Male	45	26.9	64	30.0	58	25.6	32	16.1	3	8.8	202	24.0
	Female	58	30.1	35	18.6	30	15.3	25	12.5	3	12.5	151	18.9
	Total	103	28.6	99	24.7	88	20.8	57	14.3	6	10.3	353	21.5
Usual	Male	102	61.1	120	56.3	145	63.9	131	65.8	26	76.5	524	62.4
	Female	114	59.1	127	67.6	143	73.0	133	66.5	16	66.7	533	66.5
	Total	216	60.0	247	61.6	288	68.1	264	66.2	42	72.4	1057	64.4
Bad	Male	13	7.8	21	9.9	18	7.9	24	12.1	4	11.8	80	9.5
	Female	9	4.7	23	12.2	15	7.7	29	14.5	5	20.8	81	10.1
	Total	22	6.1	44	11.0	33	7.8	53	13.3	9	15.5	161	9.8
Very bad	Male	1	0.6	0	0.0	3	1.3	2	1.0	0	0.0	6	0.7
	Female	0	0.0	1	0.5	0	0.0	3	1.5	0	0.0	4	0.5
	Total	1	0.3	1	0.2	3	0.7	5	1.3	0	0.0	10	0.6

Regular health examination

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.5	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.1
Once a year	Male	142	85.0	177	83.1	167	73.6	160	80.4	25	73.5	671	79.9
	Female	127	65.8	138	73.4	152	77.6	152	76.0	20	83.3	589	73.5
	Total	269	74.7	315	78.6	319	75.4	312	78.2	45	77.6	1260	76.8
Once in 2 or 3 years	Male	14	8.4	20	9.4	34	15.0	17	8.5	6	17.6	91	10.8
	Female	34	17.6	23	12.2	26	13.3	28	14.0	1	4.2	112	14.0
	Total	48	13.3	43	10.7	60	14.2	45	11.3	7	12.1	203	12.4
Never checked	Male	11	6.6	16	7.5	26	11.5	22	11.1	3	8.8	78	9.3
	Female	32	16.6	27	14.4	17	8.7	20	10.0	3	12.5	99	12.4
	Total	43	11.9	43	10.7	43	10.2	42	10.5	6	10.3	177	10.8

Regular dental examination (once a year)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.5	1	2.9	2	0.2
	Female	0	0.0	0	0.0	1	0.5	4	2.0	0	0.0	5	0.6
	Total	0	0.0	0	0.0	1	0.2	5	1.3	1	1.7	7	0.4
Yes	Male	47	28.1	60	28.2	98	43.2	94	47.2	18	52.9	317	37.7
	Female	53	27.5	71	37.8	91	46.4	95	47.5	12	50.0	322	40.2
	Total	100	27.8	131	32.7	189	44.7	189	47.4	30	51.7	639	38.9
No	Male	120	71.9	153	71.8	129	56.8	104	52.3	15	44.1	521	62.0
	Female	140	72.5	117	62.2	104	53.1	101	50.5	12	50.0	474	59.2
	Total	260	72.2	270	67.3	233	55.1	205	51.4	27	46.6	995	60.6

Family physician

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	97	58.1	137	64.3	185	81.5	181	91.0	31	91.2	631	75.1
	Female	131	67.9	148	78.7	173	88.3	191	95.5	24	100.0	667	83.3
	Total	228	63.3	285	71.1	358	84.6	372	93.2	55	94.8	1298	79.1
No	Male	70	41.9	76	35.7	42	18.5	18	9.0	3	8.8	209	24.9
	Female	62	32.1	40	21.3	23	11.7	9	4.5	0	0.0	134	16.7
	Total	132	36.7	116	28.9	65	15.4	27	6.8	3	5.2	343	20.9

Department of family physician

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
internal med.	Male	65	38.9	91	42.7	140	61.7	143	71.9	26	76.5	465	55.4
	Female	92	47.7	102	54.3	129	65.8	151	75.5	21	87.5	495	61.8
	Total	157	43.6	193	48.1	269	63.6	294	73.7	47	81.0	960	58.5
surgery	Male	6	3.6	10	4.7	16	7.0	17	8.5	3	8.8	52	6.2
	Female	7	3.6	10	5.3	15	7.7	15	7.5	1	4.2	48	6.0
	Total	13	3.6	20	5.0	31	7.3	32	8.0	4	6.9	100	6.1
orthopedics	Male	9	5.4	11	5.2	21	9.3	38	19.1	7	20.6	86	10.2
	Female	13	6.7	23	12.2	34	17.3	61	30.5	8	33.3	139	17.4
	Total	22	6.1	34	8.5	55	13.0	99	24.8	15	25.9	225	13.7
otolaryngology	Male	14	8.4	10	4.7	21	9.3	22	11.1	3	8.8	70	8.3
	Female	20	10.4	19	10.1	24	12.2	18	9.0	4	16.7	85	10.6
	Total	34	9.4	29	7.2	45	10.6	40	10.0	7	12.1	155	9.4
ophthalmology	Male	2	1.2	17	8.0	40	17.6	58	29.1	16	47.1	133	15.8
	Female	17	8.8	20	10.6	50	25.5	100	50.0	16	66.7	203	25.3
	Total	19	5.3	37	9.2	90	21.3	158	39.6	32	55.2	336	20.5
dentistry	Male	48	28.7	78	36.6	93	41.0	98	49.2	19	55.9	336	40.0
	Female	74	38.3	86	45.7	96	49.0	104	52.0	10	41.7	370	46.2
	Total	122	33.9	164	40.9	189	44.7	202	50.6	29	50.0	706	43.0
other	Male	13	7.8	11	5.2	18	7.9	31	15.6	6	17.6	79	9.4
	Female	24	12.4	25	13.3	13	6.6	15	7.5	2	8.3	79	9.9
	Total	37	10.3	36	9.0	31	7.3	46	11.5	8	13.8	158	9.6
Total	Male	167	100.0	213	100.0	227	100.0	199	100.0	34	100.0	840	100.0
	Female	193	100.0	188	100.0	196	100.0	200	100.0	24	100.0	801	100.0
	Total	360	100.0	401	100.0	423	100.0	399	100.0	58	100.0	1641	100.0

Stroke

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
None	Male	165	98.8	209	98.1	214	94.3	173	86.9	30	88.2	791	94.2
	Female	193	100.0	187	99.5	189	96.4	188	94.0	23	95.8	780	97.4
	Total	358	99.4	396	98.8	403	95.3	361	90.5	53	91.4	1571	95.7
On medication	Male	0	0.0	3	1.4	8	3.5	16	8.0	3	8.8	30	3.6
	Female	0	0.0	1	0.5	5	2.6	9	4.5	1	4.2	16	2.0
	Total	0	0.0	4	1.0	13	3.1	25	6.3	4	6.9	46	2.8
Previously medicated	Male	1	0.6	1	0.5	5	2.2	6	3.0	0	0.0	13	1.5
	Female	0	0.0	0	0.0	1	0.5	3	1.5	0	0.0	4	0.5
	Total	1	0.3	1	0.2	6	1.4	9	2.3	0	0.0	17	1.0
Not treated	Male	0	0.0	0	0.0	0	0.0	3	1.5	1	2.9	4	0.5
	Female	0	0.0	0	0.0	1	0.5	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	3	0.8	1	1.7	5	0.3

Hypertension

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
None	Male	154	92.2	170	79.8	145	63.9	126	63.3	19	55.9	614	73.1
	Female	183	94.8	155	82.4	145	74.0	99	49.5	12	50.0	594	74.2
	Total	337	93.6	325	81.0	290	68.6	225	56.4	31	53.4	1208	73.6
On medication	Male	5	3.0	28	13.1	64	28.2	61	30.7	13	38.2	171	20.4
	Female	6	3.1	22	11.7	42	21.4	87	43.5	11	45.8	168	21.0
	Total	11	3.1	50	12.5	106	25.1	148	37.1	24	41.4	339	20.7
Previously medicated	Male	6	3.6	9	4.2	12	5.3	8	4.0	2	5.9	37	4.4
	Female	1	0.5	7	3.7	9	4.6	12	6.0	1	4.2	30	3.7
	Total	7	1.9	16	4.0	21	5.0	20	5.0	3	5.2	67	4.1
Not treated	Male	1	0.6	6	2.8	6	2.6	4	2.0	0	0.0	17	2.0
	Female	3	1.6	4	2.1	0	0.0	2	1.0	0	0.0	9	1.1
	Total	4	1.1	10	2.5	6	1.4	6	1.5	0	0.0	26	1.6

Ischemic heart disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.5	0	0.0	2	1.0	1	2.9	5	0.6
	Female	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0	2	0.2
	Total	1	0.3	1	0.2	0	0.0	4	1.0	1	1.7	7	0.4
None	Male	164	98.2	209	98.1	209	92.1	172	86.4	29	85.3	783	93.2
	Female	192	99.5	185	98.4	190	96.9	172	86.0	22	91.7	761	95.0
	Total	356	98.9	394	98.3	399	94.3	344	86.2	51	87.9	1544	94.1
On medication	Male	0	0.0	3	1.4	10	4.4	17	8.5	2	5.9	32	3.8
	Female	0	0.0	1	0.5	4	2.0	19	9.5	2	8.3	26	3.2
	Total	0	0.0	4	1.0	14	3.3	36	9.0	4	6.9	58	3.5
Previously medicated	Male	1	0.6	0	0.0	5	2.2	6	3.0	2	5.9	14	1.7
	Female	0	0.0	2	1.1	1	0.5	5	2.5	0	0.0	8	1.0
	Total	1	0.3	2	0.5	6	1.4	11	2.8	2	3.4	22	1.3
Not treated	Male	1	0.6	0	0.0	3	1.3	2	1.0	0	0.0	6	0.7
	Female	1	0.5	0	0.0	1	0.5	2	1.0	0	0.0	4	0.5
	Total	2	0.6	0	0.0	4	0.9	4	1.0	0	0.0	10	0.6

Other heart disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	7	4.2	11	5.2	3	1.3	3	1.5	0	0.0	24	2.9
	Female	7	3.6	2	1.1	3	1.5	3	1.5	0	0.0	15	1.9
	Total	14	3.9	13	3.2	6	1.4	6	1.5	0	0.0	39	2.4
None	Male	154	92.2	185	86.9	202	89.0	162	81.4	28	82.4	731	87.0
	Female	176	91.2	182	96.8	182	92.9	168	84.0	18	75.0	726	90.6
	Total	330	91.7	367	91.5	384	90.8	330	82.7	46	79.3	1457	88.8
On medication	Male	0	0.0	3	1.4	6	2.6	18	9.0	3	8.8	30	3.6
	Female	1	0.5	1	0.5	4	2.0	16	8.0	4	16.7	26	3.2
	Total	1	0.3	4	1.0	10	2.4	34	8.5	7	12.1	56	3.4
Previously medicated	Male	5	3.0	4	1.9	4	1.8	6	3.0	1	2.9	20	2.4
	Female	4	2.1	1	0.5	2	1.0	6	3.0	1	4.2	14	1.7
	Total	9	2.5	5	1.2	6	1.4	12	3.0	2	3.4	34	2.1
Not treated	Male	1	0.6	10	4.7	12	5.3	10	5.0	2	5.9	35	4.2
	Female	5	2.6	2	1.1	5	2.6	7	3.5	1	4.2	20	2.5
	Total	6	1.7	12	3.0	17	4.0	17	4.3	3	5.2	55	3.4

Hyperlipidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	3	1.5	0	0.0	3	0.4
	Total	1	0.3	0	0.0	0	0.0	4	1.0	0	0.0	5	0.3
None	Male	147	88.0	174	81.7	191	84.1	165	82.9	33	97.1	710	84.5
	Female	180	93.3	147	78.2	147	75.0	130	65.0	17	70.8	621	77.5
	Total	327	90.8	321	80.0	338	79.9	295	73.9	50	86.2	1331	81.1
On medication	Male	2	1.2	14	6.6	16	7.0	23	11.6	1	2.9	56	6.7
	Female	1	0.5	15	8.0	16	8.2	48	24.0	4	16.7	84	10.5
	Total	3	0.8	29	7.2	32	7.6	71	17.8	5	8.6	140	8.5
Previously medicated	Male	1	0.6	7	3.3	4	1.8	3	1.5	0	0.0	15	1.8
	Female	1	0.5	1	0.5	10	5.1	8	4.0	2	8.3	22	2.7
	Total	2	0.6	8	2.0	14	3.3	11	2.8	2	3.4	37	2.3
Not treated	Male	16	9.6	18	8.5	16	7.0	7	3.5	0	0.0	57	6.8
	Female	11	5.7	25	13.3	23	11.7	11	5.5	1	4.2	71	8.9
	Total	27	7.5	43	10.7	39	9.2	18	4.5	1	1.7	128	7.8

Renal disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
None	Male	157	94.0	205	96.2	213	93.8	193	97.0	30	88.2	798	95.0
	Female	186	96.4	177	94.1	188	95.9	184	92.0	24	100.0	759	94.8
	Total	343	95.3	382	95.3	401	94.8	377	94.5	54	93.1	1557	94.9
On medication	Male	0	0.0	0	0.0	2	0.9	1	0.5	0	0.0	3	0.4
	Female	0	0.0	0	0.0	1	0.5	3	1.5	0	0.0	4	0.5
	Total	0	0.0	0	0.0	3	0.7	4	1.0	0	0.0	7	0.4
Previously medicated	Male	8	4.8	8	3.8	11	4.8	3	1.5	4	11.8	34	4.0
	Female	7	3.6	10	5.3	7	3.6	11	5.5	0	0.0	35	4.4
	Total	15	4.2	18	4.5	18	4.3	14	3.5	4	6.9	69	4.2
Not treated	Male	1	0.6	0	0.0	1	0.4	1	0.5	0	0.0	3	0.4
	Female	0	0.0	1	0.5	0	0.0	2	1.0	0	0.0	3	0.4
	Total	1	0.3	1	0.2	1	0.2	3	0.8	0	0.0	6	0.4

Liver disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
None	Male	158	94.6	196	92.0	203	89.4	183	92.0	33	97.1	773	92.0
	Female	188	97.4	178	94.7	191	97.4	190	95.0	23	95.8	770	96.1
	Total	346	96.1	374	93.3	394	93.1	373	93.5	56	96.6	1543	94.0
On medication	Male	0	0.0	2	0.9	9	4.0	1	0.5	1	2.9	13	1.5
	Female	1	0.5	2	1.1	3	1.5	2	1.0	0	0.0	8	1.0
	Total	1	0.3	4	1.0	12	2.8	3	0.8	1	1.7	21	1.3
Previously medicated	Male	4	2.4	11	5.2	11	4.8	11	5.5	0	0.0	37	4.4
	Female	4	2.1	5	2.7	2	1.0	6	3.0	1	4.2	18	2.2
	Total	8	2.2	16	4.0	13	3.1	17	4.3	1	1.7	55	3.4
Not treated	Male	4	2.4	4	1.9	4	1.8	3	1.5	0	0.0	15	1.8
	Female	0	0.0	3	1.6	0	0.0	2	1.0	0	0.0	5	0.6
	Total	4	1.1	7	1.7	4	0.9	5	1.3	0	0.0	20	1.2

Cholecystitis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	1	0.4	1	0.5	0	0.0	3	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	1	0.2	1	0.3	0	0.0	3	0.2
None	Male	160	95.8	193	90.6	211	93.0	176	88.4	30	88.2	770	91.7
	Female	183	94.8	175	93.1	178	90.8	185	92.5	22	91.7	743	92.8
	Total	343	95.3	368	91.8	389	92.0	361	90.5	52	89.7	1513	92.2
On medication	Male	0	0.0	0	0.0	0	0.0	2	1.0	1	2.9	3	0.4
	Female	0	0.0	0	0.0	1	0.5	1	0.5	0	0.0	2	0.2
	Total	0	0.0	0	0.0	1	0.2	3	0.8	1	1.7	5	0.3
Previously medicated	Male	5	3.0	14	6.6	12	5.3	17	8.5	3	8.8	51	6.1
	Female	5	2.6	11	5.9	14	7.1	11	5.5	1	4.2	42	5.2
	Total	10	2.8	25	6.2	26	6.1	28	7.0	4	6.9	93	5.7
Not treated	Male	1	0.6	6	2.8	3	1.3	3	1.5	0	0.0	13	1.5
	Female	5	2.6	2	1.1	3	1.5	3	1.5	1	4.2	14	1.7
	Total	6	1.7	8	2.0	6	1.4	6	1.5	1	1.7	27	1.6

Diabetes mellitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
None	Male	165	98.8	193	90.6	204	89.9	162	81.4	30	88.2	754	89.8
	Female	192	99.5	178	94.7	181	92.3	184	92.0	21	87.5	756	94.4
	Total	357	99.2	371	92.5	385	91.0	346	86.7	51	87.9	1510	92.0
On medication	Male	0	0.0	13	6.1	19	8.4	27	13.6	2	5.9	61	7.3
	Female	0	0.0	7	3.7	11	5.6	11	5.5	1	4.2	30	3.7
	Total	0	0.0	20	5.0	30	7.1	38	9.5	3	5.2	91	5.5
Previously medicated	Male	0	0.0	3	1.4	1	0.4	4	2.0	2	5.9	10	1.2
	Female	0	0.0	1	0.5	4	2.0	2	1.0	2	8.3	9	1.1
	Total	0	0.0	4	1.0	5	1.2	6	1.5	4	6.9	19	1.2
Not treated	Male	1	0.6	4	1.9	3	1.3	5	2.5	0	0.0	13	1.5
	Female	1	0.5	2	1.1	0	0.0	3	1.5	0	0.0	6	0.7
	Total	2	0.6	6	1.5	3	0.7	8	2.0	0	0.0	19	1.2

Peptic ulcer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.5	0	0.0	0	0.0	0	0.0	2	0.2
	Female	1	0.5	1	0.5	0	0.0	0	0.0	0	0.0	2	0.2
	Total	2	0.6	2	0.5	0	0.0	0	0.0	0	0.0	4	0.2
None	Male	132	79.0	167	78.4	168	74.0	144	72.4	26	76.5	637	75.8
	Female	174	90.2	174	92.6	174	88.8	180	90.0	21	87.5	723	90.3
	Total	306	85.0	341	85.0	342	80.9	324	81.2	47	81.0	1360	82.9
On medication	Male	2	1.2	2	0.9	7	3.1	9	4.5	2	5.9	22	2.6
	Female	3	1.6	0	0.0	5	2.6	8	4.0	1	4.2	17	2.1
	Total	5	1.4	2	0.5	12	2.8	17	4.3	3	5.2	39	2.4
Previously medicated	Male	29	17.4	38	17.8	51	22.5	44	22.1	6	17.6	168	20.0
	Female	14	7.3	13	6.9	15	7.7	12	6.0	2	8.3	56	7.0
	Total	43	11.9	51	12.7	66	15.6	56	14.0	8	13.8	224	13.7
Not treated	Male	3	1.8	5	2.3	1	0.4	2	1.0	0	0.0	11	1.3
	Female	1	0.5	0	0.0	2	1.0	0	0.0	0	0.0	3	0.4
	Total	4	1.1	5	1.2	3	0.7	2	0.5	0	0.0	14	0.9

Tuberculosis, plaurisy

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
None	Male	162	97.0	210	98.6	212	93.4	160	80.4	25	73.5	769	91.5
	Female	189	97.9	184	97.9	190	96.9	170	85.0	22	91.7	755	94.3
	Total	351	97.5	394	98.3	402	95.0	330	82.7	47	81.0	1524	92.9
On medication	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	1	0.1
Previously medicated	Male	4	2.4	3	1.4	14	6.2	35	17.6	7	20.6	63	7.5
	Female	4	2.1	4	2.1	6	3.1	29	14.5	2	8.3	45	5.6
	Total	8	2.2	7	1.7	20	4.7	64	16.0	9	15.5	108	6.6
Not treated	Male	0	0.0	0	0.0	1	0.4	2	1.0	2	5.9	5	0.6
	Female	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	3	0.8	2	3.4	6	0.4

Bronchial asthma

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
None	Male	156	93.4	207	97.2	224	98.7	184	92.5	33	97.1	804	95.7
	Female	183	94.8	179	95.2	192	98.0	190	95.0	23	95.8	767	95.8
	Total	339	94.2	386	96.3	416	98.3	374	93.7	56	96.6	1571	95.7
On medication	Male	2	1.2	2	0.9	1	0.4	9	4.5	0	0.0	14	1.7
	Female	2	1.0	2	1.1	1	0.5	4	2.0	0	0.0	9	1.1
	Total	4	1.1	4	1.0	2	0.5	13	3.3	0	0.0	23	1.4
Previously medicated	Male	8	4.8	4	1.9	1	0.4	4	2.0	1	2.9	18	2.1
	Female	8	4.1	7	3.7	3	1.5	6	3.0	1	4.2	25	3.1
	Total	16	4.4	11	2.7	4	0.9	10	2.5	2	3.4	43	2.6
Not treated	Male	0	0.0	0	0.0	1	0.4	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	1	0.3	0	0.0	2	0.1

Chronic bronchitis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	1	0.3	0	0.0	2	0.1
None	Male	162	97.0	212	99.5	220	96.9	186	93.5	30	88.2	810	96.4
	Female	191	99.0	184	97.9	193	98.5	188	94.0	24	100.0	780	97.4
	Total	353	98.1	396	98.8	413	97.6	374	93.7	54	93.1	1590	96.9
On medication	Male	0	0.0	0	0.0	1	0.4	3	1.5	3	8.8	7	0.8
	Female	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0	2	0.2
	Total	0	0.0	0	0.0	1	0.2	5	1.3	3	5.2	9	0.5
Previously medicated	Male	4	2.4	1	0.5	6	2.6	5	2.5	1	2.9	17	2.0
	Female	2	1.0	4	2.1	3	1.5	10	5.0	0	0.0	19	2.4
	Total	6	1.7	5	1.2	9	2.1	15	3.8	1	1.7	36	2.2
Not treated	Male	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0	4	0.5
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0	4	0.2

Anemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	1	0.5	0	0.0	1	0.5	0	0.0	2	0.2
	Total	1	0.3	1	0.2	0	0.0	1	0.3	0	0.0	3	0.2
None	Male	159	95.2	206	96.7	213	93.8	181	91.0	28	82.4	787	93.7
	Female	116	60.1	129	68.6	167	85.2	175	87.5	17	70.8	604	75.4
	Total	275	76.4	335	83.5	380	89.8	356	89.2	45	77.6	1391	84.8
On medication	Male	0	0.0	0	0.0	1	0.4	3	1.5	0	0.0	4	0.5
	Female	2	1.0	3	1.6	1	0.5	2	1.0	3	12.5	11	1.4
	Total	2	0.6	3	0.7	2	0.5	5	1.3	3	5.2	15	0.9
Previously medicated	Male	2	1.2	3	1.4	6	2.6	6	3.0	4	11.8	21	2.5
	Female	58	30.1	46	24.5	23	11.7	16	8.0	1	4.2	144	18.0
	Total	60	16.7	49	12.2	29	6.9	22	5.5	5	8.6	165	10.1
Not treated	Male	5	3.0	4	1.9	7	3.1	9	4.5	2	5.9	27	3.2
	Female	17	8.8	9	4.8	5	2.6	6	3.0	3	12.5	40	5.0
	Total	22	6.1	13	3.2	12	2.8	15	3.8	5	8.6	67	4.1

Osteoporosis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	2	0.9	2	1.0	0	0.0	5	0.6
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	2	0.5	2	0.5	0	0.0	5	0.3
None	Male	166	99.4	213	100.0	224	98.7	194	97.5	32	94.1	829	98.7
	Female	192	99.5	176	93.6	176	89.8	150	75.0	16	66.7	710	88.6
	Total	358	99.4	389	97.0	400	94.6	344	86.2	48	82.8	1539	93.8
On medication	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	7	3.7	10	5.1	28	14.0	4	16.7	49	6.1
	Total	0	0.0	7	1.7	10	2.4	29	7.3	4	6.9	50	3.0
Previously medicated	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Female	0	0.0	0	0.0	4	2.0	10	5.0	3	12.5	17	2.1
	Total	0	0.0	0	0.0	4	0.9	10	2.5	4	6.9	18	1.1
Not treated	Male	0	0.0	0	0.0	1	0.4	2	1.0	1	2.9	4	0.5
	Female	1	0.5	5	2.7	6	3.1	12	6.0	1	4.2	25	3.1
	Total	1	0.3	5	1.2	7	1.7	14	3.5	2	3.4	29	1.8

Rheumatic arthritis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.5	0	0.0	1	0.5	0	0.0	3	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	1	0.2	0	0.0	1	0.3	0	0.0	3	0.2
None	Male	163	97.6	196	92.0	212	93.4	183	92.0	25	73.5	779	92.7
	Female	187	96.9	169	89.9	171	87.2	155	77.5	19	79.2	701	87.5
	Total	350	97.2	365	91.0	383	90.5	338	84.7	44	75.9	1480	90.2
On medication	Male	1	0.6	2	0.9	9	4.0	3	1.5	5	14.7	20	2.4
	Female	1	0.5	3	1.6	6	3.1	24	12.0	4	16.7	38	4.7
	Total	2	0.6	5	1.2	15	3.5	27	6.8	9	15.5	58	3.5
Previously medicated	Male	2	1.2	13	6.1	6	2.6	11	5.5	4	11.8	36	4.3
	Female	3	1.6	14	7.4	16	8.2	16	8.0	1	4.2	50	6.2
	Total	5	1.4	27	6.7	22	5.2	27	6.8	5	8.6	86	5.2
Not treated	Male	0	0.0	1	0.5	0	0.0	1	0.5	0	0.0	2	0.2
	Female	2	1.0	2	1.1	3	1.5	5	2.5	0	0.0	12	1.5
	Total	2	0.6	3	0.7	3	0.7	6	1.5	0	0.0	14	0.9

Gout, hyperuricacidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
None	Male	156	93.4	197	92.5	211	93.0	179	89.9	32	94.1	775	92.3
	Female	192	99.5	185	98.4	187	95.4	193	96.5	24	100.0	781	97.5
	Total	348	96.7	382	95.3	398	94.1	372	93.2	56	96.6	1556	94.8
On medication	Male	2	1.2	6	2.8	7	3.1	13	6.5	1	2.9	29	3.5
	Female	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0	2	0.2
	Total	2	0.6	6	1.5	7	1.7	15	3.8	1	1.7	31	1.9
Previously medicated	Male	7	4.2	7	3.3	7	3.1	6	3.0	1	2.9	28	3.3
	Female	0	0.0	2	1.1	3	1.5	2	1.0	0	0.0	7	0.9
	Total	7	1.9	9	2.2	10	2.4	8	2.0	1	1.7	35	2.1
Not treated	Male	1	0.6	3	1.4	2	0.9	1	0.5	0	0.0	7	0.8
	Female	1	0.5	1	0.5	6	3.1	3	1.5	0	0.0	11	1.4
	Total	2	0.6	4	1.0	8	1.9	4	1.0	0	0.0	18	1.1

Thyroid disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	0	0.0	0	0.0	1	0.5	0	0.0	0	0.0	1	0.1
	Total	1	0.3	0	0.0	1	0.2	1	0.3	0	0.0	3	0.2
None	Male	165	98.8	211	99.1	221	97.4	195	98.0	34	100.0	826	98.3
	Female	188	97.4	172	91.5	185	94.4	189	94.5	24	100.0	758	94.6
	Total	353	98.1	383	95.5	406	96.0	384	96.2	58	100.0	1584	96.5
On medication	Male	0	0.0	1	0.5	1	0.4	1	0.5	0	0.0	3	0.4
	Female	2	1.0	4	2.1	0	0.0	6	3.0	0	0.0	12	1.5
	Total	2	0.6	5	1.2	1	0.2	7	1.8	0	0.0	15	0.9
Previously medicated	Male	1	0.6	1	0.5	4	1.8	2	1.0	0	0.0	8	1.0
	Female	3	1.6	10	5.3	9	4.6	4	2.0	0	0.0	26	3.2
	Total	4	1.1	11	2.7	13	3.1	6	1.5	0	0.0	34	2.1
Not treated	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	2	1.1	1	0.5	1	0.5	0	0.0	4	0.5
	Total	0	0.0	2	0.5	2	0.5	1	0.3	0	0.0	5	0.3