

Difficulty in hearing due to tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	1.6	0	0.0	2	1.9	1	1.2	0	0.0	4	1.1
	Female	1	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4
	Total	2	1.5	0	0.0	2	1.2	1	0.6	0	0.0	5	0.8
Always	Male	3	4.8	2	2.4	8	7.6	12	14.5	7	38.9	32	9.1
	Female	1	1.4	1	2.0	7	10.9	12	13.8	1	9.1	22	7.8
	Total	4	3.0	3	2.3	15	8.9	24	14.1	8	27.6	54	8.5
Sometimes	Male	13	20.6	19	23.2	26	24.8	34	41.0	4	22.2	96	27.4
	Female	7	10.1	7	13.7	14	21.9	24	27.6	1	9.1	53	18.8
	Total	20	15.2	26	19.5	40	23.7	58	34.1	5	17.2	149	23.5
None	Male	46	73.0	61	74.4	69	65.7	36	43.4	7	38.9	219	62.4
	Female	60	87.0	43	84.3	43	67.2	51	58.6	9	81.8	206	73.0
	Total	106	80.3	104	78.2	112	66.3	87	51.2	16	55.2	425	67.1

Feeling uncomfortable due to tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	1.6	0	0.0	1	1.0	1	1.2	1	5.6	4	1.1
	Female	3	4.3	1	2.0	0	0.0	0	0.0	0	0.0	4	1.4
	Total	4	3.0	1	0.8	1	0.6	1	0.6	1	3.4	8	1.3
Yes, always	Male	9	14.3	9	11.0	7	6.7	13	15.7	4	22.2	42	12.0
	Female	10	14.5	9	17.6	10	15.6	17	19.5	2	18.2	48	17.0
	Total	19	14.4	18	13.5	17	10.1	30	17.6	6	20.7	90	14.2
Yes, sometimes	Male	30	47.6	42	51.2	37	35.2	34	41.0	7	38.9	150	42.7
	Female	30	43.5	22	43.1	26	40.6	35	40.2	4	36.4	117	41.5
	Total	60	45.5	64	48.1	63	37.3	69	40.6	11	37.9	267	42.2
No	Male	23	36.5	31	37.8	60	57.1	35	42.2	6	33.3	155	44.2
	Female	26	37.7	19	37.3	28	43.8	35	40.2	5	45.5	113	40.1
	Total	49	37.1	50	37.6	88	52.1	70	41.2	11	37.9	268	42.3

History of ear disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Female	1	0.5	3	1.6	1	0.5	0	0.0	0	0.0	5	0.6
	Total	2	0.6	3	0.7	1	0.2	1	0.3	0	0.0	7	0.4
Yes	Male	49	29.3	60	28.2	60	26.4	42	21.1	4	11.8	215	25.6
	Female	79	40.9	62	33.0	48	24.5	52	26.0	5	20.8	246	30.7
	Total	128	35.6	122	30.4	108	25.5	94	23.6	9	15.5	461	28.1
No	Male	107	64.1	140	65.7	155	68.3	141	70.9	29	85.3	572	68.1
	Female	107	55.4	117	62.2	141	71.9	133	66.5	18	75.0	516	64.4
	Total	214	59.4	257	64.1	296	70.0	274	68.7	47	81.0	1088	66.3
Not determined	Male	10	6.0	13	6.1	12	5.3	15	7.5	1	2.9	51	6.1
	Female	6	3.1	6	3.2	6	3.1	15	7.5	1	4.2	34	4.2
	Total	16	4.4	19	4.7	18	4.3	30	7.5	2	3.4	85	5.2

History of surgery on ears

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	2.0	0	0.0	0	0.0	1	2.4	0	0.0	2	0.9
	Female	1	1.3	0	0.0	0	0.0	1	1.9	0	0.0	2	0.8
	Total	2	1.6	0	0.0	0	0.0	2	2.1	0	0.0	4	0.9
Yes	Male	2	4.1	5	8.3	9	15.0	6	14.3	0	0.0	22	10.2
	Female	4	5.1	3	4.8	2	4.2	6	11.5	0	0.0	15	6.1
	Total	6	4.7	8	6.6	11	10.2	12	12.8	0	0.0	37	8.0
No	Male	46	93.9	52	86.7	51	85.0	34	81.0	4	100.0	187	87.0
	Female	72	91.1	57	91.9	44	91.7	43	82.7	5	100.0	221	89.8
	Total	118	92.2	109	89.3	95	88.0	77	81.9	9	100.0	408	88.5
Not determined	Male	0	0.0	3	5.0	0	0.0	1	2.4	0	0.0	4	1.9
	Female	2	2.5	2	3.2	2	4.2	2	3.8	0	0.0	8	3.3
	Total	2	1.6	5	4.1	2	1.9	3	3.2	0	0.0	12	2.6

Side of operated ear

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	3	60.0	1	11.1	2	33.3	6	27.3
	Female	2	50.0	1	33.3	0	0.0	0	0.0	3	20.0
	Total	2	33.3	4	50.0	1	9.1	2	16.7	9	24.3
Right	Male	0	0.0	1	20.0	4	44.4	2	33.3	7	31.8
	Female	1	25.0	2	66.7	0	0.0	2	33.3	5	33.3
	Total	1	16.7	3	37.5	4	36.4	4	33.3	12	32.4
Left	Male	1	50.0	1	20.0	3	33.3	2	33.3	7	31.8
	Female	0	0.0	0	0.0	1	50.0	2	33.3	3	20.0
	Total	1	16.7	1	12.5	4	36.4	4	33.3	10	27.0
Both sides	Male	1	50.0	0	0.0	1	11.1	0	0.0	2	9.1
	Female	1	25.0	0	0.0	1	50.0	2	33.3	4	26.7
	Total	2	33.3	0	0.0	2	18.2	2	16.7	6	16.2

History of ear disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Otitis media	Male	34	69.4	49	81.7	45	75.0	28	66.7	3	75.0	159	74.0
	Female	46	58.2	42	67.7	28	58.3	28	53.8	2	40.0	146	59.3
	Total	80	62.5	91	74.6	73	67.6	56	59.6	5	55.6	305	66.2
Otitis externa	Male	22	44.9	12	20.0	5	8.3	6	14.3	1	25.0	46	21.4
	Female	35	44.3	21	33.9	14	29.2	7	13.5	1	20.0	78	31.7
	Total	57	44.5	33	27.0	19	17.6	13	13.8	2	22.2	124	26.9
Sudden deafness	Male	0	0.0	1	1.7	6	10.0	6	14.3	1	25.0	14	6.5
	Female	6	7.6	3	4.8	6	12.5	5	9.6	2	40.0	22	8.9
	Total	6	4.7	4	3.3	12	11.1	11	11.7	3	33.3	36	7.8
Total	Male	49	100.0	60	100.0	60	100.0	42	100.0	4	100.0	215	100.0
	Female	79	100.0	62	100.0	48	100.0	52	100.0	5	100.0	246	100.0
	Total	128	100.0	122	100.0	108	100.0	94	100.0	9	100.0	461	100.0

Otitis media

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	16	47.1	27	55.1	18	40.0	9	32.1	0	0.0	70	44.0
	Female	24	52.2	19	45.2	12	41.4	12	42.9	0	0.0	67	45.6
	Total	40	50.0	46	50.5	30	40.5	21	37.5	0	0.0	137	44.8
Right	Male	0	0.0	8	16.3	8	17.8	6	21.4	0	0.0	22	13.8
	Female	3	6.5	5	11.9	8	27.6	9	32.1	2	100.0	27	18.4
	Total	3	3.8	13	14.3	16	21.6	15	26.8	2	40.0	49	16.0
Left	Male	6	17.6	5	10.2	9	20.0	6	21.4	1	33.3	27	17.0
	Female	6	13.0	5	11.9	5	17.2	3	10.7	0	0.0	19	12.9
	Total	12	15.0	10	11.0	14	18.9	9	16.1	1	20.0	46	15.0
Both sides	Male	12	35.3	9	18.4	10	22.2	7	25.0	2	66.7	40	25.2
	Female	13	28.3	13	31.0	4	13.8	4	14.3	0	0.0	34	23.1
	Total	25	31.3	22	24.2	14	18.9	11	19.6	2	40.0	74	24.2

Otitis externa

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	10	45.5	6	50.0	5	100.0	1	16.7	0	0.0	22	47.8
	Female	19	54.3	6	28.6	5	33.3	1	14.3	1	100.0	32	40.5
	Total	29	50.9	12	36.4	10	50.0	2	15.4	1	50.0	54	43.2
Right	Male	3	13.6	1	8.3	0	0.0	4	66.7	0	0.0	8	17.4
	Female	3	8.6	4	19.0	6	40.0	2	28.6	0	0.0	15	19.0
	Total	6	10.5	5	15.2	6	30.0	6	46.2	0	0.0	23	18.4
Left	Male	2	9.1	4	33.3	0	0.0	0	0.0	1	100.0	7	15.2
	Female	3	8.6	3	14.3	2	13.3	4	57.1	0	0.0	12	15.2
	Total	5	8.8	7	21.2	2	10.0	4	30.8	1	50.0	19	15.2
Both sides	Male	7	31.8	1	8.3	0	0.0	1	16.7	0	0.0	9	19.6
	Female	10	28.6	8	38.1	2	13.3	0	0.0	0	0.0	20	25.3
	Total	17	29.8	9	27.3	2	10.0	1	7.7	0	0.0	29	23.2

Sudden deafness

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0.0	2	33.3	1	16.7	0	0.0	3	21.4
	Female	1	16.7	0	0.0	2	28.6	2	40.0	1	50.0	6	26.1
	Total	1	16.7	0	0.0	4	30.8	3	27.3	1	33.3	9	24.3
Right	Male	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	4	66.7	1	33.3	0	0.0	0	0.0	0	0.0	5	21.7
	Total	4	66.7	1	25.0	0	0.0	0	0.0	0	0.0	5	13.5
Left	Male	0	0	1	100.0	4	66.7	4	66.7	0	0.0	9	64.3
	Female	1	16.7	2	66.7	3	42.9	3	60.0	0	0.0	9	39.1
	Total	1	16.7	3	75.0	7	53.8	7	63.6	0	0.0	18	48.6
Both sides	Male	0	0	0	0.0	0	0.0	1	16.7	1	100.0	2	14.3
	Female	0	0.0	0	0.0	2	28.6	0	0.0	1	50.0	3	13.0
	Total	0	0.0	0	0.0	2	15.4	1	9.1	2	66.7	5	13.5

Presence of noise at the place of work

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	2	1.0	3	1.5	1	4.2	6	0.7
	Total	0	0.0	0	0.0	2	0.5	4	1.0	1	1.7	7	0.4
Exist at present	Male	41	24.6	38	17.8	32	14.1	13	6.5	6	17.6	130	15.5
	Female	13	6.7	26	13.8	18	9.2	31	15.5	4	16.7	92	11.5
	Total	54	15.0	64	16.0	50	11.8	44	11.0	10	17.2	222	13.5
Previously exist	Male	9	5.4	21	9.9	42	18.5	48	24.1	1	2.9	121	14.4
	Female	5	2.6	7	3.7	20	10.2	13	6.5	1	4.2	46	5.7
	Total	14	3.9	28	7.0	62	14.7	61	15.3	2	3.4	167	10.2
None	Male	117	70.1	154	72.3	153	67.4	137	68.8	27	79.4	588	70.0
	Female	175	90.7	155	82.4	156	79.6	153	76.5	18	75.0	657	82.0
	Total	292	81.1	309	77.1	309	73.0	290	72.7	45	77.6	1245	75.9

Presence of noise at home

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Exist at present	Male	8	4.8	10	4.7	32	14.1	20	10.1	3	8.8	73	8.7
	Female	20	10.4	13	6.9	19	9.7	30	15.0	0	0.0	82	10.2
	Total	28	7.8	23	5.7	51	12.1	50	12.5	3	5.2	155	9.4
Previously exist	Male	5	3.0	3	1.4	2	0.9	4	2.0	0	0.0	14	1.7
	Female	7	3.6	1	0.5	1	0.5	8	4.0	2	8.3	19	2.4
	Total	12	3.3	4	1.0	3	0.7	12	3.0	2	3.4	33	2.0
None	Male	154	92.2	200	93.9	193	85.0	175	87.9	31	91.2	753	89.6
	Female	166	86.0	174	92.6	176	89.8	162	81.0	22	91.7	700	87.4
	Total	320	88.9	374	93.3	369	87.2	337	84.5	53	91.4	1453	88.5

Duration in noisy environment (years) for current residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N									
Male	25.4	15.4	8	27.2	12.1	10	26.7	19.1	31	24.3	19.5	20	21.7	7.6	3	25.8	17.4	72
Female	15.1	10.9	20	21.0	12.5	13	27.4	15.5	16	29.8	18.1	29				24.1	16.0	78
Total	18.0	12.9	28	23.7	12.5	23	27.0	17.8	47	27.6	18.7	49	21.7	7.6	3	24.9	16.7	150

Age of starting to live in noisy environment (years old) for ex-residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	17.8	14.2	5	20.3	19.1	3	27.0	4.2	2	32.0	11.7	4	.	.	.	23.7	13.8	14
Female	25.6	7.7	7	15.0	.	1	47.0	.	1	27.9	15.4	8	18.0	17.0	2	26.3	13.0	19
Total	22.3	11.0	12	19.0	15.9	4	33.7	11.9	3	29.3	13.9	12	18.0	17.0	2	25.2	13.2	33

Duration in noisy environment (years) for ex-residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	16.8	15.1	5	10.7	7.2	3	14.5	10.6	2	25.8	12.6	4	.	.	.	17.7	12.5	14
Female	8.7	5.0	7	7.0	.	1	16.0	.	1	32.9	15.9	8	43.5	9.2	2	22.8	17.2	19
Total	12.1	10.6	12	9.8	6.2	4	15.0	7.5	3	30.5	14.7	12	43.5	9.2	2	20.7	15.4	33

Going to noisy place

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Frequently	Male	17	10.2	16	7.5	12	5.3	5	2.5	2	5.9	52	6.2
	Female	4	2.1	4	2.1	9	4.6	4	2.0	0	0.0	21	2.6
	Total	21	5.8	20	5.0	21	5.0	9	2.3	2	3.4	73	4.4
Sometimes	Male	42	25.1	55	25.8	53	23.3	28	14.1	7	20.6	185	22.0
	Female	43	22.3	36	19.1	40	20.4	30	15.0	4	16.7	153	19.1
	Total	85	23.6	91	22.7	93	22.0	58	14.5	11	19.0	338	20.6
Rarely	Male	108	64.7	142	66.7	162	71.4	166	83.4	25	73.5	603	71.8
	Female	146	75.6	148	78.7	147	75.0	166	83.0	20	83.3	627	78.3
	Total	254	70.6	290	72.3	309	73.0	332	83.2	45	77.6	1230	75.0

Usage of headphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	3	1.5	0	0.0	3	0.4
	Total	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0	3	0.2
Frequently	Male	8	4.8	4	1.9	1	0.4	4	2.0	0	0.0	17	2.0
	Female	6	3.1	1	0.5	3	1.5	0	0.0	0	0.0	10	1.2
	Total	14	3.9	5	1.2	4	0.9	4	1.0	0	0.0	27	1.6
Sometimes	Male	17	10.2	10	4.7	15	6.6	18	9.0	3	8.8	63	7.5
	Female	6	3.1	4	2.1	5	2.6	12	6.0	1	4.2	28	3.5
	Total	23	6.4	14	3.5	20	4.7	30	7.5	4	6.9	91	5.5
Rarely	Male	27	16.2	18	8.5	20	8.8	10	5.0	2	5.9	77	9.2
	Female	25	13.0	6	3.2	7	3.6	4	2.0	1	4.2	43	5.4
	Total	52	14.4	24	6.0	27	6.4	14	3.5	3	5.2	120	7.3
None	Male	115	68.9	181	85.0	191	84.1	167	83.9	29	85.3	683	81.3
	Female	156	80.8	177	94.1	181	92.3	181	90.5	22	91.7	717	89.5
	Total	271	75.3	358	89.3	372	87.9	348	87.2	51	87.9	1400	85.3

Usage of earphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Female	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0	2	0.2
	Total	0	0.0	0	0.0	0	0.0	2	0.5	1	1.7	3	0.2
Yes (right ear)	Male	5	3.0	7	3.3	12	5.3	12	6.0	1	2.9	37	4.4
	Female	3	1.6	2	1.1	2	1.0	16	8.0	0	0.0	23	2.9
	Total	8	2.2	9	2.2	14	3.3	28	7.0	1	1.7	60	3.7
Yes (left ear)	Male	4	2.4	8	3.8	13	5.7	12	6.0	1	2.9	38	4.5
	Female	0	0.0	1	0.5	5	2.6	3	1.5	2	8.3	11	1.4
	Total	4	1.1	9	2.2	18	4.3	15	3.8	3	5.2	49	3.0
Yes (bilateral ears)	Male	9	5.4	11	5.2	10	4.4	25	12.6	2	5.9	57	6.8
	Female	11	5.7	5	2.7	10	5.1	7	3.5	2	8.3	35	4.4
	Total	20	5.6	16	4.0	20	4.7	32	8.0	4	6.9	92	5.6
None	Male	149	89.2	187	87.8	192	84.6	150	75.4	29	85.3	707	84.2
	Female	179	92.7	180	95.7	179	91.3	172	86.0	20	83.3	730	91.1
	Total	328	91.1	367	91.5	371	87.7	322	80.7	49	84.5	1437	87.6

Consciousness of poor hearing ability

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes, always	Male	9	5.4	26	12.2	28	12.3	49	24.6	15	44.1	127	15.1
	Female	8	4.1	14	7.4	28	14.3	38	19.0	8	33.3	96	12.0
	Total	17	4.7	40	10.0	56	13.2	87	21.8	23	39.7	223	13.6
Yes, sometimes	Male	53	31.7	71	33.3	86	37.9	67	33.7	6	17.6	283	33.7
	Female	52	26.9	76	40.4	71	36.2	65	32.5	10	41.7	274	34.2
	Total	105	29.2	147	36.7	157	37.1	132	33.1	16	27.6	557	33.9
No	Male	105	62.9	116	54.5	113	49.8	83	41.7	13	38.2	430	51.2
	Female	133	68.9	98	52.1	97	49.5	97	48.5	6	25.0	431	53.8
	Total	238	66.1	214	53.4	210	49.6	180	45.1	19	32.8	861	52.5

Poor hearing ability pointed out by others

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	4.2	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.3	1	1.7	2	0.1
Yes, always	Male	6	3.6	12	5.6	22	9.7	30	15.1	10	29.4	80	9.5
	Female	4	2.1	1	0.5	8	4.1	20	10.0	3	12.5	36	4.5
	Total	10	2.8	13	3.2	30	7.1	50	12.5	13	22.4	116	7.1
Yes, sometimes	Male	31	18.6	54	25.4	51	22.5	58	29.1	9	26.5	203	24.2
	Female	22	11.4	37	19.7	32	16.3	40	20.0	8	33.3	139	17.4
	Total	53	14.7	91	22.7	83	19.6	98	24.6	17	29.3	342	20.8
No	Male	130	77.8	147	69.0	154	67.8	110	55.3	15	44.1	556	66.2
	Female	167	86.5	150	79.8	156	79.6	140	70.0	12	50.0	625	78.0
	Total	297	82.5	297	74.1	310	73.3	250	62.7	27	46.6	1181	72.0

Limitation of daily living due to poor hearing ability

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	5	6.9	6	5.8	7	5.8	5	4.1	0	0.0	23	5.2
	Female	3	4.8	9	9.5	12	11.4	5	4.7	0	0.0	29	7.5
	Total	8	6.0	15	7.6	19	8.4	10	4.3	0	0.0	52	6.3
Always	Male	3	4.2	2	1.9	7	5.8	17	13.8	3	13.0	32	7.2
	Female	1	1.6	1	1.1	3	2.9	5	4.7	1	5.6	11	2.8
	Total	4	3.0	3	1.5	10	4.4	22	9.6	4	9.8	43	5.2
Sometimes	Male	4	5.6	10	9.7	12	9.9	16	13.0	9	39.1	51	11.5
	Female	4	6.5	5	5.3	12	11.4	19	17.8	7	38.9	47	12.1
	Total	8	6.0	15	7.6	24	10.6	35	15.2	16	39.0	98	11.8
None	Male	60	83.3	85	82.5	95	78.5	85	69.1	11	47.8	336	76.0
	Female	54	87.1	80	84.2	78	74.3	78	72.9	10	55.6	300	77.5
	Total	114	85.1	165	83.3	173	76.5	163	70.9	21	51.2	636	76.7

Loss of self-confidence due to poor hearing ability

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	5	6.9	6	5.8	7	5.8	6	4.9	0	0.0	24	5.4
	Female	3	4.8	9	9.5	12	11.4	6	5.6	0	0.0	30	7.8
	Total	8	6.0	15	7.6	19	8.4	12	5.2	0	0.0	54	6.5
Always	Male	2	2.8	1	1.0	2	1.7	11	8.9	2	8.7	18	4.1
	Female	1	1.6	3	3.2	2	1.9	5	4.7	1	5.6	12	3.1
	Total	3	2.2	4	2.0	4	1.8	16	7.0	3	7.3	30	3.6
Sometimes	Male	7	9.7	16	15.5	15	12.4	25	20.3	6	26.1	69	15.6
	Female	6	9.7	9	9.5	12	11.4	23	21.5	3	16.7	53	13.7
	Total	13	9.7	25	12.6	27	11.9	48	20.9	9	22.0	122	14.7
None	Male	58	80.6	80	77.7	97	80.2	81	65.9	15	65.2	331	74.9
	Female	52	83.9	74	77.9	79	75.2	73	68.2	14	77.8	292	75.5
	Total	110	82.1	154	77.8	176	77.9	154	67.0	29	70.7	623	75.2

Difficulty in catching words

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	5	6.9	6	5.8	7	5.8	5	4.1	0	0.0	23	5.2
	Female	3	4.8	10	10.5	12	11.4	5	4.7	0	0.0	30	7.8
	Total	8	6.0	16	8.1	19	8.4	10	4.3	0	0.0	53	6.4
Always	Male	8	11.1	18	17.5	24	19.8	35	28.5	11	47.8	96	21.7
	Female	6	9.7	5	5.3	12	11.4	24	22.4	9	50.0	56	14.5
	Total	14	10.4	23	11.6	36	15.9	59	25.7	20	48.8	152	18.3
Sometimes	Male	34	47.2	59	57.3	68	56.2	69	56.1	9	39.1	239	54.1
	Female	41	66.1	67	70.5	64	61.0	67	62.6	6	33.3	245	63.3
	Total	75	56.0	126	63.6	132	58.4	136	59.1	15	36.6	484	58.4
None	Male	25	34.7	20	19.4	22	18.2	14	11.4	3	13.0	84	19.0
	Female	12	19.4	13	13.7	17	16.2	11	10.3	3	16.7	56	14.5
	Total	37	27.6	33	16.7	39	17.3	25	10.9	6	14.6	140	16.9

Catching contents of news

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	5	6.9	6	5.8	7	5.8	5	4.1	0	0.0	23	5.2
	Female	3	4.8	10	10.5	12	11.4	5	4.7	0	0.0	30	7.8
	Total	8	6.0	16	8.1	19	8.4	10	4.3	0	0.0	53	6.4
No problem	Male	60	83.3	83	80.6	86	71.1	76	61.8	13	56.5	318	71.9
	Female	51	82.3	78	82.1	84	80.0	72	67.3	12	66.7	297	76.7
	Total	111	82.8	161	81.3	170	75.2	148	64.3	25	61.0	615	74.2
Occasionally hard to hear	Male	7	9.7	12	11.7	26	21.5	36	29.3	8	34.8	89	20.1
	Female	8	12.9	7	7.4	8	7.6	29	27.1	4	22.2	56	14.5
	Total	15	11.2	19	9.6	34	15.0	65	28.3	12	29.3	145	17.5
Always hard to hear	Male	0	0.0	2	1.9	2	1.7	6	4.9	2	8.7	12	2.7
	Female	0	0.0	0	0.0	1	1.0	1	0.9	2	11.1	4	1.0
	Total	0	0.0	2	1.0	3	1.3	7	3.0	4	9.8	16	1.9

Catching words from conversation with several persons

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	5	6.9	6	5.8	7	5.8	5	4.1	0	0.0	23	5.2
	Female	3	4.8	10	10.5	12	11.4	5	4.7	0	0.0	30	7.8
	Total	8	6.0	16	8.1	19	8.4	10	4.3	0	0.0	53	6.4
No problem	Male	51	70.8	61	59.2	72	59.5	52	42.3	6	26.1	242	54.8
	Female	43	69.4	70	73.7	68	64.8	55	51.4	7	38.9	243	62.8
	Total	94	70.1	131	66.2	140	61.9	107	46.5	13	31.7	485	58.5
Occasionally hard to hear	Male	16	22.2	34	33.0	37	30.6	56	45.5	13	56.5	156	35.3
	Female	16	25.8	15	15.8	24	22.9	46	43.0	8	44.4	109	28.2
	Total	32	23.9	49	24.7	61	27.0	102	44.3	21	51.2	265	32.0
Always hard to hear	Male	0	0.0	2	1.9	5	4.1	10	8.1	4	17.4	21	4.8
	Female	0	0.0	0	0.0	1	1.0	1	0.9	3	16.7	5	1.3
	Total	0	0.0	2	1.0	6	2.7	11	4.8	7	17.1	26	3.1

9) Visual acuity

Usage of glasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	116	69.5	187	87.8	203	89.4	179	89.9	32	94.1	717	85.4
	Female	113	58.5	161	85.6	178	90.8	175	87.5	18	75.0	645	80.5
	Total	229	63.6	348	86.8	381	90.1	354	88.7	50	86.2	1362	83.0
No	Male	51	30.5	26	12.2	24	10.6	20	10.1	2	5.9	123	14.6
	Female	80	41.5	27	14.4	18	9.2	25	12.5	6	25.0	156	19.5
	Total	131	36.4	53	13.2	42	9.9	45	11.3	8	13.8	279	17.0

Type of glasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2
	Total	2	0.9	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Glasses for far distance	Male	78	67.2	44	23.5	18	8.9	11	6.1	3	9.4	154	21.5
	Female	76	67.3	35	21.7	9	5.1	8	4.6	4	22.2	132	20.5
	Total	154	67.2	79	22.7	27	7.1	19	5.4	7	14.0	286	21.0
Glasses for near distance	Male	21	18.1	58	31.0	62	30.5	56	31.3	14	43.8	211	29.4
	Female	21	18.6	54	33.5	71	39.9	62	35.4	7	38.9	215	33.3
	Total	42	18.3	112	32.2	133	34.9	118	33.3	21	42.0	426	31.3
Glasses for near and far distance	Male	15	12.9	85	45.5	121	59.6	108	60.3	15	46.9	344	48.0
	Female	15	13.3	71	44.1	94	52.8	101	57.7	7	38.9	288	44.7
	Total	30	13.1	156	44.8	215	56.4	209	59.0	22	44.0	632	46.4
More than two replies	Male	1	0.9	0	0.0	2	1.0	4	2.2	0	0.0	7	1.0
	Female	0	0.0	1	0.6	4	2.2	4	2.3	0	0.0	9	1.4
	Total	1	0.4	1	0.3	6	1.6	8	2.3	0	0.0	16	1.2

Usage of contact lens

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	1.2	6	2.8	2	0.9	1	0.5	0	0.0	11	1.3
	Female	0	0.0	1	0.5	3	1.5	4	2.0	0	0.0	8	1.0
	Total	2	0.6	7	1.7	5	1.2	5	1.3	0	0.0	19	1.2
Non-user	Male	141	84.4	198	93.0	220	96.9	197	99.0	34	100.0	790	94.0
	Female	122	63.2	141	75.0	188	95.9	195	97.5	24	100.0	670	83.6
	Total	263	73.1	339	84.5	408	96.5	392	98.2	58	100.0	1460	89.0
Ex-user	Male	14	8.4	7	3.3	3	1.3	1	0.5	0	0.0	25	3.0
	Female	36	18.7	29	15.4	5	2.6	1	0.5	0	0.0	71	8.9
	Total	50	13.9	36	9.0	8	1.9	2	0.5	0	0.0	96	5.9
Current-user	Male	10	6.0	2	0.9	2	0.9	0	0.0	0	0.0	14	1.7
	Female	35	18.1	17	9.0	0	0.0	0	0.0	0	0.0	52	6.5
	Total	45	12.5	19	4.7	2	0.5	0	0.0	0	0.0	66	4.0

Type of contact lens

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	100.0	1	0.8
	Total	0	0.0	0	0.0	0	0.0	1	50.0	1	0.6
hard	Male	12	50.0	8	88.9	5	100.0	1	100.0	26	66.7
	Female	47	66.2	37	80.4	4	80.0	0	0.0	88	71.5
	Total	59	62.1	45	81.8	9	90.0	1	50.0	114	70.4
soft	Male	11	45.8	1	11.1	0	0.0	0	0.0	12	30.8
	Female	18	25.4	7	15.2	1	20.0	0	0.0	26	21.1
	Total	29	30.5	8	14.5	1	10.0	0	0.0	38	23.5
disposable	Male	1	4.2	0	0.0	0	0.0	0	0.0	1	2.6
	Female	5	7.0	2	4.3	0	0.0	0	0.0	7	5.7
	Total	6	6.3	2	3.6	0	0.0	0	0.0	8	4.9
more than two replies	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	1.4	0	0.0	0	0.0	0	0.0	1	0.8
	Total	1	1.1	0	0.0	0	0.0	0	0.0	1	0.6

Duration of using contact lens

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	100.0	1	0.8
	Total	0	0.0	0	0.0	0	0.0	1	50.0	1	0.6
-5 yrs.	Male	15	62.5	7	77.8	3	60.0	1	100.0	26	66.7
	Female	25	35.2	19	41.3	4	80.0	0	0.0	48	39.0
	Total	40	42.1	26	47.3	7	70.0	1	50.0	74	45.7
5-10yrs.	Male	3	12.5	0	0.0	0	0.0	0	0.0	3	7.7
	Female	11	15.5	2	4.3	0	0.0	0	0.0	13	10.6
	Total	14	14.7	2	3.6	0	0.0	0	0.0	16	9.9
10-20yrs.	Male	4	16.7	0	0.0	1	20.0	0	0.0	5	12.8
	Female	8	11.3	8	17.4	1	20.0	0	0.0	17	13.8
	Total	12	12.6	8	14.5	2	20.0	0	0.0	22	13.6
20yrs. -	Male	2	8.3	2	22.2	1	20.0	0	0.0	5	12.8
	Female	27	38.0	17	37.0	0	0.0	0	0.0	44	35.8
	Total	29	30.5	19	34.5	1	10.0	0	0.0	49	30.2

History of operation in the right eye

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	165	98.8	206	96.7	206	90.7	171	85.9	20	58.8	768	91.4
	Female	190	98.4	187	99.5	185	94.4	150	75.0	14	58.3	726	90.6
	Total	355	98.6	393	98.0	391	92.4	321	80.5	34	58.6	1494	91.0
Cataract	Male	1	0.6	2	0.9	8	3.5	21	10.6	12	35.3	44	5.2
	Female	0	0.0	0	0.0	7	3.6	37	18.5	7	29.2	51	6.4
	Total	1	0.3	2	0.5	15	3.5	58	14.5	19	32.8	95	5.8
Glaucoma	Male	1	0.6	0	0.0	0	0.0	2	1.0	0	0.0	3	0.4
	Female	0	0.0	0	0.0	1	0.5	1	0.5	0	0.0	2	0.2
	Total	1	0.3	0	0.0	1	0.2	3	0.8	0	0.0	5	0.3
Retinal detachment	Male	0	0.0	1	0.5	3	1.3	1	0.5	1	2.9	6	0.7
	Female	1	0.5	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Total	1	0.3	1	0.2	3	0.7	2	0.5	1	1.7	8	0.5
Lasering	Male	1	0.6	4	1.9	9	4.0	8	4.0	1	2.9	23	2.7
	Female	0	0.0	1	0.5	2	1.0	9	4.5	3	12.5	15	1.9
	Total	1	0.3	5	1.2	11	2.6	17	4.3	4	6.9	38	2.3
Others	Male	0	0.0	0	0.0	5	2.2	2	1.0	0	0.0	7	0.8
	Female	1	0.5	0	0.0	2	1.0	4	2.0	1	4.2	8	1.0
	Total	1	0.3	0	0.0	7	1.7	6	1.5	1	1.7	15	0.9
Not determined	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0	2	0.1
Total	Male	167	100.0	213	100.0	227	100.0	199	100.0	34	100.0	840	100.0
	Female	193	100.0	188	100.0	196	100.0	200	100.0	24	100.0	801	100.0
	Total	360	100.0	401	100.0	423	100.0	399	100.0	58	100.0	1641	100.0

History of operation in the left eyes

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	164	98.2	206	96.7	204	89.9	167	83.9	19	55.9	760	90.5
	Female	190	98.4	182	96.8	181	92.3	150	75.0	16	66.7	719	89.8
	Total	354	98.3	388	96.8	385	91.0	317	79.4	35	60.3	1479	90.1
Cataract	Male	1	0.6	2	0.9	10	4.4	23	11.6	13	38.2	49	5.8
	Female	0	0.0	1	0.5	8	4.1	36	18.0	7	29.2	52	6.5
	Total	1	0.3	3	0.7	18	4.3	59	14.8	20	34.5	101	6.2
Glaucoma	Male	1	0.6	0	0.0	0	0.0	2	1.0	0	0.0	3	0.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	2	0.5	0	0.0	3	0.2
Retinal detachment	Male	1	0.6	0	0.0	4	1.8	0	0.0	1	2.9	6	0.7
	Female	0	0.0	1	0.5	0	0.0	1	0.5	0	0.0	2	0.2
	Total	1	0.3	1	0.2	4	0.9	1	0.3	1	1.7	8	0.5
Lasering	Male	1	0.6	3	1.4	12	5.3	8	4.0	1	2.9	25	3.0
	Female	0	0.0	2	1.1	3	1.5	10	5.0	2	8.3	17	2.1
	Total	1	0.3	5	1.2	15	3.5	18	4.5	3	5.2	42	2.6
Others	Male	0	0.0	2	0.9	1	0.4	3	1.5	0	0.0	6	0.7
	Female	2	1.0	2	1.1	4	2.0	4	2.0	0	0.0	12	1.5
	Total	2	0.6	4	1.0	5	1.2	7	1.8	0	0.0	18	1.1
Not determined	Male	1	0.6	0	0.0	0	0.0	2	1.0	0	0.0	3	0.4
	Female	0	0.0	1	0.5	0	0.0	1	0.5	0	0.0	2	0.2
	Total	1	0.3	1	0.2	0	0.0	3	0.8	0	0.0	5	0.3
Total	Male	167	100.0	213	100.0	227	100.0	199	100.0	34	100.0	840	100.0
	Female	193	100.0	188	100.0	196	100.0	200	100.0	24	100.0	801	100.0
	Total	360	100.0	401	100.0	423	100.0	399	100.0	58	100.0	1641	100.0

History of being pointed out of glaucoma

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.5	1	2.9	2	0.2
	Female	1	0.5	0	0.0	0	0.0	4	2.0	1	4.2	6	0.7
	Total	1	0.3	0	0.0	0	0.0	5	1.3	2	3.4	8	0.5
None	Male	162	97.0	205	96.2	211	93.0	178	89.4	31	91.2	787	93.7
	Female	189	97.9	184	97.9	182	92.9	178	89.0	21	87.5	754	94.1
	Total	351	97.5	389	97.0	393	92.9	356	89.2	52	89.7	1541	93.9
Left eye	Male	0	0.0	1	0.5	1	0.4	3	1.5	0	0.0	5	0.6
	Female	0	0.0	2	1.1	1	0.5	2	1.0	0	0.0	5	0.6
	Total	0	0.0	3	0.7	2	0.5	5	1.3	0	0.0	10	0.6
Right eye	Male	1	0.6	1	0.5	0	0.0	4	2.0	1	2.9	7	0.8
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	2	0.6	1	0.2	0	0.0	4	1.0	1	1.7	8	0.5
Both eyes	Male	2	1.2	2	0.9	11	4.8	9	4.5	1	2.9	25	3.0
	Female	0	0.0	0	0.0	7	3.6	8	4.0	0	0.0	15	1.9
	Total	2	0.6	2	0.5	18	4.3	17	4.3	1	1.7	40	2.4
Not understanding	Male	2	1.2	4	1.9	4	1.8	4	2.0	0	0.0	14	1.7
	Female	2	1.0	2	1.1	6	3.1	8	4.0	2	8.3	20	2.5
	Total	4	1.1	6	1.5	10	2.4	12	3.0	2	3.4	34	2.1

History of being pointed out of cataract

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	1	0.4	0	0.0	1	2.9	3	0.4
	Female	1	0.5	0	0.0	2	1.0	4	2.0	0	0.0	7	0.9
	Total	2	0.6	0	0.0	3	0.7	4	1.0	1	1.7	10	0.6
None	Male	165	98.8	202	94.8	195	85.9	129	64.8	14	41.2	705	83.9
	Female	190	98.4	177	94.1	156	79.6	89	44.5	6	25.0	618	77.2
	Total	355	98.6	379	94.5	351	83.0	218	54.6	20	34.5	1323	80.6
Left eye	Male	0	0.0	1	0.5	3	1.3	8	4.0	2	5.9	14	1.7
	Female	0	0.0	1	0.5	4	2.0	5	2.5	1	4.2	11	1.4
	Total	0	0.0	2	0.5	7	1.7	13	3.3	3	5.2	25	1.5
Right eye	Male	0	0.0	4	1.9	4	1.8	6	3.0	0	0.0	14	1.7
	Female	0	0.0	1	0.5	3	1.5	7	3.5	1	4.2	12	1.5
	Total	0	0.0	5	1.2	7	1.7	13	3.3	1	1.7	26	1.6
Both eyes	Male	1	0.6	5	2.3	19	8.4	50	25.1	17	50.0	92	11.0
	Female	0	0.0	5	2.7	26	13.3	80	40.0	14	58.3	125	15.6
	Total	1	0.3	10	2.5	45	10.6	130	32.6	31	53.4	217	13.2
Not understanding	Male	0	0.0	1	0.5	5	2.2	6	3.0	0	0.0	12	1.4
	Female	2	1.0	4	2.1	5	2.6	15	7.5	2	8.3	28	3.5
	Total	2	0.6	5	1.2	10	2.4	21	5.3	2	3.4	40	2.4

Usage of sunshade

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	1	0.5	0	0.0	0	0.0	2	1.0	0	0.0	3	0.4
	Total	1	0.3	0	0.0	0	0.0	3	0.8	0	0.0	4	0.2
None	Male	119	71.3	132	62.0	99	43.6	53	26.6	3	8.8	406	48.3
	Female	63	32.6	37	19.7	31	15.8	23	11.5	3	12.5	157	19.6
	Total	182	50.6	169	42.1	130	30.7	76	19.0	6	10.3	563	34.3
Sometimes	Male	36	21.6	52	24.4	72	31.7	65	32.7	10	29.4	235	28.0
	Female	96	49.7	100	53.2	85	43.4	62	31.0	3	12.5	346	43.2
	Total	132	36.7	152	37.9	157	37.1	127	31.8	13	22.4	581	35.4
Always	Male	12	7.2	29	13.6	56	24.7	80	40.2	21	61.8	198	23.6
	Female	33	17.1	51	27.1	80	40.8	113	56.5	18	75.0	295	36.8
	Total	45	12.5	80	20.0	136	32.2	193	48.4	39	67.2	493	30.0

Usage of sunglasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Female	0	0.0	1	0.5	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	0	0.0	0	0.0	1	1.7	2	0.1
None	Male	102	61.1	128	60.1	149	65.6	142	71.4	21	61.8	542	64.5
	Female	125	64.8	123	65.4	118	60.2	127	63.5	13	54.2	506	63.2
	Total	227	63.1	251	62.6	267	63.1	269	67.4	34	58.6	1048	63.9
Sometimes	Male	47	28.1	63	29.6	51	22.5	28	14.1	4	11.8	193	23.0
	Female	53	27.5	41	21.8	45	23.0	26	13.0	4	16.7	169	21.1
	Total	100	27.8	104	25.9	96	22.7	54	13.5	8	13.8	362	22.1
Always	Male	18	10.8	22	10.3	27	11.9	29	14.6	8	23.5	104	12.4
	Female	15	7.8	23	12.2	33	16.8	47	23.5	7	29.2	125	15.6
	Total	33	9.2	45	11.2	60	14.2	76	19.0	15	25.9	229	14.0

Self-evaluation on visual acuity

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	1	0.1
Excellent	Male	10	6.0	3	1.4	16	7.0	15	7.5	0	0.0	44	5.2
	Female	11	5.7	6	3.2	17	8.7	10	5.0	0	0.0	44	5.5
	Total	21	5.8	9	2.2	33	7.8	25	6.3	0	0.0	88	5.4
Good	Male	37	22.2	45	21.1	38	16.7	43	21.6	12	35.3	175	20.8
	Female	43	22.3	45	23.9	41	20.9	41	20.5	6	25.0	176	22.0
	Total	80	22.2	90	22.4	79	18.7	84	21.1	18	31.0	351	21.4
Usual	Male	90	53.9	120	56.3	147	64.8	113	56.8	18	52.9	488	58.1
	Female	116	60.1	122	64.9	125	63.8	121	60.5	13	54.2	497	62.0
	Total	206	57.2	242	60.3	272	64.3	234	58.6	31	53.4	985	60.0
Bad	Male	30	18.0	42	19.7	23	10.1	26	13.1	3	8.8	124	14.8
	Female	22	11.4	11	5.9	13	6.6	23	11.5	4	16.7	73	9.1
	Total	52	14.4	53	13.2	36	8.5	49	12.3	7	12.1	197	12.0
Very bad	Male	0	0.0	3	1.4	3	1.3	2	1.0	0	0.0	8	1.0
	Female	1	0.5	4	2.1	0	0.0	5	2.5	1	4.2	11	1.4
	Total	1	0.3	7	1.7	3	0.7	7	1.8	1	1.7	19	1.2