

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Vitamin A or D	Total	1	0.3	4	1.0	10	2.4	26	6.5	3	5.1	44	2.7
Vitamin B1	Male	2	1.2	1	0.5	2	0.9	6	3.0	0	0.0	11	1.3
	Female	0	0.0	0	0.0	3	1.5	7	3.5	0	0.0	10	1.2
	Total	2	0.5	1	0.2	5	1.2	13	3.2	0	0.0	21	1.3
Vitamin B complex	Male	2	1.2	7	3.2	8	3.5	15	7.5	3	8.6	35	4.1
	Female	4	2.1	4	2.1	8	4.1	25	12.4	2	8.3	43	5.3
	Total	6	1.6	11	2.7	16	3.8	40	10.0	5	8.5	78	4.7
Vitamin C	Male	0	0.0	2	0.9	0	0.0	2	1.0	0	0.0	4	0.5
	Female	6	3.1	4	2.1	5	2.5	5	2.5	0	0.0	20	2.5
	Total	6	1.6	6	1.5	5	1.2	7	1.7	0	0.0	24	1.4
Vitamin E	Male	0	0.0	2	0.9	1	0.4	3	1.5	3	8.6	9	1.1
	Female	2	1.0	7	3.7	3	1.5	6	3.0	1	4.2	19	2.4
	Total	2	0.5	9	2.2	4	0.9	9	2.2	4	6.8	28	1.7
Vitamin K	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	1	0.5	0	0.0	3	1.5	0	0.0	4	0.5
	Total	0	0.0	1	0.2	0	0.0	4	1.0	0	0.0	5	0.3
Mixed vitamin	Male	5	2.9	3	1.4	4	1.8	16	8.0	4	11.4	32	3.8
	Female	6	3.1	5	2.6	14	7.1	18	8.9	3	12.5	46	5.7
	Total	11	3.0	8	2.0	18	4.2	34	8.5	7	11.9	78	4.7
Other vitamin	Male	6	3.5	8	3.7	11	4.8	6	3.0	1	2.9	32	3.8
	Female	7	3.6	4	2.1	7	3.6	5	2.5	0	0.0	23	2.9
	Total	13	3.5	12	3.0	18	4.2	11	2.7	1	1.7	55	3.3
Calcium	Male	0	0.0	1	0.5	2	0.9	3	1.5	2	5.7	8	0.9
	Female	2	1.0	3	1.6	5	2.5	11	5.4	0	0.0	21	2.6
	Total	2	0.5	4	1.0	7	1.7	14	3.5	2	3.4	29	1.8

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Mineral preparation	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	3	1.5	1	0.5	2	1.0	5	2.5	1	4.2	12	1.5
	Total	3	0.8	1	0.2	2	0.5	6	1.5	1	1.7	13	0.8
Saccaride preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	0.5	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.1
Organic acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
protein or amino acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.5	1	0.5	0	0.0	0	0.0	0	0.0	2	0.2
	Total	1	0.3	1	0.2	0	0.0	0	0.0	0	0.0	2	0.1
Hormone drugs made from internal organ	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.1
Drugs for infant	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other tonic	Male	6	3.5	4	1.9	5	2.2	6	3.0	3	8.6	24	2.8
	Female	3	1.5	4	2.1	6	3.0	6	3.0	2	8.3	21	2.6
	Total	9	2.5	8	2.0	11	2.6	12	3.0	5	8.5	45	2.7
Blood substitute	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0	2	0.1
Styptic	Male	1	0.6	0	0.0	2	0.9	3	1.5	0	0.0	6	0.7

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Styptic	Female	0	0.0	0	0.0	4	2.0	1	0.5	1	4.2	6	0.7
	Total	1	0.3	0	0.0	6	1.4	4	1.0	1	1.7	12	0.7
Anticoagulant	Male	0	0.0	1	0.5	1	0.4	8	4.0	0	0.0	10	1.2
	Female	0	0.0	0	0.0	2	1.0	1	0.5	0	0.0	3	0.4
	Total	0	0.0	1	0.2	3	0.7	9	2.2	0	0.0	13	0.8
Other blood substitute	Male	0	0.0	2	0.9	14	6.2	28	14.0	3	8.6	47	5.5
	Female	0	0.0	3	1.6	5	2.5	19	9.4	1	4.2	28	3.5
	Total	0	0.0	5	1.2	19	4.5	47	11.7	4	6.8	75	4.5
Agent for hemodialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for peritoneal dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent for dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for liver disease	Male	0	0.0	2	0.9	5	2.2	1	0.5	0	0.0	8	0.9
	Female	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Total	0	0.0	2	0.5	5	1.2	2	0.5	0	0.0	9	0.5
Antidote	Male	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0	2	0.1
Agent for habitual intoxication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Agent for habitual intoxication	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Drugs for gout	Male	4	2.3	6	2.8	11	4.8	15	7.5	3	8.6	39	4.6
	Female	0	0.0	0	0.0	1	0.5	4	2.0	0	0.0	5	0.6
	Total	4	1.1	6	1.5	12	2.8	19	4.7	3	5.1	44	2.7
Enzyme preparation	Male	6	3.5	2	0.9	1	0.4	1	0.5	0	0.0	10	1.2
	Female	1	0.5	1	0.5	1	0.5	5	2.5	0	0.0	8	1.0
	Total	7	1.9	3	0.7	2	0.5	6	1.5	0	0.0	18	1.1
Antidiabetics	Male	0	0.0	10	4.6	12	5.3	21	10.5	2	5.7	45	5.3
	Female	0	0.0	7	3.7	8	4.1	11	5.4	1	4.2	27	3.3
	Total	0	0.0	17	4.2	20	4.7	32	8.0	3	5.1	72	4.3
Other agent on metabolic system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassified agent on metabolic system	Male	1	0.6	1	0.5	2	0.9	10	5.0	0	0.0	14	1.6
	Female	0	0.0	7	3.7	1	0.5	7	3.5	2	8.3	17	2.1
	Total	1	0.3	8	2.0	3	0.7	17	4.2	2	3.4	31	1.9
Chlorophyll agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pigment agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other cell activation agent	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.1

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Alkylating agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antimetabolite	Male	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	1	0.5	0	0.0	1	0.5	0	0.0	2	0.2
	Total	1	0.3	1	0.2	0	0.0	1	0.2	0	0.0	3	0.2
Antibiotics for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Plant component for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.5	0	0.0	1	0.5	1	0.5	0	0.0	3	0.4
	Total	1	0.3	0	0.0	1	0.2	1	0.2	0	0.0	3	0.2
Antihistaminic drug	Male	5	2.9	4	1.9	7	3.1	2	1.0	0	0.0	18	2.1
	Female	3	1.5	6	3.2	3	1.5	2	1.0	1	4.2	15	1.9
	Total	8	2.2	10	2.5	10	2.4	4	1.0	1	1.7	33	2.0
Agent for stimulus therapy	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	1	0.5	1	0.5	0	0.0	0	0.0	2	0.2
	Total	0	0.0	1	0.2	2	0.5	0	0.0	0	0.0	3	0.2
Agent for nonspecific immunogenicity	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antiallergic drug	Male	12	7.0	9	4.2	11	4.8	9	4.5	3	8.6	44	5.2

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other antiallergic drug	Female	11	5.6	9	4.8	13	6.6	10	5.0	2	8.3	45	5.6
	Total	23	6.3	18	4.4	24	5.7	19	4.7	5	8.5	89	5.4
Crude drug	Male	5	2.9	5	2.3	5	2.2	9	4.5	1	2.9	25	2.9
	Female	6	3.1	6	3.2	11	5.6	9	4.5	1	4.2	33	4.1
	Total	11	3.0	11	2.7	16	3.8	18	4.5	2	3.4	58	3.5
Herb medicine	Male	6	3.5	7	3.2	9	4.0	8	4.0	3	8.6	33	3.9
	Female	8	4.1	7	3.7	11	5.6	9	4.5	1	4.2	36	4.5
	Total	14	3.8	14	3.5	20	4.7	17	4.2	4	6.8	69	4.2
Other drugs by a herb medicine	Male	0	0.0	1	0.5	2	0.9	0	0.0	0	0.0	3	0.4
	Female	1	0.5	0	0.0	0	0.0	1	0.5	0	0.0	2	0.2
	Total	1	0.3	1	0.2	2	0.5	1	0.2	0	0.0	5	0.3
Antibiotics (G(+))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(-))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+), G(-))	Male	3	1.7	6	2.8	5	2.2	1	0.5	0	0.0	15	1.8
	Female	6	3.1	6	3.2	7	3.6	2	1.0	0	0.0	21	2.6
	Total	9	2.5	12	3.0	12	2.8	3	0.7	0	0.0	36	2.2
Antibiotics (G(+), G(-), Mycoplasma)	Male	1	0.6	1	0.5	2	0.9	2	1.0	2	5.7	8	0.9
	Female	3	1.5	2	1.1	2	1.0	2	1.0	0	0.0	9	1.1
	Total	4	1.1	3	0.7	4	0.9	4	1.0	2	3.4	17	1.0
Antibiotics (Rickettsia, Chlamidia)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.5	1	0.5	0	0.0	0	0.0	0	0.0	2	0.2

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Antibiotics (Rickettsia, Chlamidia)	Total	1	0.3	1	0.2	0	0.0	0	0.0	0	0.0	2	0.1
Antibiotics against acid- fastbacterium	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.1
Antibiotics against fungus	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.1
Other antibiotics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Sulfa drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.1
Antitubercukous agent	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.1
Drugs for leprosy	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Synthetic antibiotics	Male	3	1.7	1	0.5	5	2.2	0	0.0	0	0.0	9	1.1
	Female	2	1.0	2	1.1	0	0.0	3	1.5	0	0.0	7	0.9
	Total	5	1.4	3	0.7	5	1.2	3	0.7	0	0.0	16	1.0
Antiviral agent	Male	1	0.6	0	0.0	1	0.4	0	0.0	0	0.0	2	0.2
	Female	0	0.0	1	0.5	1	0.5	0	0.0	0	0.0	2	0.2
	Total	1	0.3	1	0.2	2	0.5	0	0.0	0	0.0	4	0.2

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent for chemotherapy	Male	4	2.3	1	0.5	2	0.9	0	0.0	1	2.9	8	0.9
	Female	0	0.0	1	0.5	0	0.0	2	1.0	0	0.0	3	0.4
	Total	4	1.1	2	0.5	2	0.5	2	0.5	1	1.7	11	0.7
Vaccine	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Poison or toxoid	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitoxic serum or leptospira serum	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood supplements	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for biological test	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Mixed biological agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other biological agent	Male	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
Protozoicide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Protozoicide	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Parasiticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drug against parasitic disease	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Diluent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ointment base	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Solution	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Corrective tincture	Male	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.1
Emulsifier	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other dispensing drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other dispensing drug	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
X-ray contrast medium	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for functional examination	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other test	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiseptic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pesticide for prevention of epidemics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insecticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insecticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Rodenticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other drug used for public health	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for general examination	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for blood analysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for chemical analysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for immunologic test	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for microbiological examination	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagent for pathological examination	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Radiopharmaceutical for diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other reagent for diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other reagent for diagnosis	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Strap	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drug not for treatment	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Opiate alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Coca alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Synthetic narcotic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassifiable drug	Male	1	0.6	1	0.5	2	0.9	1	0.5	0	0.0	5	0.6
	Female	2	1.0	0	0.0	2	1.0	5	2.5	0	0.0	9	1.1
	Total	3	0.8	1	0.2	4	0.9	6	1.5	0	0.0	14	0.8
No use of drug	Male	77	44.8	84	38.9	61	26.9	36	18.0	5	14.3	263	30.9
	Female	70	35.9	70	37.0	41	20.8	17	8.4	2	8.3	200	24.8

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No use of drug	Total	147	40.1	154	38.0	102	24.1	53	13.2	7	11.9	463	27.9
Total	Male	172	100.0	216	100.0	227	100.0	200	100.0	35	100.0	850	100.0
	Female	195	100.0	189	100.0	197	100.0	202	100.0	24	100.0	807	100.0
	Total	367	100.0	405	100.0	424	100.0	402	100.0	59	100.0	1657	100.0

IV. Nutritional Examinations

IV. Nutritional Examinations

Foods and nutrition intakes were assessed by the three-consecutive-day weighing dietary records. On this method, foods were weighed separately with scales before cooked. The subjects were asked to take the photos before and after eating foods using disposable camera. The dietary records were checked and coded by nutritionists. The average intakes of food and nutrition per day were calculated according to the 4th edition Standard Tables of Foods Consumption edited by the Science and Technology Agency in Japan. The substituted food composition table for Japanese foods were developed by National Cancer Center for the assessment of fatty acid intakes (Sasaki et al., J Epidemiol, 9: 190-207, 1999).

Three days dietary record (3DR)

1) Food intake

- Cereals
- Potatoes and starches
- Sugars and sweeteners
- Pulses
- Nuts and seeds
- Vegetables
- Fruits
- Mushrooms
- Seaweeds
- Fishes and shellfishes
- Meats
- Eggs
- Milks
- Fats and oils
- Confectioneries
- Beverages
- Seasonings and spices
- Prepared foods
- Water

2) Nutrition intake from foods

Energy

Water

Protein

Lipid

Carbohydrate

Ash

Sodium

Potassium

Calcium

Magnesium

Phosphorus

Iron

Zinc

Copper

Retinol

Carotene

Retinol equivalents

Vitamin D

Vitamin E

Vitamin K

Thiamin

Riboflavin

Niacin

Vitamin B6

Vitamin B12

Folate

Pantothenic acid

Vitamin C

Cholesterol

Water soluble dietary fibers

Water insoluble dietary fibers

Total dietary fibers

Salt

Manganese

Nitrogen

Isoleucine
Leucine
Lysine
Methionine
Cystine
Sulfer-containing amino acids
Phenylalanine
Tyrosine
Aromatic amino acids
Threonine
Tryptophan
Valine
Histidine
Alginine
Alanine
Aspartic acid
Glutamic acid
Glycine
Proline
Serine
Total fatty acid
Saturated fatty acid
Monounsaturated fatty acid
Polyunsaturated fatty acid
Unsaturated fatty acid
n-6 fatty acid
n-3 fatty acid
Butyric acid
Hexanoic acid
Octanoic acid
Decanoic acid
Decenoic acid
Lauric acid
Myristic acid
Myristoleic acid
Pentadecanoic acid

Pentadecenoic acid
Palmitic acid
Palmitoleic acid
Hexadecatrienoic acid
Heptadecanoic acid
Heptadecenoic acid
Stearic acid
Oleic acid
Linoleic acid
Linolenic acid
 γ -Linolenic acid
Octadecatetraenoic acid
Arachidic acid
Eicosenoic acid
Eicosadienoic acid
Eicosatrienoic acid
Eicosatetraenoic acid
Arachidonic acid
Eicosapentaenoic acid
Behenic acid
Docosenoic acid
Docosadienoic acid
Docosapentaenoic acid (n-3)
Docosapentaenoic acid (n-6)
Docosahexaenoic acid
Lignoceric acid
Tetracosenoic acid
Alcohol

3) Nutrition intake from supplements

Energy
Water
Protein
Lipid
Carbohydrate
Ash

Sodium
Potassium
Calcium
Magnesium
Phosphorus
Iron
Zinc
Copper
Retinol
Carotene
Retinol equivalents
Vitamin D
Vitamin E
Vitamin K
Thiamin
Riboflavin
Niacin
Vitamin B6
Vitamin B12
Folate
Pantothenic acid
Vitamin C
Cholesterol
Water soluble dietary fibers
Water insoluble dietary fibers
Total dietary fibers
Salt
Manganese
Nitrogen
Isoleucine
Leucine
Lysine
Methionine
Cystine
Sulfer-containing amino acids
Phenylalanine

Tyrosine
Aromatic amino acids
Threonine
Tryptophan
Valine
Histidine
Alginine
Alanine
Aspartic acid
Glutamic acid
Glycine
Proline
Serine
Total fatty acid
Saturated fatty acid
Monounsaturated fatty acid
Polyunsaturated fatty acid
Unsaturated fatty acid
n-6 fatty acid
n-3 fatty acid
Butyric acid
Hexanoic acid
Octanoic acid
Decanoic acid
Decenoic acid
Lauric acid
Myristic acid
Myristoleic acid
Pentadecanoic acid
Pentadecenoic acid
Palmitic acid
Palmitoleic acid
Hexadecatrienoic acid
Heptadecanoic acid
Heptadecenoic acid
Stearic acid