

of Dermatological Science, in press (2004)

Oda Y, Kagami H, Ueda M Accelerating effects of basic fibroblast growth factor on wound healing of rat palatal mucosa. *J Oral Maxillofac Surg* 62:73-80, 2004

Sumi Y, Kagami H, Ohtsuka Y, Kakinoki Y, Haruguchi Y and Miyamoto H. High correlation between the bacterial species in denture plaque and pharyngeal microflora. *Gerodontology* 20:29- 32, 2003

(山田 陽一)

Ozawa, R., Yamada, Y., Nagasaka, T., and Ueda M., A comparison of osteogenesis-related gene expression of mesenchymal stem cells during the osteoblastic differentiation induced Type-I collagen and/or fibronectin, *Int J Oral-Med Sci*, 1, 148-155, 2003.

Yamada, Y., Ueda M, Naiki T and Nagasaka, T. Tissue-engineered injectable bone regeneration for osseointegrated dental implants. *Clin Oral Impl Res*, in press (2004).

Yamada, Y., Itano, N, Hata, K., Ueda, M., and Kimata, K. Differential Regulation by IL-1 β and EGF of Expression of Three Different Hyaluronan Synthases in Oral Mucosal Epithelial Cells and Fibroblasts and Dermal Fibroblasts: Quantitative Analysis using Real Time RT-PCR, *J Invest Dermatol*, in press.

Yamada, Y., Ueda M, Hibi H and Nagasaka, T. Translational research for injectable tissue-engineered bone regeneration using mesenchymal stem cells and platelet –rich plasma-from basic research to clinical case study. *Cell transplantation*, in press.

Yamada, Y., Ueda, M., Naiki, T., Takahashi, M., Hata, K., and Nagasaka, T. Autogenous injectable Bone for Regeneration with Mesenchymal Stem Cells (MSCs) and Platelet-Rich Plasma (PRP) – Tissue-engineered bone regeneration- Tissue engineering. in press.

(鳥居 修平)

K. Ebisawa, K. Hata, K. Okada, K. Kimata, M. Ueda, S. Torii, H. Watanabe. Ultrasound enhances TGF β -mediated chondrocyte differentiation of human mesenchymal stem cells. *Tissue Eng* 2004:in press.

Ikuo Hyodo, Bin Nakayama, Mitsuru Takahashi, Kzuihiro Toriyama, Yuzuru Kamei and Shuhei Torii: The gastrocnemius with soleus bi-muscle flap. *British Journal of Plastic Surgery*, 57: 77-82, 2004.

Hasegawa Yukiharu, Sakano Shinji, Iwase Toshiki, Iwasada Seiki, Torii Shuhei, Iwata Hisashi : Pedicle bone grafting versus transutrochanteric

rotational osteotomy for avascular necrosis of the femoral head. *J Bone Joint Surg* 84-B(2): 191-198, 2003 .

Bin Nakayama, Yuzuru Kamei, Kazuhiro Toriyama, Ikuo Hyoudo, Yasuhisa Hasegawa and Shuhei Torii: Usefulness of a first transferred free flap vascular pedicle for secondary microvascular reconstruction in the head and neck. *Plast Reconstr Surg*, 109: 1246-1253, 2002.

(小林 猛之)

Ito A, Takizawa Y, Honda H, Hata K, Kagami H, Ueda M and Kobayashi T: Tissue engineering using magnetite nanoparticles and magnetic force: heterotypic layers of co-cultured hepatocytes and endothelial cells, *Tissue Eng*, in press (2004)

Ito A, Hayashida M, Honda H, Hata K, Kagami H, Ueda M and Kobayashi T: Construction and harvest of multilayered keratinocyte sheets using magnetite nanoparticles and magnetic force, *Tissue Eng*, in press (2004)

Ito A, Hibino E, Honda H, Hata K, Kagami H, Ueda M and Kobayashi T: A new methodology of mesenchymal stem cell expansion using magnetic nanoparticles, *Biochem Eng J*, in press (2004)

Kato N, Kobayashi T, and Honda H. : Screening of stress enhancer based on analysis of gene expression profiles: hyperthermia-induced tumor necrosis by an MMP-3 inhibitor, *Cancer Science*, 94 (7), 644-649 (2003)

Ito A, Takizawa Y, Shinkai M, Honda H, Hata K, Ueda M, Kuno N, Itakura A and Kobayashi T: Proliferation and stratification of keratinocyte on cultured amniotic epithelial cells for tissue engineering, *J Biosci Bioeng*, 95(6), 589-593(2003)

Ito A, Mase A, Takizawa Y, Shinkai M, Honda H, Hata K, Ueda M and Kobayashi T: Transglutaminase-mediated gelatin matrices incorporating cell adhesion factors as a biomaterial for tissue engineering, *J Biosci Bioeng*, 95(2), 196-199(2003)

(高井 治)

K. Kuroda, R. Ichino, M. Okido and O. Takai, Hydroxyapatite Coating on Titanium by Thermal Substrate Method in Aqueous Solution, *J. Biomed. Mater. Res.* Vol. 59, No.2 (2002) 390-397

K. Kuroda, R. Ichino, M. Okido and O. Takai, Effects of Ion Concentration and pH on Hydroxyapatite Deposition from Aqueous Solution onto Titanium by the Thermal Substrate Method, *J. Biomed. Mater. Res.* Vol. 61, No. 3 (2002) 354-359

M. Okido, K. Nishikawa, K. Kuroda, R. Ichino, Z.W. Zhao and O. Takai, Evaluation of the Hydroxyapatite Film Coating on Titanium Cathode by QCM, *Mater. Trans.* Vol. 43, No. 12 (2002) 3010-3014

K. Kuroda, Y. Miyashita, R. Ichino, M. Okido and O. Takai, Preparation of Calcium Phosphate Coatings on Titanium Using the Thermal Substrate Method and Their in vitro Evaluation, *Mater. Trans.* Vol. 43, No. 12

(2002) 3015-3019

M. Okido, K. Kuroda, M. Ishikawa, R. Ichino and O. Takai, Hydroxyapatite Coating on Titanium by Means of Thermal Substrate Method in Aqueous Solutions, *Solid State Ionics*, Vol. 151 (2002) 47-52

J.M. Gomez-Vega, K. Teshima, A. Hozumi, H. Sugimura and O. Takai, Mesoporous Silica Thin Films Produced by Calcination in Oxygen Plasma, *Surface and Coatings Technology*, Vol. 169 (2003) 583-586

(小林 一清)

Miura Y, Ikeda T, Kobayashi K: Chemoenzymatically synthesized glycoconjugate polymers, *Biomacromolecules*, 4, 410-415 (2003).

Miura Y, Ikeda T, Wada N, Sato H, Kobayashi K: Chemoenzymatic Synthesis of Glycoconjugate Polymers: Greening Synthesis of Biomaterials. *Green Chemistry*, 5, 610-614 (2003).

Miura Y, Ikeda T, Wada N, Kobayashi K: Yoshiko Miura, Chemoenzymatic Synthesis of a Multivalent Aminoglycoside, *Macromol. Biosci.*, 3, 662-667 (2003).

(木全 弘治)

M. Honda, N. Morikawa, K. Hata, T. Yada, S. Morita, M. Ueda, K. Kimata. Rat costochondral cell characteristics on poly (L-lactid-co-ε-caprolactone) scaffolds. *Biomaterials* 2003;24: 3511- 3519.

P. Jemth, E. Smeds, A-T. Do, H. Habuchi, K. Kimata, U. Lindahl, M. Kusche- Gullberg. Oligosaccharide library-based assessment of heparan sulfate 6-O- sulfotransferase substrate specificity. *J Biol Chem* 2003;278:24371-24376.

A. Irie, H. Habuchi, K. Kimata, Y. Sanai. Heparan sulfate is required for bone morphogenetic protein-7 signaling. *Biochem Biophys Res Commun* 2003; 308:858-65.

T. Kozaki, Y. Matsui, J. Gu, R. Nishiuchi, N. Sugiura, K. Kimata, K. Ozono, H. Yoshikawa, K. Sekiguchi. Recombinant expression and characterization of a novel fibronectin isoform expressed in cartilaginous tissues. *J Biol Chem* 2003;278:50546-50553.

H. Watanabe, K. Matsumoto, K. Kimata. The proteoglycan aggregate: Structure and function. *Connective Tissue* 2003; 35:201-205.

K. Nogami, H. Suzuki, H. Habuchi, N. Ishiguro, H. Iwata, K. Kimata. Distinctive expression patterns of heparan sulfate O-sulfotransferases and regional differences in heparan sulfate structure in chick limb buds.

J Biol Chem 2004;279:8219-8229.

S. Ashikari-Hada, H. Habuchi, Y. Kariya, N. Itoh, A. H. Reddi, K. Kimata. Characterization of Growth Factor-binding Structures in Heparin/Heparan Sulfate Using an Octasaccharide Library. J Biol Chem 2004;279:12346-54.

Y. Yamada, N. Itano, K. Hata, M. Ueda, K. Kimata. Differential regulation by IL-1 β and EGF of expression of three different hyaluronan synthases in oral mucosal epithelial cells and fibroblasts and dermal fibroblasts: Quantitative analysis using real time RT-PCR. J Invest Dermatol 2004;in press.

K. Ebisawa, K. Hata, K. Okada, K. Kimata, M. Ueda, S. Torii, H. Watanabe. Ultrasound enhances TGF β -mediated chondrocyte differentiation of human mesenchymal stem cells. Tissue Eng 2004;in press.

(春日 敏宏)

Maeda, T. Kasuga, M. Nogami, and Y. Ota: Preparation of Calcium Carbonate Composites and Their Apatite-Forming Ability in Simulated Body Fluid, **J. Ceram. Soc. Jpn.**, *in press*.

H. Maeda, T. Kasuga, M. Nogami, H. Kagami, K. Hata, and M. Ueda: Preparation of Bonelike Apatite Composite Sponge, **Key Engng. Mater.**, **254-256**, 497-500 (2004).

H. Maeda, T. Kasuga, and M. Nogami: Vaterite / Poly(lactic acid) Composite Biomaterials, **Arch. Biocer. Res.**, **3**, 110-113 (2003).

H. Maeda, T. Kasuga, M. Nogami: Preparation of Calcium Carbonate / Poly(lactic acid) Composite (CCPC) Hollow Spheres, **Key Engng. Mater.**, **254-256**, 533-536 (2004).

Hiroataka Maeda, Toshihiro Kasuga, and Masayuki Nogami: Apatite formation on titania-vaterite powders in simulated body fluid, **J. Eur. Ceram. Soc.**, **24**, 2125-2130 (2004).

1. 特許取得

特許出願

- ・ 特願 2002-64235

・

特許申請中

- ・ 「組織または器官再生用材料」

・

「骨又は歯周組織形成用の組成物」

特願 2003-046060 号

「細胞培養方法」

特願 2003-78964 号

「医用材料」

特願 2003-73808 号

「細胞培養方法及び細胞シート」

特願 2003-136336 号

「細胞培養方法及び培養組織」

European Patent Application EP 1252904A3

Date of Filing 24.04.2002

Precursors for active materials, active materials using such precursors, and method for producing said active materials

Inventors: Sugimura Hiroyuki, Takai Osamu, Gomez-Vega, Jose Manual

Applicant: Nagoya University

Priority 25.04.2001 JP201128093

生体用材料

出願番号 特願 2002-111346

出願日 平成14年 3 月10日

発明者 三浦佳子、上坊史子、小林一清

出願人 小林一清

公開番号 特開 2003-260125

公開日 平成 15 年 9 月 16 日

酵素触媒による生分解性糖鎖高分子の製造法

出願番号 特願 2002-62899

出願日 平成14年 3 月 8 日

発明者 三浦佳子、池田高康、小林一清

出願人 小林一清

公開番号 特開 2003-261621

公開日 平成 15 年 9 月 19 日