

雑誌 (外国語)

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-----------------------------|----|-----------|------|
| <u>Akechi T, Nakano T, Uchitomi Y, et al</u> | Psychiatric evaluation of competency in cancer patients | Int J Psychiatry Clin Pract | 7 | 101-106 | 2003 |
| <u>Akechi T, Nakano T, Uchitomi Y, et al</u> | Somatic symptoms for diagnosing major depression in cancer patients | Psychosomatics | 44 | 244-248 | 2003 |
| <u>Akechi T, Uchitomi Y, et al</u> | Predictive factors for suicidal ideation in patients with unresectable lung carcinoma; a 6-month follow-up study; authors' reply | Cancer | 97 | 3129 | 2003 |
| <u>Akechi T, Nakano T, Uchitomi Y, et al</u> | Trauma in a nurse after patient suicide | Psychosomatics | 44 | 522-523 | 2003 |
| <u>Akizuki N, Akechi T, Nakano T, Uchitomi Y, et al</u> | Development of a brief screening interview for adjustment disorders and major depression in patients with cancer | Cancer | 97 | 2605-2613 | 2003 |
| <u>Fujimori M, Akechi T, Uchitomi Y, et al</u> | Communication skills training for Japanese oncologists on how to break bad news | J Cancer Educ | 18 | 194-201 | 2003 |
| <u>Fukui S, Uchitomi Y, et al</u> | The effect of a psychosocial group intervention on loneliness and social support for Japanese women with primary breast cancer | Oncol Nurs Forum | 30 | 823-830 | 2003 |
| <u>Kagaya A, Akechi T, Uchitomi Y, et al</u> | Mood disturbance and neurosteroids in women with breast cancer | Stress and Health | 19 | 227-231 | 2003 |
| <u>Kohara H, Uchitomi Y, et al</u> | Effect of nebulized furosemide in terminally ill cancer patients with dyspnea | J Pain Symptom Manage | 26 | 962-967 | 2003 |
| <u>Matsuoka Y, Akechi T, Uchitomi Y, et al</u> | A volumetric study of amygdala in cancer survivors with intrusive recollections | Biol Psychiatry | 54 | 736-743 | 2003 |
| <u>Morita T, Akechi T, Uchitomi Y, et al</u> | Similarity and difference among standard medical care, palliative sedation therapy, and euthanasia; a multidimensional scaling analysis on physicians' and general population's opinion | J Pain Symptom Manage | 25 | 357-362 | 2003 |
| <u>Okamura H, Uchitomi Y, et al</u> | Psychoeducational intervention for patients with primary breast cancer and patient satisfaction with information; an exploratory analysis | Breast Cancer Res Treat | 80 | 331-338 | 2003 |
| <u>Okuyama T, Akechi T, Uchitomi Y, et al</u> | Validation study of the Japanese version of the Brief Fatigue Inventory | J Pain Symptom Manage | 25 | 106-117 | 2003 |

| | | | | | |
|--|---|-------------------------|----------------|-----------|------|
| Okuyama T, <u>Akechi T</u> , <u>Uchitomi Y</u> , et al | Japanese version of the M.D. Anderson Symptom Inventory; a validation study | J Pain Symptom Manage | 26 | 1093-1104 | 2003 |
| Taniguchi K, <u>Akechi T</u> , <u>Uchitomi Y</u> , et al | Performance status 1 predicts psychological response in female, but not male, ambulatory cancer patients | Support Care Cancer | 11 | 465-471 | 2003 |
| Taniguchi K, <u>Akechi T</u> , <u>Uchitomi Y</u> , et al | Lack of marital support and poor psychological responses in male cancer patients | Support Care Cancer | 11 | 604-610 | 2003 |
| <u>Uchitomi Y</u> , <u>Akechi T</u> , et al | Mental adjustment after surgery for non-small cell lung cancer | Palliat Supportive Care | 1 | 61-70 | 2003 |
| <u>Uchitomi Y</u> , <u>Mikami I</u> , <u>Akechi T</u> , et al | Depression and psychological distress in patients during the year after curative resection of non-small cell lung cancer | J Clin Oncol | 21 | 69-77 | 2003 |
| Takahashi M, <u>Nakaho T</u> , et al | The oral-to-intravenous equianalgesic ratio of morphine based on plasma concentrations of morphine and metabolites in advanced cancer patients receiving chronic morphine treatment | Palliat Med | 17 | 673-678 | 2003 |
| Takahashi M, <u>Nakaho T</u> , et al | Silent gastric perforation in a pancreatic cancer patient treated with neurolytic celiac plexus block | J Anesth | 17 | 196-198 | 2003 |
| <u>Morita T</u> , et al | To the editor | Ann Intern Med | www.annals.org | E-1015 | |
| <u>Morita T</u> , et al | Ethical validity of palliative sedation therapy | J Pain Symptom Manage | 25 | 103-105 | 2003 |
| <u>Morita T</u> , et al | Agitated terminal delirium and association with partial opioid substitution and hydration | J Palliat Med | 6 | 557-563 | 2003 |
| <u>Morita T</u> , et al | Treatable complications of cancer patients referred to an in-patient hospice | Am J Hosp Palliat Care | 20 | 389-391 | 2003 |
| Hirai K, <u>Morita T</u> , et al | Professionally perceived effectiveness of psychosocial interventions for existential suffering of terminally ill cancer patients | Palliat Med | 17 | 688-694 | 2003 |
| <u>Morita T</u> , et al | Correlation of the dose of midazolam for symptom control with administration periods: the possibility of tolerance | J Pain Symptom Manage | 25 | 369-375 | 2003 |

| | | | | | |
|--|--|---------------------------|-----|-----------|------|
| <u>Morita T, et al</u> | Impaired communication capacity and agitated delirium in the final week of terminally ill cancer patients; prevalence and identification of research focus | J Pain Symptom Manage | 26 | 827-834 | 2003 |
| <u>Akaho R, et al</u> | Bone marrow transplantation in subjects with mental disorders | Psychiatry Clin Neurosci | 57 | 311-315 | 2003 |
| <u>Akaho R, et al</u> | Psychological factors and survival after bone marrow transplantation in patients with leukemia | Psychiatry Clin Neurosci | 57 | 91-96 | 2003 |
| <u>Onishi H, et al</u> | Post-traumatic stress disorder associated with suspected lung cancer and bereavement; 4-year follow-up and review of the literature | Support Care Cancer | 11 | 123-125 | 2003 |
| <u>Onishi H, et al</u> | Brief psychotic disorder associated with bereavement in a patient with terminal-stage uterine cervical cancer; a case report and review of the literature | Support Care Cancer | 11 | 491-493 | 2003 |
| Ito M, <u>Onishi H, et al</u> | Successful lithium carbonate treatment for steroid-induced depression following bone marrow transplantation; a case report | Jpn J Clin Oncol | 33 | 538-540 | 2003 |
| Iwamitsu Y, <u>Shimoda K, et al</u> | Differences in emotional distress between breast tumor patients with emotional inhibition and those with emotional expression | Psychiatry Clin Neurosci | 57 | 289-294 | 2003 |
| Hyodo I, <u>Mikami I, et al</u> | Perceptions and attitudes of clinical oncologists on complementary and alternative medicine | Cancer | 93 | 2861-2868 | 2003 |
| <u>Akechi T, Nakano T, Uchitomi Y, et al</u> | Suicidality in terminally ill Japanese patients with cancer; prevalence, patient perceptions, contributing factors, and longitudinal changes | Cancer | 100 | 183-191 | 2004 |
| <u>Akechi T, Nakano T, Uchitomi Y, et al</u> | Post traumatic symptoms experienced by a nurse after a patient suicide | Jpn J Gen Hosp Psychiatry | 16 | 49-54 | 2004 |
| <u>Morita T, Kohara H, Kizawa Y, Akechi T, Uchitomi Y, et al</u> | Existential concerns of terminally ill cancer patients receiving specialized palliative care in Japan | Support Care Cancer | 12 | 137-140 | 2004 |

| | | | | | |
|--|--|-----------------------|----|---------|----------|
| Suzuki S, <u>Akechi T</u> , <u>Uchitomi Y</u> , et al | Daily omega-3 fatty acid intake and depression in Japanese patients with newly diagnosed lung cancer | Br J Cancer | 90 | 787-793 | 2004 |
| <u>Morita T</u> , et al | Desire for death and requests to hasten death of Japanese terminally ill cancer patients receiving specialized inpatient palliative care | J Pain Symptom Manage | 27 | 44-52 | 2004 |
| <u>Morita T</u> , <u>Adachi I</u> , <u>Kizawa Y</u> , <u>Kohara H</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al | Family experience with palliative sedation therapy for terminally ill cancer patients | J Pain Symptom Manage | | | in press |
| <u>Okuyama T</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al | Adequacy of cancer pain management in a Japanese cancer hospital | Jpn J Clin Oncol | | | in press |
| <u>Morita T</u> , et al | Family-perceived distress about appetite loss and bronchial secretion in the terminal phase | J Pain Symptom Manage | | | in press |
| <u>Morita T</u> , et al | Family-perceived distress about delirium-related symptoms of terminally ill cancer patients | Psychosomatics | | | in press |
| <u>Morita T</u> , et al | Measuring the quality of structure and process in end-of-life care from the bereaved family perspectives | J Pain Symptom Manage | | | in press |
| <u>Morita T</u> , <u>Akechi T</u> , <u>Adachi I</u> , et al | Incidence and underlying etiologies of bronchial secretion in terminally ill cancer patients: a multi-center prospective observation study | J Pain Symptom Manage | | | in press |
| <u>Morita T</u> , <u>Adachi I</u> , et al | Physician- and nurse-reported effects of intravenous hydration therapy on symptoms of terminally ill cancer patients | J Palliat Med | | | in press |
| <u>Morita T</u> , <u>Adachi I</u> , et al | Emotional burden of nurses in palliative sedation therapy | Palliat Med | | | in press |
| <u>Morita T</u> | Differences in physician-reported practice in palliative sedation therapy | Support Care Cancer | | | in press |
| <u>Morita T</u> , et al | Chlorpheniramine maleate as an alternative to antiemetic cyclizine | J Pain Symptom Manage | | | in press |

| | | | | | |
|------------------------------|--|-------------------------|--|--|----------|
| Onishi H, et al | Conversion disorder with convulsion and motor deficit mimicking the adverse effects of high-dose Ara-C treatment in a post-transplant acute myeloid leukemia patient; a case report and review of the literature | Palliat Supportive Care | | | in press |
| Iwamitsu Y, Shimoda K, et al | The relationship between negative emotional suppression and emotional distress in breast cancer diagnosis and treatment | Health Communication | | | in press |

雑誌（日本語）

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------------------------|--|---------------------|-----|-----------|------|
| 秋月伸哉, 中野智仁, 内富庸介 | スクリーニング・プラクティスガイドライン | 癌治療と宿主 | 15 | 285-293 | 2003 |
| 秋月伸哉, 内富庸介 | がん患者の精神症状とその早期発見 | 医学のあゆみ | 205 | 898-902 | 2003 |
| 明智龍男, 中野智仁, 内富庸介, 他 | 進行・終末期がん患者の不安、抑うつに対する精神療法のstate of the art; 統計的レビューによる検討 | 精神科治療学 | 18 | 571-577 | 2003 |
| 内富庸介 | 緩和ケア診療加算の導入に当たって | Depression Frontier | 1 | 81-85 | 2003 |
| 内富庸介 | インフォームド・コンセントと心(知・情・意) | がん看護 | 8 | 393 | 2003 |
| 内富庸介 | 治療切除を受けた非小細胞肺癌患者の抑うつとストレスの術後1年の経過および予測因子の検討 | 血液・腫瘍科 | 47 | 361-365 | 2003 |
| 大庭章, 明智龍男, 内富庸介, 他 | コミュニケーション技術訓練 | 癌治療と宿主 | 15 | 383-389 | 2003 |
| 岡村優子, 明智龍男, 内富庸介 | せん妄への対処 | 癌治療と宿主 | 15 | 177-184 | 2003 |
| 松岡豊, 中野智仁, 内富庸介, 他 | 高解像度MRI画像を用いた海馬・扁桃体の体積計測のためのトレーシングガイドライン | 脳と神経 | 55 | 690-697 | 2003 |
| 山本庸子, 中保利通, 他 | 在宅療養移行症例における神経ブロック療法の有用性 | 緩和医療学 | 5 | 257-261 | 2003 |
| 島田哲, 中保利通, 他 | 高Ca血症治療フローチャート作成の試み | 癌と化学療法 | 30 | 2145-2153 | 2003 |
| 木澤義之, 久永貴之 | 緩和医療の現状と将来 | 医学のあゆみ | 205 | 911-914 | 2003 |
| 木澤義之, 他 | 持続皮下注射; 癌緩和ケアマニュアルー疼痛の緩和ケアの実際/モルヒネ | Modern Physician | 23 | 339-341 | 2003 |
| 安達勇 | 緩和医療における漢方治療の位置づけ | 緩和医療学 | 5 | 229-234 | 2003 |
| 西崎久純, 安達勇 | 癌治療における終末期医療のあり方 | 日本臨床 | 61 | 1039-1044 | 2003 |
| 辻哲也, 安達勇 | 緩和ケア病棟においてリハビリテーションに期待すること | 総合リハビリテーション | 31 | 1133-1139 | 2003 |
| 安達勇 | 第7回日本緩和医療学会; 印象記 | 緩和医療学 | 5 | 107-108 | 2003 |
| 平井啓, 森田達也 | Good death concept | 緩和医療学 | 5 | 86-87 | 2003 |
| 鄭陽, 森田達也 | チーム医療と緩和ケアチーム; 聖隷三方原病院における緩和ケアチーム | ターミナルケア | 13 | 289-290 | 2003 |
| 森田達也 | 苦痛緩和のための鎮静: 全国実態調査(速報) | ターミナルケア | 13 | 437-442 | 2003 |

| | | | | | |
|-----------|---|------------------------|-----|-----------|------|
| 森田達也 | 苦痛緩和のための鎮静の考え方へのまとめと国際的な潮流 | ターミナルケア | 13 | 470-472 | 2003 |
| 森田達也 | 苦痛緩和のための鎮静; わが国における臨床腫瘍医と緩和ケア医の態度 | 血液・腫瘍科 | 46 | 182-187 | 2003 |
| 本家好文 | 骨転移に伴う病態を見逃してはいけない | 治療 | 35 | 209-211 | 2003 |
| 本家好文 | 骨転移 | Modern Physician | 23 | 347-349 | 2003 |
| 本家好文 | がんを伝えることはなぜ大切か | ターミナルケア | 13 | 186-189 | 2003 |
| 本家好文 | どうする? 在宅ターミナルケアは? | Medical Rehabilitation | 34 | 117-121 | 2003 |
| 本家好文 | オピオイド鎮痛薬に鎮痛補助薬を併用すべきとき; 神経因性の痛みに視点を置いて | がん患者と対症療法 | 14 | 54-59 | 2003 |
| 佐藤英俊 | がん疼痛管理のガイドライン | JIM | 13 | 56-59 | 2003 |
| 佐藤英俊 | がん疼痛治療の新しい薬 | 作業療法ジャーナル | 37 | 157-159 | 2003 |
| 佐藤英俊 | チームで取り組む全人的な痛み | がん看護 | 8 | 170-173 | 2003 |
| 佐藤英俊 | がん緩和医療と医師; 現状と展望 | がん看護 | 8 | 183-186 | 2003 |
| 佐藤英俊 | 在宅での終末期医療 | 総合臨牀 | 52 | 2293-2299 | 2003 |
| 佐藤英俊 | メイヨー・クリニックをモデルにした慢性疼痛に対する集学的治療の実践と課題 | ペインクリニック | 24 | 1344-1351 | 2003 |
| 佐藤英俊 | 漢方治療と鍼治療の併用が有効であった慢性頭痛の3症例 | 痛みと漢方 | 13 | 73-76 | 2003 |
| 明智龍男 | 癌に伴う精神症状への対処-適応障害・うつ病への対処 | 癌治療と宿主 | 15 | 61-69 | 2003 |
| 明智龍男, 他 | 緩和ケアにおけるくすりの選び方と使い方 抗精神病薬; ハロペリドールとクロルプロマジン | がん看護 | 8 | 53-55 | 2003 |
| 明智龍男 | がん患者のうつを見逃してはいけない | 治療 | 85 | 202-204 | 2003 |
| 明智龍男 | がん患者の意思決定能力に関する諸問題 | 医学のあゆみ | 205 | 915-919 | 2003 |
| 明智龍男 | 乳がん通院患者の精神症状とそのケア | 乳癌の臨床 | 18 | 212-219 | 2003 |
| 松島英介 | がん患者のせん妄の診断とその対応 | 精神科 | 3 | 389-393 | 2003 |
| 野口海, 松島英介 | がん患者のspirituality (スピリチュアルペイン、スピリチュアルケア) | 精神科 | 3 | 562-565 | 2003 |
| 大西秀樹 | 遺族外来; がん患者の家族を支える新たな試み | 看護実践の科学 | 28 | 56-59 | 2003 |
| 大西秀樹 | MELAS の精神症状-A-to-G mutation in mitochondrial bp3243 of tRNA ^{Leu} (UUR) geneを中心に | 分子精神医学 | 3 | 99-103 | 2003 |

| | | | | | |
|---------------------------|---|---------------------|----|-----------|----------|
| 大西秀樹 | 身体的な痛みと精神的な痛み | 総合臨床 | 52 | 2277-2281 | 2003 |
| 大西秀樹 | 難しい場面での対応; リエゾン精神科医としての活動と視点から | ターミナルケア | 13 | 51-454 | 2003 |
| 大西秀樹 | がん患者に発症したうつ病に対してパロキセチンが奏功した2症例 | Pharma Medica | 21 | 189-192 | 2003 |
| 岩満優美, 下田和孝, 他 | Courtauld Emotional Control Scale 日本語版作成と妥当性・信頼性の検討 | 精神科治療学 | 18 | 701-708 | 2003 |
| 小早川誠, 新野秀人, 他 | 総合病院精神科病棟における合併症治療の実態 | 広島医学 | 56 | 479-482 | 2003 |
| 今中章弘, 新野秀人, 他 | 高気圧酸素療法(HBO)が著効を示した間歇型一酸化炭素中毒の一症例 | 精神科治療学 | 18 | 1203-1212 | 2003 |
| 秋月伸哉, 中野智仁, 明智龍男, 内富庸介, 他 | 薬物療法 | Depression Frontier | 2 | 21-25 | 2004 |
| 明智龍男, 中野智仁, 内富庸介 | 緩和医療における精神症状への対応 | 臨床消化器内科 | 19 | 59-66 | 2004 |
| 木澤義之 | Whole Patient Assessment; 緩和医療初診時の包括的評価; ギアチェンジー緩和医療を学ぶ | JIM | 14 | 56-61 | 2004 |
| 安達勇 | 高齢者における緩和医療 | がん看護 | 9 | 39-43 | 2004 |
| 宮内貴子, 小原弘之, 他 | 終末期がん患者の倦怠感に対するアロマセラピーの有効性の検討 | がん看護 | | | in press |
| 赤穂理絵 | 先端医療とサイコオンコロジー | 臨床精神医学 | | | in press |
| 大西秀樹 | がん患者のうつ病 | Depression Frontier | | | in press |
| 大西秀樹 | 転移性腫瘍による麻痺患者のサイコオンコロジー | 臨床精神医学 | | | in press |