

- 5 Naruya Tomita, Toshio Ogihara,  
Ryuichi Morishita Therapeutic  
potential of  
oligonucleotides strategy in  
cardiovascular diseases  
Expert Review of Cardiovascular  
Therapy 2003, September  
Vol1 No3 463-470
- 6 森下 竜一 炎症や免疫を抑制  
する「おとり」医薬 ゲノムか  
らくすりへ 2003 年 15-16
- H. 知的所有権の出願・登録状況(予定を含む)
- |          |    |
|----------|----|
| 1 特許取得   | なし |
| 2 実用新案登録 | なし |
| 3 その他    | なし |

## 2 学会発表

- 1 森下 竜一 「遺伝子治療のア  
レルギー性皮膚疾患に対する  
新展開」第 33 回 日本皮膚ア  
レルギー学会 総会・学術大会  
2003 年 7 月 5 日 東京
- 2 森下 竜一 「Comparison of the  
ointment containing NF κ B  
decoy oligodeoxynucleotides  
with tacrolimus hydrate Rapid  
regression and no tachyphlaxis in  
the treatment of atopic dermatitis  
in NC/Nga atopic mice model」  
The Japan Society of Gene  
Therapy  
2003 年 7 月 18 日 京都
- 3 森下 竜一 「皮膚関連疾患の  
遺伝子治療 from bench to bed」  
L.O. 皮膚科学研究会夏季プロ  
クラム 2003 年 8 月 30 日 東京

§ 研究成果の刊行に関する一覧

著者氏名	論文タイトル名	発表雑誌名	巻号	ページ	出版年
Oshima K, Shimamura M, Mizuno S, <u>Tamai K</u> , Doi K, Morishita R, Toshikazu Nakamura T Kubo T, Kaneda Y	Intrathecal injection of HVJ-E containing HGF gene to cerebrospinal fluid can prevent and ameliorate hearing impairment in rats	FASEB J		in press	
Umegaki N, Moritsugu R, Katoh S, Harada K, Nakano H, <u>Tamai K</u> , Hanada K, Tanaka M	Photodynamic therapy may be useful to debulk cutaneous lymphoma prior to radiotherapy	British J Dermatol		in press	
Umegaki N, Moritsugu R, Katoh S, Harada K, Nakano H, <u>Tamai K</u> , Hanada K, Tanaka M	Photodynamic therapy may be useful in debulking cutaneous lymphoma prior to radiotherapy	Clinical and Experimental Dermatology	29	42-45	2004
<u>Tamai K</u> , Hashimoto I, Hanada K, Ikeda S, Imamura S, Ogawa H	Japanese guidelines for diagnosis and treatment of junctional and dystrophic epidermolysis bullosa	Arch Dermatol Res	295	S24-S28	2003
Kaneda Y, <u>Tamai K</u>	Current status and future prospects of gene therapy technologies toward the treatment of intractable skin diseases.	Arch Dermatol Res	295	63-66	2003
Matsuzaki Y, <u>Tamai K</u> , Kon A, Sawamura D, Uitto J, Hashimoto M,	Keratinocyte responsive element 3(KRE3) Analysis of a keratinocyte-specific regulatory sequence in the 230-kD bullous pemphigoid antigen(BPAG1) gene promoter.	J Invest Dermatol	120	308-12	2003
玉井 克人	アトピー性皮膚炎の遺伝子治療	最新医学(最新医学社)	16	157-163	2003
玉井 克人 森下 龍一 中郷 広重 金田 安史 花田 勝美	アトピー性皮膚炎に対する核酸医薬導入による新しい治療法	アレルギー・免疫(医薬シーナル社)	10(3)	89-96	2003

Midorikawa K, Ouhara K, Komatsuzawa H, Kawai T, Yamada S, Fujiwara T, Yamzaki K, Sayama K, Taubman M A, Kurihara H, <u>Hashimoto K</u> , Sugai M	Staphylococcus aureus Susceptibility to Innate Antimicrobial Peptides, $\beta$ - Defensins and CAP18, Expressed by Human Keratinocytes	Infection and Immunity	71 (7)	3730–3739	2003
Shirakata Y, Tamai K, Nakaoka H, Tokumaru S, Sayama K, Murakami S, <u>Hashimoto K</u>	Severe Palmo-Plantar Hyperkeratosis in Koebner Epidermolysis Bullosa Simplex	The Journal of Dermatology	30	135–140	2003
<u>Hashimoto K</u> , Yasukawa M, Tohyama M	Human herpesvirus 6 and drug allergy	Drug allergy		255–260	2003
Yanai F, Ishii E, Kojima K, Hasegawa A, Azuma T, Hirose S, Suga N, Mitsudome A, Zaitsu M, Ishida Y, Shirakata Y, Sayama K, <u>Hashimoto K</u> , Yasukawa M	Essential Roles of Perforin in Antigen-Specific Cytotoxicity Mediated by Human CD4 $^{+}$ T Lymphocytes Analysis Using the Combination of Hereditary Perforin-Deficient Effector Cells and Fas- Deficient Target Cells	The Journal of Immunology	170	2205–2213	2003
Shirakata Y, Tokumaru S, Yamasaki K, Sayama K, <u>Hashimoto K</u>	So-called biological dressing effects of cultured epidermal sheets are mediated by the production of EGF family, TGF- $\beta$ and VEGF	Journal of Dermatological Science	32	209–215	2003
Yamasaki K, Hanakawa Y, Tokumaru S, Shirakata Y, Sayama K, Hanada T, Yoshimura A, <u>Hashimoto K</u>	Suppressor of Cytokine Signaling 1/JAB and Suppressor of Cytokine Signaling 3/Cytokine-Inducible SH2 Containing Protein 3 Negatively Regulate the Signal Transducers and Activators of Transcription Signaling Pathway in Normal	The Journal of Investigative Dermatology	120	571–580	2003

Wada T, Shirakata Y, Takahashi H, Murakami S, Iizuka H, Suzuki H, <u>Hashimoto K</u>	A Japanese case of segmental Darier's disease caused by mosaicism for the ATP2A2 mutation	British Journal of Dermatology	149	185–188	2003
Nakamura Y, Fukami K, Yu H, Takenaka K, Kataoka Y, Shirakata Y, Nishikawa S, <u>Hashimoto K</u> , Yoshida N, Takenawa T	Phospholipase C $\delta_1$ is required for skin stem cell lineage commitment	The EMBO Journal	22 (12)	2981–2991	2003
Yahata Y, Shirakata Y, Tokumaru S, Yamasaki K, Sayama K, Hanakawa Y, Detmar M, <u>Hashimoto K</u>	Nuclear Translocation of Phosphorylated STAT3 Is Essential for Vascular Endothelial Growth Factor- induced Human Dermal Microvascular Endothelial Cell Migration and Tube Formation	The Journal of Biological Chemistry	278 (41)	40026–40031	2003
Iwamoto R, Yamazaki S, Asakura M, Takashima S, Hasuwa H, Miyado K, Adachi S, Kitakaze M, <u>Hashimoto K</u> , Raab G, Nanba D, Higashiyama S, Hori M, Klagsbrun M, Mekada E	Heparin-binding EGF-like growth factor and ErbB signaling is essential for heart function	Proceedings of the National Academy of Sciences	100 (6)	3221–3226	2003
Yamasaki K, Torii N, Hanakawa Y, Shirakata Y, Sayama K, Takayanagi A, Ohtsubo M, Gamou S, Shimizu N, Fuji M, Miyazono K, <u>Hashimoto K</u>	Keratinocyte Growth Inhibition by High-Dose Epidermal Growth Factor Is Mediated by Transforming Growth Factor $\beta$ -Autoinduction A Negative Feedback Mechanism for Keratinocyte Growth	The Journal of Investigative Dermatology	120	1030–1037	2003

<u>Kaneda Y.</u> Tamai K	Current status and future prospects of gene therapy technologies toward the treatment of intractable skin diseases	Arch Dermatol Res	295	S63-S66	2003
Ogushi I, Imuro Y, Seki E, Son G, Hirano T, Hada T, Tsutsui H, Nakanishi K, Morishita R, <u>Kaneda Y.</u> , Fujimoto J	Nuclear Factor κB Decoy Oligodeoxynucleotides Prevent Endotoxin-Induced Fatal Liver Failure in a Murine Model	Hepatology	38	335-344	2003
Wu M-H, Yokozeki H, Yamamoto T, Satoh T, <u>Kaneda Y.</u> , Katayama I, Nishioka K	Hepatocyte growth factor both prevents and ameliorates the symptoms of dermal sclerosis in a mouse model of scleroderma	Gene Therapy	11	170-180	2004
Yamazaki S, Iwamoto R, Saeki K, Asakura M, Takashima S, Yamzaki A, Kimura R, Mizushima H, Higashiyama S, Endoh M, <u>Kaneda Y.</u> , Takagi S, Itami S, Takeda N, Yamada G, Mekada E	Mice with defects in HB-EGF ectodomain shedding show severe developmental abnormalities	The Journal of Cell Biology	163	469-475	2003
Yamasaki K, Asai T, Shimizu M, Aoki M, Hayashi N, Sakonjo H, Makino H, Kaneda Y, Oghara T, Morishita R	Inhibition of NFκB activation using cis-element 'decoy' of NFκB binding site reduces neointimal formation in porcine balloon-injured coronary artery model	Gene Therapy	10	356-364	2003
<u>Morishita R.</u> Kaneda Y, Oghara T	Therapeutic Potential of Oligonucleotide-Based Therapy in Cardiovascular Disease	Current Opinion	17	383-389	2003

Azuma T, Tomita N, Kaneda Y, Ogihara T, Katsuoka Y, Morishita R	Transfection of NFκB-decoy oligodeoxynucleotides using efficient ultrasound-mediated gene transfer into donor kidneys prolonged survival of rat renal allografts	Gene Therapy	10 (5)	415-425	2003
Tomita N, Ogihara T, Morishita R	Therapeutic potential of oligonucleotides strategy in cardiovascular diseases	Expert Review of Cardiovascular Therapy	1 (3)	463-470	2003

20030664

以降は雑誌/図書等に掲載された論文となりますので、  
「研究成果の刊行に関する一覧表」をご参照ください。