

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Yao Z, Nakamura H, Masuko-Hongo K, Suzuki-Kurokawa M, Nishioka K, Kato T.	Characterisation of cartilage intermediate layer protein (CILP)-induced arthropathy in mice.	Ann Rheum Dis	63	252-258	2004
Dai SM, Matsuno H, Nakamura H, Nishioka K, Yudoh K.	Interleukin-18 Enhances Monocyte Tumor Necrosis Factor α and Interleukin-1 β Production Induced by Direct Contact With T Lymphocytes.	Arthritis Rheum	50	432-443	2004
Yuan G.-H, Tanaka M, Masuko-Hongo K, Shibakawa A, Kato T, Nishioka K, Nakamura H.	Characterization of cells from pannus-like tissue over articular cartilage of advanced osteoarthritis.	Osteoarthritis Cartilage	12	38-45	2004
Distler JH, Hagen C, Hirth A, Muller-Ladner U, Lorenz HM, Del Rosso A, Michel BA, Gay RE, Nanagara R, Nishioka K, Matucci-Cerinic M, Kalden JR, Gay S, Distler O.	Bucillamine induces the synthesis of Vascular Endothelial Growth Factor Dose-Dependently in systemic sclerosis fibroblasts via Nuclear Factor- κ (kappa)B and Simian Virus 40 Promoter Factor 1 Pathways.	Mol Pharmacol	65	389-399	2004
Sakata M, Masuko-Hongo K, Nakamura H, Onuma H, Tsuruha JI, Aoki H, Nishioka K, Kato T.	Osteoarthritic articular chondrocytes stimulate autologous T cell responses <i>in vitro</i> .	Clin Exp Rheumatol	21	704-710	2003
Yuan GH, Masuko-Hongo K, Kato T, Nishioka K.	Immunological intervention in the Pathogenesis of Osteoarthritis.	Arthritis Rheum	48	602-611	2003
Shibakawa A, Aoki H, Masuko-Hongo K, Kato T, Tanaka M, Nishioka K, Nakamura H.	Presence of pannus-like tissue on osteoarthritic cartilage and its histological character.	Osteoarthr Cartilage	11	133-140	2003
Inoue K, Masuko-Hongo K, Okamoto M, Nishioka K.	Efficacy of daily compared to intermittent administration of IL-1Ra for protection against bone and cartilage destruction in collagen-challenged mice.	Clin Exp Rheumatol	21	33-39	2003
Wu X., Yoshida A., Sasano T., Iwakura Y., Endo Y.	Histamine production via mast cell-independent induction of histidine decarboxylase in response to lipopolysaccharide and interleukin-1.	Int Immunopharmacol			2004 (in press)
Timoshanko J. R., Kitching R. A., Iwakura Y., Holdsworth S., R., Tipping P. G.	Contributions of IL-1 β and IL-1 α to crescentic glomerulonephritis in mice.	Am J Physiol			2004 (in press)
Timoshanko J. R., Kitching A. R., Iwakura Y., Holdsworth S. R., Tipping P. G.	Leukocyte derived IL-1 β interact with renal IL-1 receptor I to promote renal TNF and glomerular injury in murine crescentic glomerulonephritis.	Am J Physiol			2004 (in press)

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Kobari Y., Misaki Y., Setoguchi K., Zhao W., Komagata Y., Kawahata K., Iwakura Y., Yamamoto K.	T cells accumulating in the inflamed joints of a spontaneous murine model of rheumatoid arthritis become restricted to common clonotypes during disease progression.	Int Immunol	16	131-138	2004
Ishida Y., Kondo T., Takayasu T., Iwakura Y., Mukaida N.	The essential involvement of cross-talk between IFN- γ and TGF- β in the skin wound-healing process.	J Immunol	172	1848-1855	2004
Ishida Y., Maegawa T., Kondo T., Kimura A., Iwakura Y., Nakamura S., Mukaida N.	Essential involvement of IFN- γ in <i>Clostridium difficile</i> toxin A-induced enteritis.	J Immunol	172	3018-3025	2004
Ishihara K., Sawa S. I., Ikushima H., Hirota S., Atsumi T., Kamimura D., Park S. J., Murakami M., Kitamura Y., Iwakura Y., Hirano T.	The point mutation of tyrosine 759 of the IL-6 family cytokine receptor gp130 synergizes with HTLV-1 pX in promoting rheumatoid arthritis-like arthritis.	Int Immunol	16	455-465	2004
Nakae S., Komiyama Y., Narumi S., Sudo K., Horai R., Tagawa Y., Sekikawa K., Matsushima K., Asano M., Iwakura Y.	IL-1-induced TNF α elicits inflammatory cell infiltration in the skin by inducing interferon- γ -inducible protein-10 in the elicitation phase of contact hypersensitivity response.	Int Immunol	15	251-260	2003
Tanaka J., Ishida T., Choi B.-I., Watanabe T., Yasuda J., Iwakura Y.	Latent HIV-1 reactivation in transgenic mice requires cell cycle-dependent demethylation of CREB/ATF sites in the LTR.	AIDS	17	165-175	2003
Sashinami H., Nakane A., Iwakura Y., Sasaki M.	Effective induction of acquired resistance to <i>Listeria monocytogenes</i> by immunizing mice with <i>in vivo</i> -infected dendritic cells.	Infect Immun	71	117-125	2003
Nakae S., Komiyama K., Yokoyama H., Nambu A., Umeda M., Iwase M., Homma I., Sudo K., Horai R., Asano M., Iwakura Y.	Interleukin-1 is required for allergen-specific Th2 cell activation and the development of airway hypersensitivity response.	Int Immunol	15	483-490	2003
Voronov E., Shouval D. S., Krelin Y., Cagnano E., Benharroch D., Iwakura Y., Dinarello C. A., Apte R. N.	Interleukin 1 is required for tumor invasiveness and angiogenesis.	Proc Natl Acad Sci USA	100	2645-2650	2003
Kirii H., Niwa T., Yamada Y., Wada H., Saito K., Iwakura Y., Asano M., Moriwaki H., Seshima M.	Lack of interleukin-1 β decreases the severity of atherosclerosis in apolipoprotein E-deficient mice.	Arterioscl Throm Vas Biol	23	656-660	2003
Nakae S., Saijo S., Horai R., Sudo K., Mori S., Iwakura Y.	IL-17 production from activated T cells is required for the spontaneous development of destructive arthritis in mice deficient in IL-1 receptor antagonist.	Proc Natl Acad Sci USA	100	5986-5990	2003

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Asano M., Nakae S., Kotani N., Shirafuji N., Nambu A., Hashimoto N., Kawashima H., Hirose M., Miyasaka M., Takasaki S., Iwakura Y.	Impaired selectin ligand biosynthesis and reduced inflammatory responses in β -1,4-galactosyltransferase-I-deficient mice.	Blood	102	1678-1685	2003
Wheeler R. D., Brough D., Le Feuvre R. A., Takeda K., Iwakura Y., Luheshi G. N., Rothwell N. J.	Interleukin-18 induces expression and release of cytokines from murine glial cells: interactions with interleukin-1 β .	J Neurochem	85	1412-1420	2003
Isoda K., Shiigai M., Ishigami N., Matsuki T., Horai R., Nishikawa K., Kusuhara M., Nishida Y., Iwakura Y., Ohsuzu F.	Deficiency of interleukin-1 receptor antagonist promotes neointimal formation after injury.	Circulation	108	516-518	2003
Matsuki T., Horai R., Sudo K., Iwakura Y.	IL-1 plays an important role in lipid metabolism by regulating insulin levels under physiological conditions.	J Exp Med	198	877-888	2003
Miyake-Nishijima R., Iwata S., Saijo S., Kobayashi H., Kobayashi S., Souta-Kuribara A., Hosono O., Kawasaki H., Tanaka H., Ikeda E., Okada Y., Iwakura Y., Morimoto C.	Role of Crk-associated substrate lymphocyte type in the pathophysiology of rheumatoid arthritis in <i>tax</i> transgenic mice and in humans.	Arthritis Rheum	48	1890-1900	2003
Kariyone A., Tamura T., Kano H., Iwakura Y., Takeda K., Akira S., Takatsu K.	Immunogenicity of peptide-25 of Ag85B in Th1 development: role of IFN- γ .	Int Immunol	15	1183-1194	2003
Nakae S., Nambu A., Sudo K., Iwakura Y.	Suppression of immune induction of collagen-induced arthritis in IL-17-deficient mice.	J Immunol	171	6173-6177	2003
Ohtaki H., Takaki A., Yin L., Dohi K., Nakamachi T., Matsunaga M., Horai R., Asano M., Iwakura Y., Shioda S.	Suppression of oxidative stress after transient focal ischemia in interleukin-1 knock out mice.	Acta Neurochir (Suppl)	86	191-194	2003
Ono Y., Ogihara Y., Saijo S., Iwakura Y., Inoue M.	Evaluation of Kampo medicines used to treat rheumatoid arthritis in collagen-induced arthritis and pX transgenic mice.	Mod Rheumatol	13	50-56	2003
Yokoyama H., Yasuda J., Okamoto H., Iwakura Y.	Pathological changes of renal epithelial cells in mice transgenic for the TT virus ORF1 gene.	J Gen Virol	83	141-150	2003
Desaki M., Sugawara I., Iwakura Y., Yamamoto K., Takizawa H.	Role of interferon-gamma in the development of murine bronchus-associated lymphoid tissues induced by silica <i>in vivo</i> .	Toxicol Appl Pharmacol	185	1-7	2002

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Yoshida M., Shirai Y., Watanabe T., Yamori M., Iwakura Y., Chiba T., Kita T., Wakatsuki Y.	Differential localization of colitogenic Th1 and Th2 cells monospecific to a microflora-associated antigen in mice.	Gastroenterology	123	1949-1961	2002
Oguri S., Motegi K., Iwakura Y., Endo Y.	Primary role of interleukin-1 α and Interleukin-1 β in lipopolysaccharide-induced hypoglycemia in mice.	Clin Diagn Lab Immunol	9	1307-1312	2002
Kakuta S., Shibata S., Iwakura Y.	Genomic structure of the mouse 2', 5'-oligoadenylate synthetase gene family.	J Interferon Cytokine Res	22	981-993	2002
Sakamaki K., Inoue T., Asano M., Sudo K., Kazama H., Sakagami J., Sakata S., Ozaki M., Nakamura S., Toyokuni S., Osumi N., Iwakura Y., Yonehara S.	<i>Ex vivo</i> whole-embryo culture of caspase-8-deficient embryos normalize their aberrant phenotypes in the developing neural tube and heart.	Cell Death Differ	11	1196-1206	2002
Nakae S., Komiyama Y., Nambu A., Sudo K., Iwase M., Homma I., Sekikawa K., Asano M., Iwakura Y.	Antigen-specific T cell sensitization is impaired in IL-17-deficient mice, resulting in the suppression of allergic cellular and humoral responses.	Immunity	17	375-387	2002
Iwakura Y.	Roles of IL-1 in the development of rheumatoid arthritis: Consideration from mouse models.	Cytokine Growth Factor Rev	13	341-355	2002
Mizuki M., Nakane A., Sekikawa K., Tagawa Y.-I., Iwakura Y.	Comparison of host resistance to primary and secondary <i>Listeria monocytogenes</i> infections in mice by intranasal and intravenous routes.	Infect Immun	70	4805-4811	2002
Ishida Y., Kondo T., Ohshima T., Fujiwara H., Iwakura Y., Mukaida N.	A pivotal involvement of IFN- γ in the pathogenesis of acetaminophen-induced acute liver injury.	FASEB J	16	1227-1236	2002
Konishi H., Tsutsui H., Murakami T., Yumikura-Futatsugi S., Yamanaka K., Tanaka M., Iwakura Y., Suzuki N., Fuchs E. V., Takeda K., Akira S., Nakanishi K., Mizutani H.	IL-18 contributes to the spontaneous development of atopic dermatitis-like inflammatory skin lesion independently of IgE/stat6 under specific pathogen-free conditions.	Proc Natl Acad Sci USA	99	11340-11345	2002
Nagai Y., Akashi S., Nagafuku M., Ogata M., Iwakura Y., Akira S., Kitamura T., Kosugi A., Kimoto M., Miyake K.	Essential role of MD-2 in LPS responsiveness and TLR4 distribution.	Nat Immunol	3	667-672	2002
Yamamoto S., Oka S., Inoue M., Shimuta M., Manabe T., Takahashi H., Miyamoto M., Asano M., Sakagami J., Sudo K., Iwakura Y., Kawasaki T.	Mice deficient in nervous system-specific carbohydrate epitope HNK-1 exhibit impaired synaptic plasticity and spatial learning.	J Biol Chem	277	27227-27231	2002

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Asahi Y., Yoshikawa T., Watanabe I., Iwasaki T., Hasegawa H., Sato Y., Shimada S., Nanno M., Matsuoka Y., Ohwaki M., Iwakura Y., Suzuki Y., Aizawa C., Sata T., Kurata T., Tamura, S.	Protection against influenza virus infection in polymeric Ig receptor knockout mice immunized intranasally with adjuvant-combined vaccines.	J Immunol	168	2930-2938	2002
Nagai Y., Shimazu R., Ogata H., Akashi S., Sudo K., Yamasaki H., Hayashi S., Iwakura Y., Kimoto M., Miyake K.	Requirement for MD-1 in cell surface expression of RP105/CD180 and B-cell responsiveness to lipopolysaccharide.	Blood	99	1699-1705	2002
Kakuta S., Tagawa Y., Shibata S., Nanno M., Iwakura Y.	Inhibition of B16 melanoma experimental metastasis by interferon- γ through direct inhibition of cell proliferation and activation of anti-tumor host mechanisms.	Immunology	105	92-100	2002
Saijo S., Asano M., Horai R., Yamamoto H., Iwakura, Y.	Suppression of autoimmune arthritis in IL-1-deficient mice in which T cell activation is impaired due to low levels of CD40L and OX40 expression on T cells.	Arthritis Rheum	46	533-544	2002
Takeda K., Hayakawa Y., Smyth M. J., Kayagaki N., Yamaguchi N., Kakuta S., Iwakura Y., Yagita H., Okumura K.	Involvement of tumor necrosis factor-related apoptosis-inducing ligand in surveillance of tumor metastasis by liver natural killer cells.	Nat Med	7	94-100	2001
Seino K., Fukao K., Muramoto K., Yanagisawa K., Takada Y., Kakuta S., Iwakura Y., Van Kaer L., Takeda K., Nakayama T., Taniguchi M., Bashuda H., Yagita H., Okumura K.	Requirement for NKT cells in the induction of allograft tolerance.	Proc Natl Acad Sci USA	98	2577-2581	2001
Yoneto T., Waki S., Takai T., Tagawa Y., Iwakura Y., Mizuguchi J., Nariuchi H., Yoshimoto T.	A critical role of Fc receptor-mediated antibody-dependent phagocytosis in the host resistance to blood-stage <i>Plasmodium berghei</i> XAT infection.	J Immunol	166	6236-6241	2001
Hayakawa Y., Takeda K., Yagita H., Kakuta S., Iwakura Y., Van Kaer L., Saiki I., Okumura K.	Critical contribution of IFN- γ and NK cells, but not perforin-mediated cytotoxicity, to anti-metastatic effect of alpha-galactosylceramide.	Eur J Immunol	31	1720-1727	2001
Shibata S., Kakuta S., Hamada K., Sokawa Y., Iwakura Y.	Cloning of a novel 2', 5'-oligoadenylate synthetase-like molecule, Oas15 in mice.	Gene	271	261-271	2001
Nakae S., Asano M., Horai R., Sakaguchi N., Iwakura Y.	IL-1 enhances T cell-dependent antibody production through induction of CD40L and OX40 on T cells.	J Immunol	167	90-97	2001

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Yasuda J., Miyao T., Kamata M., Aida Y., Iwakura Y.	T cell apoptosis causes peripheral T cell depletion in mice transgenic for the HIV-1 <i>vpr</i> .	Virology	285	181-192	2001
Boutin H., LeFeuvre R. A., Horai R., Asano M., Iwakura Y., Rothwell N.	Role of IL-1 α and IL-1 β in ischaemic brain damage.	J Neuroscience	21	5528-5534	2001
Sato M., Chamoto K., Tsuji T., Iwakura Y., Togashi Y., Koda T., Nishimura T.	Th1 cytokine-conditioned bone marrow-derived dendritic cells can bypass the requirement for Th functions during the generation of CD8(+) CTL.	J Immunol	167	3687-3691	2001
Dal J. H., Iwatani Y., Ishida T., Terunuma H., Kasai H., Iwakura Y., Fujiwara H., Ito M.	Glycyrrhizin enhances interleukin-12 production in peritoneal macrophage.	Immunology	103	235-243	2001
Le Feuvre R. A., Brough D., Iwakura Y., Takeda K., Rothwell N. J.	Priming of macrophages with LPS potentiates P2X7 mediated cell death via a caspase-1 dependent mechanism, independently of cytokine production.	J Biol Chem	277	3210-3218	2001
Nakae S., Naruse-Nakajima C., Sudo K., Horai R., Asano M., Iwakura Y.	IL-1 α , but not IL-1 β , is required for contact-allergen-specific T cell activation during the sensitization phase in contact hypersensitivity.	Int Immunol	13	1471-1478	2001
Nakae S., Asano M., Horai R., Iwakura Y.	Interleukin-1 β , but not interleukin-1 α , is required for T cell-dependent antibody production.	Immunology	104	402-409	2001
Kawabata D., Tanaka M., Fujita T., Umehara H., Fujita Y., Yoshifuji H., Mimori T., Ozaki S.	Ameliorative effects of follistatin-related protein/TSC-36 on joint inflammation in a mouse model of arthrites.	Arthritis Rheum	50	660-668	2004
Tanaka M., Ozaki S., Kawabata D., Kishimura M., Osakada F., Okubo M., Murakami M., Nakao K., Mimori T.	Potential preventive effects of follistatin-related protein/ TSC-36 on joint destruction and antagonistic modulation of its autoantibodies in rheumatoid arthritis.	Int immunol	15	71-77	2003
Akamizu T., Ozaki S., Hiratani H., Uesugi H., Sobagima J., Hataya Y., Kanamoto N., Saijo M., Hattori Y., Moriyama K., Ohmori K., Nakao K.	Drug-induced neutropenia associated with anti-neutrophil cytoplasmic antibodies (ANCA): possible involvement of complement in granulocyte te cytotoxicity.	Clin Exp Immunol	127	92-98	2002
Fujita Y., Murakami M., Ogawa Y., Masuzaki H., Tanaka M., Ozaki S., Nakao K., Mimori T.	Leptin inhibits stress-induced apoptosis of T lymphocytes.	Clin Exp Immunol	128	21-26	2002
Fida S., Myers A.M., Whittingham S., Rowley J.M., Ozaki S., Mackay R.I.	Autoantibodies to the transcriptional factor SOX13 in primary biliary cirrhosis compared with other diseases.	J Autoimmun	19	251-257	2002

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Okazaki T., Ozaki S., Nagaoka T., Kozuki M., Sumita S., Tanaka M., Osakada F., Kishimura M., Kakutani T., Nakao K.	Antigen-specific Th1 cell as direct effectors of Propionibacterium acnes-primed lipopolysaccharide-induced hepatic injury.	Int immunol	13	607-613	2001
Koga T, Inui M, Inoue K, Kim S, Suematsu A, Kobayashi E, Iwata T, Ohnishi H, Matozaki T, Kodama T, Taniguchi T, Takayanagi H, Takai T	ITAM-mediated costimulatory signals cooperate with RANKL for bone homeostasis	Nature			2004 (in press)
Urushibara M*, Takayanagi H*, Koga T, Kim S, Isobe M, Morishita Y, Nakagawa T, Kurosawa H, Taniguchi T. (*Equal contributors)	Antirheumatic drug, leflunomide, inhibits osteoclastogenesis by interfering with RANKL-stimulated induction of NFATc1.	Arthritis Rheum	50	794-804	2004
Kim, S, Koga, T, Isobe M, Kern BE, Yokochi T, Chin YE, Karsenty G, Taniguchi T, Takayanagi H.	Stat1 functions as a cytoplasmic attenuator of Runx2 in the transcriptional program of osteoblast differentiation	Gene Dev	17	1979-1991	2003
高柳 広	骨と免疫のクロストーク	現代医療	36	697-704	2004
高柳 広	免疫系シグナルによる破骨細胞分化制御	生化学	75	1535-1540	2003
高柳 広	Osteoimmunology	内科	93	223-228	2004
高柳 広	インターフェロンと RANKL シグナル制御	Molecular Medicine	40	1332-1340	2003
高柳 広	免疫と骨代謝のクロストーク	リウマチ	43	624-31	2003
高柳 広	RANKL の骨吸収作用を制御する IFN- β と IFN- γ の役割	THE BONE	17	51-59 (475-483)	2003
高柳 広	サイトカインシグナルのクロストーク: RANKL の制御系をモデルとして	炎症と免疫	11	106-116	2003
高柳 広	関節リウマチにおける骨破壊機序	クリニカルカルシウム	13	16-23	2003
高柳 広	オステオimmunology	Molecular Medicine	40	690-695	2003
中島利博, 田中 栄, 妻木範行, 高柳 広	運動器科学の黎明 (紙上座談会)	カレントセラピー	21	80-87	2003
高柳 広, 織田弘美	関節炎とインターフェロン	リウマチ科	29	50-57	2003
高柳 広, 金 宣和, 谷口維紹	サイトカインと骨代謝	実験医学増刊号「シグナル伝達研究 2003」	21	91-96 (209-214)	2003
Matsui Y, Chansky HA, Barahmand-Pour F, Zielinska-Kwiatkowska A, Tsumaki N, Myoui A, Yoshikawa H, Yang L, Eyre DR.	COL11A2 collagen gene transcription is differentially regulated by EWS/ERG sarcoma fusion protein and wild-type ERG.	J Biol Chem	278	11369-11375	2003

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Tsumaki N, Nakase T, Miyaji T, Kakiuchi M, Kimura T, Ochi T, Yoshikawa H.	Bone Morphogenetic Protein signals are required for cartilage formation and differently regulate joint development during skeletogenesis.	J Bone Miner Res	17	898-906	2002
Tanaka K, Tsumaki N, Kozak CA, Matsumoto Y, Nakatani F, Iwamoto Y, Yamada Y.	A Krueppel-Associated Box-Zinc Finger Protein, NT2, Represses Cell-Type-Specific Promoter Activity of the $\alpha 2(XI)$ Collagen Gene.	Mol Cell Biol	22	4256-4267	2002
妻木範行	軟骨形成におけるXI型コラーゲン $\alpha 2$ 鎖遺伝子の役割と転写制御	医学の歩み	205	184-186	2003
Tetsuya Amano, Satoshi Yamasaki, Naoko Yagishita, Kaneyuki Tsuchimochi, Hiroshi Shin, Ko-ichi Kawahara, Satoko Aratani, Hidetoshi Fujita, Lei Zhang, Rie Ikeda, Ryoji Fujii, Setsuro Komiya, Kusuki Nishioka, Ikuro Maruyama, Akiyoshi Fukamizu and Toshihiro Nakajima.	Synoviolin/Hrd1, an E3 ubiquitin ligase, as a novel pathogenic factor for arthropathy.	Gene Dev	17	2436-2449	2003
K. Abeyama, K. Kawahara, S. Iino, T. Hamada, S. Arimura, K. Matsushita, T. Nakajima, I. Maruyama.	Antibiotic cyclic AMP signaling by "primed" leukocytes confers anti-inflammatory cytoprotection.	J Leukocyte Biol	74	1-8	2003
Ko-ichi Kawahara, Hisashi Kawabata, Satoko Aratani, Toshihiro Nakajima.	Hyper nuclear acetylation (HNA) in proliferation, differentiation and apoptosis.	Ageing Research Reviews (Elsevier)	2	287-297	2003
Taniguchi, K. Kawahara, K. Yone, T. Hashiguchi, M. Yamakuchi, M. Goto, K. Inoue, S. Yamada, K. Ijiri, S. Matsunaga, T. Nakajima, S. Komiya, I. Maruyama.	High Mobility Group Box Chromosomal Protein 1 Plays a Role in the Pathogenesis of Rheumatoid Arthritis as a Novel Cytokine.	Arthritis Rheum	48	971-981	2003
Shoko Nishimura, Nobuaki Maeno, Katsuhiko Matsuo, Toshihiro Nakajima, Isao Kitajima, Hidehiko Saito and Ikuro Maruyama.	HUMAN LACTIFEROUS MAMMARY GLAND CELLS PRODUCE VASCULAR ENDOTHELIAL GROWTHFACTOR (VEGF) AND EXPRESS THE VEGF RECEPTORS, Flt-1 AND KDR/Flk-1.	Cytokine	18	191-198	2002
S. Aratani, R. Fujii, H. Fujita, A. Fukamizu, T. Nakajima.	Aromatic residues are required for RNA helicase A mediated transactivation.	Int J Mol Med	12	175-180	2003
H. Fujita, R. Fujii, S. Aratani, T. Amano, A. Fukamizu, T. Nakajima.	Antithetic Effects of MBD2a on Gene Regulation.	Mol Cell Biol	23	2645-2657	2003

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
T. Hirose, R. Fujii, H. Nakamura, A. Aratani, H. Fujita, M. Nakazawa, K. Nakamura, K. Nishioka, T. Nakajima.	Regulation of CREB-mediated transcription by association of CDK4 binding protein p34 SEI-1 with CBP.	Int J Mol Med	11	705-712	2003
N. Araya, K. Hirota, Y. Shimamoto, M. Miyagishi, E. Yoshida, J. Ishida, S. Kaneko, M. Kaneko, T. Nakajima., A. Fukamizu.	Cooperative Interaction of EWS with CREB-binding Protein Selectively Activates Hepatocyte Nuclear Factor 4-mediated Transcription.	J Biol Chem	278	5427-5432	2003
M. Nakazawa, S. Aratani, M. Hatta, N. Araya, H. Daitoku, K. Kawahara, S. Watanabe, H. Nakamura, S. Yoshino, A. Fukamizu, K. Nishioka T. Nakajima.	TNF α induces acetylation of p53 but attenuates its transcriptional activation in rheumatoid synoviocytes.	Int J Mol Med	10	269-275	2002
T. Imaizumi, S. Aratani, T. Nakajima, M. Carlson, T. Matsumiya, K. Tanji, K. Ookawa, H. Yoshida, S. Tsuchida, T. M. McIntyre, S. M. Prescott, G. A. Zimmerman, K. Satoh.	Retinoic Acid-Inducible Gene-1 Is Induced in Endothelial Cells by LPS and Regulates Expression of COX-2.	Biochem Bioph Res Commun	292	274-279	2002
Nguyen Ngoc Chau, H. Nakamura, M. Nakazawa, T. Hirose, T. Kobata, K. Nishioka, T. Nakajima.	Expression of HOXD9 in fibroblast-like synoviocytes from rheumatoid arthritis patients.	Int J Mol Med	10	41-48	2002
H. Kitagawa, J. Yanagisawa, H. Fuse, S. Ogawa, Y. Yogiashi, A. Okuno, H. Nagasawa, T. Nakajima T. Matsumoto, S. Kato.	Ligand Selective Potentiation of Rat Mineralocorticoid Receptor Activation Function-1 (AF-1) by ACBP-containing HAT complex.	Mol Cell Biol	22	3698-3706	2002
H. Kawabata, K. Kawahara, T. Kanekura, N. Araya, H. Daitoku, M. Hatta, N. Miura, A. Fukamizu, T. Kanzaki, I. Maruyama, T. Nakajima.	Possible role of transcriptional coactivator P/CAF and nuclear acetylation in calcium induced keratinocyte differentiation.	J Biol Chem	277	8099-8105	2002
H. Ishii, M. Nakazawa, S. Yoshino, H. Nakamura, K. Nishioka, T. Nakajima.	Expression of Notch homologues in the synovium of rheumatoid arthritis and osteoarthritis patient.	Rheumatol Int	21	10-14	2001
H. Daitoku, J. Ishida, K. Fujiwara, T. Nakajima, A. Fukamizu.	Dimerization of small GTPase Rab5.	Int J Mol Med	8	397-404	2001

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
S. Aratani, R. Fujii, T. Oishi, H. Fujita, T. Amano, T. Ohshima, M. Hagiwara, A. Fukamizu, T. Nakajima.	Dual roles of RNA helicase A in CREB-dependent transcription.	Mol Cell Biol	21	4460-4469	2001
M. Nakazawa, H. Ishii, H. Aono, M. Takai, T. Honda, S. Aratani, A. Fukamizu, H. Nakamura, S-I, Yoshino, T. Kobata, K. Nishioka, T. Nakajima.	Role of Notch-1 intracellular domain in activation of rheumatoid synoviocytes.	Arthritis Rheum	44	1545-1554	2001
R Fujii, M Okamoto, S Aratani, T Oishi, T Ohshima, K Taira, M Baba, A Fukamizu, T. Nakajima.	A role for RNA helicase A in TAR-dependent transcriptional regulation of the human immunodeficiency virus type 1.	J Biol Chem	276	5445-5451	2001
Nguyen Dinh Khoa, M Nakazawa, T Hasunuma, T Nakajima, H Nakamura, T Kobata, K Nishioka.	Potential role of HOXD9 in synoviocyte proliferation.	Arthritis Rheum	44	1013-1021	2001
KP. Sarker, M. Nakata, I. Kitajima, T. Nakajima, I. Maruyama.	Inhibition of Caspase-3 Activation by SB203580, p38 Mitogen-Activated Protein Kinase Inhibitor in Nitric Oxide-Induced Apoptosis of PC-12 Cells.	J Mol Neurosci	15	243-250	2001
Ohshima T, Yoshida Y, Nakajima T, Yagami K, Fukamizu A.	Effects of interaction between parvovirus minute virus of mice NS1 and coactivator CBP on NS1-and p53 transactivation.	Int J Mol Med	7	49-54	2001
Nakazawa M, Ishii H, Nakamura H, Yoshino S, Fukamizu A, Nishioka K, Nakajima T.	NFκB2 (p52) promoter activation via Notch signaling pathway in rheumatoid synoviocytes.	Int J Mol Med	7	31-35	2001
N. Watanabe, Y. Tezuka, K. Matsuno, S. Miyatani, N. Morimura, M. Yasuda, R. Fujimaki, K. Kuroda, Y. Hiraki, N. Hozumi, K. Tezuka.	Suppression of differentiation and proliferation of early chondrogenic cells by Notch.	J Bone Miner Metab	21	344-352	2003
T. Hayami, H. Funaki, K. Yaoeda, K. Mitui, H. Yamagiwa, K. Tokunaga, H. Hatano, J. Kondo, Y. Hiraki, T. Yamamoto, N. Endo.	Expression of the cartilage derived anti-angiogenic factor chondromodulin-I decreases in the early stage of experimental osteoarthritis.	J Rheumatol	30	2207-2217	2003
K. Kusafuka, F. P. Luyten, R. De Bondt, Y. Hiraki, C. Shukunami, T. Kayano, T. Takemura.	Immunohistochemical evaluation of cartilage-derived morphogenetic protein-1 and -2 in normal human salivary glands and pleomorphic adenomas.	Virchows Arch	442	484-490	2003

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
T.Shimajima, M.Okada, T.Nakayama, H.Ueda, K.Okawa, A.Iwamatsu, H.Handa and H.Hirose.	Drosophila FACT contributes to Hox gene expression through physical and functional interactions with GAGA factor.	Gene Dev	17	1605-1616	2003
C-H.Wu, Y.Yamaguchi, L.Benjamin, M.Horvat-Gordon, J.Washinski, E.Enerly, A.Lambertsson, H.Handa and D.Gilmour.	NELF and DSIF are implicated in causing promoter proximal pausing on the hsp70 promoter in Drosophila.	Gene Dev	17	1402-1414	2003
T.Narita, Y.Yamaguchi, K.Yano, S.Sugimoto, S.Chanarat, T.Wada, D-K.Kim, J.Hasegawa, M.Omori, N.Inukai, M.Endou, T.Yamada, and H.Handa.	Human transcription elongation factor NELF: Identification of novel subunits and reconstitution of the functionally active complex.	Mol Cell Biol	23	1863-1873	2003
半田 宏	アフィニティナノビーズの構築と創薬への応用	Bioベンチャー (羊土社)	3	90-92	2003
Suka M, Yoshida K.	The national burdens of rheumatoid arthritis and osteoarthritis in Japan: projections to the year 2010 with future changes in severity distribution.	Modern Rheumatology			2004 (in press)

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Iwakura Y.	Autoimmune chronic inflammatory arthropathy in mice transgenic for the HTLV-I tax gene.	eds. K. Sugamura, R. Uchiyama, M. Matsuoka, and M. Kannagi	<i>Two decades of adult T-cell leukemia and HTLV-I research, Gann Monograph on Cancer Research, 50</i>	Japan Scientific Societies Press and Karger	Tokyo	2003	197-218
Nakae S., Horai R., Komiyama Y., Nambu A., Asano M., Nakane A., Iwakura Y.	The role of IL-1 in the immune system.	ed. G. Fantuzzi	<i>Cytokine Knockouts</i>	Humana Press	Totowa, NJ,	2003	95-109
尾崎承一	治療学：免疫療法	杉本恒明、小俣政男、水野美邦（総編集）	内科学	朝倉書店	東京	2003	240-243
尾崎承一	結節性多発動脈炎	竹原和彦、桑名正隆、宮地良樹（編集）	新・膠原病 診断と治療の最新ポイント 皮膚から内臓へ	診断と治療社	東京	2002	100-105
尾崎承一	ANCA と血管炎	竹原和彦、桑名正隆、宮地良樹（編集）	新・膠原病 診断と治療の最新ポイント 皮膚から内臓へ	診断と治療社	東京	2002	216-219
尾崎承一	血管炎症候群の診断と病態把握：免疫血清学的検査	長澤俊彦（監修）、橋本博史（編集）	血管炎	朝倉書店	東京	2001	113-118
尾崎承一	慢性関節リウマチ	西岡久寿樹（監修）	知っておきたい 骨・関節疾患の新たな診療	真興交易	東京	2001	46-73
高柳 広	RANKL による破骨細胞分化制御	奥村康、平野俊夫、佐藤昇志	Annual Review 2004 免疫	中外医学社	東京	2003	143-153
高柳 広	第一章 CIII 滑膜、第一章 G 筋	津山直一他	整形外科クルズス 改訂第4版	南江堂	東京	2003	42-43, 63-65
高柳 広	破骨細胞活性化の分子機構	狩野庄吾、中川武正	先端医療シリーズ 19・アレルギー・リウマチ・膠原病「アレルギー・リウマチ・膠原病の最新医療」	先端医療技術研究所	東京	2003	235-241
半田 宏、川口春馬	ナノアフィニティビーズのすべて			中山書店		2004	
半田 宏（共訳）	ゲノム2	村松正實（監訳）	ゲノム2	メディカル・サイエンス・インターナショナル		2003	