

## 研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻	ページ	出版年
Yoshitsugu K, Meerabux JMA, Asai K, Yoshikawa T	Fine mapping of an isodentic Y chromosomal break point from a schizophrenic patient	Am J Med Genet Neuro psychiatric Genet	116B	27-31	2003
Iwayama-Shigeno Y, Yamada K, Toyota T, Shimizu H, Hattori E, Yoshitsugu K, Fujisawa T, Yoshida Y, Kobayashi T, Toru M, Kurumaji A, Detera-Wadleigh SD, Yoshikawa T	Distribution of haplotypes derived from three common variants of the NR4A2 gene in Japanese schizophrenic patients	Am J Med Genet Neuro psychiatric Genet	118B	20-24	2003
Ebihara M, Ohba H, Hattori E, Yamada K, Yoshikawa T	Transcriptional activities of cholecystokinin promoter haplotypes and their relevance to panic disorder susceptibility	Am J Med Genet Neuro psychiatric Genet	118B	32-35	2003
Kikuchi M, Yamada K, Toyota T, Itokawa M, Hattori E, Yoshitsugu K, Shimizu H, Yoshikawa T	Two-step association analyses of the chromosome 18p11.2 region in schizophrenia detect a locus encompassing C18orf1	Mol Psychiatry	8	467-469	2003
Toyota T, Yamada K, Detera-Wadleigh SD, Yoshikawa T	Analysis of a cluster of polymorphisms in AKT1 gene in bipolar pedigrees a family-based association study	Neurosci Lett	339	5-8	2003
Arinami T, Ishiguro H, Minowa Y, Ohtsuki T, Tsujita T, Imamura A, Yoshikawa T, Toyota T, Yamada K, Shimizu H, Yoshitsugu K, Shibata H, Fujii Y, Fukumaki Y, Tashiro N, Inada T, Iijima Y, Kitao Y, Furuno T, Someya T, Muratake T, Kaneko N, Tsuji S, Mineta M, Takeichi M, Ujike H, Takehisa Y, Tanaka Y, Nakata K, Kitajima T, Nishiyama T, Yamanouchi Y, Iwata N, Ozaki N, Ohara K, Ohara K, Suzuki Y, Shibusaba H, Ohmori O, Shinkai T, Hori H, Nakamura J, Kojima T, Takahashi S, Tanabe E, Yara K, Nanko S, Yoneda H, Kusumi I, Kameda K, Koyama T, Fukuzako H, Hashiguchi T, Tanabe K, Okazaki Y	Initial genome-wide scan for linkage with schizophrenia in the Japanese Schizophrenia Sib-pair Linkage Group (JSSLG) families	Am J Med Genet Neuro psychiatric Genet	120B	22-28	2003

Itokawa M, Yamada K, Yoshitugu K, Toyota T, Suga T, Ohba H, Watanabe A, Hattori E, Shimizu H, Kumakura T, Ebihara M, Meerabux JMA, Toru M, Yoshikawa T	A microsatellite repeat in the promoter of the NMDA receptor 2A subunit (GRIN2A) gene suppresses transcriptional activity and correlates with chronic outcome in schizophrenia	Pharmacogenetics	13	271-278	2003
Segurado R, Detera-Wadleigh SD, Levinson DF, Lewis CM, Gill M, Numberger J Jr, Craddock N, Raymond DePaulo J, Baron M, Gershon ES, Ekholm J, Chichon S, Tureck G, Claes S, Kelseo JR, Schofield PR, Badenhop RF, Monssette J, Coon H, Blackwood D, Curtis D, McInnes LA, Foroud T, Edenberg HJ, Reich T, Rice JP, Goate A, McInnis MG, McMahon FJ, Badner JA, Goldin LR, Bennett P, Willour VL, Zand PP, Jianjun Liu J, Gilliam C, Joo S-H, Bertolini WH, Yoshikawa T, Peltonen L, Lonndqvist J, Nothen MM, Schumacher J, Windemuth C, Rietschel M, Propping P, Maier W, Alda M, Grof P, Rouleau GA, Del-Favero J, Van Broeckhoven C, Mendlewicz J, Adolfsson R, Spence MA, Luebert H, Adams LJ, Donald JA, Mitchell PB, Barden N, Shink E, Byerley W, Murr W, Visscher PM, Macgregor S, Gurling H, Kalsi G, McQuillan A, Escamilla MA, Reus VI, Leon P, Freimer NB, Ewald H, Kruse TA, Mors O, Radhakrishna U, Boulouin J-L, Antonarakis SE, Akarsu N	Genome scan meta-analysis of schizophrenia and bipolar disorder part III bipolar disorder	Am J Hum Genet	73	49-62	2003
Itokawa M, Yamada K, Iwayama-Shigeno Y, Ishitsuka Y, Detera-Wadleigh SD, Yoshikawa T	Genetic analysis of a functional GRIN2A promoter (GT)n repeat in bipolar disorder pedigrees in humans	Neurosci Lett	345	53-56	2003
Yamada K, Watanabe A, Iwayama-Shigeno Y, Yoshikawa T	Evidence of association between gamma-aminobutyric acid type A receptor genes located on 5q34 and female patients with mood disorders	Neurosci Lett	349	9-12	2003
Kikuchi M, Yamada K, Toyota T, Yoshikawa T	C18orf located on chromosome 18p11.2 may confer susceptibility to schizophrenia	J Med Dent Sci	50	225-229	2003
Yamanouchi Y, Iwata N, Suzuki T, Kitajima T, Ikeda M, Ozaki N	Effect of DRD2, 5-HT2A, and COMT genes on antipsychotic response to risperidone	Pharmacogenomics J	3	356-361	2003

Suzuki T, Iwata N, Kitamura Y, Kitajima T, Yamanouchi Y, Ikeda M, Kamatani N, Ozaki N	Association of a haplotype in the serotonin 5-HT4 receptor gene (HTR4) with Japanese schizophrenia	Am J Med Genet	121B	7-13	2003
Ozaki N, Goldman D, Kaye WH, Plotnikov K, Greenberg BD, Lappalainen J, Rudnick G, Murphy DL	Serotonin transporter missense mutation associated with a complex neuropsychiatric phenotype	Mol Psychiatry	8	933-936	2003
Okada M, Irie S, Sawada M, Urae R, Urae A, Iwata N, Ozaki N, Akazawa K, Nakanishi H	Pepstatin A induces extracellular acidification distinct from aspartic protease inhibition in microglial cell lines	Glia	43	167-174	2003
Noda M, Yasuda S, Okada M, Higashida H, Shimada A, Iwata N, Ozaki N, Nishikawa K, Shirasawa S, Uchida M, Aoki S, Wada K	Recombinant human serotonin 5A receptors stably expressed in C6 glioma cells couple to multiple signal transduction pathways	J Neurochem	84	222-232	2003
Ujike H, Harano M, Inada T, Yamada M, Komiyama T, Sekine Y, Sora I, Iyo M, Katsu T, Nomura A, Nakata K, Ozaki N	Nine- or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamphetamine psychosis	Pharmacogenomics J	3	242-247	2003
Kato T, Ishiwata M, Mori K, Washizuka S, Tajima O, Akiyama T, Kato N	Mechanisms of altered intracellular calcium signaling in transformed lymphoblastoid cells from patients with bipolar disorder	International Journal of Neuropsychopharmacology	6	379-389	2003
Kakiuchi C, Iwamoto K, Ishiwata M, Bundo M, Kasahara T, Kusumi I, Tsujita T, Okazaki Y, Nanko S, Kunugi H, Sasaki T, Kato T	Impaired feedback regulation of XBP1 as a genetic risk factor for bipolar disorder	Nature Genetics	35	171-175	2003
Washizuka S, Ikeda A, Kato N, Kato T	Possible relationship between mitochondrial DNA polymorphisms and lithium response in bipolar disorder	International Journal of Neuropsychopharmacology	6	421-424	2003
Washizuka S, Kakiuchi C, Mori K, Kunugi H, Tajima O, Akiyama T, Nanko S, Kato T	Association of decreased expression and promoter polymorphisms of mitochondrial complex I subunit gene NDUFV2 with bipolar disorder	American Journal of Medical Genetics Part B (Neuropsychiatric Genetics)	120B	72-78	2003
Kokai M, Inada T, Ohara K, Shimizu M, Iwado H, Morita Y	Inter-rater and test-retest reliability of the Japanese version of the subjective deficit syndrome scale	Hum Psychopharmacol Clin Exp	18	145-149	2003
Hori K, Oda T, Tomimaga I, Inada T	"Awakening" in demented patients	Psychiatr Clin Neurosci	57	237	2003

Inada T, Beasley C, Tanaka Y, Walker D	Extra- pyramidal Symptom Profiles Assessed with DIE PSS Comparison with Western Scales in the Clinical Double-Blind Studies of Schizophrenic Patients Treated with either Olanzapine or Haloperidol	Int Clin Psychopharmacol	18	39-48	2003
Hori K, Inada T, Sengan S, Ikeda M	Is Charles Bonnet syndrome an early manifestation of dementia?	Acta Neuropsychiatr	15	102	2003
Suzuki E, Kitao Y, Ono Y, Iijima Y, Inada T	Cytochrome P450 2D6 Polymorphism and Character Traits	Psychiatr Genet	13	111-113	2003
Inada T, Nakamura A, Iijima Y	Catechol-O-Methyltransferase (COMT) Polymorphism and Schizophrenia Possible relation with the treatment-resistant subgroup	Am J Med Genet (Neuropsychiatr Genet)	120B	35-39	2003
Inada T, Nozaki S, Inagaki A, Furukawa T	Efficacy of diazepam as an anti-anxiety agent meta-analysis of the double-blind randomized controlled trials in Japan	Hum Psychopharmacol Clin Exp	18	483-487	2003
Inada T, Senoo H, Iijima Y, Yamauchi T, Yagi G	Cytochrome P450 2D6 gene polymorphism and the neuroleptic-induced extrapyramidal symptoms in schizophrenic patients	Psychiatr Genet	13	163-168	2003
Hori K, Tomiyama I, Inada T, Oda T, Hirai S, Hori I, Onaya M, Teramoto H	Donepezil-responsive alcohol related prolonged delirium	Psychiatr Clin Neurosci	57	603-604	2003
Shioe K, Ichimiya T, Suhara T, Takano A, Sudo Y, Yasuno F, Hirano M, Shinohara M, Kagami M, Okubo Y, Nankai M, Kanaba S	No association between genotype of the promoter region of serotonin transporter gene and serotonin transporter binding in human brain measured by PET	Synapse	48	184-188	2003
Ebihara T, Ohba H, Kikuchi M, Yoshikawa T	Structural characterization and promoter analysis of human potassium channel Kv8.1 (KCNV1) gene	Gene	325	89-96	2004
Toyota T, Yoshitsugu K, Ebihara M, Yamada K, Ohba H, Fukasawa M, Minabe Y, Nakamura K, Sekine Y, Takei N, Suzuki K, Itokawa M, Meerabux JM A, Iwayama-Shigeno Y, Tomaru Y, Shimizu H, Hattori E, Morita N, Yoshikawa T	Association between schizophrenia with ocular misalignment and polyalanine length variation in PMX2B	Hum Mol Genet	13	551-561	2004
Arai M, Itokawa M, Yamada K, Toyota T, Arai M, Haga S, Ujike H, Sora I, Ikeda K, Yoshikawa T	Association of neural cell adhesion molecule 1 gene polymorphisms with bipolar affective disorder in Japanese	Biol Psychiatry	55	804-810	2004

Nakatani N, Aburatani H, Nishimura K, Semba J, Yoshikawa T	Comprehensive expression analysis of a rat depression model	Pharmacogenomics J	4	114-126	2004
Okada M, Northup J, Ozaki N, Russell J, Linnoila M, Goldman D	Modification of Human 5-HT <sub>2C</sub> Receptor Function by Cys23Ser, an Abundant, Naturally Occurring Amino Acid Substitution	Mol Psychiatry	9	55-64	2004
Iwata N, Suzuki T, Ikeda M, Kitajima T, Yamanouchi Y, Inada T, Ozaki N	No Association With the Neuregulin 1 Haplotype to Japanese Schizophrenia	Mol Psychiatry	9	126-127	2004
Hashimoto R, Yoshida M, Ozaki N, Yamanouchi Y, Iwata N, Suzuki T, Kitajima T, Tatsumi M, Kamijima K, Kunugi H	Association analysis of the G308A promoter polymorphism of the tumor necrosis factor alpha (TNF- $\alpha$ ) gene in Japanese patients with schizophrenia	Journal of Neural Transmission	111	217-222	2004
Ohtsuki T, Tanaka S, Ishiguro H, Tanabe E, Yara K, Okubo T, Takahashi S, Matsuura M, Sakai T, Muto M, Matsushima E, Noguchi E, Toru M, Inada T, Kojima T, Arinami T	Failure to find association between PRODH deletion and schizophrenia population screening using simple PCR method	Schizophr Res	67	111-113	2004
Takahashi N, Tomita K, Higuchi T, Inada T	The inter-rater reliability of the Montgomery-Asberg Depression Rating Scale (MADRS) using a Structured Interview Guide for Montgomery-Asberg Depression Scale (SIGMA)	Hum Psychopharmacol Clin Exp	19	187-192	2004
Koizumi H, Hashimoto K, Kumakiri C, Shimizu E, Sekine Y, Ozaki N, Inada T, Harano M, Komiyama T, Yamada M, Sora I, Ujike H, Takei N, Iyo M	Association between the glutathione S-transferase M1 gene deletion and female methamphetamine abusers	Am J Med Genet (Neuropsychiatr Genet)	126B	43-45	2004
Yamada K, Iwayama-Shigeno Y, Yoshida Y, Toyota T, Itokawa M, Hattori E, Shimizu H, Yoshikawa T	Family-based association study of schizophrenia with 44 markers and analysis of a new susceptibility locus mapped to 11q13.3	Am J Med Genet Neuropsychiatr Genet		in press	
Itokawa M, Kasuga T, Yoshikawa T, Matsushita M	Identification of a male schizophrenic patient carrying a de novo balanced translocation, t(4,13)(p16.1,q21.31)	Psychiatry Clin Neurosci		in press	
Iijima Y, Inada T, Ohtsuki T, Senoo H, Nakatani M, Arinami T	Association between chromogranin B gene polymorphisms and schizophrenia in the Japanese population	Biol Psychiatry		in press	
Kunugi H, Hashimoto R, Yoshida M, Tatsumi M, Kamijima K	A missense polymorphism (S205L) of the low-affinity neurotrophin receptor p75 <sup>NTR</sup> gene is associated with depressive disorder and attempted suicide	Am J Med Genet		in press	

Tadokoro K, Hashimoto R, Tatum M, Kamijima K, Kunugi H	Analysis on enhancer activity of a dinucleotide repeat polymorphism in the neurotrophin-3 gene and its association with bipolar disorder	Neuropsychobiology		in press	
Sekizawa T, Iwata Y, Nakamura K, Matsumoto H, Suzuki A, Minabe Y, Mori N	Childhood-onset schizophrenia and tryptophan hydroxylase gene polymorphism	American Journal of Medical Genetics		in press	
吉川武男, 石塚祐一, 中谷紀章, 渡辺明子	気分障害(うつ病)の遺伝的基盤—動物モデルのQTL解析	Molecular Medicine	40	280-287	2003
服部栄治, 吉川武男	統合失調症の候補遺伝子および連鎖領域の多型解析	Schizophrenia Frontier	4	12-17	2003
中谷紀章, 吉川武男	動物モデルを用いたうつ病感受性遺伝子群同定のアプローチ	日本神経精神薬理学雑誌	23	161-169	2003
糸川昌成, 吉川武男	遺伝子研究からみた統合失調症のグルタミン酸仮説	精神神経学雑誌	105	1349-1362	2003
河野稔明, 稲田俊也, 高国子, 山之内芳雄, 野畑綾子, 栗田廣, 上島国利, 尾崎紀夫, 伊豫雅臣, 樋口輝彦	DIGS 日本語版信頼性確立のための予備的検討	脳と精神の医学	14	51-58	2003
中村 中, 稲田俊也	Catechol-O-Methyltransferase (COMT) 遺伝子多型と精神科疾患	分子精神医学	3	54-58	2003
氏家 寛, 勝 強志, 関根吉統, 稲田俊也	Methamphetamine 精神病の分子遺伝学	臨床精神薬理	6	1135-1141	2003
三浦英樹, 稲田俊也	クロモグラニンと精神疾患	精神科	3	293-295	2003
野崎昭子, 稲田俊也	EBMにおけるうつ病の薬物療法	Depression Frontier	1	59-64	2003
中谷紀章, 吉川武男	うつ病の病態動物モデル	CLINICAL NEUROSCIENCE	22	170-172	2004
糸川昌成, 吉川武男	臨床遺伝と病態理解	医学のあゆみ	208	145-152	2004
高橋長秀, 稲田俊也	トパミン D3 (DRD3) 遺伝子多型と精神科疾患	分子精神医学	4	68-76	2004
吉川武男, 中谷紀章	動物モデルを用いた気分障害標的遺伝子探索	分子精神医学	4	98-99	2004
斉藤信二, 稲田俊也	トハミン D4 (DRD4) 遺伝子多型と精神科疾患	分子精神医学		in press	

20030703

以降は雑誌/図書等に掲載された論文となりますので、  
「研究成果の刊行に関する一覧表」をご参照ください。