

Itokawa M, Arai M, Kato S, Ogata Y, Furukawa A, Haga S, Ujike H, Sora I, Ikeda K, Yoshikawa T.	Association between a novel polymorphism in the promoter region of the neuropeptide Y gene and schizophrenia in humans.	Neurosci Lett.	347	202-204	2003
Tochigi M, Okazaki Y, Kato N, Sasaki T	What causes seasonality of birth in schizophrenia?	Neuroscience Research	48	1-11	2004
Yokota H, Tsujita T, Okazaki Y, Kikuya E, and Oishi M	Polymorphic 33-bp Repeats with Promoter-like Activity in Synaptotagmin 11 Gene.	DNA RESEARCH	10 (6)	263 - 275	2003
Nakamura A, Okazaki Y, Sugimoto J, Oda T, Jinno Y:	Human endogenous retroviruses with transcriptional potential in the brain.	J Hum Genet	48	575-581	2003
Ujike H, Nakata K	Genetic study of schizophrenia: new targets for therapy	Expert Review of Neurotherapeutics	3	41-50	2003
Ujike H, Harano M, Inada T, Yamada M, Komiyama T, Sekine Y, Sora I, Iyo M, Katsu T, Nomura A, Nakata K, Ozaki N	Nine- or fewer repeat alleles in VNTR polymorphism of the dopamine transporter gene is a strong risk factor for prolonged methamphetamine psychosis.	Pharmacogenomics J.	3	242-247	2003
Nakata K, Ujike H, Sakai A, Takaki M, Imamura T, Tanaka Y, Kuroda S	Association Study Between the Fibronectin Gene and Schizophrenia	Am J Med Genet	116	41-44	2003
Nakata K, Ujike H, Sakai A, Uchida N, Nomura A, Imamura T, Katsu T, Tanaka Y, Hamamura T, Kuroda S	Association study of the brain-derived neurotrophic factor (BDNF) gene with bipolar disorder.	Neurosci Lett	337	17-20	2003
Nakata K, Ujike H, Sakai A, Takaki M, Imamura T, Tanaka Y, Kuroda S	The human dihydropyrimidinase-related protein 2 gene on chromosome 8p21 is associated with paranoid-type schizophrenia	Biol Psychiatry	53	571-576	2003

Nakata K, Ujike H, Tanaka Y, Takaki M, Sakai A, Nomura A, Katsu T, Uchida N, Imamura T, Fujiwara Y, Hamamura T, Kuroda S.	No association between the dihydropyrimidinase-related protein 2 (DRP-2) gene and bipolar disorder in humans.	Neurosci Lett.	353	53-56	2003
Uchida N, Ujike H, Nakata K, Takaki M, Nomura A, Katsu T, Tanaka Y, Imamura T, Sakai A, Kuroda S.	No association between the sigma receptor type 1 gene and schizophrenia: results of analysis and meta-analysis of case-control studies.	BMC Psychiatry.	3	1-4	2003
Kunugi H, Hashimoto R, Yoshida M, Tatsumi M, Kamijima K	A missense polymorphism (S205L) of the low-affinity neurotrophin receptor p75NTR gene is associated with depressive disorder and attempted suicide.	American Journal of Medical Genetics		印刷中	
Kakiuchi C, Iwamoto K, Ishiwata M, Bundo M, Kasahara T, Tsujita T, Okazaki Y, Nanko S, Kunugi H, Kusumi I, Sasaki T, Kato T	Impaired feedback regulation of XBP1 as a genetic risk factor of bipolar disorder	Nature Genetics	35 (2)	171-175	2003
Nanko S, Kunugi H, Hirasawa H, Kato N, Nabika T, Kobayashi S	Brain-derived neurotrophic factor gene and schizophrenia: polymorphism screening and association analysis	Schizophrenia Research	62 (3)	281-283	2003
Washizuka S, Kakiuchi C, Mori K, Kunugi H, Tajima O, Akiyama T, Nanko S, Kato T	Association of mitochondrial complex I subunit gene NDUFV2 at 18p11 with bipolar disorder	American Journal of Medical Genetics	20B (1)	72-78	2003
Hashimoto R, Yoshida M, Ozaki N, Yamanouchi Y, Iwata N, Suzuki T, Kitajima T, Tatsumi M, Kamijima K, Kunugi H	Association analysis of the -308G > A promoter polymorphism of the tumor necrosis factor alpha (TNF- α) gene in Japanese patients with schizophrenia	Journal of Neural Transmission	111 (2)	217-221	2004
Suzuki E, Kitao Y, Ono Y, Iijima Y, Inada T	Cytochrome P450 2D6 Polymorphism and Character Traits.	Psychiatr Genet	13 (2)	111-113	2003
Inada T, Senoo H, Iijima Y, Yamauchi T, Yagi G	Cytochrome P450IID6 gene polymorphism and the neuroleptic-induced extrapyramidal symptoms in schizophrenic patients.	Psychiatr Genet	13 (3)	163-168	2003
Inada T, Nakamura A, Iijima Y	Catechol-O-Methyltransferase (COMT) Polymorphism and Schizophrenia: Possible relation with the treatment-resistant subgroup.	Am J Med Genet (Neuropsychiatr Genet)	120B(1)	35-39	2003
Ohtsuki T, Tanaka S, Ishiguro H, Tanabe E, Yara K, Okubo T,	Failure to find association between PRODH deletion and schizophrenia:	Schizophr Res	67	111-113	2004

Takahashi S, Matsuura M, Sakai T, Muto M, Matsushima E, Noguchi E, Toru M, Inada T, Kojima T, Arinami T	population screening using simple PCR method.				
Koizumi H, Hashimoto K, Kumakiri C, Shimizu E, Sekine Y, Ozaki N, Inada T, Harano M, Komiyama T, Yamada M, Sorai I, Ujike H, Takei N, Iyo M	Association between the glutathione S-transferase M1 gene deletion and female methamphetamine abusers.	Am J Med Genet (Neuropsychiatr Genet)	126B(1)	43-45	2004
Iijima Y, Inada T, Ohtsuki T, Senoo H, Nakatani M, Arinami T	Association between chromogranin B gene polymorphisms and schizophrenia in the Japanese population.	Biol Psychiatry		印刷中	
Iwata N, Suzuki T, Ikeda M, Kitajima T, Yamanouchi Y, Inada T, Ozaki N	No Association With the Neuregulin 1 Haplotype to Japanese Schizophrenia.	Mol. Psychiatry	9(2)	126-127	
Ozaki N, Goldman D, Kaye WH, Plotnicov K, Greenberg BD, Lappalainen J, Rudnick G, Murphy DL	Serotonin transporter missense mutation associated with a complex neuropsychiatric phenotype	Mol. Psychiatry	8(11)	933-936	
Okada M, Northup J, Ozaki N, Russell J, Linnoila M, Goldman D	Modification of Human 5-HT _{2C} Receptor Function by Cys23Ser, an Abundant, Naturally Occurring Amino Acid Substitution.	Mol. Psychiatry	9(1)	55-64	
Noda M, Yasuda S, Okada M, Higashida H, Shimada A, Iwata N, Ozaki N, Nishikawa K, Shirasawa S, Uchida M, Aoki S, Wada K	Recombinant human serotonin 5A receptors stably expressed in C6 glioma cells couple to multiple signal transduction pathways	J Neurochem	84(2)	222-232,	
Okada M, Irie S, Sawada M, Urae R, Urae A, Iwata N, Ozaki N, Akazawa K, Nakanishi H	Pepstatin A induces extracellular acidification distinct from aspartic protease inhibition in microglial cell lines	Glia	43(2)	167-174	
Suzuki T, Iwata N, Kitamura Y, Kitajima T, Yamanouchi Y, Ikeda M, Kamatani N, Ozaki N	Association of a haplotype in the serotonin 5-HT ₄ receptor gene (HTR4) with Japanese schizophrenia	Am J Med Genet	121B(1)	7-13	
岡崎祐士・辻田高宏・加藤忠史	双生児・同胞研究が明らかにした統合失調症の成因	臨床精神医学	32(11)	1315-1321	2003
功刀浩	双生児・同胞研究が明らかにした気分障害の成因	臨床精神医学	32(11)	1329-1337	2003
氏家 寛	ヒロポンラットから統合失調症へ	分子精神医学	3	60-61	2003
氏家 寛、稲田俊也、JGIDA	ゲノム解析からみた覚せい剤精神病患者の細胞内情報伝達	日本アルコール・薬物医学会雑誌	38	178-179	2003
氏家 寛、勝 強志、関根吉統、稲田俊也	Methamphetamine 精神病の分子遺伝学	臨床精神薬理	6	1135-1141	2003
三浦英樹、稲田俊也	クロモグラニンと精神疾患.	精神科	3(3)	293-295	2003

中村中, 稲田俊也	Catechol-O-Methyltransferase (COMT) 遺伝子多型と精神科疾患.	分子精神医学	3(1)	54-58	2003
高橋長秀, 稲田俊也	ドパミン D3 (DRD3) 遺伝子多型と精神科疾患.	分子精神医学	4(1)	68-76	2004
齊藤信二, 稲田俊也	ドパミン D4 (DRD4) 遺伝子多型と精神科疾患.	分子精神医学		印刷中	

20030725

以降は雑誌/図書等に掲載された論文となりますので、
「研究成果の刊行に関する一覧表」をご参照ください。