

180. Ohmine K, Nagai T, Tarumoto T, Miyoshi T, Muroi K, Mano H, Komatsu N, Takaku F, Ozawa K : Analysis of gene expression profiles in an imatinib-resistant cell line, KCL22/SR. *Stem Cells* 21 : 315 - 321, 2003
181. Oshima Y, Ueda M, Yamashita Y, Choi YL, Ota J., Ueno S., Ohki R, Koinuma K, Wada T, Ozawa K, Fujimura A, Mano H : DNA microarray analysis of hematopoietic stem cell-like fractions from individuals with the M2 subtype of acute myeloid leukemia. *Leukemia* 17 : 1990 - 1997, 2003
182. Ueda M, Ota J, Yamashita Y, Choi YL, Ohki R, Wada T, Koinuma K, Kano Y, Ozawa K, Mano H : DNA microarray analysis of stage progression mechanism in myelodysplastic syndrome. *Br J Haematol* 123 : 288 - 296, 2003
183. Ezoe S, Matsumura I, Satoh Y, Tanaka H, Kanakura Y : Cell cycle regulation in hematopoietic stem/progenitor cells. *Cell Cycle* 3 : 314 - 318, 2004
184. Kabutomori O, Kanakura Y, Iwatani Y : Incorrect measurement of leukocyte counts in post-bone marrow transplantation (P-BMT) patients. *Ann Hematol* 82 : 529 - 530, 2003
185. Kataoka Y, Matsumura I, Ezoe S, Nakata S, Takigawa E, Sato Y, Kawasaki A, Yokota T, Nakajima K, Felsani A, Kanakura Y : Reciprocal inhibition between MyoD and STAT3 in the regulation of growth and differentiation of myoblasts. *J Biol Chem* 278 : 44178 - 44187, 2003
186. Kawasaki A, Matsumura I, Kataoka Y, Takigawa E, Nakajima K, Kanakura Y : Opposing effects of PML and PML/RAR α on STAT3 activity. *Blood* 101 : 3668 - 3673, 2003
187. Matsumura I, Ezoe S, Satoh Y, Tanaka H, Kanakura Y : Cell cycle regulation in hematopoietic stem cells. *Res Adv in Blood* 2 : 39 - 49, 2003
188. Matsumura I, Tanaka H, Kanakura Y : E2F1 and c-Myc in cell growth and death. *Cell Cycle* 2 : 333 - 338, 2003
189. Matsumura I, Tanaka H, Mizuki M, Sugahara H, Kanakura Y : Molecular mechanisms of E2F1- and c-Myc-enhanced apoptosis. *Recent Res Develop Mol Cell Biol* 4 : 311 - 324, 2004
190. Mizuki M, Schwaeble J, Steur C, Choudhary C, Agrawal S, Sargin B, Steffen B, Matsumura I, Kanakura Y, Boehmer FD, Mueller-Tidow C, Berdel WE, Serve H : Suppression of myeloid transcription factors and induction of STAT response genes by AML-specific Flt3 mutations. *Blood* 101 : 3164 - 3173, 2003
191. Mizuki M, Ueda S, Matsumura I, Ishiko J, Schwable J, Serve H, Kanakura Y : Oncogenic receptor tyrosine kinase in leukemia. *Cell Mol Biol* 49 : 907 - 922, 2003
192. Mizuki M, Ueda S, Matsumura I, Schwable J, Ishiko J, Serve H, Kanakura Y : Constitutive active receptor

- tyrosine kinase in hematological neoplasia. *Recent Res Develop Mol Cell Biol* 4 : 85 - 100, 2004
193. Nojima J, Kuratsune H, Suehisa E, Kawasaki T, Machii T, Kitani T, Iwatani Y, Kanakura Y : High risk of deep vein thrombosis in patients with antiphospholipid antibodies against phospholipid-bound protein S. *Thromb Haemost* : in press
194. Sugahara H, Mizuki M, Matsumae S, Nabetani Y, Kikuchi M, Kanakura Y : Footwear exchange has no influence on the incidence of febrile neutropenia in patients undergoing chemotherapy for hematologic malignancies. *Infect Control Hosp Epidemiol* 25 : 51 - 54, 2004
195. Tanaka S, Kuratsune H, Hidaka Y, Hakariya Y, Tatsumi KI, Takano T, Kanakura Y, Amino N : Autoantibodies against muscarinic cholinergic receptor in chronic fatigue syndrome. *Int J Mol Med* 12 : 225 - 230, 2003
196. Ueda Y, Matsui M, Hayashi S, Yamaguchi Y, Kanakura Y : New homogeneous HDL-cholesterol assay without the influence of high TG sample using the selective detergent to lipoproteins. *J Clin Lab Anal* 17 : 201 - 208, 2003
197. Yamanishi H, Iyama S, Yamaguchi Y, Kanakura Y, Iwatani Y : Modification of the colorimetric assay for serum unsaturated iron-binding capacity. *Clin Chem* 49 : 1023 - 1025, 2003
198. Zhang X, Machii T, Matsumura I, Ezoe S, Kawasaki A, Tanaka H, Ueda S, Sugahara H, Shibayama H, Mizuki M, Kanakura Y : Constitutively activated Rho GTPases regulate the growth and morphology of hairy cell leukemia (HCL) cells. *Int J Hematol* 77 : 263 - 273, 2003
199. Matsuo T, Kuriyama K, Miyazaki Y, Yoshida S, Tomonaga M, Emi N, Kobayashi T, Miyawaki S, Matsushima T, Shinagawa K, Honda S, Ohno R for the Japan Adult Leukemia Study Group : The Percentage of myeloperoxidase-positive blast cells is a strong independent prognostic factor in acute myeloid leukemia, even in the patients with normal karyotype. *Leukemia* 17(8) : 1538 - 1543, 2003
200. Suzuki R, Murata M, Kami M, Ohtake S, Asou N, Kodera Y, Tomonaga M, Masaki Y, Kusumoto S, Takeuchi J, Matsuda S, Hirai H, Yorimitsu S, Hamajima N, Seto M, Shimoyama M, Ohno R, Morishima Y, Nakamura S : Prognostic significance of CD7+ CD56+ Phenotype and Chromosome 5 Abnormalities for Acute Myeloid Leukemia M0. *Int J Hematol* 77 : 482 - 489, 2003
201. Tsutsumi C, Miyazaki Y, Fukushima T, Yoshida S, Taguchi J, Miyake C, Miyazaki M, Kohno S, Jinnai I, Tomonaga M : Membranous Nephropathy after Allogeneic Stem Cell Transplantation : Report of 2 Cases, *Int J Hematol* 79(2) : 193 - 197, 2004
202. Adachi S, Leoni M, Carson DA, Nakahata T : Apoptosis induced by molecular targeting therapy in hematological malignancies. *Acta Haematol.* 111 : 107 - 123, 2004

203. Hiramatsu H, Nishikomori R, Heike T, Ito M, Kobayashi K, Katamura K, Nakahata T : Complete reconstitution of human lymphocytes from cord blood CD34+ cells using NOD/SCID/ γ cnull mice model. *Blood* 102 : 873 - 880, 2003
204. Kambe N, Hiramatsu H, Shimonaka M, Fujino H, Nishikomori R, Heike T, Ito M, Kobayashi K, Ueyama Y, Matsuyoshi N, Miyachi Y, Nakahata T : Development of both human connective tissue-type and mucosal-type mast cells in mice from hematopoietic stem cells with identical distribution pattern to human body. *Blood* 103 : 860 - 867, 2004
205. Lin YW, Adachi S, Watanabe K, Umeda K, Nakahata T : Serial Granulocyte transfusions as a treatment for sepsis due to multidrug-resistant pseudomonas aeruginosa in a neutropenic patient. *J Clin Microbiol.* 41 : 4892 - 4893, 2003
206. Nishikomori R, Akutagawa H, Maruyama K, Nakata-Hizume M, Ohmori K, Mizuno K, Yachie A, Yasumi T, Kusunoki T, Heike T, Nakahata T : X-linked ectodermal dysplasia and immunodeficiency caused by reversion mosaicism of NEMO reveals a critical role for NEMO in human T-cell development and/or survival. *Blood* : in press
207. Okada M, Adachi S, Imai T, Watanabe K, Toyokuni S, Ueno M, Zervos AS, Kroemer G, Nakahata T : A novel mechanism for imatinib mesylate-induced cell death of BCR-ABL positive human leukemic cells - caspase-independent, necrosis-like programmed cell death mediated by serine protease activity. *Blood* : in press
208. Umeda K, Yoshimoto M, Heike T, Nakahata T : Development of primitive and definitive hemayopoiesis from nonhuman primate embryonic stem cells in vitro. *Development* : in press
209. Yasumi T, Katamura K, Meguro T, Nishikomori R, Heike T, Inaba K, Kon S, Nakahata T : Differential Requirement for the CD40-CD154 costimulatory pathway during T helper cell priming by CD8 α + and CD8 α - murine dendritic cell subsets. *J Immunol* : in press
210. Yoshimoto M, Shinohara T, Heike T, Shiota M, Kanatsu-Shinohara M, Nakahata T : Direct visualization of transplanted hematopoietic cell reconstitution in intact mouse organs indicate the presence of a niche. *Exp Hematol* 31 : 733 - 740, 2003
211. Aoki K, Shimoda K, Oritani K, Matsuda T, Kamezaki K, Muromoto R, Numata A, Tamiya S, Haro T, Ishikawa F, Takase K, Yamamoto T, Yumioka T, Miyamoto T, Nagafuji K, Gondo H, Nagafuchi S, Nakayama KI, Harada M : Limitin, an interferon-like cytokine, transduces inhibitory signals on B-cell growth through activation of Tyk2, but not Stat1, followed by induction and nuclear translocation of Daxx. *Exp Hematol* 31 : 1317 - 1322, 2003
212. Fujii K, Ishimaru F, Nakase K, Tabayashi T, Kozuka T, Naoki K, Miyahara M, Toki H, Kitajima K, Harada

- M, Tanimoto M. : Overexpression of short isoforms of Helios in patients with adult T-cell leukaemia/lymphoma. *Br J Haematol* 120 : 986 - 989, 2003
213. Fujii M, Tanimoto Y, Takata M, Takao K, Hamada N, Suwaki T, Kawata N, Takahashi K, Harada M, Tanimoto M : Association of IgG Fc receptor II with tyrosine kinases in the human basophilic leukemia cell line KU812F : *Allegology International* 52 : 149 - 154, 2003
214. Karube K, Oshima K, Tsuchiya T, Yamaguchi T, Suefuji H, Suzuyama J, Harada M, Kikuchi M : Non-B, non-T neoplasms with lymphoblast morphology. Further clarification and classification : *Am J Surg Pathol* 27 : 1366 - 1374, 2003
215. Kato K, Kamesaki K, Shimoda K, Numata A, Haro T, Aoki K, Ishikawa F, Takase K, Ariyama H, Matsuda T, Miyamoto T, Nagafuji K, Gondo H, Nakayama K, Harada M : Intracellular signal transduction of interferon on the suppression of haematopoietic progenitor cell growth : *Br J Haematol* 123 : 528 - 535, 2003
216. Kawano N, Gondo H, Kamimura T, Aoki K, Iino T, Ishikawa F, Miyamoto T, Nagafuji K, Shimoda K, Hayashi S, Otsuka T, Kazuyama Y, Harada M : Chronic graft-versus-host disease following varicella-zoster virus infection in allogeneic stem cell transplant recipients : *Int J Hematol* 78 : 370 - 373, 2003
217. Makita M, Azuma T, Hamaguchi H, Miiya H, Kojima K, Fujita S, Tanimoto M, Harada M, Yasukawa M : Leukemia-associated fusion proteins, dek-can and bcr-able, represent immunogenic HLA-DR-restricted epitopes recognized by fusion peptide-restricted epitopes recognized by fusion peptide-specific CD34+ T lymphocytes. *Leukemia* 16 : 2400 - 2407, 2003
218. Sezaki N, Ishimaru F, Takata M, Tabayashi T, Nakase K, Kozuka T, Fujii K, Nakayama H, Teshima T, Harada M, Tanimoto M : Overexpression of the dominant-negative isoform of Ikaros confers resistance to dexamethasone-induced and anti-IgM-induced apoptosis. Over-expression of the dominant-negative isoform of Ikaros confers resistance to dexamethasone-induced and anti-IgM-induced apoptosis. *Br J Haematol* 121 : 165 - 169, 2003
219. Sezaki N, Ishimaru F, Tabayashi T, Kataoka I, Nakase K, Fujii K, Kozuka T, Nakayama H, Harada M, Tanimoto M : The Type 1 CD10/neutral endopeptidase 24.11 promoter : functional characterization of the 5'-untranslated region : *Br J Haematol* 123 : 177 - 183, 2003
220. Takao K, Tanimoto Y, Fujii M, Hamada N, Yoshida I, Ikeda K, Imajo K, Takahashi K, Harada M, Tanimoto M : In vitro expansion of human basophils by interleukin-3 from granulocyte colony-stimulating factor-mobilized peripheral blood stem cells. *Clin Exp Allergy* 33 : 1561 - 1567, 2003
221. Yamasaki S, Iino T, Nakamura M, Henzan H, Ohshima K, Kikuchi M, Otsuka T, Harada M : Detection of human herpesvirus-8 in peripheral blood mononuclear cells from adult Japanese patients with multicentric Castlemans disease. *Br J Haematol* 120 : 471 - 477, 2003

222. Furuta M, Nozawa K, Takeyama M, Izuta S, Murate T, Tsuchiya M, Yoshida K, Taka N, Nimura Y, Yoshida S : A novel platinum compound inhibits telomerase activity in vitro and reduces telomere length in a human hepatoma cell line. *Int J Cancer* 104 : 709 - 715, 2003
223. Limsirichaikul S, Ogawa M, Niimi A, Iwai S, Murate T, Yoshida S, Suzuki M. The Gly-952 residue of *Saccharomyces cerevisiae* DNA polymerase alpha is important in discriminating correct deoxyribonucleotides from incorrect ones. *J Biol Chem* 278 : 19079 - 19086, 2003
224. Nakade Y, Banno Y, T-Koizumi K, Hagiwara K, Sobue S, Koda M, Suzuki M, Kojima T, Takagi A, Asano H, Nozawa Y, Murate T : Regulation of sphingosine kinase 1 gene expression by protein kinase C in a human leukemia cell line, MEG-01. *Biochim Biophys Acta* 1635 : 104 - 116, 2003
225. Terada N, Banno Y, Ohno N, Fujii Y, Murate T, Sarna JR, Hawkes R, Zea Z, Baba T, Ohno S : Compartmentation of the mouse cerebellar cortex by sphingosine kinase *J Comparatove Neurol* 469 : 119 - 127, 2004
226. Tsukahara A, Yamada T, Takagi A, Murate T, Matsushita T, Saito H, Kojima T : Compound heterozygosity for two novel mutations in a severe factor XI deficiency. *Am J Hematol* 73 : 279 - 284, 2003
227. Yamada T, Takagi A, Takeshita K, Ymamamoto K, Ito M, Matsushita T, Murate T, Saito H, Kojima T : Enzyme Immunoassay for measurement of murine plasminogen activator inhibitor-1, employing a specific antibody produced by the DNA vaccine method. *Thromb Res* 111 : 285 - 291, 2003
228. Suzuki K, Sugahara T, Kowata S, Utsugisawa T, Ito S, Murai K, Ishida Y : Uncommon karyotypic abnormality of t(11;19)(q23;p13.3) in a patient with blastic phase of chronic myeloid leukemia : Case report. *Cancer Genet Cytogenet* : in press
229. Uchiyama M, Maesawa C, Yashima A, Itabashi T, Ishida Y, Masuda T : Consensus primers for detecting monoclonal immunoglobulin heavy chain rearrangement in B-cell lymphomas. *J Clin Pathol*, 56(10) : 778 - 779, 2003
230. Uchiyama M, Maesawa C, Yashima A, Itabashi T, Satoh T, Ishida Y, Masuda T : Development of immunoglobulin variable heavy-chain gene consensus probes with conjugated 3'-minor groove binder groups for monitoring minimal residual disease in childhood acute lymphoblastic leukemia. *J Clin Pathol*, 56 : 952 - 955, 2003
231. Uchiyama M, Maesawa C, Yashima A, Tarusawa M, Satoh S, Ishida Y, Ito S, Murai K, Enomoto S, Utsugisawa T, Motoyoshi K, Masuda T : Development of consensus fluorogenically labeled probes of the immunoglobulin heavy-chain gene for detecting minimal residual disease in B-cell non-Hodgkin lymphomas, *Cancer Sci*, 94(10) : 877 - 885, 2003

232. Uchiyama M, Maesawa C, Yashima-Abo A, Tarusawa M, Satoh M, Satoh T, Ishida Y, Ito S, Murai K, Enomoto S, Utsugisawa T, Masuda T : Short consensus probes with 3'-minor Groove binder of the immunoglobulin heavy-chain gene for real-time quantitative PCR in B-cell non-Hodgkin lymphomas. *Laboratory Investigation* : 1 - 5, 2004
233. Hashino S, Mori A, Suzuki S, Izumiyama K, Kahata K, Yonezumi M, Chiba K, Kondo T, Ota S, Toyoshima N, Kato N, Tanaka J, Imamura M, Asaka M : Platelet recovery in patients with idiopathic thrombocytopenic purpura after eradication of *Helicobacter pylori*. *Int J Hematol* 77 : 188 - 191, 2003
234. Toubai T, Kondo Y, Ogawa T, Imai K, Kobayashi N, Ogasawara M, Kiyama Y, Higa T, Sato K, Miyokawa N, Tanaka J, Imamura M, Kasai M : A case of leukemia of the appendix presenting as acute appendicitis. *Acta Haematol* 109 : 199 - 201, 2003
235. Terasawa T, Ohashi H, Utsumi M, Tsushita K, Kinoshita T, Nakamura S, Saito H : A case of Epstein-Barr virus-associated transformation of mantle cell lymphoma. *Am J Hematol* 73 : 194 - 199, 2003
236. Naito K, Mori T, Miyazaki K, Tsukada Y, Ikeda Y, Okamoto S : Successful treatment of extramedullary blast crisis of chronic myelogenous leukemia with imatinib mesylate (STI571). *Internal Medicine* 42 (8) : 740 - 742, 2003
237. Karasawa M, Mitsui T, Isoda A, Tsumita Y, Irisawa H, Yokohama A, Handa H, Matsushima T, Tsukamoto N, Murakami H, Nojima Y : TCR V repertoire analysis in CD56+ CD16dim/ T-cell large granular lymphocyte leukaemia : association with CD4 single and CD4/CD8 double positive phenotypes. *Br J Haematol* 123 : 613 - 620, 2003
238. Tsukamoto N, Karasawa M, Tanaka Y, Yokohama A, Uchiumi H, Matsushima T, Murakami H, Nojima Y. Recurrence of acute myelogenous leukemia with the same AML1/ETO breakpoint as at diagnosis after complete remission lasting 15 years : analysis of stored bone marrow smears. *Int J Hematol* 78 : 362 - 369, 2003
239. Liu L-G, Tanaka H, Ito K, Kyo T, Ito T, Kimura A : Chronic myelogenous leukemia with e13a3(b2a3) type of BCR-ABL transcript having a DNA breakpoint between ABL exons a2 and a3. *Am. J Hematol* 74(4) : 268 - 272, 2004
240. Miyazaki T, Sagawa R, Honnma T, Noguchi S, Harada T, Komatsuda A, Ohtani H, Wakui H, Sawada K, Otaka M, Watanabe S, Jikei M, Ogawa N, Hamada F, Itoh H : 73-kDa Molecular chaperone HS73 is a direct target of antibiotic gentamicin. *J Biol Chem* : in press
241. Fujishima M, Komatsuda A, Imaia H, Wakui H, Watanabe W, Sawada K : Amyloid arthropathy resembling seronegative rheumatoid arthritis in a patient with IgD-kappa multiple myeloma. *Internal Medicine* 42 : 121 - 124, 2003

242. Ichikawa Y, Hirokawa M, Aiba N, Saitoh H, Fujishima N, Kume M, Miura I, Sawada K : Monitoring the expression profiles of doxorubicin-resistant leukemia cells by serial analysis of gene expression. *Int J Hematol* : in press
243. Komatsuda A, Wakui H, Maki N, Kigawa A, Goto H, Ohtani H, Hamai K, Oyama Y, Hirokawa M, Sawada K, Imai H : Analysis of mutations in Alpha-Actinin 4 and podocin genes of patients with chronic renal failure due to sporadic focal segmental glomerulosclerosis. *Renal failure* 25 : 87 - 93, 2003
244. Komatsuda A, Wakui H, Ohtani H, Maki N, Nimura T, Takatsu H, Yamaguchi A, Imai H, and Sawada K : Amyloid A-type renal amyloidosis in a patient with sarcoidosis : report of case and review of the literature. *Clinical Nephrology* 60 : 284 - 288, 2003
245. Maki N, Komatsuda A, Wakui H, Ohtani H, Kigawa A, Aiba N, Hamai K, Motegi M, Yamaguchi A, Imai H, Sawada K : Four novel mutations in the Thiazide-Sensitive Na-Cl cotransporter in Japanese patients with gitelman's syndrome. *Nephrol Dial Transplant* : in press
246. Maki N, Komatsuda A, Wakui H, Oyama Y, Kodama T, Ohtani A, Kigawa A, Imai H, Imai H, Motegi M, Yamaguchi A, Sawada K : A nonsense mutation (R220X) in the α -galactosidase A gene causes typical Fabry disease in both genders. *Clinical Nephrol* : in press
247. Nimura T, Miura I, Kobayashi Y, Yoshioka T, Kume M, Takahashi N, Hirokawa M, A B Miura, Sawada K : Cytogenetic study of 48 patients with multiple myeloma and related disorders. *J Clin Exp Hematopathol* 43(2) 53 - 60, 2003
248. Wakamoto S, Fujihara M, Kuzuma K, Sato S, Kato T, Naohara T, Kasai M, Sawada K, Kobayashi R, Kudoh T, Ikebuchi K, Azuma H, and Ikeda H : Biologic activity of RANTES in apheresis PLT Concentrates and its involvement in nonhemolytic transfusion reactions *Transfusion* 43 : 1038 - 1046, 2003
249. Nishihara T, Miura Y, Tohyama Y, Mizutani C, Hishita T, Ichiyama S, Uchiyama T, Tohyama K : Effects of Tyrosine Kinase Inhibitor, Imatinib Messylate on a Bcr-Abl-Positive Cell Line : Suppression of the Autonomous Cell Growth but No Effect on the Decreased Adhesive Property and Morphological Changes. *Int J Hematol* 78 : 233-240, 2003
250. Tohyama K, Shiga S, Fujimoto H, Hamaguchi Y, Ichiyama S : Automated analysis of differentiation-induced leukemic cells during all-trans retinoic acid therapy of acute promyelocytic leukemia. *Archiv Pathol Lab Med (web-issue)* 127 : e4 - e10, 2003
251. Kawano Y, Kobune M, Yamaguchi M, Nakamura K, Ito Y, Sasaki K, Matsunaga T, Kato J, Chiba H, Ikebuchi K, Niitsu Y, Hamada H : Ex vivo expansion of human umbilical cord blood hematopoietic progenitor cells using a co-culture system with human telomerase catalytic subunit (hTERT) transfected human stromal cell *Blood* 101 : 532 - 540, 2003

252. Kobune M, Kawano Y, Ito Y, Chiba H, Nakamura K, Tsuda H, Sasaki K, Dehari H, Uchida H, Honmou O, Takahashi S, Bizen A, Takimoto R, Matsunaga T, Kato J, Kato K, Houkin K, Niitsu Y, Hamada H : Telomerized human multipotent mesenchymal cells can differentiate into hematopoietic and cobblestone area-supporting cells. *Exp Hematol* 31 : 1 - 8, 2003
253. Matsunaga T, Takemoto N, Sato T, Takimoto R, Tanaka I, Fujimi A, Akiyama T, Kuroda H, Kawano Y, Kobune M, Kato J, Hirayama Y, Sakamaki S, Kohda K, Miyake K, Niitsu Y : Interaction between the leukemic cell VLA4 with stromal fibronectin is a decisive factor for minimal residual disease of acute myelogenous leukemia. *Nature Med* 9 : 1158 - 1165, 2003
254. Terui T, Murakami K, Takimoto R, Takahashi M, Takada K, Murakami T, Minami S, Matsunaga T, Takayama T, Kato J, Niitsu Y : Induction of PIG3 and NOXA through Acetylation of p53 at 320 and 373 Lysine Residues as a Mechanism for Apoptotic Cell Death by Histone Deacetylase Inhibitors. *Cancer Res* 63 : 8948 - 8954, 2003
255. Gansuvd B, Hagihara M, Yu Ying, Inoue H, Ueda Y, Tsuchiya T, Masui A, Ando K, Nakamura Y, Munkhtuvshin N, Kato S, Thomas JM, Hotta T : Human Umbilical Cord Blood NK T Cells Kill Tumors by Multiple Cytotoxic Mechanisms. *Human Immunology* 63 : 164 - 175, 2002
256. Yahata T, Ando K, Sato T, Miyatake H, Nakamura Y, Muguruma Y, Kato S, Hotta T : A highly sensitive strategy for SCID-repopulating cell assay by direct injection of primitive human hematopoietic cells into NOD/SCID mice bone marrow. *Blood* 101 : 2905 - 2913, 2003
257. 小峰光博 : 研修医のための血液疾患治療 臨床医 (株)中外医学社 (東京) 29 9 : 1730 - 1742, 2003
258. 小峰光博 : 特集 高齢者日常診療における注意点 高齢者の貧血・悪性貧血 成人病と生活習慣病 (株)東京医学社 33 4 : 493 - 495, 2003
259. 小峰光博 : 一般医も診る血液疾患—マネジメントの注意 妊婦の血液異常 *medicina* 医学書院 (東京) 40 5 : 845 - 847, 2003
260. 小峰光博 : 疫学的事項—ITP の長期予後を中心に— 日本臨牀 日本臨牀社 (大阪) 61.4 : 655 - 663, 2003
261. 小峰光博 : 特集 内科—この1年の進歩 血液の良性疾患 臨床雑誌 内科 南江堂 (東京) 92 6 : 1067 - 1073, 2003
262. 臼杵憲祐, 浦部晶夫 : 抗菌薬による副作用——血液障害, 日本臨牀 増刊号 新世紀の感染症学 下 : 39 - 49, 2003
263. 浦部晶夫 : 骨髄抑制 日本臨牀 61 : 949 - 953, 2003

264. 浦部晶夫：貧血 外来診療のすべて 改訂第3版，メジカルビュー社：66 - 67, 2003
265. 浦部晶夫：貧血 疾患と治療薬 改訂第5版，南江堂 427 - 432, 2003
266. 花田浩之、竹岡啓子、野村朋子、金倉 讓：LBA (Liquid-phase Binding Assay) 法による AFP-L 3 % 測定の評価. 機器・試薬 26：241 - 243, 2003
267. 菅原浩之、中田壯一、片岡良久、山城賢太郎、石河 純、滝川江里、柴山浩彦、水木満佐央、松村・到、金倉 讓：造血器腫瘍患者の化学療法後の好中球減少時におけるアンフォテリシン B シロップとイトラコナゾールカプセルの真菌感染予防効果の比較. 血液フロンティア 13：806 - 810, 2003
268. 水木満佐央、金倉 讓：ファルネシル化酵素阻害剤. 血液・免疫・腫瘍 8：49 - 54, 2003
269. 栗山一孝、朝長万左男：【白血病－最新の治療の動向と今後の展望】 <Special Article>急性白血病の病態と分類. 内科 92(3)：406 - 412, 2003
270. 山崎二郎、波多智子、淵上健吾、戸上勝仁、本多幸、福島卓也、宮崎泰司、陣内逸郎、栗山一孝、朝長万左男：多剤併用強力化学療法を施行し得た腎移植後急性骨髄性白血病. 臨床血液 44(10)：1015 - 1019, 2003
271. 新野大介、関根一郎、七條和子、松鶴睦美、中山俊幸、中島正洋、朝長万左男：同種造血幹細胞移植における皮膚 GVHD の免疫組織学的検討. 長崎医学会雑誌 78(2)：50 - 54, 2003
272. 川口康久、宮崎泰司、栗山一孝、朝長万左男：皮疹、右大腿腫脹を繰り返した好酸球性血管性浮腫. 臨床血液 44(10)：1020 - 1025, 2003
273. 対馬秀樹、朝長万左男：特集・血液疾患治療薬の使い方 赤血球増加症. クリニカ 30(5)：327 - 329, 2003
274. 朝長万左男：今月の主題－一般医も診る血液疾患；血液疾患を見逃さないために－診断のきっかけ；血液像から何がわかるか？－末梢血白血球血液像の読み方. Medicina 40(5)：773 - 775, 2003
275. 朝長万左男：特集 内科－この1年の進歩 白血病. 内科92(6)：1051-1056, 2003
276. 長井一浩、鶴田一人、朝長万左男、上平憲：1. コールターカウンター Model A から 50 年 C. 血液形態の自動分析法と新 WHO 分類との対応. 臨床病理レビュー特集第 126 号：17 - 25, 2003
277. 鶴田一人、濱崎典子・佐々木大介・尾坂明美・原澤仁美・山田恭暉・長井一浩・前田隆浩・陣内逸郎・朝長万左男・上平憲：2. 紛らわしい細胞への免疫形質による判断支援. 日本検査血液学会雑誌 4(3)：346 - 354, 2003

278. 波多智子、朝長万左男：【内科学キーワード 2003】血液 Tretinoin. 内科 91(6)：1391, 2003
279. 福島卓也、朝長万左男：【白血病とリンパ腫 分子標的療法の時代の実地診療】急性白血病の新 WHO 分類とその使い方 FAB 分類との違い. Medical Practice 20(7)：1133 - 1137, 2003
280. 原田実根：現代医療の最前線—再生医療と細胞療法—. 最新医学 58 (3 月増刊号)：515 - 517, 2003
281. 石川文彦、有田武史、原田実根：再生医学、医療と細胞療法の最前線. 最新医学 58 (3 月増刊号)：518 - 526, 2003
282. 伊藤琢生、田中英夫、伊藤欣朗、田中公夫、許 泰一、土肥博雄、鎌田七男、木村昭郎： μ BCR/ABL mRNA 陽性慢性骨髄性白血病の 3 例と文献 26 症例の臨床的解析. 臨床血液 44(4)：234 - 241, 2003
283. 沖川佳子、瀧本泰生、野田昌昭、今川 潤、片山雄太、坂井 晃、沖田 肇、藤村欣吾、木村昭郎：進行期多発性骨髄腫に対するサリドマイド療法の検討. 臨床血液 44(6)：368 - 374, 2003
284. 通山 薫：検査データを考える・Bicytopenia. 検査と技術 31 巻 9 号：813 - 817, 2003
285. 通山 薫：包括医療と臨床検査?疾患の診断治療のために最小限必要な検査 32. 貧血. 検査と技術 31 巻 10 号：1133 - 1136, 2003
286. 吉田勝彦、茅野秀一、島田恒幸、若尾大輔、高橋直樹、須賀原裕一、矢ヶ崎史治、伊藤善啓、川井信孝、松田晃、鈴木利哉、別所正美：Rituximab 投与後に CD20 が陰性となったマントル細胞リンパ腫. 臨床血液 44：174 - 181, 2003
287. 吉田勝彦、別所正美：造血薬の使い方. 臨床医 29：1710 - 1711, 2003
288. 高橋直樹、別所正美：腎性貧血、慢性疾患に伴う貧血のマネジメント. Medicina 40：816 - 818, 2003
289. 川井信孝、別所正美：サイトカイン療法 Mebio 2：112-117, 2003
290. 中村裕一、別所正美：Atypical CML (aCML). 血液フロンティア 13：31 - 38, 2003
291. 別所正美：ヒトの造血機構概論. 臨床透析 19：373 - 381, 2003
292. 別所正美：抗癌剤と G-CSF 製剤を同時投与してはいけない！ 治療増刊号 85：796 - 798, 2003
293. 別所正美：症候性貧血とエリスロポエチン. クリニカ 30：14 - 18, 2003

294. 脇本直樹、三角素弘、伊藤善啓、別所正美：高カルシウム血症を呈した骨髓線維化を伴う Bence Jones 型多発性骨髓腫。Osteoporosis Japan 11：604 - 609, 2003
295. 安藤 潔、堀田知光：クロナリティの県債、臨床検査 医学書院：46, 1315 - 1318, 2003
296. 石田陽治：EDTA 採血のみで血小板減少を診断してはいけない！ 治療（東京）85：1005(404) - 1006(405), 2003
297. 木村昭郎：血清病。今日の治療指針「私はこう治療している」（山口 徹、北原光夫 編）医学書院（東京）：556 - 557, 2004
298. 別所正美：悪性貧血。今日の治療指針（編 山口徹、北原光夫）医学書院（東京）：454 - 455, 2004
299. 別所正美：巨赤芽球性貧血 megaloblastic anemia。内科学（編 杉本恒明、小俣政男、水野義邦）朝倉書店（東京）：1799 - 1806, 2003
300. 別所正美：鉄欠乏性貧血。外来診療のすべて（編 高久史磨）メジカルビュー社（東京）800 - 801, 2003
301. 別所正美：二次性貧血。今日の治療指針 2003（編 山口徹、北原光夫）医学書院（東京）437 - 438, 2003
302. 別所正美：免疫機序による溶血性貧血。内科学（編 杉本恒明、小俣政男、水野義邦）朝倉書店（東京）：1819 - 1826, 2003
303. 脇本直樹、別所正美：抗エリスロポエチン（EPO）抗体による赤芽球癆（PRCA）Annual Review 2003 血液（編 高久史磨、溝口秀昭、小宮山淳、坂田洋一、金倉譲）中外医学社（東京）：67 - 73, 2003
- 304.* Ishida Y, Kowata S, Sato M, Murai K, Ito S, Inoue H：Proplatelet Formation of Megakaryocytes, Stimulated by TAT/HDL, Is Mediated by Rho Kinase/Rac Signaling Pathway. Blood 102(11)：833a, 2003
- 305.* Murai K, Kowata S, Sato M, Ito T, Inoue H, Kaneko Y, Nakai K, Ito E, Ishida Y：Thrombin-Antithrombin III/ HDL (High Density Lipoprotein) Is One of the Regulators in Platelet Production in Chronic Immune-Thrombocytopenia. Blood 102(11)：299a, 2003
- 306.* Utsugisawa T, Utsugisawa K, Ishida Y：ILK-Dependent Akt Activation by 2 Integrin-Mediated Cell Adhesion Is Required for Survival of Differentiating Monocyte. Blood 102(11)：524a, 2003

厚生労働科学研究費補助金
難治性疾患克服研究事業
特発性造血障害に関する調査研究班
平成15年度総括・分担研究報告書

発行 平成16年3月31日

発行者 厚生労働科学研究費補助金
難治性疾患克服研究事業
特発性造血障害に関する調査研究班
主任研究者 小峰 光博

事務局 ㊚227-8501 横浜市青葉区藤が丘1-30
昭和大学藤が丘病院内科血液
☎ 045-971-1151 (内線 6336)
Fax 045-973-8833

印刷 城南印刷工業(株)
㊚143-0024 東京都大田区中央8-5-1
☎ 03-3752-3391
