

齋田孝彦	多発性硬化症 インターフェロン療法	総合臨床	52	2581-2587	2003
齋田孝彦	タクロリムスのステロイド減量効果と罹病・胸膈後早期の有用性を確認	第2回重症筋無力症治療フォーラム Medical Tribune			2003
王 会雲、松井 真、荒谷信一、松島鋼治、齋田孝彦	早期および経過の長い多発性硬化症患者における免疫学的背景の相連について	神経免疫学	11	54	2003
王 会雲、松井 真、齋田孝彦	活動期多発性硬化症患者における natural interferon-producing cell の解析	神経免疫学	12	32	2004
田平 武、原 英夫	アルツハイマー病と免疫	神経免疫学	11	193-196	2003
浦谷陽介、荒賀 茂、中野俊也、大浜栄作、中島健二	進行性多巣性白質脳症 (痴呆症学 2)	日本臨床	62	308-311	2003
荒賀 茂	散在性壊死性白質脳症 (痴呆症学 2)	日本臨床	62	312-314	2003
荒賀 茂、佐久間研司、中野俊也、中島健二	重症筋無力症の抗アセチルコリンエステラーゼ抗体の等電点電気泳動による解析	神経免疫学	12	56	2004
Matsuda M, Hosoda W, Sekijima Y, Hoshi K, Hashimoto T, Itoh S, Ikeda S.	Neutropenia as a complication of high-dose intravenous immunoglobulin therapy in adult patients with neuroimmunological disorders.	Clin Neuropharmacol	26	306-311	2003
Matsuda M, Nishikawa N, Okano T, Hoshi K, Hashimoto T, Suzuki A, Ikeda S.	Spontaneous pneumoperitoneum: an unusual complication of systemic reactive AA amyloidosis secondary to rheumatoid arthritis.	Amyloid	10	42-46	2003
Matsuda M, Sakurai S, Suzuki A, Kadoya M, Ikeda S.	Fatal acute pancreatitis with cystic formation in reactive systemic AA amyloidosis secondary to rheumatoid arthritis.	Intern Med	42	888-892	2003
Matsuda M, Miki J, Oguchi K, Tabata K, Ikeda S.	Fasciitis in mixed connective tissue disease successfully treated with high-dose intravenous immunoglobulin.	Intern Med	42	910-911	2003
Shimajima Y, Ishii W, Kato T, Hoshi K, Matsuda M, Hashimoto T, Ikeda S.	Intractable skin necrosis and interstitial pneumonia in amyopathic dermatomyositis, successfully treated with cyclosporin A.	Intern Med	42	1253-1258	2003
Matsuda M, Mitsuhashi S, Watarai M, Yamamoto K, Hashimoto T, Ikeda S.	Systemic lupus erythematosus presenting as HELLP syndrome.	Intern Med	42	1052-1053	2003
Kato T, Hoshi K, Sekijima Y, Matsuda M, Hashimoto T, Suzuki A, Ikeda S.	Rheumatoid meningitis: an autopsy report and review of the literature.	Clin Rheumatol	22	475-480	2003
加藤隆志、星 研一、松田正之、橋本隆男、池田修一	デキサメサゾンと血漿交換の併用が著効した中枢神経系 SLE の 1 例	中部リウマチ	34	62-63	2003
下島恭弘、五野貴久、星 研一、山本寛二、吉田邦広、松田正之、	抗リン脂質抗体症候群を合併した中枢神経 SLE に広汎な脳内石灰化を認められた 1 例	脳と神経	55	885-888	2003

池田修一									
松田正之, 星 研一, 森田 洋, 池田修一	慢性炎症性脱髄性多発根神経炎 (CIDP) におけるシクロスポリン A 療法の検討	末梢神経	14	143-146					2003
Saito M, Nakagawa M, Kaseda S, Matsuzaki T, Jonosono M, Eiraku N, Kubota R, Takenouchi N, Nagai M, Furukawa Y, Usuku K, Izumo S, Osame M, Takenouchi N, Yamano Y, Usuku K, Osame M, Izumo S	Decreased Human T Lymphotropic Virus Type I (HTLV-I) Provirus Load and Alteration in T Cell Phenotype after Interferon-alpha Therapy for HTLV-I-Associated Myelopathy/Tropical Spastic Paraparesis.	J Infect Dis	189	29-40					2004
Takenouchi N, Yamano Y, Usuku K, Osame M, Izumo S	Usefulness of proviral load measurement for monitoring of disease activity in individual patients with human T-lymphotropic virus type I-associated myelopathy/tropical spastic paraparesis.	J Neurovirol	9	29-35					2003
中川正法, 出雲周二	新興・再興感染症、輸入感染症の臨床と病理 HTLV-I-associated Myelopathy (HAM) ほか	病理と臨床	21	121-126					2003
太田宏平	免疫グロブリン療法 (特集:多発性硬化症)	日本臨床	61	1374-1380					2003
太田宏平	多発性硬化症	毎日ライフ	34	87-91					2003
Watanabe S, Imai M, Ohara Y, Odagiri T.	Influenza B virus BM2 protein is transported through the trans-golgi network as an integral membrane protein.	J Virol	77	10630-10637					2003
Ohara Y, Oikawa Y, Ikeda T.	NC mouse dermatitis as a model for human atopic dermatitis.	J Kanazawa Med Univ	28	6-10					2003
Ohara Y, Himeda T, Kontani Y, Asakura K.	A nonstructural viral protein, L*, influences viral persistence and demyelination induced by Theiler's murine encephalomyelitis virus (TMEV).	J Kanazawa Med Univ	28	63-68					2003
大原義朗	ウイルスと脱髄	Neuroimmunol	11	153-157					2003
Kaji R, Nodera H.	Who is the primary suspect in acute motor axonal neuropathy?	Muscle Nerve	28	657-8					2003
Kaji R.	Physiology of conduction block in multifocal motor neuropathy and other demyelinating neuropathies.	Muscle Nerve	27	285-96					2003
Nodera H, Nishimura M, Logigian EL, Hermann DN, Kaji R.	HNPP due to a novel missense mutation of the PMP22 gene.	Neurology	60	1863-4					2003
梶 龍兒, 野寺裕之	多発性運動ニューロパチーと伝導ブロックの新しい考え方	脳と神経	55	565-75					2003
Matsumoto S, Nishimura M, Sakamoto T, Asanuma K, Izumi Y, Shibasaki H, Kamatani N, Nakamura T, Kaji R.	Modulation of the onset age in primary dystonia by APOE genotype.	Neurology	60	2003-5					2003
Kanda T, Yamawaki M, Mizusawa H.	Sera from Guillain-Barré patients enhance leakage in blood-nerve barrier model.	Neurology	60	301-306					2003
Ishibashi S, Yokota T, Shiojiri T.	Reversible acute axonal polyneuropathy associated with Wernicke-Korsakoff	J Neuro Neurosurg	74	674-676					2003



Fukazawa T, Yoshida K, Tashiro K.	inflammation.					
Nino M, Kikuchi S, Fukazawa T, Yabe I, Tashiro K.	Polymorphisms of apolipoprotein E and Japanese patients with multiple sclerosis.	Mult Scler	9	382-6		2003
Miyagishi R, Nino M, Fukazawa T, Yabe I, Kikuchi S, Tashiro K.	C-C chemokine receptor 2 gene polymorphism in Japanese patients with multiple sclerosis.	J Neuroimmunol	145	135-8		2003
Tajima Y, Kishimoto R, Sudoh K, Miyazaki Y, Kikuchi S, Tashiro K.	Spinal Magnetic Resonance Image alterations in human T-lymphotropic virus type I-associated myelopathy patients before and after immunomodulating treatments.	J Neurol	250	750-3		2003
深澤俊行, 菊地誠志, 田代邦雄	特発性炎症性脱髄疾患—多発性硬化症、急性散在性脳脊髄炎	脊椎脊髄ジャーナル	16	589-592		2003
深澤俊行, 菊地誠志, 新野正明, 矢部一郎, 宮岸隆司, 深浦彦彰, 濱田 毅, 田代邦雄	多発性硬化症の疾患感受性遺伝子	日本臨牀	61	1311-1316		2003
深浦彦彰, 菊地誠志	活動期における IL-18 の役割	日本臨牀	61	1416-1421		2003
Kaida K, Kusunoki S, Kanzaki M, Kamakura K, Motoyoshi K, Kanazawa I.	Anti-GQ1b antibody as a factor predictive of mechanical ventilation in Guillain-Barré syndrome.	Neurology		in press		
Kaida K, Kusunoki S, Kamakura K, Motoyoshi K, Kanazawa I.	GalNAc-GD1a in human peripheral nerve: target sites of anti-ganglioside antibody.	Neurology	61	465-470		2003
Kusunoki S, Morita D, Ohniami S, Hitoshi S, Kanazawa I.	Binding of IgG antibodies in GBS sera to a mixture of GM1 and a phospholipid: possible clinical implications.	Muscle Nerve	27	302-306		2003
Kusunoki S.	Diagnosis, pathogenesis and treatment of Miller Fisher syndrome and related disorders: Clinical significance of anti-GQ1b IgG antibody.	Expert Review of Neurotherapeutics	3	133-140		2003
Kusunoki S.	Antiganglioside antibodies in Guillain-Barré syndrome; useful diagnostic markers as well as possible pathogenetic factors.	Intern Med	42	457-458		2003
Hirano M, Kusunoki S, Asai H, Tonomura Y, Morita D, Ueno S.	A family with Campylobacter enteritis: anti-GD1a antibody with/without Guillain-Barré syndrome.	Neurology	60	1719-1720		2003
Taguchi Y, Takashima S, Kusunoki S, Asaoka E, Inoue H.	Chronic sensory ataxic neuropathy with polyclonal IgM reactivity to a number of disialosyl gangliosides who repeatedly improved after IVIg therapy.	Muscle Nerve	28	128-129		2003
Mizutani K, Oka N, Kusunoki S, Kaji R, Kanda M, Akiguchi I, Shibasaki H.	Amyotrophic lateral sclerosis with IgM antibody against gangliosides GM2 and GD2.	Intern Med	42	277-280		2003
Mochizaki H, Masaki T, Kamakura K, Matsushita S, Kusunoki S, Higuchi S.	Acute axonal polyneuropathy associated with alcoholism.	Eur Neurol	50	183-184		2003

神崎昭浩, 遠藤寺郎, 楠 進, 好永順二, 中村 靖, 調 輝男	抗 GaINAc-GD1a-IgM 抗体陽性で慢性に経過した運動ニューロパチーの 1 例	55	609-612	2003	脳と神経
等 誠司, 楠 進	シリーズ最新医学講座・I 免疫機能検査・28 総説・神経疾患	47	411-417	2003	臨床検査
海田賢一, 楠 進	最新の脳脊髄液検査と治療の実際—多発性根神経炎	21	920-921	2003	Clinical Neuroscience
森田大児, 楠 進	Paraproteinemia に伴うニューロパチー	47	555-562	2003	神経研究の進歩
等 誠司, 楠 進	質疑応答・外来で遭遇する脱髄性疾患	4124	90-91	2003	日本医事新報
高田和男, 楠 進	末梢神経障害の治療の進歩	20	417-420	2003	神経治療学
三井良之, 楠 進	特集 内科—この一年の進歩: 末梢神経・筋疾患	92	1081-1088	2003	内科
Sung JY, Kuwabara S, Kaji R, Ogawara K, Mori M, Kanai K, Nodera H, Hattori T, Bostock H.	Threshold electrotonus in chronic inflammatory demyelinating polyneuropathy: correlation with clinical profiles.	29	28-37	2004	Muscle Nerve
Kuwabara S, Bostock H, Ogawara K, Sung JY, Kanai K, Mori M, Hattori T, Burke D.	The refractory period of transmission is impaired in axonal Guillain-Barre syndrome.	28	683-689	2003	Muscle Nerve
Hiraga A, Mori M, Ogawara K, Hattori T, Kuwabara S.	Differences in patterns of progression in demyelinating and axonal Guillain-Barre syndromes.	61	471-474	2003	Neurology
Ogawara K, Kuwabara S, Koga M, Mori M, Yuki N, Hattori T.	Anti-GM1b IgG antibody is associated with acute motor axonal neuropathy and <i>Campylobacter jejuni</i> infection.	210	41-45	2003	J Neurol Sci
桑原 聡	ギラン・バレー症候群の電気生理学的病型と診断基準	47	527-533	2003	神経研究の進歩
桑原 聡	新しい軸索機能検査法 (threshold tracking 法) とギラン・バレー症候群に おける軸索特性の変化	31	338-345	2003	臨床神経生理学
桑原 聡	脱髄性ニューロパチーにおける軸索特性の変化	45	627-632	2003	臨床脳波
桑原 聡, 服部孝道	運動ニューロン疾患、ニューロパチーにおける muscle cramp と persistent Na conductance	45	303-307	2003	臨床脳波
桑原 聡	Fisher 症候群と Bickerstaff 型脳脊髄炎	45	711-716	2003	臨床脳波
桑原 聡	脱髄型ギラン・バレー症候群の電気診断	14	10-13	2003	末梢神経
Shin T, Koh CS.	Immunohistochemical detection of osteopontin in the spinal cords of mice with Theiler's murine encephalomyelitis virus-induced demyelinating disease.	356	72-74	2004	Neurosci Lett
Moon C, Ahn M, Jee Y, Heo S, Kim S, Kim H, Sim KB, Koh CS, Shin YG, Shin T.	Sodium salicylate-induced amelioration of experimental autoimmune encephalomyelitis in Lewis rats is associated with the suppression of inducible nitric oxide synthase and cyclooxygenases.	356	123-126	2004	Neurosci Lett

Ochi K, Kohriyama T, Higaki M, Ikeda J, Harada A, Nakamura S.	Changes in serum macrophage-related factors in patients with chronic inflammatory demyelinating polyneuropathy caused by intravenous immunoglobulin therapy.	J Neurol Sci	208	43-50	2003
Matsuoka N, Kohriyama T, Ochi K, Nishitani M, Sueda Y, Mimori Y, Nakamura S, Matsumoto M.	Detection of cervical nerve root hypertrophy by ultrasonography in chronic inflammatory demyelinating polyradiculoneuropathy.	J Neurol Sci		in press	
織田雅也, 郡山達男, 野田公一, 片山禎夫, 中村重信	血液浄化療法及びビステロイドパルス療法により筋力の改善を認めた運動ニューロン疾患の1例	神経内科	59	68-73	2003
郡山達男, 檜垣雅裕, 松本昌泰	多発性硬化症: 新しい免疫調整薬 (glatiramer acetate, mitoxantrone)	日本臨牀	61	1381-1387	2003
郡山達男, 檜垣雅裕, 松本昌泰	血液脳関門, 血液神経関門の基礎と臨床: バリアーの生理と破綻・修復のメカニズムを探る. バリアー破綻と細胞免疫	神経免疫学	11	243-250	2003
郡山達男, 檜垣雅裕, 松岡直輝, 松本昌泰	ケーススタディ: 上肢から始まる亜急性進行性の筋力低下を来した68歳, 男性	末梢神経	14	82-89	2003
越智一秀, 郡山達男, 松本昌泰	ガイドライン: 慢性炎症性脱髄性多発根神経炎の治療指針	広島医学	56	105-111	2003
檜垣雅裕, 郡山達男, 松本昌泰	ガイドライン: ギラン・バレー症候群の治療指針	広島医学	56	355-358	2003
Irie S, Saito T, Kanazawa N, Ogino M, Ogino Y, Sakai F.	Detection of serum anti-ganglioside antibodies by latex agglutination assay in Guillain-Barré syndrome: Comparison with ELISA.	Intern Med	42	490-495	2003
Kishi M, Fujioka T, Miura H, Sekine A, Iguchi H, Nakazora H, Kiyozuka T, Igarashi O, Ichikawa Y, Sugimoto H, Kurihara T, Irie S, Saito T.	The relation of clinical symptoms and anti-ganglioside antibodies to MEPPs frequency increase in 8 cases of variant type Guillain-Barré syndrome.	J Peripheral Nervous system	8	82-90	2003
Wakata N, Saito T, Tanaka S, Hirano T, Oka K.	Tacrolimus hydrate (FK506): therapeutic effects and selection of responders in the treatment of myasthenia gravis.	Clin Neurol Neurosurg	106	5-8	2003
Sakai K, Kitagawa Y, Saiki S, Saiki M, Hirose G.	Effect of a paraneoplastic cerebellar degeneration-associated neural protein on B-myb promoter activity.	Neurobiol of Dis		in press	
Shiratsuchi A, Mori T, Takahashi Y, Sakai K, Nakanishi Y.	A presumed human nuclear autoantigen that translocates to plasma membrane blebs during apoptosis.	J Biochem	133	211-218	2003
Sakai K, Kitagawa Y, Saiki M, Saiki S, Hirose G.	Binding of the ELAV-like protein in murine autoimmune T-cells to the nonameric AU-rich element in the 3' untranslated region of CD154 mRNA.	Mol Immunol	39	879-883	2003
Sahashi K, Sakai K, Mano K, Hirose G.	Anti-Ma2 antibody-related paraneoplastic limbic/brainstem encephalitis associated with breast cancer that expresses Ma1, Ma2, and Ma3 mRNAs.	J Neurol Neurosurg Psychiatry	74	1-4	2003

Nagashima T, Mizutan Y, Kawahara H, Maguchi S, Terayama Y, Shinohara T, Orba Y, Chuma T, Mano Y, Itoh T, Sawa H, Sakai K, Motomura M, Nagashima K 酒井宏一郎、廣瀬源二郎	Anti-Hu paraneoplastic syndrome presenting with brain-stem cerebellar symptoms and Lambert-Eaton myasthenic syndrome. 内科医のための神経内科 Minimum Essential 内科疾患に伴う神経症状 悪性腫瘍	Neuropathology	23	230-238	2003
四方裕夫、酒井宏一郎、上田善道、土島秀次、松原純一 酒井宏一郎	Lambert-Eaton 筋無力症候群を呈した原発巣不明の網膜リンパ節小細胞癌の1例 悪性腫瘍と大脳病変—傍腫瘍性辺縁系脳炎—	内科 日本呼吸器外科学会雑誌 神経内科	91 33 58	681-686 500-504 473-479	2003 2003 2003
庄司融史、浅岡京子、山本寛子、綾部光芳、酒井宏一郎 酒井宏一郎、垣内無一	非ヘルペス系急性辺縁系脳炎 他領域にまたがる注意すべき脳神経精神症状とその治療—悪性腫瘍患者に伴う神経症状と治療	神経内科 Mebio	59 21	9-13 71-76	2003 2004
加納聡子、澁水 潤、三方崇嗣、篠江 隆、大田秀隆、米野由希子、小川誠司、平井久丸、金澤一郎 中山聡子、上坂和義、国本雅也、三方崇嗣、澁水 潤、石井則久	筋痛と著明な筋腫脹をみせた慢性GVFDとしての筋炎症例の骨格筋MRIと筋病理所見 急性発症の疼痛をともなった上肢多発単神経炎型ハンセン病ニューロパチーの1例	臨床神経 臨床神経	43 43	93-97 265-269	2003 2003
Mizuno T, Kurotani T, Komatsu Y, Kawanokuchi J, Kato H, Mitsuuma N, Suzumura A. Kawanokuchi J, Mizuno T, Kato H, Mitsuuma N, Suzumura A.	Neuroprotective role of phosphodiesterase inhibitor ibudilast on neuronal cell death induced by activated microglia.	Neuropharmacology	46	404-11	2004
Kawanokuchi J, Mizuno T, Kato H, Mitsuuma N, Suzumura A. Suzumura A, Ito A, Mizuno T.	Effects of interferon- $\beta$ on functions of microglia as inflammatory and antigen presenting cells in the central nervous system. Phosphodiesterase inhibitors suppress IL-12 production with microglia and T helper 1 development.	Neuropharmacology Mull Scler		in press 574-8	2003
Mizuno T, Kawanokuchi J, Numata K, Suzumura A. 水野哲也、錫村明生 加藤秀紀、錫村明生 錫村明生	Production and neuroprotective functions of fractalkine in the central nervous system. 免疫療法の新しい展開—エフェクターフェーズの抑制 脳病巣のサイトカイン動態、特集 多発性硬化症 ミクログリアと脳内免疫能、特集；ミクログリアの機能と病態	Brain Res 神経免疫学 日本臨牀 脳21	979 11 61 6	65-70 215-219 1428-1434 256-261	2003 2003 2003 2003
Katsumo M, Adachi H, Sobue G	Sweat relief for Huntington's disease.	Nat Med		in press	

Katsuno M, Adachi H, Tanaka F, Sobue G	Spinal and bulbar muscular atrophy (SBMA): Ligand-dependent pathogenesis and therapeutic perspective.	J Mol Med		in press	
Koike H, Misu K, Sugiyama M, Iijima M, Mori K, Yamamoto M, Hattori N, Mukai E, Ando Y, Ikeda S, Sobue G	Pathologic differences between early- and late-onset type 1 (TTR Met30) familial amyloid polyneuropathy.	Neurology		in press	
Takeuchi H, Niwa J, Hishikawa N, Ishigaki S, Tanaka F, Doyu M, Sobue G	Dorfin prevents cell death by reducing mitochondrial localizing mutant superoxide dismutase 1 in a neuronal cell model of familial amyotrophic lateral sclerosis.	J Neurochem		in press	
Watanabe H, Fukatsu H, Katsuno M, Sugiyama M, Hamada K, Okada Y, Hirayama M, Ishigaki T, Sobue G	Muotiple regional 1H-MR spectroscopy in multiple system atrophy: NAA/Cr reduction in pontine base as a valuable diagnostic marker.	J Neurol Neurosurg Psychiatry	75	103-109	2004
Nodera H, Bostock H, Kuwabara S, Sakamoto T, Asanuma K, Jia-Ying S, Ogawara K, Hattori N, Hirayama M, Sobue G, Kaji R	Nerve excitability properties in Charcot-Marie-Tooth disease type 1A.	Brain	127	203-211	2004
Ito T, Niwa J, Hishikawa N, Ishigaki S, Doyu M, Sobue G	Dorfin localizes to Lewy bodies and ubiquitinates synphilin-1.	J Biol Chem	278	29106-29114	2003
Ishihara K, Yamagishi N, Saito Y, Adachi H, Kobayashi Y, Sobue G, Otsuka K, Hatayama T	Hsp105a suppresses the aggregation of truncated androgen receptor with expanded CAG repeats and cell toxicity.	J Biol Chem	278	25143-25150	2003
Hishikawa N, Niwa J, Doyu M, Ito T, Ishigaki S, Hashizume Y, Sobue G	Dorfin localizes to the ubiquitinated inclusions in Parkinson's disease, dementia with Lewy bodies, multiple system atrophy, and amyotrophic lateral sclerosis.	Am J Pathol	163	609-619	2003
Hattori N, Yamamoto M, Yoshihara T, Koike H, Nakagawa N, Yoshikawa H, Ohnishi A, Hayasaka K, Onodera O, Baba M, Yasuda H, Saito T, Nakashima K, Kira J, Kaji R, Oka N, Sobue G and the Study Group for Hereditary Neuropathy in Japan.	Demyelinating and axonal features of Charcot-Marie-Tooth disease with mutations of myelin-related proteins (PMP22, MPZ and Cx32): a clinicopathological study of 205 Japanese patients.	Brain	126	134-151	2003
Hishikawa N, Hashizume Y, Yoshida M, Sobue G	Clinical and neuropathological correlates of Lewy body disease.	Acta Neuropathol	105	341-350	2003

Hamada K, Hirayama M, Watanabe H, Kobayashi R, Ito H, Ieda T, Koike Y, Sobue G	Onset age and severity impairment are associated with reduction of myocardial <sup>123</sup> I-MIBG uptake in Parkinson's disease.	J Neurol Neurosurg Psychiatry	74	423-426	2003
Adachi H, Katsumo M, Minamiyama M, Sang C, Pagoulatos G, Angelidis C, Kusakabe M, Yoshiki A, Kobayashi Y, Doyu M, Sobue G	Heat shock protein 70 chaperone overexpression ameliorates phenotypes of the spinal and bulbar muscular atrophy transgenic mouse model by reducing nuclear-localized mutant androgen receptor protein.	J Neurosci	23	2203-2211	2003
Abe Y, Kachi T, Arahata Y, Yamada T, Washimi Y, Iwai K, Ito K, Yanagisawa N, Sobue G	Occipital hypoperfusion in Parkinson's disease without dementia: correlation to impaired cortical visual processing.	J Neurol Neurosurg Psychiatry	74	419-422	2003
Koike H, Iijima M, Sugiura M, Mori K, Hattori N, Ito H, Hirayama M, Sobue G	Alcoholic neuropathy is clinicopathologically distinct from thiamine-deficiency neuropathy.	Ann Neurol	54	19-29	2003
Katsuno M, Adachi H, Doyu M, Minamiyama M, Sang C, Kobayashi Y, Inukai A, Sobue G	Leuporelin rescue polyglutamine-dependent phenotypes in a transgenic mouse model of spinal and bulbar muscular atrophy.	Nature Medicine	9	768-773	2003
Wada M, Kimura M, Daimon M, Kurita K, Kato T, Johmura Y, Johkura K, Kuroiwa Y, Sobue G	An usual phenotype of McLeod syndrome with late onset axonal neuropathy.	J Neurol Neurosurg Psychiatry	74	1697-1698	2003
Katsuno M, Adachi H, Inukai A, Sobue G	Transgenic mouse models of spinal and bulbar muscular atrophy (SBMA).	Cytogenet Genomic Res	100	243-251	2003
Mori K, Iijima M, Sugiura M, Koike H, Hattori N, Ito H, Hirayama M, Sobue G	Sjogren's syndrome associated painful sensory neuropathy without sensory ataxia.	J Neurol Neurosurg Psychiatry	74	1230-1322	2003
Tanaka K, Ding X, Tanaka M.	Effects of antineuronal antibodies from patients with paraneoplastic neurological syndrome on primary cultured neurons.	J Neurol Sci	217	25-30	2004
Watanabe Y, Shimizu Y, Ooi S, Tanaka K, Inuzuka T, Nakashima K.	Steroid-responsive limbic encephalitis.	Internal Medicine	42	428-432	2003
田中恵子, 丁 欣, 田中正美	傍腫瘍性神経症候群の神経症候と抗神経抗体	呼吸	22	330-336	2003
田中恵子, 田中正美	Paraneoplastic limbic encephalitis.	神経内科	59	14-19	2003
田中恵子	原著をさぐる 副腎白質ジストロフィー	Clinical Neuroscience	21	1212-1213	2003
平原 潔, 高堂裕平, 下畑光輝, 五十嵐修一, 田中恵子, 辻 省次	免疫グロブリン静注療法 (IVIG) が奏功した糖尿病性筋萎縮症の1症例	神経治療学	20	81-85	2003
眞野 篤, 菊川公紀, 土屋俊晶,	外眼筋麻痺と失調性ニューロパチーを呈したミトコンドリアミオパチー	臨床神経学	43	564-567	2003

田中恵子, 田中正美	の1例					
金澤雅人, 石黒英明, 小野寺理, 吉川健二郎, 小出隆司, 新井亜希, 長谷川有香, 中野亮一, 田中恵子, 西澤正豊	嚥下障害が初発症状であった全身型破傷風の2例	55	973-976	脳と神経		2003
Mori K, Noguchi M, Matsuo M, Nomata K, Nakamura T, Kanetake H.	Natural course of voiding function in patients with human T-cell lymphotropic virus type I-associated myelopathy.	217	3-6	J Neurol Sci		2004
Nakashima K, Kawakami A, Hida A, Yamasaki S, Nakamura H, Kamachi M, Miyashita T, Tanaka F, Izumi Y, Tamai M, Ida H, Furuyama M, Koji T, Nakamura T, Migita K, Origuchi T, Eguchi K.	Examination of anti-apoptogenic property of human T-lymphotropic virus type I (HTLV-I) tax: possible role of BcL-XL to protect mitochondrial pretrubation.	142	341-347	J Lab Clin Med		2003
Tsujihata M, Satoh A, Yoshimura T, Motomura M, Takeo G, Matsuo H, Nakamura T.	Effect of myasthenic immunoglobulin G on motor end-plate morphology.	250	75-82	J Neurol		2003
藤本武士, 本村政勝, 調 漸, 江口勝美, 中村龍文, 吉村俊朗	神経因性膀胱を合併し, ステロイド治療後良好な経過を呈した Churg-Strauss 症候群の1例	92	131-133	日内会誌		2003
木下俊介, 富岳 亮, 野村恭一, 島津邦男	多発性硬化症の非活動期における末梢血リンパ球サブセットおよびケモカインレセプターの検討	11	57-58	神経免疫学		2003
野村恭一	多発性硬化症 最新の基礎・臨床研究, 血漿浄化療法	61	1388-1395	日本臨牀		2003
Torisu H, Kusuhara K, Kira R, Bassuny WM, Sakai Y, Sanefuji M, Takemoto M, Hara T.	Functional MxA promoter polymorphism associated with subacute sclerosing panencephalitis.	62	457-460	Neurology		2004
Bassuny WM, Ihara K, Kimura J, Ichikawa S, Kuromaru R, Miyako K, Kusuhara K, Sasaki Y, Kohno H, Matsuura N, Nishima S, Hara T.	Association study between interleukin-12 receptor beta1/beta2 genes and type 1 diabetes or asthma in the Japanese population.	55	189-192	Immunogenetics		2003
Bassuny WM, Ihara K, Sasaki Y, Kuromaru R, Kohno H, Matsuura N, Hara T.	A functional polymorphism in the promoter/enhancer region of the FOXP3/Scurfin gene associated with type 1 diabetes.	55	149-156	Immunogenetics		2003
Takada H, Takahata Y, Nomura A, Ohga S,	Increased serum levels of interferon- $\gamma$ -inducible protein 10 and monokine induced	133	448-453	Clin Exp Immunol		2003

Mizuno Y, Hara T.	by gamma interferon in patients with hemophagocytic lymphohistiocytosis.				
Khajoo V, Ihara K, Kira R, Takemoto M, Tonisu H, Sakai Y, Guanijun J, Hee PM, Tokunaga K, Hara T.	Founder effect of the C9 R95X mutation in Orientals.	Hum Genet	112	244-248	2003
Ohga S, Nomura A, Ihara K, Takahata Y, Suga N, Akeda H, Shibata R, Okamura J, Kimukawa N, Hara T.	Cytokine imbalance in hyper-IgE syndrome: reduced expression of transforming growth factor beta and interferon gamma genes in circulating activated T cells.	Br J Haematol	121	324-331	2003
Mizuno Y, Takada H, Nomura A, Jin CH, Hatton H, Ihara K, Aoki T, Eguchi K, Hara T.	Th1 and Th1-inducing cytokines in Salmonella infection.	Clin Exp Immunol	131	111-117	2003
武本環美、原 寿郎	急性散在性脳脊髄炎	小児内科 小児疾患診療のための病態生理 2	35	718-21	2003
原 英夫	多発性硬化症	臨床検査	47	527-533	2003
Sasaki H, Kobayashi Y, Yukiue H, Yano M, Kaji M, Fukai I, Kiriyama M, Yamakawa Y, Fujii Y.	Hrad17 expression in thymoma.	Jpn J Thorac Cardiovasc Surg	51	81-85	2003
Sasaki H, Fukai I, Kiriyama M, Kaji M, Yano M, Yamakawa Y, Fujii Y.	Thymidylate synthase and dihydropyrimidine dehydrogenase mRNA levels in thymoma.	Surg Today	33	83-88	2003
Yokoyama T, Tanahashi M, Tateyama H, Yamakawa Y, Kiriyama M, Fujii Y.	Flow-cytometric diagnosis of thymoma using needle biopsy specimens.	Surg Today	33	163-168	2003
Yukiue H, Sasaki H, Kobayashi Y, Nakashima Y, Moriyama S, Yano M, Kaji M, Kiriyama M, Fukai I, Yamakawa Y, Fujii Y.	Clinical significance of tissue inhibitor of metalloproteinase and matrix metalloproteinase mRNA expression in thymoma.	J Surg Res	109	86-91	2003
Sasaki H, Ide N, Sando F, Takeda Y, Adachi M, Fukai I, Fujii Y.	Glycosylphosphatidylinositol-anchored protein (GPI-80) gene expression is correlated with human thymoma stage.	Cancer Sci	94	809-813	2003
Takahashi E, Tateyama H, Akatsu H, Fukai I, Yamakawa Y, Fujii Y, Eimoto T.	Expression of matrix metalloproteinases 2 and 7 in tumor cells correlates with the World Health Organization classification subtype and clinical stage of thymic epithelial tumors.	Human Pathol	34	1253-1258	2003
Okumura M, Ohta M, Takeuchi Y, Shiono H, Inoue M, Fukuhara K, Kadota Y, Miyoshi S,	The immunologic role of thymectomy in the treatment of myasthenia gravis: implication of thymus-associated B-lymphocyte subset in reduction of the	General Thoracic Surgery	126	1922-1928	2003

<u>Fujii Y</u> , <u>Matsuda H</u> .	anti-acetylcholine receptor antibody titer.						
<u>Sasaki H</u> , <u>Yukiue H</u> , <u>Kobayashi Y</u> , <u>Yano M</u> , <u>Fukai I</u> , <u>Fujii Y</u> .	FHJT mRNA expression in thymoma.	Eur J Sur Oncol	29	904-907			2003
<u>Matsubara T</u> , <u>Anwar R</u> , <u>Fujiwara M</u> , <u>Ichiyama T</u> , <u>Furukawa S</u> .	CTLA-4 (CD152) expression in peripheral blood T cells in Kawasaki disease.	Clin Exp Immunol	132	169-173			2003
<u>Ichiyama T</u> , <u>Isumi H</u> , <u>Ozawa H</u> , <u>Matsubara T</u> , <u>Morishima T</u> , <u>Furukawa S</u> .	Cerebrospinal fluid and serum levels of cytokines and soluble tumor necrosis factor receptor in influenza virus-associated encephalopathy.	Scand J Infect Dis	35	59-61			2003
<u>Hasegawa K</u> , <u>Ichiyama T</u> , <u>Isumi H</u> , <u>Nakata M</u> , <u>Sase M</u> , <u>Furukawa S</u> .	NF- $\kappa$ B activation in peripheral blood mononuclear cells in neonatal asphyxia.	Clin Exp Immunol	132	261-264			2003
<u>Yoneshima Y</u> , <u>Ichiyama T</u> , <u>Ayukawa H</u> , <u>Matsubara</u> , <u>Furukawa S</u> .	Fosfomycin inhibits NF- $\kappa$ B activation in U-937 and Jurkat cells.	Int J Antimicrob Agents	21	589-592			2003
<u>Ichiyama T</u> , <u>Hasegawa S</u> , <u>Umeda M</u> , <u>Terai K</u> , <u>Matsubara T</u> , <u>Furukawa S</u> .	Pranlukast inhibits NF- $\kappa$ B activation in human monocytes/macrophages and T cells.	Clin Exp Allergy	33	802-807			2003
<u>Ichiyama T</u> , <u>Endo S</u> , <u>Kaneko M</u> , <u>Isumi H</u> , <u>Matsubara T</u> , <u>Furukawa S</u> .	Serum cytokine concentrations of influenza-associated acute necrotizing encephalopathy.	Pediatr Int	45	734-736			2003
<u>松井 真</u>	多発性硬化症の予後と予測因子	日本臨床	61	1396-1401			2003
<u>松井 真</u> , <u>小澤恭子</u> , <u>西口悦子</u> , <u>齋田孝彦</u>	Interferon- $\beta$ 1b 治療早期における多発性硬化症患者の quality of life の検討	神経治療学	20	459-463			2003
<u>Wang H-Y</u> , <u>Matsui M</u> , <u>Araya S</u> , <u>Onai N</u> , <u>Matsushima K</u> , <u>Saida T</u> .	Immune parameters associated with early treatment effects of high-dose intravenous methylprednisolone in multiple sclerosis.	J Neurol Sci	216	61-66			2003
<u>Matsui M</u> , <u>Araya S</u> , <u>Wang H-Y</u> , <u>Onai N</u> , <u>Matsushima K</u> , <u>Saida T</u> .	Circulating lymphocyte subsets linked to intracellular cytokine profiles in normal humans.	Clin Exp Immunol	134	225-231			2003
<u>Nakane S</u> , <u>Matsuo H</u> , <u>Goto H</u> , <u>Yoshinaga-Matsumoto M</u> , <u>Ohtsuru I</u> , <u>Ichinose K</u> , <u>Onodera H</u> , <u>Yoshida M</u> , <u>Shibuya N</u> .	Cytapheresis with a filter for selective removal of CD4+ T cells in experimental autoimmune encephalomyelitis.	Multiple Sclerosis	9	579-584			2003
<u>松尾秀徳</u> , <u>澁谷純壽</u>	重症筋無力症の血漿交換	神経内科	59	249-254			2003
<u>Chiba S</u> , <u>Koge N</u> , <u>Oda M</u> , <u>Yamauchi R</u> , <u>Imai T</u> , <u>Matsumoto H</u> , <u>Yokogushi K</u> .	Synovial chondromatosis presenting with cervical radiculopathy: a case report.	Spine	28	E396-400			2003
<u>Imai T</u> , <u>Saitoh M</u> , <u>Matsumoto H</u> .	Eosinophilic fasciitis: MRI evaluation.	Neurology	61	416			2003
<u>村井弘之</u> , <u>梅 風君</u> , <u>小福川学</u> ,	CIDP の髄液 CD4 陽性 T 細胞内サイトカインの解析	末梢神経	14	147-149			2003

越智博文、吉良潤一						
村井弘之	重症筋無力症の胸腺摘出療法 (特集 重症筋無力症の治療-2003-)	神経内科	59	260-264		2003
Bedoui S, Miyake S, Lin Y, Miyamoto K, Oki S, Kawamura N, Beck-Sickingher A, von Hoersten S, Yamamura T.	Neuropeptide Y (NPY) suppresses experimental autoimmune encephalomyelitis: NPY Y <sub>1</sub> receptor-specific inhibition of autoreactive Th1 responses in vivo	J Immunol	171	3451-3458		2003
Illes Zs, Shinamura M, Newcombe J, Oka N, Yamamura T.	Accumulation of V $\alpha$ 7.2 $\alpha$ 33 invariant T cells in autoimmune inflammatory lesions of the nervous system.	Int Immunol	16	223-230		2004
Koike F, Satoh J, Miyake S, Yamamoto T, Kawai M, Kikuchi S, Nomura K, Yokoyama K, Ota K, Kanda T, Fukazawa T, Yamamura T.	Microarray analysis identifies interferon $\beta$ -regulated genes in multiple sclerosis.	J Neuroimmunol	139	109-118		2003
佐藤 準一、山村 隆	多発性硬化症におけるインターフェロンの効果発現機序	医療	57	441-455		2003
山村 隆	NKT 細胞による自己免疫疾患の制御	Molecular Medicine	40	562-568		2003
山村 隆	多発性硬化症の発症機構と NK 細胞/NKT 細胞	日本臨床	61	1329-1334		2003
山村 隆	NKT 細胞を介した自己免疫疾患制御	炎症と免疫	11	616-622		2003
佐藤 準一、山村 隆	多発性硬化症治療への新しい展望	最新医学	58	1926-1938		2003
長山成美、山村 隆	抗コレステロール薬による Th2 優位の誘導-MS の治療への応用は可能か？	臨床免疫	40	205-208		2003
長山成美、山村 隆	実験的自己免疫性脳脊髄炎と多発性硬化症 特集 Molecular mimicry (分子模倣) と疾患	医学のあゆみ	206	845-848		2003
山村 隆	近未来の多発性硬化症治療	BIO Clinica	18	1069-1073		2003
山村 隆、林 幼偉、三宅 幸子	多発性硬化症の進行を抑制する免疫細胞 特集 脳と免疫	Brain Medical	15	401-405		2003
山村 隆	NKT 細胞のリガンドと Th1/Th2 バランス	臨床免疫	41	14-17		2004
Yuki N, Saperstein DS.	Axonal Guillain-Barré syndrome subtypes: do we need more splitting?	Neurology	61	598-599		2003
Koga M, Yuki N, Tsukada Y, Hirata K, Matsumoto Y.	CDR3 spectratyping analysis of the T cell receptor repertoire in Guillain-Barré and Fisher syndromes.	J Neuroimmunol	141	112-117		2003
Susuki K, Nishimoto Y, Yamada M, Baba M, Ueda S, Hirata K, Yuki N.	Acute motor axonal neuropathy rabbit model: immune attack on nerve root axons.	Ann Neurol	54	383-388		2003
Odaka M, Yuki N, Yamada M, Koga M, Takemi T, Hirata K, Kuwabara S.	Bickerstaff's brainstem encephalitis: clinical features of 62 cases and a subgroup associated with Guillain-Barré syndrome.	Brain	126	2279-2290		2003
Odaka M, Yuki N, Hirata K.	Patients with chronic inflammatory demyelinating polyneuropathy initially	J Neurol	250	913-916		2003

	diagnosed as Guillain-Barré syndrome.					
Ikuta N, Fukusako T, <u>Yuki N</u> , Morimatsu M, Koga M.	Acute oropharyngeal palsy associated with anti-GM1b IgG antibody.	J Neurol	250	881-882		2003
Sekiguchi K, Susuki K, Funakawa I, Jinnai K, <u>Yuki N</u> .	Cerebral white matter lesions in acute motor axonal neuropathy.	Neurology	61	272-273		2003
Susuki K, Johkura K, <u>Yuki N</u> , Kuroiwa Y.	Clinical deterioration in Bickerstaff's brainstem encephalitis caused by overlapping Guillain-Barré syndrome.	J Neurol Sci	211	89-92		2003
Odaka M, <u>Yuki N</u> , Kokubun N, Hirata K, Kuwabara S.	Axonal Guillain-Barré syndrome associated with axonal Charcot-Marie-Tooth disease.	J Neurol Sci	211	93-97		2003
Ogawara K, Kuwabara S, Koga M, Mori M, <u>Yuki N</u> , Hattori T.	Anti-GM1b IgG antibody is associated with acute motor axonal neuropathy and <i>Campylobacter jejuni</i> infection.	J Neurol Sci	210	41-45		2003
Odaka M, Koga M, <u>Yuki N</u> , Susuki K, Hirata K.	Longitudinal changes of anti-ganglioside antibodies before and after Guillain-Barré syndrome onset subsequent to <i>Campylobacter jejuni</i> enteritis.	J Neurol Sci	210	99-103		2003
Koga M, <u>Yuki N</u> , Hirata K, Morimatsu M, Mori M, Kuwabara S.	Anti-GM1 antibody IgG subclass: a clinical recovery predictor in Guillain-Barré syndrome.	Neurology	60	1514-1518		2003
Odaka M, <u>Yuki N</u> .	Antibodies to GM2 ganglioside in neurological disorders.	Intern Med	42	220-221		2003
<u>吉川弘明</u>	重症筋無力症の免疫療法の現状と展望—tacrolimus を中心に—	神経治療学		印刷中		
Yasukawa Y, Yoshikawa H, Iwasa K, Yamada M, Takamori M.	Comparative study of preoperative thymic imaging and pathology in patients with myasthenia gravis.	J Clin Neurosci		in press		
Takamori M, Motomura M, Kawaguchi N, Nemoto Y, Hattori T, Yoshikawa H, Otsuka K.	Anti-ryanodine receptor antibodies and FK506 in myasthenia gravis.	Neurology		in press		
河野武幸、辻 琢巳、平山かおり、岩槻留美、廣瀬道隆、渡部一仁、 <u>吉川弘明</u> 、藤多哲朗、林 正俊	重症筋無力症に対する新規免疫抑制剤IFTY720 の薬効・薬理試験：EAMG マウスを用いた検討	神経免疫学	12	59		2004
岩佐和夫、古川 裕、 <u>吉川弘明</u> 、山田正仁	重症筋無力症における患者年齢層の変遷と胸腺組織について	神経免疫学	12	45		2004