

Yamashita J, Komuro I, et al.	Attenuation of Ischemia/ Reperfusion-Induced Renal Injury in Mice Deficient in Na ⁺ /Ca ²⁺ Exchanger.	J Pharma Experimental Therapeutic	304	284-293	2003
Funabashi N, Komuro I, et al.	Multiple cystic aneurysms in aortitis demonstrated by three dimensional volume rendering images of multislice computed tomography.	Heart	89	257	2003
Funabashi N, Komuro I, et al.	Coronary artery patency after metallic stent implantation evaluated by multislice computed tomography.	Circulation	107	147-148	2003
Koizumi T, Komuro I, et al.	Improvement of left ventricular dysfunction during exercise by walking in patients with successful percutaneous coronary intervention for acute myocardial infarction.	Circ J	67	233-237	2003
Yao A, Komuro I, et al.	Characteristic effects of alpha1-beta1, 2- adrenergic blocking agent, carvedilol, on [Ca ²⁺]i in ventricular myocytes compared with those of timolol and atenolol.	Circ J	67	83-90	2003
Minamino T, Komuro I, et al.	Endothelial cell senescence in human atherosclerosis: role of telomeres in endothelial dysfunction.	J Cardiol	41	39-40	2003
Iijima Y, Komuro I, et al.	Beating is necessary for transdifferentiation of skeletal muscle-derived cells into cardiomyocytes.	FASEB J	17	1361-1363	2003
Kudou S, Komuro I, et al.	Stretch-modulation of second messengers:effects on cardiomyocyte ion transport.	Prog Biophys Mol Biol	82	57-66	2003
Akazawa H, Komuro I,	Too much Csx/Nkx2-5 is as bad as too little?	J Mol Cell Cardiol	35	227-229	2003
Kayaba Y, Komuro I, et al.	Attenuated defence response and low basal blood pressure in orexin knockout mice.	Am J Physiol Regul Integr Comp Physiol	285	R581-R593	2003
Akazawa H, Komuro I.	Roles of cardiac transcription factors in cardiac hypertrophy.	Cirs Res	92	1079-1088	2003
Nagai T, Komuro I, et al.	Cdc42 plays a critical role in assembly of sarcomere units series of cardiac myocytes.	Biochem Biophys Res Commun	306	806-810	2003

Funabashi N, Komuro I, et al.	Myocardial fibrosis in fabry disease demonstrated by multislice computed tomography: comparison with biopsy findings.	Circulation	107	2519-2520	2003
Wakimoto K, Komuro I, et al.	$\text{Na}^+/\text{Ca}^{2+}$ exchanger-deficient mice have disorganized myofibrils and swollen mitochondria in cardiomyocytes.	Comp Biochem Physiol B Biochem Mol Biol	135	9-15	2003
Sato M, Komuro I, et al.	Characterization of a novel <i>C. elegans</i> RGS protein with a C2 domain:evidence for direct association between C2 domain and Galphaq subunit.	Life Sci	73	917-932	2003
Funabashi N, Komuro I, et al.	Fibromuscular dysplasia in renovascular hypertension demonstrated by multislice CT: comparison with conventional angiogram and intravascular ultrasound.	Heart	89	639	2003
Kuroda N, Komuro I, et al.	Impact of change in the price of percutaneous coronary intervention devices on medical expenses.	Circ J	67	576-578	2003
Takano H, Komuro I, et al.	The role of PPAR γ -dependent pathway in the development of cardiac hypertrophy.	Drugs of Today	39	347-357	2003
Zou Y, Komuro I, et al.	Leukemia Inhibitory Factor Enhances Survival of Cardiomyocytes and Induces Regeneration of Myocardium After Myocardial Infarction.	Circulation	108	748-853	2003
Hasegawa H, Komuro I, et al.	3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors prevent the development of cardiac hypertrophy and heart failure in rats.	J Mol Cell Cardiol	35	953-960	2003
Minamino T, Komuro I.	The role of telomerase activation in the regulation of vascular smooth muscle cell proliferation.	Drugs News Perspect	16	211-216	2003
Funabashi N, Komuro I, et al.	Complications of pulmonary vein isolation by catheter ablation evaluated by ECG-gated multislice computed tomography.	Heart Vessels	18	220-233	2003

Minamino T, Komuro I, et al.	Ras induces vascular smooth muscle cell senescence and inflammation in Human atherosclerosis.	Circulation	108	2264-2269	2003
Cohen-Barak O, Komuro I, et al.	Sox6 regulation of cardiac myocyte development.	Nucleic Acids Res	31	5941-5948	2003
Funabashi N, Komuro I, et al.	Endoluminal perspective volume rendering of coronary arteries using electron-beam computed tomography.	Circ J	67	1064-1067	2003
Zou Y, Komuro I, et al.	Heat shock transcription factor 1 protects cardiomyocytes from ischemia/reperfusion injury.	Circulation	108	3024-3030	2003
Naito A, Komuro I, et al.	Early stage-specific inhibitions of cardiomyocyte differentiation and expression by phosphatidylinositol 3-kinase	Exp Cell Res	291	56-69	2003
Taniguchi K, Kobayashi K, Saito K, Yamanouchi H, Ohnuma A, Hayashi YK, Manya H, Jin DK, Lee M, Parano E, Falsaperla R, Pavone P, van Coster R, Talim B, Steinbrecher A, Straub V, Nishino I, Topaloglu H, Voit T, Endo T, Toda T.	Worldwide distribution and broader clinical spectrum of muscle-eye-brain disease.	Hum Mol Genet	12	527-534	2003
Kurahashi H, Shaikh T, Takata M, Toda T, Emanuel BS.	The constitutional t(17;22): another translocation mediated by palindromic AT-rich repeats.	Am J Hum Genet	72	733-738	2003
Silan F, Yoshioka M, Kobayashi K, Simsek E, Tunc M, Alper M, Cam M, Guven A, Fukuda Y, Kinoshita M, Kocabay K, Toda T.	A new mutation of the fukutin gene in a non-Japanese patient.	Ann Neurol	53	392-396	2003
Noguchi S, Tsukahara T, Fujita M, Kurokawa R, Tachikawa M, Toda T, Tsujimoto A, Arahata K, Nishino I.	cDNA microarray analysis of individual Duchenne muscular dystrophy patients.	Hum Mol Genet	12	595-600	2003
Li M, Ishikawa K, Toru S, Tomomotsu H, Takashima M, Goto J, Takiyama Y, Sasaki H, Imoto I, Inazawa J, Toda T, Kanazawa I, Mizusawa H.	Physical map and haplotype analysis of 16q-linked autosomal dominant ataxia (ADCA) type III in Japan.	J Hum Genet	48	111-118	2003
Nagai Y, Fujikake N, Ohno K, Higashiyama H, Popiel HA, Rahadian J, Yamaguchi M, Strittmatter WJ, Burke JR, Toda T.	Prevention of polyglutamine oligomerization and neurodegeneration by the peptide inhibitor QBP1 in Drosophila.	Hum Mol Genet	12	1253-1259	2003

Takeda S, Kondo M, Sasaki J, Kurahashi H, Kano H, Arai K, Misaki K, Fukui T, Kobayashi K, Tachikawa M, Imamura M, Nakamura Y, Shimizu T, Murakami T, Sunada Y, Fujikado T, Matsumura K, Terashima T, Toda T.	Fukutin is required for maintenance of muscle integrity, cortical histiogenesis and normal eye development.	Hum Mol Genet	12	1449-1459	2003
Manya H, Sakai K, Kobayashi K, Taniguchi K, Kawakita M, Toda T, Endo E.	Loss-of-function of an N-acetylglucosaminyltransferase, POMGnT1, in muscle-eye-brain disease.	Biochem Biophys Res Commun	306	93-97	2003
Zhang W, Vajsar J, Cao P, Breningstall G, Diesen C, Dobyns W, Herrmann R, Lehesjoki A-E, Steinbrecher A, Talim B, Toda T, Topaloglu H, Voit T, Schachter H.	Enzymatic diagnostic test for muscle-eye-brain type congenital muscular dystrophy using commercially available reagents.	Clin Biochem	36	339-344	2003
Toda T, Kobayashi K, Takeda S, Sasaki J, Kurahashi H, Kano H, Tachikawa M, Wang F, Nagai Y, Taniguchi K, Taniguchi M, Sunada Y, Terashima T, Endo T, Matsumura K.	Fukuyama-type congenital muscular dystrophy (FCMD) and a-dystroglycanopathy.	Congenit Anom	43	97-104	2003
Toda T, Momose Y, Murata M, Tamiya G, Yamamoto M, Hattori N, Inoko H.	Toward identification of susceptibility genes for sporadic Parkinson's disease.	J Neurol	250	40-43	2003
Endo T, Toda T.	Glycosylation in congenital muscular dystrophies.	Biol Pharm Bull	26	1641-1647	2003
Toda T, Kobayashi K, Takeda S, Sasaki J, Kurahashi H, Kano H, Tachikawa M, Wang F, Nagai Y, Taniguchi K, Taniguchi M, Sunada Y, Terashima T, Endo T, Matsumura K.	Fukuyama-type congenital muscular dystrophy and abnormal glycosylation of a-dystroglycan.	Basic Appl Myol			in press
Longman C, Mercuri E, Cowan F, Allsop J, Brockington M, Jimenez-Mallebrera C, Rutherford M, Toda T, Muntoni F.	Antenatal and postnatal brain magnetic resonance imaging in muscle-eye-brain disease.	Arch Neurol			in press
Maraganore DM, Lesnick TG, Elbaz A, Chartier-Harlin M-C, Gasser T, Krueger R, Hattori N, Mellick GD, Quattrone A, Satoh J-i, Toda T, Wang J, Ioannidis JPA, Rocca WA, and the UCHL1 Global Genetics Consortium.	UCHL1 is a Parkinson's disease susceptibility gene.	Ann Neurol			in press

Dainichi T, Tanaka M, Tsuruta N, Furue M, Noda K.	Development of multiple paronychia and periungual granulation in patients medicated with gefitinib (an inhibitor of epidermal growth factor receptor).	Dermatol			in press
S Saigoh, A Tashiro, S Fujita, M Matsui, S Shibata, H Takeshita, M Furue.	Successful treatment of intractable scleromyxoedema with cyclosporine A.	Dermatol			in press
Dainichi T, Koga T, Furue M, Ueda S, Isoda M.	Paradoxical effect of trichloroacetic acid (TCA) on ultraviolet B-induced skin tumor formation.	J Dermatol Sci	31	229-31	2003
Dainichi T, Ueda S, Isoda M, Koga T, Kinukawa N, Nose Y, Ishii K, Amano S, Horii I, Furue M.	Chemical peeling with salicylic acid in polyethylene glycol vehicle suppresses skin tumor development in hairless mice.	Br J Dermatol	148	906-12	2003
H Terao, T Koga, K Urabe, Y Moroi and Furue M.	Plasma IL-13 levels in patients with atopic dermatitis.	J Dermatol	30	76-77	2003
K Fujii, Y Kohno, K Sugita, M Nakamura, Y Moroi, K Urabe, M Furue, M Yamada, and T Miyashita.	Mutations in the human homologue of Drosophila patched in Japanese nevoid basal cell carcinoma syndrome patients.	Hum Mutat	21	451-452	2003
Koga T, Matusda T, Matsumoto T, Furue M.	Therapeutic approaches to subcutaneous mycoses.	Am J Clin Dermatol	4	537-543	2003
M Furue, H Terao, W Rikihisa, K Urabe, N Kinukawa, Y Nose and T Koga.	Clinical dose and adverse effects of topical steroids in daily management of atopic dermatitis.	Br J Dermatol	148	128-133	2003
T Nakahara, K Urabe, Y Moroi, K Morita, M Furue.	Bepotastine besilate rapidly inhibits miteantigen induced immediate reactions in atopic dermatitis.	J Dermatol Sci	32	237-238	2003
T Uenotsuchi, S Imafuku, M Nagata, H Kiryu, K Morita, T Koga, M Furue.	Cutaneous and lingual papules as a sign of β 2 microglobulin-derived amyloidosis in a long-term hemodialysis patient.	Eur J Dermatol	13	393-395	2003
Uchi H, Koga T, Urabe K, Moroi Y, Furue M.	CX-659S, a diaminouracil derivative, indirectly inhibits the function of Langerhans cells by blocking the MEK1/2-Erk1/2 pathway in keratinocytes.	J Invest Dermatol	120	983-989	2003
Yoshida Y, Urabe K, Mashino T, Duan H, Kiryu H, Masuda T, Koga T, Furue M.	Basal cell carcinomas in association with basaloid follicular hamartoma.	Dermatol	207	57-60	2003

<u>Minami T.</u> , Murakami T., Horiuchi K, Miura M, Noguchi T, Miyazaki JI, Hamakubo T, Aird WC, and Kodama T.	Interaction between Hex and GATA transcription factors in vascular endothelial cells inhibits flk-1/KDR-mediated VEGF signaling.	J. Biol. Chem.			in press
Abid MR, Guo S, <u>Minami T.</u> , Spokes KC, Ueki K, Skurk C, Walsh K, and Aird WC.	Vascular endothelial growth factor activates PI3K/Akt/forkhead signaling in endothelial cells.	Arterioscler. Thromb. Vasc. Biol	24	294-300	2004
<u>Minami T.</u> , Sugiyama, A., Wu, SQ., Abid, R., Kodama, T., and Aird, W.C.	Thrombin and phenotypic modulation of the endothelium.	Arterioscler. Thromb. Vasc. Biol	24	41-53	2003
<u>Minami T.</u> , Kuivenhoven, J. A., Evans, V., Kodama, T., Rosenberg, R.D., and Aird, W.C.	Ets motifs are necessary for endothelial cell-specific expression of a 723-bp Tie-2 promoter/enhancer in Hprt targeted transgenic mice.	Arterioscler. Thromb. Vasc. Biol	23	2041-7	2003

20030818

以降は雑誌/図書等に掲載された論文となりますので、
「研究成果の刊行に関する一覧表」をご参照ください。