

| | | | | | |
|--|--|-------------------------------|-----|-----------|------|
| Y | | | | | |
| Wheeler, R. D., Brough, D., Le Feuvre, R. A., Takeda, K., Iwakura, Y., Luheshi, G. N., and Rothwell, N. J | Interleukin-18 induces expression and release of cytokines from murine glial cells: interactions with interleukin-1 β | <i>J. Neurochem.</i> | 85 | 1412-1420 | 2003 |
| Isoda, K., Shiigai, M., Ishigami, N., Matsuki, T., Horai, R., Nishikawa, K., Kusuhara, M., Nishida, Y., Iwakura, Y., and Ohsuzu, F | Deficiency of interleukin-1 receptor antagonist promotes neointimal formation after injury. | <i>Circulation</i> | 108 | 516-518 | 2003 |
| Miyake-Nishijima, R., Iwata, S., Saijo, S., Kobayashi, H., Kobayashi, S., Souta-Kuribara, A., Hosono, O., Kawasaki, H., Tanaka, H., Ikeda, E., Okada, Y., Iwakura, Y., and Morimoto, C | Role of Crk-associated substrate lymphocyte type in the pathophysiology of the rheumatoid arthritis in tax transgenic mice and in humans | <i>Arthritis Rheum.</i> | 48 | 1890-1900 | 2003 |
| Matsuki, T., Horai, R., Sudo, K., and Iwakura, Y | IL-1 plays an important role in lipid metabolism by regulating insulin levels under physiological conditions | <i>J. Exp. Med.</i> | 198 | 877-888 | 2003 |
| Kariyone, A., Tamura, T., Kano, H., Iwakura, Y., Takeda, K., Akira, S., and Takatsu, K | Immunogenicity of Peptide-25 of Ag85B in Th1 development: role of IFN- γ | <i>Int. Immunol.</i> | 15 | 1183-1194 | 2003 |
| Nakae, S., Nambu, A., Sudo, K., and Iwakura, Y | Suppression of immune induction of collagen-induced arthritis in IL-17-deficient mice | <i>J. Immunol.</i> | 171 | 6173-6177 | 2003 |
| 高橋 啓 直江史郎 | 分子誘導型モデル動物—Candida Albicans 菌体成分による動脈炎誘発モデル | 医学のあゆみ | 206 | 147-149 | 2003 |
| 高橋 啓 大原関利章 直江史郎 | 川崎病 Q&A カンジダ菌体抽出物によるマウス系統的動脈炎誘発モデルの特徴はなにか | 小児内科 | 35 | 1500-1502 | 2003 |
| 高橋 啓 大原関利章 村田久雄 直江史郎 | カンジダ菌体抽出物によるマウス系統的血管炎誘発モデルと川崎病 | 脈管学 | 43 | 673-678 | 2003 |
| Takahashi K, Oharaseki T, Wakayama M, Yokouchi Y, Naoe S, Murata H | Histopathological features of murine systemic vasculitis caused by <i>Candida albicans</i> extract - an animal model of Kawasaki Disease | <i>Inflamm res.</i> | 53 | 72-77 | 2004 |
| J. Kitagawa, Y. Futamura and K. Yamamoto | Analysis of the conformational energy landscape of human snRNA with a metric based on tree representation of RNA structure | <i>Nucleic Acids Research</i> | 31 | 2006-2013 | 2003 |
| A.K. Aringazin, Yuri Dahnovsky, VD Krevchik, M.B. Semenov, A.A. Ovchinnkov, K. Yamamoto | Two-dimensional tunnel correlations with dissipation | PHYSICAL REVIEW B | 68 | 155426-37 | 2003 |
| A. Komoto, K. Hanaki, S. Maeno, J. Y. Wakano, Y. Yamaguchi, K. Yamamoto | Growth dynamics of <i>Bacillus circulans</i> colony | <i>J. Theoretical Biol.</i> | 25 | 91-97 | 2003 |
| F. Takeuchi, Y. Futamura, H. Yoshikura, K. Yamamoto | Statistics of Trinucleotides in Coding Sequences and Evolution | <i>J. Theoretical Biol</i> | 222 | 139-149 | 2003 |

| | | | | | |
|---|--|---------------------------|---------|-----------|------|
| 山本健二 | 生物学領域におけるナノテクノロジーの応用と展望に迫る | 実験医学 | 21 | 2121-2124 | 2003 |
| 山本健二 | 光を用いた細胞・組織のバリデーションとその展開 | O plus E (新技術コミュニケーション) | 25 | 545-548 | 2003 |
| Tani, S., Akatsu, H., Ishikawa, Y., Okada, N. and Okada, H | Preferential detection of procarboxypeptidase R by enzyme-lined immunosorbent assay | Microbiol. Immunol. | 47 | 295-300 | 2003 |
| Shimomura, Y., Kawamura, T., Komura, H., Campbell, W., Okada, N. and Okada, H | Modulation of procarboxypeptidase R (proCPR) activation by complementary peptides to thrombomoduline | Microbiol. Immunol. | 47 | 241-245 | 2003 |
| Imre Farkas, Mitsuo Takahashi, Atsuo Fukuda, Naoki Yamamoto, Hiroyasu Akatsu, Lajos Baranyi, Hisashi Tateyama, Takayuki Yamamoto, Noriko Okada, Hidechika Okada | Complement C5a Receptor-Mediated Signaling May Be Involved in Alzheimer's Disease | The Journal of Immunology | 170 | 5764-5771 | 2003 |
| Fujii, Y., Murase, Y., Otake, K., Yokota, Y., Omoto, S., Hayashi, H., Okada, H., Okada, N., Kawai, M., Okuyama, H. and Imakawa, K | A potential live vector, foamy virus, directed intra-cellular expression of ovine interferon-t exhibited the resistance to HIV infection | J. Vet. Med. Sci. | 66 | 115-121 | 2004 |
| Nishioka M, Arai T, Yamashita K, Sasada M, Mori H, Ishii H, Tajima K, Makino K, Fukuda K | Effects of 6-formylpterin as an internal source of hydrogen peroxide on cell death of human peripheral blood leukocytes | Life Science | 73(2) | 221-231 | 2003 |
| Ohno T, Ueda Y, Nagai K, Takahashi T, Konaka Y, Takamatsu T, Suzuki T, Sasada M, Uchiyama T, members of the Kyoto University Hematology/Oncology Study Group | The serum cytokine profiles of lymphoma-associated hemophagocytic syndrome: a comparative analysis of B-cell and T-cell/natural killer cell lymphomas | Int J Hematol | 77(3) | 286-294 | 2003 |
| 笹田昌孝 | 好中球と病態形成－好中球の二面性－ | 臨床血液 | 44(6) | 351-357 | 2003 |
| Zhang Y, Nagata H, Ikeuchi T, Mukai H, Oyoshi MK, Demachi A, Morio T, Wakiguchi H, Kimura N, Shimizu N, Yamamoto K | Common cytological and cytogenetic features of Epstein-Barr virus (EBV)-positive natural killer (NK) cells and cell lines derived from patients with nasal T/NK-cell lymphomas, chronic active EBV infection, and hydroa vacciniforme-like eruptions | Br J Haematology | 121 | 805-814 | 2003 |
| Oyoshi MK, Nagata H, Kimura N, Zhang Y, Demachi A, Morio T, Wakiguchi H, Kimura N, Shimizu N, Yamamoto K | Preferential expansion of V γ -J γ P/V δ 2-J δ 3 γ δ -T cells in nasal T-cell lymphoma and chronic active Epstein-Barr virus infection. | Am J Pathol. | 162 (5) | 1629-1638 | 2003 |

| | | | | | |
|---|--|------------------------------------|---------|---------|------|
| Demachi A, Nagata H, Morio T, Oyoshi MK, Zhang Y, Tabata N, Kimura N, Shimizu N | Charcterization of Epstein-Barr virus (EBV)-positive NK cells isolated from hydroa vacciniforme-like eruptions | Microbiol Immunol. | 47(7) | 543-552 | 2003 |
| Ishii E, Yasukawa M, Kimura N, Yamamoto K, Imashuku S | 4Current review on the pathogenesis of primary hemophagocytic lymphohistiocytosis | Recent Res. Devel. Haematol. | 1 | 13-25 | 2003 |
| Takahashi-Omoe H, Omoe K, Sakaguchi M, Kameoka Y, Matsushita S, Inada T | Analysis of protein expression by mammalian cell lines stably expressing lactate dehydrogenase-elevating virus ORF 5 and ORF 6 proteins | Comp Immunol Microbiol Infect Dis. | 27(2) | 81-92 | 2004 |
| Takahashi-Omoe H, Omoe K, Sakaguchi M, Kameoka Y, Matsushita S, Inada T. | Production of virus-specific antiserum corresponding to sequences in the lactate dehydrogenase-elevating virus (LDV) ORF6 protein | Comp Immunol Microbiol Infect Dis | 27(1) | 47-55 | 2004 |
| Kuzmin IV, Orciari LA, Arai YT, Smith JS, Hanlon CA, Kameoka Y, Rupprecht CE. | Bat lyssaviruses (Aravan and Khujand) from Central Asia: phylogenetic relationships according to N, P and G gene sequences | Virus ResNov; | 97(2) | 65-79 | 2003 |
| Hanyuda M, Kasama T, Isozaki T, Matsunawa MM, Yajima N, Miyaoka H, Uchida H, Kameoka Y, Ide H, Adachi M | Activated leucocytes express and secrete macrophage inflammatory protein-1alpha upon interaction with synovial fibroblasts of rheumatoid arthritis via a beta2-integrin/ICAM-1 mechanism | Rheumatology | 42(11): | 1390-7 | 2003 |
| Arai T.Y, Kuzmin V.I, Kameoka Y, Botvinkin D. A | Identification of a new lyssavirus genotype from the lesser mouse-eared bat (<i>Myotis blythi</i>) in Kyrghyzstan | Emerging Infectious Diseases. | 9;3 | 333-336 | 2003 |
| Hiromu Sugiyama, Yasuyuki Morishima, Kyoko Sakamoto, Yosuke Kameoka, and Masanori Kawanaka | Raccoon Roundworm, <i>Baylisascaris procyonis</i> , as a cause of larva migrans | Jpn. J. Vet. Parasitol | 2 | 13-19 | 2003 |

20030831

以降は雑誌/図書等に掲載された論文となりますので、
「研究成果の刊行に関する一覧表」をご参照ください。