

Frequency of beverage intakes
Light beer

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	103	56.3	119	61.7	112	71.8	145	82.9	7	100.0	486	68.1
	Once a month	7	3.8	12	6.2	4	2.6	6	3.4	0	0	29	4.1
	2 to 3 times a mo.	9	4.9	5	2.6	6	3.8	5	2.9	0	0	25	3.5
	Once a week	9	4.9	7	3.6	12	7.7	4	2.3	0	0	32	4.5
	2 to 3 times a week	24	13.1	25	13.0	12	7.7	3	1.7	0	0	64	9.0
	4 to 6 times a week	12	6.6	9	4.7	1	0.6	3	1.7	0	0	25	3.5
	Once a day	19	10.4	16	8.3	9	5.8	8	4.6	0	0	52	7.3
	2 to 3 times a day	0	0	0	0	0	0	1	0.6	0	0	1	0.1
Female	Never	124	75.2	142	86.1	158	91.3	167	93.8	10	90.9	601	86.8
	Once a month	4	2.4	4	2.4	3	1.7	0	0	1	9.1	12	1.7
	2 to 3 times a mo.	5	3.0	4	2.4	2	1.2	3	1.7	0	0	14	2.0
	Once a week	11	6.7	2	1.2	4	2.3	2	1.1	0	0	19	2.7
	2 to 3 times a week	9	5.5	6	3.6	4	2.3	2	1.1	0	0	21	3.0
	4 to 6 times a week	5	3.0	6	3.6	0	0	3	1.7	0	0	14	2.0
	Once a day	7	4.2	1	0.6	2	1.2	1	0.6	0	0	11	1.6
	2 to 3 times a day	0	0	0	0	0	0	0	0	0	0	0	0
Total	Never	227	65.2	261	72.9	270	82.1	312	88.4	17	94.4	1087	77.3
	Once a month	11	3.2	16	4.5	7	2.1	6	1.7	1	5.6	41	2.9
	2 to 3 times a mo.	14	4.0	9	2.5	8	2.4	8	2.3	0	0	39	2.8
	Once a week	20	5.7	9	2.5	16	4.9	6	1.7	0	0	51	3.6
	2 to 3 times a week	33	9.5	31	8.7	16	4.9	5	1.4	0	0	85	6.0
	4 to 6 times a week	17	4.9	15	4.2	1	0.3	6	1.7	0	0	39	2.8
	Once a day	26	7.5	17	4.7	11	3.3	9	2.5	0	0	63	4.5
	2 to 3 times a day	0	0	0	0	0	0	1	0.3	0	0	1	0.1

Frequency of beverage intakes
Wine

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	146	79.8	138	71.5	132	84.6	147	84.0	7	100.0	570	79.8
	Once a month	18	9.8	28	14.5	15	9.6	10	5.7	0	0	71	9.9
	2 to 3 times a mo.	12	6.6	13	6.7	6	3.8	11	6.3	0	0	42	5.9
	Once a week	4	2.2	7	3.6	2	1.3	2	1.1	0	0	15	2.1
	2 to 3 times a week	1	0.5	5	2.6	1	0.6	4	2.3	0	0	11	1.5
	4 to 6 times a week	2	1.1	1	0.5	0	0	0	0	0	0	3	0.4
	Once a day	0	0	1	0.5	0	0	0	0	0	0	1	0.1
	4 or more times	0	0	0	0	0	0	1	0.6	0	0	1	0.1
Female	Never	131	79.4	139	84.2	149	86.1	159	89.3	11	100.0	589	85.1
	Once a month	18	10.9	10	6.1	18	10.4	5	2.8	0	0	51	7.4
	2 to 3 times a mo.	5	3.0	7	4.2	1	0.6	1	0.6	0	0	14	2.0
	Once a week	6	3.6	4	2.4	2	1.2	4	2.2	0	0	16	2.3
	2 to 3 times a week	2	1.2	1	0.6	2	1.2	3	1.7	0	0	8	1.2
	4 to 6 times a week	1	0.6	1	0.6	0	0	2	1.1	0	0	4	0.6
	Once a day	2	1.2	3	1.8	1	0.6	4	2.2	0	0	10	1.4
	4 or more times	0	0	0	0	0	0	0	0	0	0	0	0
Total	Never	277	79.6	277	77.4	281	85.4	306	86.7	18	100.0	1159	82.4
	Once a month	36	10.3	38	10.6	33	10.0	15	4.2	0	0	122	8.7
	2 to 3 times a mo.	17	4.9	20	5.6	7	2.1	12	3.4	0	0	56	4.0
	Once a week	10	2.9	11	3.1	4	1.2	6	1.7	0	0	31	2.2
	2 to 3 times a week	3	0.9	6	1.7	3	0.9	7	2.0	0	0	19	1.4
	4 to 6 times a week	3	0.9	2	0.6	0	0	2	0.6	0	0	7	0.5
	Once a day	2	0.6	4	1.1	1	0.3	4	1.1	0	0	11	0.8
	4 or more times	0	0	0	0	0	0	1	0.3	0	0	1	0.1

Frequency of beverage intakes
 Hard liquor (such as whisky, brandy, gin, vodka, rum, cocktails, etc.)

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	137	74.9	141	73.1	117	75.0	141	80.6	7	100.0	543	76.1
	Once a month	18	9.8	24	12.4	14	9.0	9	5.1	0	0	65	9.1
	2 to 3 times a mo.	7	3.8	8	4.1	5	3.2	6	3.4	0	0	26	3.6
	Once a week	6	3.3	7	3.6	9	5.8	2	1.1	0	0	24	3.4
	2 to 3 times a week	7	3.8	6	3.1	3	1.9	3	1.7	0	0	19	2.7
	4 to 6 times a week	3	1.6	3	1.6	3	1.9	5	2.9	0	0	14	2.0
	Once a day	5	2.7	4	2.1	5	3.2	8	4.6	0	0	22	3.1
	2 to 3 times a day	0	0	0	0	0	0	1	0.6	0	0	1	0.1
Female	Never	157	95.2	159	96.4	167	96.5	178	100.0	11	100.0	672	97.1
	Once a month	3	1.8	4	2.4	4	2.3	0	0	0	0	11	1.6
	2 to 3 times a mo.	3	1.8	0	0	0	0	0	0	0	0	3	0.4
	Once a week	0	0	0	0	0	0	0	0	0	0	0	0
	2 to 3 times a week	0	0	2	1.2	0	0	0	0	0	0	2	0.3
	4 to 6 times a week	0	0	0	0	1	0.6	0	0	0	0	1	0.1
	Once a day	2	1.2	0	0	1	0.6	0	0	0	0	3	0.4
	2 to 3 times a day	0	0	0	0	0	0	0	0	0	0	0	0
Total	Never	294	84.5	300	83.8	284	86.3	319	90.4	18	100.0	1215	86.4
	Once a month	21	6.0	28	7.8	18	5.5	9	2.5	0	0	76	5.4
	2 to 3 times a mo.	10	2.9	8	2.2	5	1.5	6	1.7	0	0	29	2.1
	Once a week	6	1.7	7	2.0	9	2.7	2	0.6	0	0	24	1.7
	2 to 3 times a week	7	2.0	8	2.2	3	0.9	3	0.8	0	0	21	1.5
	4 to 6 times a week	3	0.9	3	0.8	4	1.2	5	1.4	0	0	15	1.1
	Once a day	7	2.0	4	1.1	6	1.8	8	2.3	0	0	25	1.8
	2 to 3 times a day	0	0	0	0	0	0	1	0.3	0	0	1	0.1

Frequency of beverage intakes
Regular coffee

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	10	5.5	14	7.3	17	10.9	29	16.6	2	28.6	72	10.1
	Once a month	1	0.5	1	0.5	5	3.2	7	4.0	0	0	14	2.0
	2 to 3 times a mo.	1	0.5	3	1.6	5	3.2	13	7.4	0	0	22	3.1
	Once a week	5	2.7	1	0.5	9	5.8	7	4.0	1	14.3	23	3.2
	2 to 3 times a week	8	4.4	10	5.2	11	7.1	13	7.4	0	0	42	5.9
	4 to 6 times a week	6	3.3	9	4.7	9	5.8	4	2.3	1	14.3	29	4.1
	Once a day	26	14.2	44	22.8	42	26.9	56	32.0	2	28.6	170	23.8
	2 to 3 times a day	82	44.8	80	41.5	42	26.9	40	22.9	1	14.3	245	34.3
4 or more times	44	24.0	31	16.1	16	10.3	6	3.4	0	0	97	13.6	
Female	Never	9	5.5	8	4.8	21	12.1	40	22.5	1	9.1	79	11.4
	Once a month	3	1.8	4	2.4	8	4.6	10	5.6	1	9.1	26	3.8
	2 to 3 times a mo.	4	2.4	6	3.6	13	7.5	17	9.6	2	18.2	42	6.1
	Once a week	5	3.0	8	4.8	8	4.6	17	9.6	0	0	38	5.5
	2 to 3 times a week	9	5.5	18	10.9	25	14.5	20	11.2	3	27.3	75	10.8
	4 to 6 times a week	8	4.8	5	3.0	6	3.5	4	2.2	0	0	23	3.3
	Once a day	26	15.8	47	28.5	46	26.6	45	25.3	3	27.3	167	24.1
	2 to 3 times a day	78	47.3	58	35.2	41	23.7	23	12.9	1	9.1	201	29.0
4 or more times	23	13.9	11	6.7	5	2.9	2	1.1	0	0	41	5.9	
Total	Never	19	5.5	22	6.1	38	11.6	69	19.5	3	16.7	151	10.7
	Once a month	4	1.1	5	1.4	13	4.0	17	4.8	1	5.6	40	2.8
	2 to 3 times a mo.	5	1.4	9	2.5	18	5.5	30	8.5	2	11.1	64	4.6
	Once a week	10	2.9	9	2.5	17	5.2	24	6.8	1	5.6	61	4.3
	2 to 3 times a week	17	4.9	28	7.8	36	10.9	33	9.3	3	16.7	117	8.3
	4 to 6 times a week	14	4.0	14	3.9	15	4.6	8	2.3	1	5.6	52	3.7
	Once a day	52	14.9	91	25.4	88	26.7	101	28.6	5	27.8	337	24.0

(CONTINUED)

Frequency of beverage intakes
Regular coffee

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Total	2 to 3 times a day	160	46.0	138	38.5	83	25.2	63	17.8	2	11.1	446	31.7
	4 or more times	67	19.3	42	11.7	21	6.4	8	2.3	0	0	138	9.8

Frequency of beverage intakes
Decaffeinated coffee

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	182	99.5	193	100.0	155	99.4	175	100.0	7	100.0	712	99.7
	Once a month	0	0	0	0	0	0	0	0	0	0	0	0
	2 to 3 times a mo.	1	0.5	0	0	0	0	0	0	0	0	1	0.1
	2 to 3 times a week	0	0	0	0	1	0.6	0	0	0	0	1	0.1
	Once a day	0	0	0	0	0	0	0	0	0	0	0	0
Female	Never	164	99.4	164	99.4	173	100.0	176	98.9	10	90.9	687	99.3
	Once a month	0	0	1	0.6	0	0	1	0.6	1	9.1	3	0.4
	2 to 3 times a mo.	0	0	0	0	0	0	1	0.6	0	0	1	0.1
	2 to 3 times a week	0	0	0	0	0	0	0	0	0	0	0	0
	Once a day	1	0.6	0	0	0	0	0	0	0	0	1	0.1
Total	Never	346	99.4	357	99.7	328	99.7	351	99.4	17	94.4	1399	99.5
	Once a month	0	0	1	0.3	0	0	1	0.3	1	5.6	3	0.2
	2 to 3 times a mo.	1	0.3	0	0	0	0	1	0.3	0	0	2	0.1
	2 to 3 times a week	0	0	0	0	1	0.3	0	0	0	0	1	0.1
	Once a day	1	0.3	0	0	0	0	0	0	0	0	1	0.1

Frequency of beverage intakes
Black tea

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	not recorded	0	0	0	0	1	0.6	0	0	0	0	1	0.1
	Never	117	63.9	140	72.5	100	64.1	134	76.6	2	28.6	493	69.0
	Once a month	11	6.0	19	9.8	12	7.7	5	2.9	1	14.3	48	6.7
	2 to 3 times a mo.	16	8.7	10	5.2	14	9.0	9	5.1	0	0	49	6.9
	Once a week	16	8.7	5	2.6	8	5.1	11	6.3	4	57.1	44	6.2
	2 to 3 times a week	5	2.7	4	2.1	13	8.3	6	3.4	0	0	28	3.9
	4 to 6 times a week	3	1.6	3	1.6	1	0.6	2	1.1	0	0	9	1.3
	Once a day	13	7.1	8	4.1	6	3.8	7	4.0	0	0	34	4.8
	2 to 3 times a day	2	1.1	4	2.1	0	0	1	0.6	0	0	7	1.0
	4 or more times	0	0	0	0	1	0.6	0	0	0	0	1	0.1
Female	not recorded	0	0	0	0	0	0	0	0	0	0	0	0
	Never	75	45.5	76	46.1	82	47.4	91	51.1	5	45.5	329	47.5
	Once a month	20	12.1	22	13.3	20	11.6	22	12.4	2	18.2	86	12.4
	2 to 3 times a mo.	16	9.7	14	8.5	23	13.3	17	9.6	0	0	70	10.1
	Once a week	13	7.9	24	14.5	12	6.9	15	8.4	0	0	64	9.2
	2 to 3 times a week	19	11.5	13	7.9	20	11.6	16	9.0	3	27.3	71	10.3
	4 to 6 times a week	5	3.0	1	0.6	2	1.2	3	1.7	0	0	11	1.6
	Once a day	14	8.5	14	8.5	7	4.0	12	6.7	1	9.1	48	6.9
	2 to 3 times a day	2	1.2	1	0.6	7	4.0	2	1.1	0	0	12	1.7
	4 or more times	1	0.6	0	0	0	0	0	0	0	0	1	0.1
Total	not recorded	0	0	0	0	1	0.3	0	0	0	0	1	0.1
	Never	192	55.2	216	60.3	182	55.3	225	63.7	7	38.9	822	58.5
	Once a month	31	8.9	41	11.5	32	9.7	27	7.6	3	16.7	134	9.5
	2 to 3 times a mo.	32	9.2	24	6.7	37	11.2	26	7.4	0	0	119	8.5
	Once a week	29	8.3	29	8.1	20	6.1	26	7.4	4	22.2	108	7.7
	2 to 3 times a week	24	6.9	17	4.7	33	10.0	22	6.2	3	16.7	99	7.0
	4 to 6 times a week	8	2.3	4	1.1	3	0.9	5	1.4	0	0	20	1.4
	Once a day	27	7.8	22	6.1	13	4.0	19	5.4	1	5.6	82	5.8
	2 to 3 times a day	4	1.1	5	1.4	7	2.1	3	0.8	0	0	19	1.4
	4 or more times	1	0.3	0	0	1	0.3	0	0	0	0	2	0.1

Frequency of beverage intakes
Green tea

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	12	6.6	11	5.7	12	7.7	15	8.6	1	14.3	51	7.1
	Once a month	1	0.5	2	1.0	1	0.6	1	0.6	0	0	5	0.7
	2 to 3 times a mo.	4	2.2	1	0.5	3	1.9	0	0	0	0	8	1.1
	Once a week	2	1.1	6	3.1	1	0.6	1	0.6	0	0	10	1.4
	2 to 3 times a week	7	3.8	3	1.6	5	3.2	4	2.3	0	0	19	2.7
	4 to 6 times a week	10	5.5	2	1.0	4	2.6	1	0.6	0	0	17	2.4
	Once a day	32	17.5	37	19.2	17	10.9	8	4.6	0	0	94	13.2
	2 to 3 times a day	77	42.1	77	39.9	52	33.3	59	33.7	4	57.1	269	37.7
	4 or more times	38	20.8	54	28.0	61	39.1	86	49.1	2	28.6	241	33.8
Female	Never	14	8.5	8	4.8	3	1.7	7	3.9	0	0	32	4.6
	Once a month	3	1.8	0	0	1	0.6	2	1.1	0	0	6	0.9
	2 to 3 times a mo.	3	1.8	0	0	2	1.2	2	1.1	0	0	7	1.0
	Once a week	10	6.1	1	0.6	5	2.9	2	1.1	0	0	18	2.6
	2 to 3 times a week	13	7.9	3	1.8	5	2.9	2	1.1	1	9.1	24	3.5
	4 to 6 times a week	9	5.5	7	4.2	1	0.6	5	2.8	0	0	22	3.2
	Once a day	26	15.8	13	7.9	19	11.0	11	6.2	1	9.1	70	10.1
	2 to 3 times a day	59	35.8	68	41.2	64	37.0	56	31.5	3	27.3	250	36.1
	4 or more times	28	17.0	65	39.4	73	42.2	91	51.1	6	54.5	263	38.0
Total	Never	26	7.5	19	5.3	15	4.6	22	6.2	1	5.6	83	5.9
	Once a month	4	1.1	2	0.6	2	0.6	3	0.8	0	0	11	0.8
	2 to 3 times a mo.	7	2.0	1	0.3	5	1.5	2	0.6	0	0	15	1.1
	Once a week	12	3.4	7	2.0	6	1.8	3	0.8	0	0	28	2.0
	2 to 3 times a week	20	5.7	6	1.7	10	3.0	6	1.7	1	5.6	43	3.1
	4 to 6 times a week	19	5.5	9	2.5	5	1.5	6	1.7	0	0	39	2.8
	Once a day	58	16.7	50	14.0	36	10.9	19	5.4	1	5.6	164	11.7
	2 to 3 times a day	136	39.1	145	40.5	116	35.3	115	32.6	7	38.9	519	36.9
	4 or more times	66	19.0	119	33.2	134	40.7	177	50.1	8	44.4	504	35.8

Frequency of beverage intakes
Oolong tea

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	20	10.9	37	19.2	36	23.1	89	50.9	3	42.9	185	25.9
	Once a month	5	2.7	6	3.1	5	3.2	5	2.9	0	0	21	2.9
	2 to 3 times a mo.	3	1.6	4	2.1	3	1.9	8	4.6	1	14.3	19	2.7
	Once a week	8	4.4	13	6.7	4	2.6	9	5.1	0	0	34	4.8
	2 to 3 times a week	21	11.5	19	9.8	19	12.2	6	3.4	1	14.3	66	9.2
	4 to 6 times a week	27	14.8	26	13.5	13	8.3	13	7.4	0	0	79	11.1
	Once a day	40	21.9	36	18.7	40	25.6	23	13.1	0	0	139	19.5
	2 to 3 times a day	49	26.8	42	21.8	29	18.6	12	6.9	1	14.3	133	18.6
	4 or more times	10	5.5	10	5.2	7	4.5	10	5.7	1	14.3	38	5.3
Female	Never	14	8.5	28	17.0	34	19.7	42	23.6	4	36.4	122	17.6
	Once a month	7	4.2	5	3.0	5	2.9	4	2.2	0	0	21	3.0
	2 to 3 times a mo.	2	1.2	4	2.4	5	2.9	6	3.4	0	0	17	2.5
	Once a week	5	3.0	11	6.7	9	5.2	2	1.1	0	0	27	3.9
	2 to 3 times a week	14	8.5	13	7.9	15	8.7	12	6.7	0	0	54	7.8
	4 to 6 times a week	15	9.1	25	15.2	23	13.3	17	9.6	2	18.2	82	11.8
	Once a day	42	25.5	42	25.5	34	19.7	49	27.5	1	9.1	168	24.3
	2 to 3 times a day	43	26.1	25	15.2	28	16.2	31	17.4	4	36.4	131	18.9
	4 or more times	23	13.9	12	7.3	20	11.6	15	8.4	0	0	70	10.1
Total	Never	34	9.8	65	18.2	70	21.3	131	37.1	7	38.9	307	21.8
	Once a month	12	3.4	11	3.1	10	3.0	9	2.5	0	0	42	3.0
	2 to 3 times a mo.	5	1.4	8	2.2	8	2.4	14	4.0	1	5.6	36	2.6
	Once a week	13	3.7	24	6.7	13	4.0	11	3.1	0	0	61	4.3
	2 to 3 times a week	35	10.1	32	8.9	34	10.3	18	5.1	1	5.6	120	8.5
	4 to 6 times a week	42	12.1	51	14.2	36	10.9	30	8.5	2	11.1	161	11.5
	Once a day	82	23.6	78	21.8	74	22.5	72	20.4	1	5.6	307	21.8
	2 to 3 times a day	92	26.4	67	18.7	57	17.3	43	12.2	5	27.8	264	18.8
	4 or more times	33	9.5	22	6.1	27	8.2	25	7.1	1	5.6	108	7.7

Frequency of beverage intakes
Carbonated beverages (such as cola, soda, etc.)

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	92	50.3	132	68.4	122	78.2	138	78.9	4	57.1	488	68.3
	Once a month	41	22.4	25	13.0	10	6.4	13	7.4	0	0	89	12.5
	2 to 3 times a mo.	21	11.5	11	5.7	9	5.8	8	4.6	0	0	49	6.9
	Once a week	15	8.2	12	6.2	5	3.2	8	4.6	1	14.3	41	5.7
	2 to 3 times a week	6	3.3	9	4.7	8	5.1	7	4.0	1	14.3	31	4.3
	4 to 6 times a week	4	2.2	3	1.6	1	0.6	1	0.6	0	0	9	1.3
	Once a day	4	2.2	1	0.5	1	0.6	0	0	1	14.3	7	1.0
	2 to 3 times a day	0	0	0	0	0	0	0	0	0	0	0	0
Female	Never	112	67.9	133	80.6	150	86.7	151	84.8	10	90.9	556	80.3
	Once a month	16	9.7	12	7.3	7	4.0	11	6.2	0	0	46	6.6
	2 to 3 times a mo.	15	9.1	10	6.1	11	6.4	4	2.2	0	0	40	5.8
	Once a week	12	7.3	8	4.8	3	1.7	7	3.9	0	0	30	4.3
	2 to 3 times a week	4	2.4	2	1.2	2	1.2	3	1.7	0	0	11	1.6
	4 to 6 times a week	1	0.6	0	0	0	0	1	0.6	1	9.1	3	0.4
	Once a day	4	2.4	0	0	0	0	1	0.6	0	0	5	0.7
	2 to 3 times a day	1	0.6	0	0	0	0	0	0	0	0	1	0.1
Total	Never	204	58.6	265	74.0	272	82.7	289	81.9	14	77.8	1044	74.3
	Once a month	57	16.4	37	10.3	17	5.2	24	6.8	0	0	135	9.6
	2 to 3 times a mo.	36	10.3	21	5.9	20	6.1	12	3.4	0	0	89	6.3
	Once a week	27	7.8	20	5.6	8	2.4	15	4.2	1	5.6	71	5.0
	2 to 3 times a week	10	2.9	11	3.1	10	3.0	10	2.8	1	5.6	42	3.0
	4 to 6 times a week	5	1.4	3	0.8	1	0.3	2	0.6	1	5.6	12	0.9
	Once a day	8	2.3	1	0.3	1	0.3	1	0.3	1	5.6	12	0.9
	2 to 3 times a day	1	0.3	0	0	0	0	0	0	0	0	1	0.1

Frequency of beverage intakes
Isotonic drink

		40 - 49yr		50 - 59yr		60 - 69yr		70 - 79yr		80yr -		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Male	Never	58	31.7	112	58.0	100	64.1	144	82.3	4	57.1	418	58.5
	Once a month	35	19.1	25	13.0	16	10.3	5	2.9	1	14.3	82	11.5
	2 to 3 times a mo.	26	14.2	22	11.4	15	9.6	6	3.4	0	0	69	9.7
	Once a week	27	14.8	16	8.3	10	6.4	5	2.9	0	0	58	8.1
	2 to 3 times a week	20	10.9	9	4.7	10	6.4	9	5.1	1	14.3	49	6.9
	4 to 6 times a week	3	1.6	3	1.6	0	0	3	1.7	0	0	9	1.3
	Once a day	8	4.4	4	2.1	2	1.3	3	1.7	1	14.3	18	2.5
	2 to 3 times a day	5	2.7	1	0.5	2	1.3	0	0	0	0	8	1.1
	4 or more times	1	0.5	1	0.5	1	0.6	0	0	0	0	3	0.4
Female	Never	98	59.4	121	73.3	135	78.0	149	83.7	10	90.9	513	74.1
	Once a month	22	13.3	12	7.3	14	8.1	11	6.2	0	0	59	8.5
	2 to 3 times a mo.	14	8.5	18	10.9	5	2.9	4	2.2	1	9.1	42	6.1
	Once a week	17	10.3	6	3.6	6	3.5	7	3.9	0	0	36	5.2
	2 to 3 times a week	9	5.5	5	3.0	7	4.0	2	1.1	0	0	23	3.3
	4 to 6 times a week	2	1.2	1	0.6	2	1.2	2	1.1	0	0	7	1.0
	Once a day	0	0	2	1.2	3	1.7	3	1.7	0	0	8	1.2
	2 to 3 times a day	2	1.2	0	0	1	0.6	0	0	0	0	3	0.4
	4 or more times	1	0.6	0	0	0	0	0	0	0	0	1	0.1
Total	Never	156	44.8	233	65.1	235	71.4	293	83.0	14	77.8	931	66.2
	Once a month	57	16.4	37	10.3	30	9.1	16	4.5	1	5.6	141	10.0
	2 to 3 times a mo.	40	11.5	40	11.2	20	6.1	10	2.8	1	5.6	111	7.9
	Once a week	44	12.6	22	6.1	16	4.9	12	3.4	0	0	94	6.7
	2 to 3 times a week	29	8.3	14	3.9	17	5.2	11	3.1	1	5.6	72	5.1
	4 to 6 times a week	5	1.4	4	1.1	2	0.6	5	1.4	0	0	16	1.1
	Once a day	8	2.3	6	1.7	5	1.5	6	1.7	1	5.6	26	1.8
	2 to 3 times a day	7	2.0	1	0.3	3	0.9	0	0	0	0	11	0.8
	4 or more times	2	0.6	1	0.3	1	0.3	0	0	0	0	4	0.3

Average ethanol intakes per day (ml/day)
Japanese sake

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	3.9	10.1	183	8.1	16.6	193	6.7	12.7	155	7.8	16.9	175	0.1	0.4	7	6.6	14.4	713
Female	0.6	3.3	165	0.8	5.0	165	1.0	5.1	173	1.5	5.1	178	0.0	0.0	11	0.9	4.7	692
Total	2.3	7.8	348	4.7	13.1	358	3.7	9.9	328	4.6	12.8	353	0.1	0.2	18	3.8	11.1	1405

Average ethanol intakes per day (ml/day)
Japanese distilled alcoholic beverages (Shochu)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	8.1	24.8	183	11.3	25.5	193	8.5	18.0	156	5.8	15.3	175	8.0	21.2	7	8.5	21.6	714
Female	2.0	8.0	165	0.9	4.3	165	2.1	9.9	173	1.0	6.2	178	0.7	2.4	11	1.5	7.4	692
Total	5.2	19.0	348	6.6	19.6	358	5.1	14.7	329	3.4	11.8	353	3.6	13.2	18	5.1	16.6	1406

Average ethanol intakes per day (ml/day)
Regular or draft beer

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	6.4	9.6	183	8.3	11.5	193	5.5	9.6	156	2.8	6.1	175	2.7	6.6	7	5.8	9.6	714
Female	1.7	4.1	165	1.1	2.9	165	1.1	4.6	173	1.0	3.3	178	0.1	0.2	11	1.2	3.8	692
Total	4.2	7.9	348	5.0	9.3	358	3.2	7.7	329	1.9	5.0	353	1.1	4.1	18	3.5	7.7	1406

Average ethanol intakes per day (ml/day)
Light beer

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	4.5	7.6	183	4.3	8.5	193	2.2	6.1	156	1.9	7.6	175	0.0	0.0	7	3.3	7.6	714
Female	2.1	5.8	165	1.0	3.7	165	0.4	2.1	173	0.5	2.7	178	0.1	0.2	11	1.0	3.8	692
Total	3.3	6.9	348	2.8	6.9	358	1.3	4.5	329	1.2	5.7	353	0.0	0.1	18	2.1	6.1	1406

Average ethanol intakes per day (ml/day)
Wine

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	0.6	2.7	183	0.9	3.2	193	0.3	1.0	156	0.6	4.3	175	0.0	0.0	7	0.6	3.1	714
Female	0.7	2.4	165	0.5	2.1	165	0.2	1.2	173	0.6	2.4	178	0.0	0.0	11	0.5	2.1	692
Total	0.6	2.6	348	0.7	2.8	358	0.2	1.1	329	0.6	3.5	353	0.0	0.0	18	0.5	2.6	1406

Average ethanol intakes per day (ml/day)
Hard liquor (such as whisky, brandy, gin, vodka, rum, cocktails, etc.)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	1.8	6.2	183	1.6	6.4	193	1.5	5.1	156	1.4	4.6	175	0.0	0.0	7	1.6	5.6	714
Female	0.2	1.6	165	0.1	0.6	165	0.2	1.9	173	0.0	0.0	178	0.0	0.0	11	0.1	1.2	692
Total	1.1	4.7	348	0.9	4.8	358	0.8	3.8	329	0.7	3.3	353	0.0	0.0	18	0.9	4.2	1406

Average ethanol intakes per day (ml/day)
Total alcohol

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	25.2	34.8	183	34.5	35.9	193	24.4	27.0	155	20.4	27.0	175	10.8	27.7	7	26.2	32.1	713
Female	7.2	12.5	165	4.4	9.8	165	5.1	14.8	173	4.6	9.9	178	0.8	2.4	11	5.2	11.9	692
Total	16.7	28.1	348	20.7	31.0	358	14.2	23.5	328	12.4	21.7	353	4.7	17.3	18	15.9	26.5	1405

添付資料6

老化に関する長期縦断疫学研究 (NILS-LSA)

第3次調査結果

Anthropometry, Body Composition and Resting Metabolic Profiles

Anthropometry and Body composition

1) Anthropometric measurements

2) Body composition

1. Body composition by DXA

2. Extra- and intra-cellular fluid volume by multi-frequency impedance method.

3) Thickness of subcutaneous fat, preperitoneal fat and muscle tissue

4) Abdominal fat distribution

5) Resting metabolic profiles

1) Anthropometric measurements

Height (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	169.7	5.6	172	167.7	6.2	216	164.3	5.1	227	161.7	5.4	200	159.5	6.2	35	165.4	6.4	850
Female	156.2	5.2	195	153.9	5.0	189	151.8	4.9	197	147.3	4.9	202	144.0	5.0	24	152.0	6.1	807
Total	162.5	8.6	367	161.2	8.9	405	158.5	8.0	424	154.5	8.8	402	153.2	9.5	59	158.9	9.2	1657

Weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	67.3	9.4	172	65.9	9.5	216	62.8	7.8	227	58.9	8.6	200	57.5	8.8	35	63.4	9.4	850
Female	53.3	8.5	195	53.7	7.5	189	52.4	7.5	197	50.7	7.9	202	44.9	7.4	24	52.3	8.0	807
Total	59.9	11.3	367	60.2	10.5	405	58.0	9.2	424	54.8	9.2	402	52.4	10.3	59	58.0	10.4	1657

Trochanterion height (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	83.4	4.0	172	82.3	4.2	215	80.2	3.4	226	79.6	3.4	200	79.4	4.5	35	81.2	4.1	848
Female	76.7	3.7	195	74.8	3.4	189	74.3	3.3	197	72.5	3.3	202	71.8	2.7	24	74.5	3.7	807
Total	79.9	5.1	367	78.8	5.4	404	77.5	4.5	423	76.0	4.9	402	76.3	5.4	59	77.9	5.2	1655

Iliocrystal height (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	98.2	4.4	172	97.1	4.5	215	94.8	3.9	226	94.3	3.7	200	93.8	5.0	35	95.9	4.4	848
Female	90.7	3.9	195	88.7	3.8	189	88.1	3.6	197	86.1	3.5	202	84.8	3.4	24	88.3	4.1	807
Total	94.2	5.6	367	93.2	5.9	404	91.7	5.0	423	90.2	5.5	402	90.1	6.3	59	92.2	5.7	1655

Waist circumference at midway (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	82.2	7.6	172	83.9	8.0	216	84.1	8.1	227	82.9	9.2	200	81.9	10.3	35	83.3	8.4	850
Female	71.8	8.3	195	74.7	8.4	189	76.7	8.2	197	79.6	10.4	202	75.1	7.6	24	75.7	9.3	807
Total	76.6	9.5	367	79.6	9.4	405	80.6	8.9	424	81.2	10.0	402	79.1	9.9	59	79.6	9.6	1657

Waist circumference at umbilicus (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	84.2	7.7	172	85.8	7.9	216	86.0	8.0	227	84.6	9.0	200	84.1	9.9	35	85.2	8.3	850
Female	77.7	9.3	195	81.4	9.2	189	84.1	9.5	197	86.2	10.5	202	79.8	8.3	24	82.3	10.1	807
Total	80.7	9.2	367	83.7	8.8	405	85.1	8.8	424	85.4	9.8	402	82.4	9.5	59	83.8	9.3	1657

Hip circumference (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	94.3	5.0	172	93.5	5.0	215	92.0	4.4	226	90.0	4.8	200	89.6	5.0	35	92.3	5.1	848
Female	91.3	5.9	195	91.5	4.5	189	90.1	4.9	197	89.5	5.8	202	86.2	5.3	24	90.5	5.4	807
Total	92.7	5.7	367	92.6	4.9	404	91.1	4.8	423	89.8	5.3	402	88.2	5.4	59	91.4	5.3	1655

Thigh circumference at midway (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	50.3	3.9	172	48.9	3.7	216	47.6	3.6	226	45.7	3.9	200	45.4	4.5	35	47.9	4.1	849
Female	48.4	4.2	195	47.8	4.0	189	46.7	3.6	197	45.4	4.2	202	43.3	3.9	24	47.0	4.2	807
Total	49.3	4.1	367	48.4	3.9	405	47.2	3.6	423	45.5	4.0	402	44.5	4.4	59	47.5	4.2	1656

Thigh circumference at 10 cm above knee (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	45.3	3.5	172	44.5	3.5	216	43.5	3.2	226	42.1	3.6	200	42.4	4.2	35	43.8	3.7	849
Female	44.0	3.8	195	44.0	3.7	189	43.0	3.4	197	42.1	3.9	202	40.5	3.5	24	43.2	3.8	807
Total	44.6	3.7	367	44.3	3.6	405	43.3	3.3	423	42.1	3.7	402	41.6	4.0	59	43.5	3.7	1656

Calf circumference (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	36.8	2.8	172	36.2	2.6	216	35.3	2.5	226	33.8	2.5	200	33.7	2.8	35	35.4	2.8	849
Female	34.4	2.6	195	34.2	2.4	189	33.5	2.4	197	32.5	2.5	202	31.0	2.6	24	33.6	2.6	807
Total	35.6	3.0	367	35.3	2.7	405	34.4	2.6	423	33.2	2.6	402	32.6	3.0	59	34.5	2.9	1656

Upper-arm circumference (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	29.3	2.4	172	28.8	2.3	216	28.3	2.2	227	27.1	2.4	200	26.7	2.5	35	28.3	2.5	850
Female	26.6	2.9	195	27.3	2.5	189	27.5	2.6	197	27.2	2.9	202	24.9	2.4	24	27.1	2.8	807
Total	27.9	3.0	367	28.1	2.5	405	27.9	2.4	424	27.1	2.7	402	26.0	2.6	59	27.7	2.7	1657

Sagittal abdominal diameter (cm)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	20.8	2.6	172	21.4	2.7	216	21.6	2.8	227	21.1	3.1	200	21.0	3.3	35	21.2	2.8	850
Female	17.8	3.0	195	19.2	3.1	189	20.3	3.1	197	21.4	3.7	202	19.9	2.6	24	19.7	3.5	807
Total	19.2	3.2	367	20.4	3.1	405	21.0	3.0	424	21.3	3.4	402	20.6	3.0	59	20.5	3.3	1657

Body mass index (kg/m²)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	23.3	2.8	172	23.4	2.7	216	23.3	2.7	227	22.5	2.9	200	22.6	3.4	35	23.1	2.8	850
Female	21.9	3.4	195	22.7	3.2	189	22.7	2.9	197	23.3	3.5	202	21.6	2.7	24	22.6	3.3	807
Total	22.6	3.2	367	23.1	3.0	405	23.0	2.8	424	22.9	3.2	402	22.2	3.2	59	22.9	3.1	1657

Body composition

1) Dual energy x-ray absorptiometry (DXA) (Hologic QDR-4500)

Head fat weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	0.988	0.080	166	0.994	0.087	210	0.962	0.080	222	0.942	0.083	194	0.927	0.074	33	0.969	0.085	825
Female	0.843	0.071	188	0.870	0.077	187	0.854	0.070	194	0.848	0.080	193	0.798	0.063	23	0.852	0.075	785
Total	0.911	0.104	354	0.935	0.103	397	0.911	0.092	416	0.895	0.094	387	0.874	0.094	56	0.912	0.099	1610

Head lean weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	3.927	0.301	166	3.932	0.324	210	3.808	0.303	222	3.717	0.315	194	3.670	0.284	33	3.837	0.323	825
Female	3.439	0.278	188	3.473	0.287	187	3.349	0.258	194	3.291	0.287	193	3.118	0.230	23	3.379	0.288	785
Total	3.668	0.378	354	3.716	0.383	397	3.594	0.364	416	3.505	0.369	387	3.443	0.378	56	3.614	0.382	1610

Left arm fat weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	0.745	0.242	166	0.751	0.263	210	0.728	0.249	222	0.723	0.221	194	0.749	0.229	33	0.737	0.244	825
Female	0.977	0.399	188	1.057	0.340	187	1.063	0.325	194	1.069	0.368	193	0.821	0.260	23	1.036	0.360	785
Total	0.869	0.354	354	0.895	0.338	397	0.884	0.332	416	0.896	0.349	387	0.779	0.242	56	0.882	0.340	1610

Left arm lean weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	3.103	0.435	166	3.009	0.404	210	2.805	0.350	222	2.615	0.345	194	2.435	0.364	33	2.857	0.430	825
Female	1.828	0.293	188	1.787	0.258	187	1.761	0.251	194	1.692	0.258	193	1.544	0.263	23	1.760	0.272	785
Total	2.426	0.735	354	2.433	0.700	397	2.318	0.605	416	2.155	0.554	387	2.069	0.548	56	2.322	0.657	1610

Right arm fat weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	0.732	0.250	166	0.726	0.260	210	0.711	0.240	222	0.706	0.237	194	0.722	0.253	33	0.718	0.247	825
Female	0.958	0.386	188	1.036	0.327	187	1.031	0.310	194	1.066	0.363	193	0.836	0.288	23	1.017	0.349	785
Total	0.852	0.348	354	0.872	0.332	397	0.860	0.318	416	0.885	0.355	387	0.769	0.271	56	0.864	0.336	1610

Right arm lean weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	3.342	0.459	166	3.251	0.451	210	3.033	0.369	222	2.793	0.363	194	2.567	0.376	33	3.075	0.467	825
Female	2.002	0.302	188	1.980	0.280	187	1.941	0.274	194	1.844	0.262	193	1.680	0.295	23	1.933	0.289	785
Total	2.630	0.771	354	2.652	0.740	397	2.524	0.636	416	2.319	0.571	387	2.202	0.557	56	2.519	0.692	1610

Trunk fat weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	7.114	2.396	166	7.265	2.723	210	7.179	2.513	222	6.821	2.592	194	7.048	2.820	33	7.099	2.575	825
Female	6.971	2.677	188	8.097	2.609	187	8.470	2.482	194	8.542	2.721	193	6.601	2.159	23	7.985	2.688	785
Total	7.038	2.547	354	7.657	2.699	397	7.781	2.577	416	7.680	2.790	387	6.864	2.557	56	7.531	2.667	1610

Trunk lean weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	26.190	3.283	166	25.661	2.974	210	24.325	2.479	222	23.036	2.762	194	22.020	2.552	33	24.645	3.122	825
Female	19.178	2.248	188	18.875	1.937	187	18.127	1.915	194	17.231	2.098	193	15.939	1.692	23	18.272	2.207	785
Total	22.466	4.471	354	22.464	4.235	397	21.434	3.816	416	20.141	3.801	387	19.523	3.748	56	21.538	4.185	1610

Left leg fat weight (kg)

	40 - 49yr			50 - 59yr			60 - 69yr			70 - 79yr			80yr -			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	2.149	0.667	166	2.108	0.632	210	1.960	0.608	222	1.941	0.568	194	2.101	0.669	33	2.037	0.625	825
Female	2.949	0.757	188	2.813	0.703	187	2.627	0.706	194	2.544	0.747	193	2.172	0.770	23	2.715	0.750	785
Total	2.574	0.819	354	2.440	0.753	397	2.271	0.734	416	2.241	0.728	387	2.130	0.706	56	2.367	0.767	1610