

問1-a あなたはここにあげるような病気にかかったことがありますか(胃潰瘍)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	1	0.8	117	99.2	0	-	118
	30	6	3.6	160	94.7	3	1.8	169
	40	20	12.0	145	87.3	1	0.6	166
	50	38	15.1	209	82.9	5	2.0	252
	60	41	15.5	219	83.0	4	1.5	264
	70	31	17.7	141	80.6	3	1.7	175
	80	4	10.0	35	87.5	1	2.5	40
	男性合計	141	11.9	1026	86.7	17	1.4	1184
女性	20	3	2.7	106	96.4	1	0.9	110
	30	7	3.4	199	96.1	1	0.5	207
	40	12	4.6	240	92.0	9	3.4	261
	50	13	4.6	268	94.7	2	0.7	283
	60	18	6.3	263	92.6	3	1.1	284
	70	7	4.2	156	94.0	3	1.8	166
	80	1	1.9	50	96.2	1	1.9	52
	女性合計	61	4.5	1282	94.1	20	1.5	1363
総数	20	4	1.8	223	97.8	1	0.4	228
	30	13	3.5	359	95.5	4	1.1	376
	40	32	7.5	385	90.2	10	2.3	427
	50	51	9.5	477	89.2	7	1.3	535
	60	59	10.8	482	88.0	7	1.3	548
	70	38	11.1	297	87.1	6	1.8	341
	80	5	5.4	85	92.4	2	2.2	92
	男女計	202	7.9	2308	90.6	37	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(胃潰瘍)

		該当者								合計	総数					合計
		現在ある		過去1年間にあった		1年以上前にあった		無回答			現在ある	過去1年間にあった	1年以上前にあった	無回答		
		実数	%	実数	%	実数	%	実数	%		%	%	%	%		
男性	20	0	-	0	-	1	100.0	0	-	1	-	-	0.8	-	118	
	30	0	-	0	-	6	100.0	0	-	6	-	-	3.6	-	169	
	40	2	10.0	2	10.0	16	80.0	0	-	20	1.2	1.2	9.6	-	166	
	50	5	13.2	3	7.9	30	78.9	0	-	38	2.0	1.2	11.9	-	252	
	60	4	9.8	2	4.9	34	82.9	1	2.4	41	1.5	0.8	12.9	0.4	264	
	70	6	19.4	0	-	25	80.6	0	-	31	3.4	-	14.3	-	175	
	80	1	25.0	0	-	3	75.0	0	-	4	2.5	-	7.5	-	40	
	男性合計	18	12.8	7	5.0	115	81.6	1	0.7	141	1.5	0.6	9.7	0.1	1184	
女性	20	0	-	2	66.7	1	33.3	0	-	3	-	1.8	0.9	-	110	
	30	0	-	2	28.6	5	71.4	0	-	7	-	1.0	2.4	-	207	
	40	1	8.3	0	-	11	91.7	0	-	12	0.4	-	4.2	-	261	
	50	2	15.4	0	-	11	84.6	0	-	13	0.7	-	3.9	-	283	
	60	4	22.2	0	-	13	72.2	1	5.6	18	1.4	-	4.6	0.4	284	
	70	2	28.6	1	14.3	4	57.1	0	-	7	1.2	0.6	2.4	-	166	
	80	1	100.0	0	-	0	-	0	-	1	1.9	-	-	-	52	
	女性合計	10	16.4	5	8.2	45	73.8	1	1.6	61	0.7	0.4	3.3	0.1	1363	
総数	20	0	-	2	50.0	2	50.0	0	-	4	-	0.9	0.9	-	228	
	30	0	-	2	15.4	11	84.6	0	-	13	-	0.5	2.9	-	376	
	40	3	9.4	2	6.3	27	84.4	0	-	32	0.7	0.5	6.3	-	427	
	50	7	13.7	3	5.9	41	80.4	0	-	51	1.3	0.6	7.7	-	535	
	60	8	13.6	2	3.4	47	79.7	2	3.4	59	1.5	0.4	8.6	0.4	548	
	70	8	21.1	1	2.6	29	76.3	0	-	38	2.3	0.3	8.5	-	341	
	80	2	40.0	0	-	3	60.0	0	-	5	2.2	-	3.3	-	92	
	男女計	28	13.9	12	5.9	160	79.2	2	1.0	202	1.1	0.5	6.3	0.1	2547	

問1-c 病気に対する医師の正式な診断はありましたか(胃潰瘍)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	1	100.0	0	-	0	-	1	0.8	-	-	118
	30	6	100.0	0	-	0	-	6	3.6	-	-	169
	40	17	85.0	1	5.0	2	10.0	20	10.2	0.6	1.2	166
	50	38	100.0	0	-	0	-	38	15.1	-	-	252
	60	36	87.8	3	7.3	2	4.9	41	13.6	1.1	0.8	264
	70	28	90.3	0	-	3	9.7	31	16.0	-	1.7	175
	80	4	100.0	0	-	0	-	4	10.0	-	-	40
男性合計		130	92.2	4	2.8	7	5.0	141	11.0	0.3	0.6	1184
女性	20	3	100.0	0	-	0	-	3	2.7	-	-	110
	30	7	100.0	0	-	0	-	7	3.4	-	-	207
	40	11	91.7	1	8.3	0	-	12	4.2	0.4	-	261
	50	12	92.3	1	7.7	0	-	13	4.2	0.4	-	283
	60	17	94.4	0	-	1	5.6	18	6.0	-	0.4	284
	70	7	100.0	0	-	0	-	7	4.2	-	-	166
	80	1	100.0	0	-	0	-	1	1.9	-	-	52
女性合計		58	95.1	2	3.3	1	1.6	61	4.3	0.1	0.1	1363
総数	20	4	100.0	0	-	0	-	4	1.8	-	-	228
	30	13	100.0	0	-	0	-	13	3.5	-	-	376
	40	28	87.5	2	6.3	2	6.3	32	6.6	0.5	0.5	427
	50	50	98.0	1	2.0	0	-	51	9.3	0.2	-	535
	60	53	89.8	3	5.1	3	5.1	59	9.7	0.5	0.5	548
	70	35	92.1	0	-	3	7.9	38	10.3	-	0.9	341
	80	5	100.0	0	-	0	-	5	5.4	-	-	92
男女計		188	93.1	6	3.0	8	4.0	202	7.4	0.2	0.3	2547

問1-d その病気の主な原因はアルコールによるものでしたか(胃潰瘍)

		該当者						総数							
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	1	100.0	0	-	0	-	1	-	0.8	-	-	118
	30	0	-	3	50.0	0	-	3	50.0	6	-	1.8	-	1.8	169
	40	0	-	17	85.0	0	-	3	15.0	20	-	10.2	-	1.8	166
	50	7	18.4	23	60.5	0	-	8	21.1	38	2.8	9.1	-	3.2	252
	60	3	7.3	29	70.7	0	-	9	22.0	41	1.1	11.0	-	3.4	264
	70	2	6.5	15	48.4	0	-	14	45.2	31	1.1	8.6	-	8.0	175
	80	0	-	4	100.0	0	-	0	-	4	-	10.0	-	-	40
男性合計		12	8.5	92	65.2	0	-	37	26.2	141	1.0	7.8	-	3.1	1184
女性	20	0	-	3	100.0	0	-	0	-	3	-	2.7	-	-	110
	30	0	-	5	71.4	0	-	2	28.6	7	-	2.4	-	1.0	207
	40	0	-	11	91.7	0	-	1	8.3	12	-	4.2	-	0.4	261
	50	0	-	11	84.6	0	-	2	15.4	13	-	3.9	-	0.7	283
	60	0	-	13	72.2	0	-	5	27.8	18	-	4.6	-	1.8	284
	70	0	-	6	85.7	0	-	1	14.3	7	-	3.6	-	0.6	166
	80	0	-	1	100.0	0	-	0	-	1	-	1.9	-	-	52
女性合計		0	-	50	82.0	0	-	11	18.0	61	-	3.7	-	0.8	1363
総数	20	0	-	4	100.0	0	-	0	-	4	-	1.8	-	-	228
	30	0	-	8	61.5	0	-	5	38.5	13	-	2.1	-	1.3	376
	40	0	-	28	87.5	0	-	4	12.5	32	-	6.6	-	0.9	427
	50	7	13.7	34	66.7	0	-	10	19.6	51	1.3	6.4	-	1.9	535
	60	3	5.1	42	71.2	0	-	14	23.7	59	0.5	7.7	-	2.6	548
	70	2	5.3	21	55.3	0	-	15	39.5	38	0.6	6.2	-	4.4	341
	80	0	-	5	100.0	0	-	0	-	5	-	5.4	-	-	92
男女計		12	5.9	142	70.3	0	-	48	23.8	202	0.5	5.6	-	1.9	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(胃炎)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	2	1.7	116	98.3	0	-	118
	30	5	3.0	161	95.3	3	1.8	169
	40	12	7.2	153	92.2	1	0.6	166
	50	20	7.9	228	90.5	4	1.6	252
	60	18	6.8	242	91.7	4	1.5	264
	70	12	6.9	160	91.4	3	1.7	175
	80	1	2.5	38	95.0	1	2.5	40
	男性合計	70	5.9	1098	92.7	16	1.4	1184
女性	20	7	6.4	102	92.7	1	0.9	110
	30	8	3.9	198	95.7	1	0.5	207
	40	16	6.1	236	90.4	9	3.4	261
	50	13	4.6	267	94.3	3	1.1	283
	60	18	6.3	263	92.6	3	1.1	284
	70	13	7.8	150	90.4	3	1.8	166
	80	4	7.7	48	92.3	0	-	52
	女性合計	79	5.8	1264	92.7	20	1.5	1363
総数	20	9	3.9	218	95.6	1	0.4	228
	30	13	3.5	359	95.5	4	1.1	376
	40	28	6.6	389	91.1	10	2.3	427
	50	33	6.2	495	92.5	7	1.3	535
	60	36	6.6	505	92.2	7	1.3	548
	70	25	7.3	310	90.9	6	1.8	341
	80	5	5.4	86	93.5	1	1.1	92
	男女計	149	5.9	2362	92.7	36	1.4	2547

問1-b 最後にその病気にかかったのはいつですか(胃炎)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	1	50.0	1	50.0	0	-	2	-	0.8	0.8	-	118
	30	0	-	0	-	5	100.0	0	-	5	-	-	3.0	-	169
	40	2	16.7	2	16.7	8	66.7	0	-	12	1.2	1.2	4.8	-	166
	50	4	20.0	1	5.0	15	75.0	0	-	20	1.6	0.4	6.0	-	252
	60	5	27.8	1	5.6	12	66.7	0	-	18	1.9	0.4	4.5	-	264
	70	3	25.0	1	8.3	8	66.7	0	-	12	1.7	0.6	4.6	-	175
	80	0	-	0	-	1	100.0	0	-	1	-	-	2.5	-	40
	男性合計	14	20.0	6	8.6	50	71.4	0	-	70	1.2	0.5	4.2	-	1184
女性	20	3	42.9	1	14.3	3	42.9	0	-	7	2.7	0.9	2.7	-	110
	30	0	-	2	25.0	6	75.0	0	-	8	-	1.0	2.9	-	207
	40	5	31.3	1	6.3	10	62.5	0	-	16	1.9	0.4	3.8	-	261
	50	4	30.8	0	-	9	69.2	0	-	13	1.4	-	3.2	-	283
	60	8	44.4	0	-	9	50.0	1	5.6	18	2.8	-	3.2	0.4	284
	70	8	61.5	0	-	5	38.5	0	-	13	4.8	-	3.0	-	166
	80	3	75.0	0	-	1	25.0	0	-	4	5.8	-	1.9	-	52
	女性合計	31	39.2	4	5.1	43	54.4	1	1.3	79	2.3	0.3	3.2	0.1	1363
総数	20	3	33.3	2	22.2	4	44.4	0	-	9	1.3	0.9	1.8	-	228
	30	0	-	2	15.4	11	84.6	0	-	13	-	0.5	2.9	-	376
	40	7	25.0	3	10.7	18	64.3	0	-	28	1.6	0.7	4.2	-	427
	50	8	24.2	1	3.0	24	72.7	0	-	33	1.5	0.2	4.5	-	535
	60	13	36.1	1	2.8	21	58.3	1	2.8	36	2.4	0.2	3.8	0.2	548
	70	11	44.0	1	4.0	13	52.0	0	-	25	3.2	0.3	3.8	-	341
	80	3	60.0	0	-	2	40.0	0	-	5	3.3	-	2.2	-	92
	男女計	45	30.2	10	6.7	93	62.4	1	0.7	149	1.8	0.4	3.7	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(胃炎)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	1	50.0	1	50.0	0	-	2	0.8	0.8	-	118
	30	3	60.0	2	40.0	0	-	5	1.8	1.2	-	169
	40	11	91.7	1	8.3	0	-	12	6.6	0.6	-	166
	50	16	80.0	3	15.0	1	5.0	20	6.3	1.2	0.4	252
	60	11	61.1	5	27.8	2	11.1	18	4.2	1.9	0.8	264
	70	12	100.0	0	-	0	-	12	6.9	-	-	175
	80	0	-	1	100.0	0	-	1	-	2.5	-	40
	男性合計	54	77.1	13	18.6	3	4.3	70	4.6	1.1	0.3	1184
女性	20	5	71.4	2	28.6	0	-	7	4.5	1.8	-	110
	30	6	75.0	2	25.0	0	-	8	2.9	1.0	-	207
	40	15	93.8	1	6.3	0	-	16	5.7	0.4	-	261
	50	8	61.5	5	38.5	0	-	13	2.8	1.8	-	283
	60	14	77.8	2	11.1	2	11.1	18	4.9	0.7	0.7	284
	70	10	76.9	3	23.1	0	-	13	6.0	1.8	-	166
	80	4	100.0	0	-	0	-	4	7.7	-	-	52
	女性合計	62	78.5	15	19.0	2	2.5	79	4.5	1.1	0.1	1363
総数	20	6	66.7	3	33.3	0	-	9	2.6	1.3	-	228
	30	9	69.2	4	30.8	0	-	13	2.4	1.1	-	376
	40	26	92.9	2	7.1	0	-	28	6.1	0.5	-	427
	50	24	72.7	8	24.2	1	3.0	33	4.5	1.5	0.2	535
	60	25	69.4	7	19.4	4	11.1	36	4.6	1.3	0.7	548
	70	22	88.0	3	12.0	0	-	25	6.5	0.9	-	341
	80	4	80.0	1	20.0	0	-	5	4.3	1.1	-	92
	男女計	116	77.9	28	18.8	5	3.4	149	4.6	1.1	0.2	2547

問1-d その病気の主な原因はアルコールによるものでしたか(胃炎)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	1	50.0	0	-	1	50.0	2	-	0.8	-	0.8	118
	30	0	-	4	80.0	0	-	1	20.0	5	-	2.4	-	0.6	169
	40	2	16.7	10	83.3	0	-	0	-	12	1.2	6.0	-	1.6	166
	50	3	15.0	12	60.0	0	-	5	25.0	20	1.2	4.8	-	2.0	252
	60	0	-	16	88.9	0	-	2	11.1	18	-	6.1	-	0.8	264
	70	2	16.7	6	50.0	0	-	4	33.3	12	1.1	3.4	-	2.3	175
	80	0	-	0	-	0	-	1	100.0	1	-	-	-	2.5	40
	男性合計	7	10.0	49	70.0	0	-	14	20.0	70	0.6	4.1	-	1.2	1184
女性	20	1	14.3	4	57.1	0	-	2	28.6	7	0.9	3.6	-	1.8	110
	30	0	-	7	87.5	0	-	1	12.5	8	-	3.4	-	0.5	207
	40	1	6.3	10	62.5	0	-	5	31.3	16	0.4	3.8	-	1.9	261
	50	0	-	9	69.2	0	-	4	30.8	13	-	3.2	-	1.4	283
	60	0	-	12	66.7	0	-	6	33.3	18	-	4.2	-	2.1	284
	70	0	-	9	69.2	0	-	4	30.8	13	-	5.4	-	2.4	166
	80	0	-	3	75.0	0	-	1	25.0	4	-	5.8	-	1.9	52
	女性合計	2	2.5	54	68.4	0	-	23	29.1	79	0.1	4.0	-	1.7	1363
総数	20	1	11.1	5	55.6	0	-	3	33.3	9	0.4	2.2	-	1.3	228
	30	0	-	11	84.6	0	-	2	15.4	13	-	2.9	-	0.5	376
	40	3	10.7	20	71.4	0	-	5	17.9	28	0.7	4.7	-	1.2	427
	50	3	9.1	21	63.6	0	-	9	27.3	33	0.6	3.9	-	1.7	535
	60	0	-	28	77.8	0	-	8	22.2	36	-	5.1	-	1.5	548
	70	2	8.0	15	60.0	0	-	8	32.0	25	0.6	4.4	-	2.3	341
	80	0	-	3	60.0	0	-	2	40.0	5	-	3.3	-	2.2	92
	男女計	9	6.0	103	69.1	0	-	37	24.8	149	0.4	4.0	-	1.5	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(肺炎)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	0	-	166	98.2	3	1.8	169
	40	0	-	165	99.4	1	0.6	166
	50	3	1.2	245	97.2	4	1.6	252
	60	2	0.8	257	97.3	5	1.9	264
	70	1	0.6	170	97.1	4	2.3	175
	80	0	-	39	97.5	1	2.5	40
	男性合計	6	0.5	1160	98.0	18	1.5	1184
	女性	20	0	-	109	99.1	1	0.9
30		0	-	206	99.5	1	0.5	207
40		3	1.1	249	95.4	9	3.4	261
50		0	-	279	98.6	4	1.4	283
60		3	1.1	278	97.9	3	1.1	284
70		0	-	162	97.6	4	2.4	166
80		0	-	52	100.0	0	-	52
女性合計		6	0.4	1335	97.9	22	1.6	1363
総数		20	0	-	227	99.6	1	0.4
	30	0	-	372	98.9	4	1.1	376
	40	3	0.7	414	97.0	10	2.3	427
	50	3	0.6	524	97.9	8	1.5	535
	60	5	0.9	535	97.6	8	1.5	548
	70	1	0.3	332	97.4	8	2.3	341
	80	0	-	91	98.9	1	1.1	92
	男女計	12	0.5	2495	98.0	40	1.6	2547

問1-b 最後にその病気にかかったのはいつですか(肺炎)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	166
	50	1	33.3	0	-	2	66.7	0	-	3	0.4	-	0.8	-	252
	60	0	-	0	-	2	100.0	0	-	2	-	-	0.8	-	264
	70	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	175
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	40
	男性合計	1	16.7	0	-	5	83.3	0	-	6	0.1	-	0.4	-	1184
	女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-
30		0	-	0	-	0	-	0	-	0	-	-	-	-	207
40		0	-	0	-	3	100.0	0	-	3	-	-	1.1	-	261
50		0	-	0	-	0	-	0	-	0	-	-	-	-	283
60		0	-	1	33.3	0	-	2	66.7	3	-	0.4	-	0.7	284
70		0	-	0	-	0	-	0	-	0	-	-	-	-	166
80		0	-	0	-	0	-	0	-	0	-	-	-	-	52
女性合計		0	-	1	16.7	3	50.0	2	33.3	6	-	0.1	0.2	0.1	1363
総数		20	0	-	0	-	0	-	0	-	0	-	-	-	-
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	0	-	0	-	3	100.0	0	-	3	-	-	0.7	-	427
	50	1	33.3	0	-	2	66.7	0	-	3	0.2	-	0.4	-	535
	60	0	-	1	20.0	2	40.0	2	40.0	5	-	0.2	0.4	0.4	548
	70	0	-	0	-	1	100.0	0	-	1	-	-	0.3	-	341
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	92
	男女計	1	8.3	1	8.3	8	66.7	2	16.7	12	0.0	0.0	0.3	0.1	2547

問1-c 病気に対する医師の正式な診断はありましたか(肺炎)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	0	-	0	-	-	-	-	166
	50	3	100.0	0	-	0	-	3	1.2	-	-	-	252
	60	2	100.0	0	-	0	-	2	0.8	-	-	-	264
	70	1	100.0	0	-	0	-	1	0.6	-	-	-	175
	80	0	-	0	-	0	-	0	-	-	-	-	40
男性合計		6	100.0	0	-	0	-	6	0.5	-	-	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	-	-	-	207
	40	3	100.0	0	-	0	-	3	1.1	-	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	-	283
	60	1	33.3	0	-	2	66.7	3	0.4	-	0.7	-	284
	70	0	-	0	-	0	-	0	-	-	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	-	52
女性合計		4	66.7	0	-	2	33.3	6	0.3	-	0.1	-	1363
総数	20	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	-	-	-	376
	40	3	100.0	0	-	0	-	3	0.7	-	-	-	427
	50	3	100.0	0	-	0	-	3	0.6	-	-	-	535
	60	3	60.0	0	-	2	40.0	5	0.5	-	0.4	-	548
	70	1	100.0	0	-	0	-	1	0.3	-	-	-	341
	80	0	-	0	-	0	-	0	-	-	-	-	92
男女計		10	83.3	0	-	2	16.7	12	0.4	-	0.1	-	2547

問1-d その病気の主な原因はアルコールによるものでしたか(肺炎)

		該当者						総数									
		アルコール		その他		不明		無回答		合計	アルコール		その他		不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%			
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	169
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	166
	50	2	66.7	1	33.3	0	-	0	-	3	0.8	0.4	-	-	-	-	252
	60	1	50.0	0	-	0	-	1	50.0	2	0.4	-	-	-	0.4	-	264
	70	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	-	-	175
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	40
男性合計		4	66.7	1	16.7	0	-	1	16.7	6	0.3	0.1	-	-	0.1	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	207
	40	0	-	3	100.0	0	-	0	-	3	-	1.1	-	-	-	-	261
	50	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	283
	60	1	33.3	0	-	0	-	2	66.7	3	0.4	-	-	-	0.7	-	284
	70	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	166
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	52
女性合計		1	16.7	3	50.0	0	-	2	33.3	6	0.1	0.2	-	-	0.1	-	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	376
	40	0	-	3	100.0	0	-	0	-	3	-	0.7	-	-	-	-	427
	50	2	66.7	1	33.3	0	-	0	-	3	0.4	0.2	-	-	-	-	535
	60	2	40.0	0	-	0	-	3	60.0	5	0.4	-	-	-	0.5	-	548
	70	1	100.0	0	-	0	-	0	-	1	0.3	-	-	-	-	-	341
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	92
男女計		5	41.7	4	33.3	0	-	3	25.0	12	0.2	0.2	-	-	0.1	-	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(ガン)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	0	-	166	98.2	3	1.8	169
	40	0	-	165	99.4	1	0.6	166
	50	2	0.8	245	97.2	5	2.0	252
	60	6	2.3	254	96.2	4	1.5	264
	70	13	7.4	159	90.9	3	1.7	175
	80	3	7.5	35	87.5	2	5.0	40
	男性合計	24	2.0	1142	96.5	18	1.5	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	0	-	206	99.5	1	0.5	207
	40	3	1.1	249	95.4	9	3.4	261
	50	10	3.5	270	95.4	3	1.1	283
	60	5	1.8	276	97.2	3	1.1	284
	70	8	4.8	155	93.4	3	1.8	166
	80	1	1.9	51	98.1	0	-	52
	女性合計	27	2.0	1316	96.6	20	1.5	1363
総数	20	0	-	227	99.6	1	0.4	228
	30	0	-	372	98.9	4	1.1	376
	40	3	0.7	414	97.0	10	2.3	427
	50	12	2.2	515	96.3	8	1.5	535
	60	11	2.0	530	96.7	7	1.3	548
	70	21	6.2	314	92.1	6	1.8	341
	80	4	4.3	86	93.5	2	2.2	92
	男女計	51	2.0	2458	96.5	38	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(ガン)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	166
	50	1	50.0	0	-	1	50.0	0	-	2	0.4	-	0.4	-	252
	60	1	16.7	0	-	5	83.3	0	-	6	0.4	-	1.9	-	264
	70	3	23.1	4	30.8	6	46.2	0	-	13	1.7	2.3	3.4	-	175
	80	0	-	0	-	3	100.0	0	-	3	-	-	7.5	-	40
	男性合計	5	20.8	4	16.7	15	62.5	0	-	24	0.4	0.3	1.3	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	0	-	3	100.0	0	-	3	-	-	1.1	-	261
	50	1	10.0	1	10.0	8	80.0	0	-	10	0.4	0.4	2.8	-	283
	60	0	-	0	-	4	80.0	1	20.0	5	-	-	1.4	0.4	284
	70	1	12.5	1	12.5	6	75.0	0	-	8	0.6	0.6	3.6	-	166
	80	0	-	0	-	1	100.0	0	-	1	-	-	1.9	-	52
	女性合計	2	7.4	2	7.4	22	81.5	1	3.7	27	0.1	0.1	1.6	0.1	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	0	-	0	-	3	100.0	0	-	3	-	-	0.7	-	427
	50	2	16.7	1	8.3	9	75.0	0	-	12	0.4	0.2	1.7	-	535
	60	1	9.1	0	-	9	81.8	1	9.1	11	0.2	-	1.6	0.2	548
	70	4	19.0	5	23.8	12	57.1	0	-	21	1.2	1.5	3.5	-	341
	80	0	-	0	-	4	100.0	0	-	4	-	-	4.3	-	92
	男女計	7	13.7	6	11.8	37	72.5	1	2.0	51	0.3	0.2	1.5	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(ガン)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	0	-	-	-	118	
	30	0	-	0	-	0	-	0	-	-	-	169	
	40	0	-	0	-	0	-	0	-	-	-	166	
	50	2	100.0	0	-	0	-	2	0.8	-	-	252	
	60	5	83.3	0	-	1	16.7	6	1.9	-	0.4	264	
	70	12	92.3	0	-	1	7.7	13	6.9	-	0.6	175	
	80	3	100.0	0	-	0	-	3	7.5	-	-	40	
男性合計		22	91.7	0	-	2	8.3	24	1.9	-	0.2	1184	
女性	20	0	-	0	-	0	-	0	-	-	-	110	
	30	0	-	0	-	0	-	0	-	-	-	207	
	40	3	100.0	0	-	0	-	3	1.1	-	-	261	
	50	10	100.0	0	-	0	-	10	3.5	-	-	283	
	60	4	80.0	0	-	1	20.0	5	1.4	-	0.4	284	
	70	8	100.0	0	-	0	-	8	4.8	-	-	166	
	80	1	100.0	0	-	0	-	1	1.9	-	-	52	
女性合計		26	98.3	0	-	1	3.7	27	1.9	-	0.1	1363	
総数	20	0	-	0	-	0	-	0	-	-	-	228	
	30	0	-	0	-	0	-	0	-	-	-	376	
	40	3	100.0	0	-	0	-	3	0.7	-	-	427	
	50	12	100.0	0	-	0	-	12	2.2	-	-	535	
	60	9	81.8	0	-	2	18.2	11	1.6	-	0.4	548	
	70	20	95.2	0	-	1	4.8	21	5.9	-	0.3	341	
	80	4	100.0	0	-	0	-	4	4.3	-	-	92	
男女計		48	94.1	0	-	3	5.9	51	1.9	-	0.1	2547	

問1-d その病気の主な原因はアルコールによるものでしたか(ガン)

		該当者								総数							
		アルコール		その他		不明		無回答		合計	アルコール		その他		不明		合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%			
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	169
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	166
	50	0	-	1	50.0	0	-	1	50.0	2	-	0.4	-	0.4	-	0.4	252
	60	1	16.7	3	50.0	0	-	2	33.3	6	0.4	1.1	-	0.8	-	0.8	264
	70	2	15.4	8	61.5	0	-	3	23.1	13	1.1	4.8	-	1.7	-	1.7	175
	80	0	-	1	33.3	0	-	2	66.7	3	-	2.5	-	5.0	-	5.0	40
男性合計		3	12.5	13	54.2	0	-	8	33.3	24	0.3	1.1	-	0.7	-	0.7	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	207
	40	0	-	3	100.0	0	-	0	-	3	-	1.1	-	-	-	-	261
	50	0	-	6	60.0	0	-	4	40.0	10	-	2.1	-	1.4	-	1.4	283
	60	0	-	3	60.0	0	-	2	40.0	5	-	1.1	-	0.7	-	0.7	284
	70	0	-	6	75.0	0	-	2	25.0	8	-	3.6	-	1.2	-	1.2	166
	80	0	-	1	100.0	0	-	0	-	1	-	1.9	-	-	-	-	52
女性合計		0	-	19	70.4	0	-	8	29.6	27	-	1.4	-	0.6	-	0.6	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	376
	40	0	-	3	100.0	0	-	0	-	3	-	0.7	-	-	-	-	427
	50	0	-	7	58.3	0	-	5	41.7	12	-	1.3	-	0.9	-	0.9	535
	60	1	9.1	8	54.5	0	-	4	36.4	11	0.2	1.1	-	0.7	-	0.7	548
	70	2	9.5	14	66.7	0	-	5	23.8	21	0.6	4.1	-	1.5	-	1.5	341
	80	0	-	2	50.0	0	-	2	50.0	4	-	2.2	-	2.2	-	2.2	92
男女計		3	5.9	32	62.7	0	-	16	31.4	51	0.1	1.3	-	0.6	-	0.6	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(糖尿病)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	1	0.6	165	97.6	3	1.8	169
	40	3	1.8	162	97.6	1	0.6	166
	50	20	7.9	230	91.3	2	0.8	252
	60	38	14.4	223	84.5	3	1.1	264
	70	26	14.9	147	84.0	2	1.1	175
	80	4	10.0	35	87.5	1	2.5	40
	男性合計	92	7.8	1080	91.2	12	1.0	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	0	-	206	99.5	1	0.5	207
	40	7	2.7	245	93.9	9	3.4	261
	50	11	3.9	270	95.4	2	0.7	283
	60	22	7.7	259	91.2	3	1.1	284
	70	10	6.0	152	91.6	4	2.4	166
	80	6	11.5	46	88.5	0	-	52
	女性合計	56	4.1	1287	94.4	20	1.5	1363
総数	20	0	-	227	99.6	1	0.4	228
	30	1	0.3	371	98.7	4	1.1	376
	40	10	2.3	407	95.3	10	2.3	427
	50	31	5.8	500	93.5	4	0.7	535
	60	60	10.9	482	88.0	6	1.1	548
	70	36	10.6	299	87.7	6	1.8	341
	80	10	10.9	81	88.0	1	1.1	92
	男女計	148	5.8	2367	92.9	32	1.3	2547

問1-b 最後にその病気にかかったのはいつですか(糖尿病)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	169
	40	2	66.7	0	-	1	33.3	0	-	3	1.2	-	0.6	-	166
	50	13	65.0	0	-	7	35.0	0	-	20	5.2	-	2.8	-	252
	60	31	81.6	1	2.6	6	15.8	0	-	38	11.7	0.4	2.3	-	264
	70	20	76.9	1	3.8	5	19.2	0	-	26	11.4	0.6	2.9	-	175
	80	3	75.0	0	-	1	25.0	0	-	4	7.5	-	2.5	-	40
	男性合計	70	76.1	2	2.2	20	21.7	0	-	92	5.9	0.2	1.7	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	7	100.0	0	-	0	-	0	-	7	2.7	-	-	-	261
	50	10	90.9	0	-	1	9.1	0	-	11	3.5	-	0.4	-	283
	60	18	81.8	1	4.5	2	9.1	1	4.5	22	6.3	0.4	0.7	0.4	284
	70	8	80.0	0	-	2	20.0	0	-	10	4.8	-	1.2	-	166
	80	3	50.0	0	-	3	50.0	0	-	6	5.8	-	5.8	-	52
	女性合計	46	82.1	1	1.8	8	14.3	1	1.8	56	3.4	0.1	0.6	0.1	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	1	100.0	0	-	0	-	0	-	1	0.3	-	-	-	376
	40	9	90.0	0	-	1	10.0	0	-	10	2.1	-	0.2	-	427
	50	23	74.2	0	-	8	25.8	0	-	31	4.3	-	1.5	-	535
	60	49	81.7	2	3.3	8	13.3	1	1.7	60	8.9	0.4	1.5	0.2	548
	70	28	77.8	1	2.8	7	19.4	0	-	36	8.2	0.3	2.1	-	341
	80	6	60.0	0	-	4	40.0	0	-	10	6.5	-	4.3	-	92
	男女計	116	78.4	3	2.0	28	18.9	1	0.7	148	4.6	0.1	1.1	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(糖尿病)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	0	-	0	-	0	-	0	-	-	-	-	118
	30	1	100.0	0	-	0	-	1	0.6	-	-	-	169
	40	3	100.0	0	-	0	-	3	1.8	-	-	-	166
	50	18	90.0	1	5.0	1	5.0	20	7.1	0.4	0.4	-	252
	60	37	97.4	1	2.6	0	-	38	14.0	0.4	-	-	264
	70	24	92.3	0	-	2	7.7	26	13.7	-	1.1	-	175
	80	4	100.0	0	-	0	-	4	10.0	-	-	-	40
	男性合計	87	94.6	2	2.2	3	3.3	92	7.3	0.2	0.3	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	-	-	-	207
	40	7	100.0	0	-	0	-	7	2.7	-	-	-	261
	50	11	100.0	0	-	0	-	11	3.9	-	-	-	283
	60	18	81.8	1	4.5	3	13.6	22	6.3	0.4	1.1	-	284
	70	10	100.0	0	-	0	-	10	6.0	-	-	-	166
	80	6	100.0	0	-	0	-	6	11.5	-	-	-	52
	女性合計	52	92.9	1	1.8	3	5.4	56	3.8	0.1	0.2	-	1363
総数	20	0	-	0	-	0	-	0	-	-	-	-	228
	30	1	100.0	0	-	0	-	1	0.3	-	-	-	376
	40	10	100.0	0	-	0	-	10	2.3	-	-	-	427
	50	29	93.5	1	3.2	1	3.2	31	5.4	0.2	0.2	-	535
	60	55	91.7	2	3.3	3	5.0	60	10.0	0.4	0.5	-	548
	70	34	94.4	0	-	2	5.6	36	10.0	-	0.6	-	341
	80	10	100.0	0	-	0	-	10	10.9	-	-	-	92
	男女計	139	93.9	3	2.0	6	4.1	148	5.5	0.1	0.2	-	2547

問1-d その病気の主な原因はアルコールによるものでしたか(糖尿病)

		該当者								総数								
		アルコール		その他		不明		無回答		合計	アルコール		その他		不明		無回答	合計
		実数	%	実数	%	実数	%	実数	%		実数	%	実数	%	実数	%		
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	-	118
	30	0	-	1	100.0	0	-	0	-	1	-	-	0.6	-	-	-	-	169
	40	0	-	2	66.7	0	-	1	33.3	3	-	-	1.2	-	-	0.6	-	166
	50	6	30.0	10	50.0	0	-	4	20.0	20	2.4	4.0	-	-	-	1.6	-	252
	60	7	18.4	22	57.9	0	-	9	23.7	38	2.7	8.3	-	-	-	3.4	-	264
	70	8	30.8	13	50.0	0	-	5	19.2	26	4.6	7.4	-	-	-	2.9	-	175
	80	0	-	3	75.0	0	-	1	25.0	4	-	7.5	-	-	-	2.5	-	40
	男性合計	21	22.8	51	55.4	0	-	20	21.7	92	1.8	4.3	-	-	-	1.7	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	-	207
	40	0	-	7	100.0	0	-	0	-	7	-	2.7	-	-	-	-	-	261
	50	2	18.2	9	81.8	0	-	0	-	11	0.7	3.2	-	-	-	-	-	283
	60	0	-	14	63.6	0	-	8	36.4	22	-	4.9	-	-	-	2.8	-	284
	70	0	-	8	80.0	0	-	2	20.0	10	-	4.8	-	-	-	1.2	-	166
	80	0	-	5	83.3	0	-	1	16.7	6	-	9.6	-	-	-	1.9	-	52
	女性合計	2	3.6	43	76.8	0	-	11	19.6	56	0.1	3.2	-	-	-	0.8	-	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	-	228
	30	0	-	1	100.0	0	-	0	-	1	-	0.3	-	-	-	-	-	376
	40	0	-	9	90.0	0	-	1	10.0	10	-	2.1	-	-	-	0.2	-	427
	50	8	25.8	19	61.3	0	-	4	12.9	31	1.5	3.6	-	-	-	0.7	-	535
	60	7	11.7	36	60.0	0	-	17	28.3	60	1.3	6.6	-	-	-	3.1	-	548
	70	8	22.2	21	58.3	0	-	7	19.4	36	2.3	6.2	-	-	-	2.1	-	341
	80	0	-	8	80.0	0	-	2	20.0	10	-	8.7	-	-	-	2.2	-	92
	男女計	23	15.5	94	63.5	0	-	31	20.9	148	0.9	3.7	-	-	-	1.2	-	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(痛風または高尿酸血症)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	1	0.8	117	99.2	0	-	118
	30	3	1.8	163	96.4	3	1.8	169
	40	7	4.2	158	95.2	1	0.6	166
	50	12	4.8	236	93.7	4	1.6	252
	60	14	5.3	246	93.2	4	1.5	264
	70	13	7.4	159	90.9	3	1.7	175
	80	2	5.0	37	92.5	1	2.5	40
	男性合計	52	4.4	1116	94.3	16	1.4	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	0	-	206	99.5	1	0.5	207
	40	1	0.4	251	96.2	9	3.4	261
	50	1	0.4	279	98.6	3	1.1	283
	60	2	0.7	278	97.9	4	1.4	284
	70	4	2.4	158	95.2	4	2.4	166
	80	1	1.9	51	98.1	0	-	52
	女性合計	9	0.7	1332	97.7	22	1.6	1363
総数	20	1	0.4	226	99.1	1	0.4	228
	30	3	0.8	369	98.1	4	1.1	376
	40	8	1.9	409	95.8	10	2.3	427
	50	13	2.4	515	96.3	7	1.3	535
	60	16	2.9	524	95.6	8	1.5	548
	70	17	5.0	317	93.0	7	2.1	341
	80	3	3.3	88	95.7	1	1.1	92
	男女計	61	2.4	2448	96.1	38	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(痛風または高尿酸血症)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	1	100.0	0	-	1	-	-	0.8	-	118
	30	3	100.0	0	-	0	-	0	-	3	1.8	-	-	-	169
	40	6	85.7	0	-	1	14.3	0	-	7	3.6	-	0.6	-	166
	50	3	25.0	1	8.3	8	66.7	0	-	12	1.2	0.4	3.2	-	252
	60	7	50.0	1	7.1	6	42.9	0	-	14	2.7	0.4	2.3	-	264
	70	6	46.2	1	7.7	6	46.2	0	-	13	3.4	0.6	3.4	-	175
	80	0	-	0	-	2	100.0	0	-	2	-	-	5.0	-	40
	男性合計	25	48.1	3	5.8	24	46.2	0	-	52	2.1	0.3	2.0	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	1	100.0	0	-	0	-	0	-	1	0.4	-	-	-	261
	50	1	100.0	0	-	0	-	0	-	1	0.4	-	-	-	283
	60	1	50.0	0	-	0	-	1	50.0	2	0.4	-	0.4	-	284
	70	2	50.0	0	-	2	50.0	0	-	4	1.2	-	1.2	-	166
	80	0	-	0	-	1	100.0	0	-	1	-	-	1.9	-	52
	女性合計	5	55.6	0	-	3	33.3	1	11.1	9	0.4	-	0.2	0.1	1363
総数	20	0	-	0	-	1	100.0	0	-	1	-	-	0.4	-	228
	30	3	100.0	0	-	0	-	0	-	3	0.8	-	-	-	376
	40	7	87.5	0	-	1	12.5	0	-	8	1.6	-	0.2	-	427
	50	4	30.8	1	7.7	8	61.5	0	-	13	0.7	0.2	1.5	-	535
	60	8	50.0	1	6.3	6	37.5	1	6.3	16	1.5	0.2	1.1	0.2	548
	70	8	47.1	1	5.9	8	47.1	0	-	17	2.3	0.3	2.3	-	341
	80	0	-	0	-	3	100.0	0	-	3	-	-	3.3	-	92
	男女計	30	49.2	3	4.9	27	44.3	1	1.6	61	1.2	0.1	1.1	0.0	2547

問1-c 病気に對する医師の正式な診断はありましたか(痛風または高尿酸血症)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		%	%	%		
男性	20	1	100.0	0	-	0	-	1	0.8	-	-	118	
	30	3	100.0	0	-	0	-	3	1.8	-	-	169	
	40	7	100.0	0	-	0	-	7	4.2	-	-	166	
	50	11	91.7	0	-	1	8.3	12	4.4	-	0.4	252	
	60	14	100.0	0	-	0	-	14	5.3	-	-	264	
	70	13	100.0	0	-	0	-	13	7.4	-	-	175	
	80	2	100.0	0	-	0	-	2	5.0	-	-	40	
男性合計		51	98.1	0	-	1	1.9	52	4.3	-	0.1	1184	
女性	20	0	-	0	-	0	-	0	-	-	-	110	
	30	0	-	0	-	0	-	0	-	-	-	207	
	40	0	-	1	100.0	0	-	1	-	0.4	-	261	
	50	1	100.0	0	-	0	-	1	0.4	-	-	283	
	60	1	50.0	0	-	1	50.0	2	0.4	-	0.4	284	
	70	3	75.0	1	25.0	0	-	4	1.8	0.6	-	166	
	80	1	100.0	0	-	0	-	1	1.9	-	-	52	
女性合計		6	66.7	2	22.2	1	11.1	9	0.4	0.1	0.1	1363	
総数	20	1	100.0	0	-	0	-	1	0.4	-	-	228	
	30	3	100.0	0	-	0	-	3	0.8	-	-	376	
	40	7	87.5	1	12.5	0	-	8	1.6	0.2	-	427	
	50	12	92.3	0	-	1	7.7	13	2.2	-	0.2	535	
	60	15	93.8	0	-	1	6.3	16	2.7	-	0.2	548	
	70	16	94.1	1	5.9	0	-	17	4.7	0.3	-	341	
	80	3	100.0	0	-	0	-	3	3.3	-	-	92	
男女計		57	93.4	2	3.3	2	3.3	61	2.2	0.1	0.1	2547	

問1-d その病気の主な原因はアルコールによるものでしたか(痛風または高尿酸血症)

		該当者						総数							
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	1	100.0	1	-	-	-	0.8	118
	30	1	33.3	1	33.3	0	-	1	33.3	3	0.6	0.6	-	0.6	169
	40	4	57.1	3	42.9	0	-	0	-	7	2.4	1.8	-	-	166
	50	5	41.7	4	33.3	0	-	3	25.0	12	2.0	1.6	-	1.2	252
	60	3	21.4	6	42.9	0	-	5	35.7	14	1.1	2.3	-	1.9	264
	70	3	23.1	5	38.5	0	-	5	38.5	13	1.7	2.9	-	2.9	175
	80	1	50.0	1	50.0	0	-	0	-	2	2.5	2.5	-	-	40
男性合計		17	32.7	20	38.5	0	-	15	28.8	52	1.4	1.7	-	1.3	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	261
	50	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	283
	60	0	-	0	-	0	-	2	100.0	2	-	-	-	0.7	284
	70	0	-	3	75.0	0	-	1	25.0	4	-	1.8	-	0.6	166
	80	0	-	1	100.0	0	-	0	-	1	-	1.9	-	-	52
女性合計		0	-	6	66.7	0	-	3	33.3	9	-	0.4	-	0.2	1363
総数	20	0	-	0	-	0	-	1	100.0	1	-	-	-	0.4	228
	30	1	33.3	1	33.3	0	-	1	33.3	3	0.3	0.3	-	0.3	376
	40	4	50.0	4	50.0	0	-	0	-	8	0.9	0.9	-	-	427
	50	5	38.5	5	38.5	0	-	3	23.1	13	0.9	0.9	-	0.6	535
	60	3	18.8	6	37.5	0	-	7	43.8	16	0.5	1.1	-	1.3	548
	70	3	17.6	8	47.1	0	-	6	35.3	17	0.9	2.3	-	1.8	341
	80	1	33.3	2	66.7	0	-	0	-	3	1.1	2.2	-	-	92
男女計		17	27.9	26	42.6	0	-	18	29.5	61	0.7	1.0	-	0.7	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(高脂血症)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	1	0.8	117	99.2	0	-	118
	30	5	3.0	161	95.3	3	1.8	169
	40	9	5.4	156	94.0	1	0.6	166
	50	18	7.1	229	90.9	5	2.0	252
	60	17	6.4	240	90.9	7	2.7	264
	70	16	9.1	154	88.0	5	2.9	175
	80	1	2.5	38	95.0	1	2.5	40
	男性合計	67	5.7	1095	92.5	22	1.9	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	2	1.0	204	98.6	1	0.5	207
	40	6	2.3	245	93.9	10	3.8	261
	50	23	8.1	257	90.8	3	1.1	283
	60	37	13.0	241	84.9	6	2.1	284
	70	18	10.8	144	86.7	4	2.4	166
	80	3	5.8	49	94.2	0	-	52
	女性合計	89	6.5	1249	91.6	25	1.8	1363
総数	20	1	0.4	226	99.1	1	0.4	228
	30	7	1.9	365	97.1	4	1.1	376
	40	15	3.5	401	93.9	11	2.6	427
	50	41	7.7	486	90.8	8	1.5	535
	60	54	9.9	481	87.8	13	2.4	548
	70	34	10.0	298	87.4	9	2.6	341
	80	4	4.3	87	94.6	1	1.1	92
	男女計	156	6.1	2344	92.0	47	1.8	2547

問1-b 最後にその病気にかかったのはいつですか(高脂血症)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	1	100.0	0	-	1	-	-	0.8	-	118
	30	3	60.0	0	-	2	40.0	0	-	5	1.8	-	1.2	-	169
	40	8	88.9	1	11.1	0	-	0	-	9	4.8	0.6	-	-	166
	50	9	50.0	2	11.1	7	38.9	0	-	18	3.6	0.8	2.8	-	252
	60	15	88.2	0	-	2	11.8	0	-	17	5.7	-	0.8	-	264
	70	12	75.0	0	-	4	25.0	0	-	16	6.9	-	2.3	-	175
	80	1	100.0	0	-	0	-	0	-	1	2.5	-	-	-	40
	男性合計	48	71.6	3	4.5	16	23.9	0	-	67	4.1	0.3	1.4	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	1	50.0	0	-	1	50.0	0	-	2	0.5	-	0.5	-	207
	40	4	66.7	1	16.7	1	16.7	0	-	6	1.5	0.4	0.4	-	261
	50	19	82.6	2	8.7	2	8.7	0	-	23	6.7	0.7	0.7	-	283
	60	25	67.6	2	5.4	9	24.3	1	2.7	37	8.8	0.7	3.2	0.4	284
	70	13	72.2	1	5.8	3	16.7	1	5.6	18	7.8	0.6	1.8	0.6	166
	80	2	66.7	0	-	1	33.3	0	-	3	3.8	-	1.9	-	52
	女性合計	64	71.9	6	6.7	17	19.1	2	2.2	89	4.7	0.4	1.2	0.1	1363
総数	20	0	-	0	-	1	100.0	0	-	1	-	-	0.4	-	228
	30	4	57.1	0	-	3	42.9	0	-	7	1.1	-	0.8	-	376
	40	12	80.0	2	13.3	1	6.7	0	-	15	2.8	0.5	0.2	-	427
	50	28	68.3	4	9.8	9	22.0	0	-	41	5.2	0.7	1.7	-	535
	60	40	74.1	2	3.7	11	20.4	1	1.9	54	7.3	0.4	2.0	0.2	548
	70	25	73.5	1	2.9	7	20.6	1	2.9	34	7.3	0.3	2.1	0.3	341
	80	3	75.0	0	-	1	25.0	0	-	4	3.3	-	1.1	-	92
	男女計	112	71.8	9	5.8	33	21.2	2	1.3	156	4.4	0.4	1.3	0.1	2547

問1-c 病気に対する医師の正式な診断はありましたか(高脂血症)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	1	100.0	0	-	0	-	1	0.8	-	-	118	
	30	4	80.0	1	20.0	0	-	5	2.4	0.6	-	169	
	40	9	100.0	0	-	0	-	9	5.4	-	-	166	
	50	17	94.4	1	5.6	0	-	18	6.7	0.4	-	252	
	60	15	88.2	2	11.8	0	-	17	5.7	0.8	-	264	
	70	16	100.0	0	-	0	-	16	9.1	-	-	175	
	80	1	100.0	0	-	0	-	1	2.5	-	-	40	
	男性合計	63	94.0	4	6.0	0	-	67	5.3	0.3	-	1184	
女性	20	0	-	0	-	0	-	0	-	-	-	110	
	30	2	100.0	0	-	0	-	2	1.0	-	-	207	
	40	6	100.0	0	-	0	-	6	2.3	-	-	261	
	50	23	100.0	0	-	0	-	23	8.1	-	-	283	
	60	31	83.8	2	5.4	4	10.8	37	10.9	0.7	1.4	284	
	70	15	83.3	2	11.1	1	5.6	18	9.0	1.2	0.6	166	
	80	2	66.7	0	-	1	33.3	3	3.8	-	1.9	52	
	女性合計	79	88.8	4	4.5	6	6.7	89	5.8	0.3	0.4	1363	
総数	20	1	100.0	0	-	0	-	1	0.4	-	-	228	
	30	6	85.7	1	14.3	0	-	7	1.6	0.3	-	376	
	40	15	100.0	0	-	0	-	15	3.5	-	-	427	
	50	40	97.6	1	2.4	0	-	41	7.5	0.2	-	535	
	60	46	85.2	4	7.4	4	7.4	54	8.4	0.7	0.7	548	
	70	31	91.2	2	5.9	1	2.9	34	9.1	0.6	0.3	341	
	80	3	75.0	0	-	1	25.0	4	3.3	-	1.1	92	
	男女計	142	91.0	8	5.1	6	3.8	156	5.6	0.3	0.2	2547	

問1-d その病気の主な原因はアルコールによるものでしたか(高脂血症)

		該当者						総数								
		アルコール		その他		不明		無回答	合計	アルコール		その他		不明	無回答	合計
		実数	%	実数	%	実数	%			実数	%	実数	%			
男性	20	0	-	1	100.0	0	-	0	-	1	-	0.8	-	-	118	
	30	1	20.0	4	80.0	0	-	0	-	5	0.6	2.4	-	-	169	
	40	3	33.3	5	55.6	0	-	1	11.1	9	1.8	3.0	-	0.6	166	
	50	5	27.8	9	50.0	0	-	4	22.2	18	2.0	3.6	-	1.6	252	
	60	3	17.6	7	41.2	0	-	7	41.2	17	1.1	2.7	-	2.7	264	
	70	5	31.3	7	43.8	0	-	4	25.0	16	2.9	4.0	-	2.3	175	
	80	0	-	1	100.0	0	-	0	-	1	-	2.5	-	-	40	
	男性合計	17	25.4	34	50.7	0	-	16	23.9	67	1.4	2.9	-	1.4	1184	
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110	
	30	0	-	1	50.0	0	-	1	50.0	2	-	0.5	-	0.5	207	
	40	0	-	5	83.3	0	-	1	16.7	6	-	1.9	-	0.4	261	
	50	0	-	19	82.6	0	-	4	17.4	23	-	6.7	-	1.4	283	
	60	0	-	33	89.2	0	-	4	10.8	37	-	11.6	-	1.4	284	
	70	0	-	12	66.7	0	-	6	33.3	18	-	7.2	-	3.6	166	
	80	0	-	0	-	0	-	3	100.0	3	-	-	-	5.8	52	
	女性合計	0	-	70	78.7	0	-	19	21.3	89	-	5.1	-	1.4	1363	
総数	20	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	228	
	30	1	14.3	5	71.4	0	-	1	14.3	7	0.3	1.3	-	0.3	376	
	40	3	20.0	10	66.7	0	-	2	13.3	15	0.7	2.3	-	0.5	427	
	50	5	12.2	28	68.3	0	-	8	19.5	41	0.9	5.2	-	1.5	535	
	60	3	5.6	40	74.1	0	-	11	20.4	54	0.5	7.3	-	2.0	548	
	70	5	14.7	19	55.9	0	-	10	29.4	34	1.5	5.6	-	2.9	341	
	80	0	-	1	25.0	0	-	3	75.0	4	-	1.1	-	3.3	92	
	男女計	17	10.9	104	66.7	0	-	35	22.4	156	0.7	4.1	-	1.4	2547	

問1-a あなたはここにあげるような病気にかかったことがありますか(高血圧)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	1	0.8	117	99.2	0	-	118
	30	4	2.4	162	95.9	3	1.8	169
	40	8	4.8	157	94.6	1	0.6	166
	50	34	13.5	217	86.1	1	0.4	252
	60	66	25.0	195	73.9	3	1.1	264
	70	56	32.0	116	66.3	3	1.7	175
	80	10	25.0	29	72.5	1	2.5	40
	男性合計	179	15.1	993	83.9	12	1.0	1184
女性	20	1	0.9	108	98.2	1	0.9	110
	30	4	1.9	202	97.6	1	0.5	207
	40	16	6.1	236	90.4	9	3.4	261
	50	31	11.0	250	88.3	2	0.7	283
	60	67	23.6	214	75.4	3	1.1	284
	70	55	33.1	108	65.1	3	1.8	166
	80	15	28.8	37	71.2	0	-	52
	女性合計	189	13.9	1155	84.7	19	1.4	1363
総数	20	2	0.9	225	98.7	1	0.4	228
	30	8	2.1	364	96.8	4	1.1	376
	40	24	5.6	393	92.0	10	2.3	427
	50	65	12.1	467	87.3	3	0.6	535
	60	133	24.3	409	74.6	6	1.1	548
	70	111	32.6	224	65.7	6	1.8	341
	80	25	27.2	66	71.7	1	1.1	92
	男女計	368	14.4	2148	84.3	31	1.2	2547

問1-b 最後にその病気にかかったのはいつですか(高血圧)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	1	100.0	0	-	1	-	-	0.8	-	118
	30	1	25.0	1	25.0	2	50.0	0	-	4	0.6	0.6	1.2	-	169
	40	6	75.0	0	-	2	25.0	0	-	8	3.6	-	1.2	-	166
	50	27	79.4	1	2.9	6	17.6	0	-	34	10.7	0.4	2.4	-	252
	60	50	75.8	1	1.5	15	22.7	0	-	66	18.9	0.4	5.7	-	264
	70	36	64.3	1	1.8	19	33.9	0	-	56	20.6	0.6	10.9	-	175
	80	7	70.0	0	-	3	30.0	0	-	10	17.5	-	7.5	-	40
	男性合計	127	70.9	4	2.2	48	26.8	0	-	179	10.7	0.3	4.1	-	1184
女性	20	0	-	0	-	1	100.0	0	-	1	-	-	0.9	-	110
	30	4	100.0	0	-	0	-	0	-	4	1.9	-	-	-	207
	40	12	75.0	0	-	4	25.0	0	-	16	4.6	-	1.5	-	261
	50	22	71.0	2	6.5	7	22.6	0	-	31	7.8	0.7	2.5	-	283
	60	50	74.6	4	6.0	12	17.9	1	1.5	67	17.6	1.4	4.2	0.4	284
	70	46	83.6	1	1.8	7	12.7	1	1.8	55	27.7	0.6	4.2	0.6	166
	80	11	73.3	0	-	4	26.7	0	-	15	21.2	-	7.7	-	52
	女性合計	145	76.7	7	3.7	35	18.5	2	1.1	189	10.6	0.5	2.6	0.1	1363
総数	20	0	-	0	-	2	100.0	0	-	2	-	-	0.9	-	228
	30	5	62.5	1	12.5	2	25.0	0	-	8	1.3	0.3	0.5	-	376
	40	18	75.0	0	-	6	25.0	0	-	24	4.2	-	1.4	-	427
	50	49	75.4	3	4.6	13	20.0	0	-	65	9.2	0.6	2.4	-	535
	60	100	75.2	5	3.8	27	20.3	1	0.8	133	18.2	0.9	4.9	0.2	548
	70	82	73.9	2	1.8	26	23.4	1	0.9	111	24.0	0.6	7.6	0.3	341
	80	18	72.0	0	-	7	28.0	0	-	25	19.6	-	7.6	-	92
	男女計	272	73.9	11	3.0	83	22.6	2	0.5	368	10.7	0.4	3.3	0.1	2547

問1-c 病気に対する医師の正式な診断はありましたか(高血圧)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	1	100.0	0	-	1	-	0.8	-	118
	30	4	100.0	0	-	0	-	4	2.4	-	-	169
	40	8	100.0	0	-	0	-	8	4.8	-	-	166
	50	33	97.1	1	2.9	0	-	34	13.1	0.4	-	252
	60	65	98.5	0	-	1	1.5	66	24.6	-	0.4	264
	70	53	94.6	1	1.8	2	3.6	56	30.3	0.6	1.1	175
	80	10	100.0	0	-	0	-	10	25.0	-	-	40
	男性合計	173	96.6	3	1.7	3	1.7	179	14.6	0.3	0.3	1184
女性	20	1	100.0	0	-	0	-	1	0.9	-	-	110
	30	3	75.0	1	25.0	0	-	4	1.4	0.5	-	207
	40	14	87.5	2	12.5	0	-	16	5.4	0.8	-	261
	50	29	93.5	1	3.2	1	3.2	31	10.2	0.4	0.4	283
	60	63	94.0	1	1.5	3	4.5	67	22.2	0.4	1.1	284
	70	53	96.4	1	1.8	1	1.8	55	31.9	0.6	0.6	166
	80	14	93.3	0	-	1	6.7	15	26.9	-	1.9	52
	女性合計	177	93.7	6	3.2	6	3.2	189	13.0	0.4	0.4	1363
総数	20	1	50.0	1	50.0	0	-	2	0.4	0.4	-	228
	30	7	87.5	1	12.5	0	-	8	1.9	0.3	-	376
	40	22	91.7	2	8.3	0	-	24	5.2	0.5	-	427
	50	62	95.4	2	3.1	1	1.5	65	11.6	0.4	0.2	535
	60	128	96.2	1	0.8	4	3.0	133	23.4	0.2	0.7	548
	70	106	95.5	2	1.8	3	2.7	111	31.1	0.6	0.9	341
	80	24	96.0	0	-	1	4.0	25	28.1	-	1.1	92
	男女計	350	95.1	9	2.4	9	2.4	368	13.7	0.4	0.4	2547

問1-d その病気の主な原因はアルコールによるものでしたか(高血圧)

		該当者						総数							
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	1	100.0	1	-	-	-	0.8	118
	30	0	-	3	75.0	0	-	1	25.0	4	-	1.8	-	0.6	169
	40	0	-	8	100.0	0	-	0	-	8	-	4.8	-	-	166
	50	9	26.5	20	58.8	0	-	5	14.7	34	3.6	7.9	-	2.0	252
	60	8	12.1	44	66.7	0	-	14	21.2	66	3.0	16.7	-	5.3	264
	70	8	14.3	28	50.0	0	-	20	35.7	56	4.6	16.0	-	11.4	175
	80	2	20.0	5	50.0	0	-	3	30.0	10	5.0	12.5	-	7.5	40
	男性合計	27	15.1	108	60.3	0	-	44	24.6	179	2.3	9.1	-	3.7	1184
女性	20	0	-	1	100.0	0	-	0	-	1	-	0.9	-	-	110
	30	0	-	3	75.0	0	-	1	25.0	4	-	1.4	-	0.5	207
	40	0	-	11	68.8	0	-	5	31.3	16	-	4.2	-	1.9	261
	50	0	-	27	87.1	0	-	4	12.9	31	-	9.5	-	1.4	283
	60	0	-	46	68.7	0	-	21	31.3	67	-	16.2	-	7.4	284
	70	0	-	33	60.0	0	-	22	40.0	55	-	19.9	-	13.3	166
	80	0	-	9	60.0	0	-	6	40.0	15	-	17.3	-	11.5	52
	女性合計	0	-	130	68.8	0	-	59	31.2	189	-	9.5	-	4.3	1363
総数	20	0	-	1	50.0	0	-	1	50.0	2	-	0.4	-	0.4	228
	30	0	-	6	75.0	0	-	2	25.0	8	-	1.6	-	0.5	376
	40	0	-	19	79.2	0	-	5	20.8	24	-	4.4	-	1.2	427
	50	9	13.8	47	72.3	0	-	9	13.8	65	1.7	8.8	-	1.7	535
	60	8	6.0	90	67.7	0	-	35	26.3	133	1.5	16.4	-	6.4	548
	70	8	7.2	61	55.0	0	-	42	37.8	111	2.3	17.9	-	12.3	341
	80	2	8.0	14	56.0	0	-	9	36.0	25	2.2	15.2	-	9.8	92
	男女計	27	7.3	238	64.7	0	-	103	28.0	368	1.1	9.3	-	4.0	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(狭心症)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	0	-	166	98.2	3	1.8	169
	40	0	-	165	99.4	1	0.6	166
	50	3	1.2	245	97.2	4	1.6	252
	60	11	4.2	248	93.9	5	1.9	264
	70	10	5.7	162	92.6	3	1.7	175
	80	2	5.0	37	92.5	1	2.5	40
	男性合計	26	2.2	1141	96.4	17	1.4	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	0	-	206	99.5	1	0.5	207
	40	3	1.1	249	95.4	9	3.4	261
	50	0	-	280	98.9	3	1.1	283
	60	5	1.8	276	97.2	3	1.1	284
	70	10	8.0	153	92.2	3	1.8	166
	80	3	5.8	49	94.2	0	-	52
	女性合計	21	1.5	1322	97.0	20	1.5	1363
総数	20	0	-	227	99.6	1	0.4	228
	30	0	-	372	98.9	4	1.1	376
	40	3	0.7	414	97.0	10	2.3	427
	50	3	0.6	525	98.1	7	1.3	535
	60	16	2.9	524	95.6	8	1.5	548
	70	20	5.9	315	92.4	6	1.8	341
	80	5	5.4	86	93.5	1	1.1	92
	男女計	47	1.8	2463	96.7	37	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(狭心症)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	166
	50	2	66.7	0	-	1	33.3	0	-	3	0.8	-	0.4	-	252
	60	4	36.4	1	9.1	6	54.5	0	-	11	1.5	0.4	2.3	-	264
	70	1	10.0	0	-	9	90.0	0	-	10	0.6	-	5.1	-	175
	80	1	50.0	0	-	1	50.0	0	-	2	2.5	-	2.5	-	40
	男性合計	8	30.8	1	3.8	17	65.4	0	-	26	0.7	0.1	1.4	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	1	33.3	0	-	2	66.7	0	-	3	0.4	-	0.8	-	261
	50	0	-	0	-	0	-	0	-	0	-	-	-	-	283
	60	3	60.0	0	-	1	20.0	1	20.0	5	1.1	-	0.4	0.4	284
	70	7	70.0	0	-	3	30.0	0	-	10	4.2	-	1.8	-	166
	80	2	66.7	0	-	1	33.3	0	-	3	3.8	-	1.9	-	52
	女性合計	13	61.9	0	-	7	33.3	1	4.8	21	1.0	-	0.5	0.1	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	1	33.3	0	-	2	66.7	0	-	3	0.2	-	0.5	-	427
	50	2	66.7	0	-	1	33.3	0	-	3	0.4	-	0.2	-	535
	60	7	43.8	1	6.3	7	43.8	1	6.3	16	1.3	0.2	1.3	0.2	548
	70	8	40.0	0	-	12	60.0	0	-	20	2.3	-	3.5	-	341
	80	3	60.0	0	-	2	40.0	0	-	5	3.3	-	2.2	-	92
	男女計	21	44.7	1	2.1	24	51.1	1	2.1	47	0.8	0.0	0.9	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(狭心症)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	0	-	0	-	0	-	-	-	118
	30	0	-	0	-	0	-	0	-	-	-	169
	40	0	-	0	-	0	-	0	-	-	-	166
	50	3	100.0	0	-	0	-	3	1.2	-	-	252
	60	11	100.0	0	-	0	-	11	4.2	-	-	264
	70	10	100.0	0	-	0	-	10	5.7	-	-	175
	80	2	100.0	0	-	0	-	2	5.0	-	-	40
男性合計		26	100.0	0	-	0	-	26	2.2	-	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	0	-	0	-	0	-	-	-	207
	40	3	100.0	0	-	0	-	3	1.1	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	283
	60	4	80.0	0	-	1	20.0	5	1.4	-	0.4	284
	70	10	100.0	0	-	0	-	10	6.0	-	-	166
	80	3	100.0	0	-	0	-	3	5.8	-	-	52
女性合計		20	95.2	0	-	1	4.8	21	1.5	-	0.1	1363
総数	20	0	-	0	-	0	-	0	-	-	-	228
	30	0	-	0	-	0	-	0	-	-	-	376
	40	3	100.0	0	-	0	-	3	0.7	-	-	427
	50	3	100.0	0	-	0	-	3	0.6	-	-	535
	60	15	93.8	0	-	1	6.3	16	2.7	-	0.2	548
	70	20	100.0	0	-	0	-	20	5.9	-	-	341
	80	5	100.0	0	-	0	-	5	5.4	-	-	92
男女計		46	97.9	0	-	1	2.1	47	1.8	-	0.0	2547

問1-d その病気の主な原因はアルコールによるものでしたか(狭心症)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	166
	50	1	33.3	2	66.7	0	-	0	-	3	0.4	0.8	-	-	252
	60	0	-	7	63.6	0	-	4	36.4	11	-	2.7	-	1.5	264
	70	3	30.0	6	60.0	0	-	1	10.0	10	1.7	3.4	-	0.6	175
	80	0	-	1	50.0	0	-	1	50.0	2	-	2.5	-	2.5	40
男性合計		4	15.4	16	61.5	0	-	6	23.1	26	0.3	1.4	-	0.5	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	3	100.0	0	-	0	-	3	-	1.1	-	-	261
	50	0	-	0	-	0	-	0	-	0	-	-	-	-	283
	60	0	-	4	80.0	0	-	1	20.0	5	-	1.4	-	0.4	284
	70	0	-	6	60.0	0	-	4	40.0	10	-	3.6	-	2.4	166
	80	0	-	1	33.3	0	-	2	66.7	3	-	1.9	-	3.8	52
女性合計		0	-	14	66.7	0	-	7	33.3	21	-	1.0	-	0.5	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	0	-	3	100.0	0	-	0	-	3	-	0.7	-	-	427
	50	1	33.3	2	66.7	0	-	0	-	3	0.2	0.4	-	-	535
	60	0	-	11	68.8	0	-	5	31.3	16	-	2.0	-	0.9	548
	70	3	15.0	12	60.0	0	-	5	25.0	20	0.9	3.5	-	1.5	341
	80	0	-	2	40.0	0	-	3	60.0	5	-	2.2	-	3.3	92
男女計		4	8.5	30	63.8	0	-	13	27.7	47	0.2	1.2	-	0.5	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(心筋梗塞)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	0	-	165	97.6	4	2.4	169
	40	1	0.6	164	98.8	1	0.6	166
	50	4	1.6	243	96.4	5	2.0	252
	60	10	3.8	250	94.7	4	1.5	264
	70	9	5.1	161	92.0	5	2.9	175
	80	5	12.5	35	87.5	0	-	40
	男性合計	29	2.4	1136	95.9	19	1.6	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	0	-	206	99.5	1	0.5	207
	40	1	0.4	251	96.2	9	3.4	261
	50	0	-	280	98.9	3	1.1	283
	60	2	0.7	279	98.2	3	1.1	284
	70	6	3.6	157	94.6	3	1.8	166
	80	1	1.9	51	98.1	0	-	52
	女性合計	10	0.7	1333	97.8	20	1.5	1363
総数	20	0	-	227	99.6	1	0.4	228
	30	0	-	371	98.7	5	1.3	376
	40	2	0.5	415	97.2	10	2.3	427
	50	4	0.7	523	97.8	8	1.5	535
	60	12	2.2	529	96.5	7	1.3	548
	70	15	4.4	318	93.3	8	2.3	341
	80	6	6.5	86	93.5	0	-	92
	男女計	39	1.5	2469	96.9	39	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(心筋梗塞)

		該当者								合計	総数				合計	
		現在ある		過去1年間にあった		1年以上前にあった		無回答			現在ある	過去1年間にあった	1年以上前にあった	無回答		
		実数	%	実数	%	実数	%	実数	%		%	%	%	%		
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	169
	40	0	-	0	-	1	100.0	0	-	1	-	-	-	0.6	-	166
	50	2	50.0	1	25.0	1	25.0	0	-	4	0.8	0.4	0.4	-	-	252
	60	1	10.0	1	10.0	8	80.0	0	-	10	0.4	0.4	3.0	-	-	264
	70	1	11.1	0	-	8	88.9	0	-	9	0.6	-	4.6	-	-	175
	80	2	40.0	0	-	3	60.0	0	-	5	5.0	-	7.5	-	-	40
	男性合計	6	20.7	2	6.9	21	72.4	0	-	29	0.5	0.2	1.8	-	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	207
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.4	-	-	261
	50	0	-	0	-	0	-	0	-	0	-	-	-	-	-	283
	60	0	-	0	-	1	50.0	1	50.0	2	-	-	0.4	0.4	-	284
	70	3	50.0	1	16.7	2	33.3	0	-	6	1.8	0.6	1.2	-	-	166
	80	0	-	0	-	1	100.0	0	-	1	-	-	1.9	-	-	52
	女性合計	3	30.0	1	10.0	5	50.0	1	10.0	10	0.2	0.1	0.4	0.1	-	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	376
	40	0	-	0	-	2	100.0	0	-	2	-	-	0.5	-	-	427
	50	2	50.0	1	25.0	1	25.0	0	-	4	0.4	0.2	0.2	-	-	535
	60	1	8.3	1	8.3	9	75.0	1	8.3	12	0.2	0.2	1.6	0.2	-	548
	70	4	26.7	1	6.7	10	66.7	0	-	15	1.2	0.3	2.9	-	-	341
	80	2	33.3	0	-	4	66.7	0	-	6	2.2	-	4.3	-	-	92
	男女計	9	23.1	3	7.7	26	66.7	1	2.6	39	0.4	0.1	1.0	0.0	-	2547

問1-c 病気に対する医師の正式な診断はありましたか(心筋梗塞)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	0	-	0	-	0	-	-	-	118
	30	0	-	0	-	0	-	0	-	-	-	169
	40	1	100.0	0	-	0	-	1	0.6	-	-	166
	50	4	100.0	0	-	0	-	4	1.6	-	-	252
	60	10	100.0	0	-	0	-	10	3.8	-	-	264
	70	9	100.0	0	-	0	-	9	5.1	-	-	175
	80	5	100.0	0	-	0	-	5	12.5	-	-	40
男性合計		29	100.0	0	-	0	-	29	2.4	-	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	0	-	0	-	0	-	-	-	207
	40	1	100.0	0	-	0	-	1	0.4	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	283
	60	1	50.0	0	-	1	50.0	2	0.4	-	0.4	284
	70	6	100.0	0	-	0	-	6	3.6	-	-	166
	80	1	100.0	0	-	0	-	1	1.9	-	-	52
女性合計		9	90.0	0	-	1	10.0	10	0.7	-	0.1	1363
総数	20	0	-	0	-	0	-	0	-	-	-	228
	30	0	-	0	-	0	-	0	-	-	-	376
	40	2	100.0	0	-	0	-	2	0.5	-	-	427
	50	4	100.0	0	-	0	-	4	0.7	-	-	535
	60	11	91.7	0	-	1	8.3	12	2.0	-	0.2	548
	70	15	100.0	0	-	0	-	15	4.4	-	-	341
	80	6	100.0	0	-	0	-	6	6.5	-	-	92
男女計		38	97.4	0	-	1	2.6	39	1.5	-	0.0	2547

問1-d その病気の主な原因はアルコールによるものでしたか(心筋梗塞)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	0	-	1	100.0	1	-	-	-	0.6	166
	50	0	-	2	50.0	0	-	2	50.0	4	-	0.8	-	0.8	252
	60	0	-	7	70.0	0	-	3	30.0	10	-	2.7	-	1.1	264
	70	2	22.2	5	55.6	0	-	2	22.2	9	1.1	2.9	-	1.1	175
	80	0	-	5	100.0	0	-	0	-	5	-	12.5	-	-	40
男性合計		2	6.9	19	65.5	0	-	8	27.6	29	0.2	1.6	-	0.7	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	261
	50	0	-	0	-	0	-	0	-	0	-	-	-	-	283
	60	0	-	1	50.0	0	-	1	50.0	2	-	0.4	-	0.4	284
	70	0	-	5	83.3	0	-	1	16.7	6	-	3.0	-	0.6	166
	80	0	-	1	100.0	0	-	0	-	1	-	1.9	-	-	52
女性合計		0	-	8	80.0	0	-	2	20.0	10	-	0.6	-	0.1	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	0	-	1	50.0	0	-	1	50.0	2	-	0.2	-	0.2	427
	50	0	-	2	50.0	0	-	2	50.0	4	-	0.4	-	0.4	535
	60	0	-	8	66.7	0	-	4	33.3	12	-	1.5	-	0.7	548
	70	2	13.3	10	66.7	0	-	3	20.0	15	0.6	2.9	-	0.9	341
	80	0	-	6	100.0	0	-	0	-	6	-	6.5	-	-	92
男女計		2	5.1	27	69.2	0	-	10	25.6	39	0.1	1.1	-	0.4	2547