

問1-a あなたはここにあげるような病気にかかったことがありますか(不整脈)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	1	0.8	117	99.2	0	-	118
	30	1	0.6	165	97.6	3	1.8	169
	40	4	2.4	161	97.0	1	0.6	166
	50	10	4.0	238	94.4	4	1.6	252
	60	12	4.5	248	93.9	4	1.5	264
	70	12	6.9	159	90.9	4	2.3	175
	80	3	7.5	36	90.0	1	2.5	40
	男性合計	43	3.6	1124	94.9	17	1.4	1184
女性	20	3	2.7	106	96.4	1	0.9	110
	30	2	1.0	204	98.6	1	0.5	207
	40	8	3.1	245	93.9	8	3.1	261
	50	9	3.2	271	95.8	3	1.1	283
	60	4	1.4	277	97.5	3	1.1	284
	70	10	6.0	153	92.2	3	1.8	166
	80	3	5.8	49	94.2	0	-	52
	女性合計	39	2.9	1305	95.7	19	1.4	1363
総数	20	4	1.8	223	97.8	1	0.4	228
	30	3	0.8	369	98.1	4	1.1	376
	40	12	2.8	406	95.1	9	2.1	427
	50	19	3.6	509	95.1	7	1.3	535
	60	16	2.9	525	95.8	7	1.3	548
	70	22	6.5	312	91.5	7	2.1	341
	80	6	6.5	85	92.4	1	1.1	92
	男女計	82	3.2	2429	95.4	36	1.4	2547

問1-b 最後にその病気にかかったのはいつですか(不整脈)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	1	100.0	0	-	0	-	1	-	0.8	-	-	118
	30	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	169
	40	1	25.0	1	25.0	1	25.0	1	25.0	4	0.6	0.6	0.6	0.6	166
	50	9	90.0	0	-	1	10.0	0	-	10	3.6	-	0.4	-	252
	60	3	25.0	1	8.3	8	66.7	0	-	12	1.1	0.4	3.0	-	264
	70	8	66.7	0	-	4	33.3	0	-	12	4.6	-	2.3	-	175
	80	3	100.0	0	-	0	-	0	-	3	7.5	-	-	-	40
	男性合計	24	55.8	3	7.0	15	34.9	1	2.3	43	2.0	0.3	1.3	0.1	1184
女性	20	2	66.7	0	-	1	33.3	0	-	3	1.8	-	0.9	-	110
	30	0	-	0	-	2	100.0	0	-	2	-	-	1.0	-	207
	40	4	50.0	0	-	4	50.0	0	-	8	1.5	-	1.5	-	261
	50	3	33.3	1	11.1	5	55.6	0	-	9	1.1	0.4	1.8	-	283
	60	1	25.0	2	50.0	0	-	1	25.0	4	0.4	0.7	-	0.4	284
	70	7	70.0	0	-	3	30.0	0	-	10	4.2	-	1.8	-	166
	80	3	100.0	0	-	0	-	0	-	3	5.8	-	-	-	52
	女性合計	20	51.3	3	7.7	15	38.5	1	2.6	39	1.5	0.2	1.1	0.1	1363
総数	20	2	50.0	1	25.0	1	25.0	0	-	4	0.9	0.4	0.4	-	228
	30	0	-	0	-	3	100.0	0	-	3	-	-	0.8	-	376
	40	5	41.7	1	8.3	5	41.7	1	8.3	12	1.2	0.2	1.2	0.2	427
	50	12	63.2	1	5.3	6	31.6	0	-	19	2.2	0.2	1.1	-	535
	60	4	25.0	3	18.8	8	50.0	1	6.3	16	0.7	0.5	1.5	0.2	548
	70	15	68.2	0	-	7	31.8	0	-	22	4.4	-	2.1	-	341
	80	6	100.0	0	-	0	-	0	-	6	6.5	-	-	-	92
	男女計	44	53.7	6	7.3	30	36.6	2	2.4	82	1.7	0.2	1.2	0.1	2547

問1-c 病気に対する医師の正式な診断はありましたか(不整脈)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	1	100.0	0	-	1	-	0.8	-	118
	30	1	100.0	0	-	0	-	1	0.6	-	-	169
	40	3	75.0	0	-	1	25.0	4	1.8	-	0.6	166
	50	9	90.0	1	10.0	0	-	10	3.6	0.4	-	252
	60	11	91.7	1	8.3	0	-	12	4.2	0.4	-	264
	70	10	83.3	2	16.7	0	-	12	5.7	1.1	-	175
	80	2	66.7	1	33.3	0	-	3	5.0	2.5	-	40
	男性合計	36	83.7	6	14.0	1	2.3	43	3.0	0.5	0.1	1184
女性	20	3	100.0	0	-	0	-	3	2.7	-	-	110
	30	2	100.0	0	-	0	-	2	1.0	-	-	207
	40	6	75.0	2	25.0	0	-	8	2.3	0.8	-	261
	50	8	88.9	1	11.1	0	-	9	2.8	0.4	-	283
	60	3	75.0	0	-	1	25.0	4	1.1	-	0.4	284
	70	10	100.0	0	-	0	-	10	6.0	-	-	166
	80	3	100.0	0	-	0	-	3	5.8	-	-	52
	女性合計	35	89.7	3	7.7	1	2.6	39	2.6	0.2	0.1	1363
総数	20	3	75.0	1	25.0	0	-	4	1.3	0.4	-	228
	30	3	100.0	0	-	0	-	3	0.8	-	-	376
	40	9	75.0	2	16.7	1	8.3	12	2.1	0.5	0.2	427
	50	17	89.5	2	10.5	0	-	19	3.2	0.4	-	535
	60	14	87.5	1	6.3	1	6.3	16	2.6	0.2	0.2	548
	70	20	90.9	2	9.1	0	-	22	5.9	0.6	-	341
	80	5	83.3	1	16.7	0	-	6	5.4	1.1	-	92
	男女計	71	86.6	9	11.0	2	2.4	82	2.8	0.4	0.1	2547

問1-d その病気の主な原因はアルコールによるものでしたか(不整脈)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	1	100.0	1	-	-	-	0.8	118
	30	0	-	1	100.0	0	-	0	-	1	-	-	-	0.6	169
	40	1	25.0	0	-	0	-	3	75.0	4	0.6	-	-	1.8	166
	50	0	-	7	70.0	0	-	3	30.0	10	-	2.8	-	1.2	252
	60	0	-	8	66.7	0	-	4	33.3	12	-	3.0	-	1.5	264
	70	1	8.3	9	75.0	0	-	2	16.7	12	0.6	5.1	-	1.1	175
	80	0	-	1	33.3	0	-	2	66.7	3	-	2.5	-	5.0	40
	男性合計	2	4.7	26	60.5	0	-	15	34.9	43	0.2	2.2	-	1.3	1184
女性	20	0	-	3	100.0	0	-	0	-	3	-	2.7	-	-	110
	30	0	-	1	50.0	0	-	1	50.0	2	-	0.5	-	0.5	207
	40	0	-	3	37.5	0	-	5	62.5	8	-	1.1	-	1.9	261
	50	0	-	6	66.7	0	-	3	33.3	9	-	2.1	-	1.1	283
	60	0	-	2	50.0	0	-	2	50.0	4	-	0.7	-	0.7	284
	70	0	-	8	80.0	0	-	2	20.0	10	-	4.8	-	1.2	166
	80	0	-	1	33.3	0	-	2	66.7	3	-	1.9	-	3.8	52
	女性合計	0	-	24	61.5	0	-	15	38.5	39	-	1.8	-	1.1	1363
総数	20	0	-	3	75.0	0	-	1	25.0	4	-	1.3	-	0.4	228
	30	0	-	2	66.7	0	-	1	33.3	3	-	0.5	-	0.3	376
	40	1	8.3	3	25.0	0	-	8	66.7	12	0.2	0.7	-	1.9	427
	50	0	-	13	68.4	0	-	6	31.6	19	-	2.4	-	1.1	535
	60	0	-	10	62.5	0	-	6	37.5	16	-	1.8	-	1.1	548
	70	1	4.5	17	77.3	0	-	4	18.2	22	0.3	5.0	-	1.2	341
	80	0	-	2	33.3	0	-	4	66.7	6	-	2.2	-	4.3	92
	男女計	2	2.4	50	61.0	0	-	30	36.6	82	0.1	2.0	-	1.2	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(脳卒中または脳出血)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	0	-	166	98.2	3	1.8	169
	40	1	0.6	164	98.8	1	0.6	166
	50	0	-	248	98.4	4	1.6	252
	60	1	0.4	259	98.1	4	1.5	264
	70	3	1.7	168	96.0	4	2.3	175
	80	1	2.5	38	95.0	1	2.5	40
	男性合計	6	0.5	1161	98.1	17	1.4	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	0	-	205	99.0	2	1.0	207
	40	1	0.4	251	96.2	9	3.4	261
	50	1	0.4	279	98.6	3	1.1	283
	60	3	1.1	277	97.5	4	1.4	284
	70	2	1.2	161	97.0	3	1.8	166
	80	2	3.8	49	94.2	1	1.9	52
	女性合計	9	0.7	1331	97.7	23	1.7	1363
総数	20	0	-	227	99.6	1	0.4	228
	30	0	-	371	98.7	5	1.3	376
	40	2	0.5	415	97.2	10	2.3	427
	50	1	0.2	527	98.5	7	1.3	535
	60	4	0.7	536	97.8	8	1.5	548
	70	5	1.5	329	96.5	7	2.1	341
	80	3	3.3	87	94.6	2	2.2	92
	男女計	15	0.6	2492	97.8	40	1.6	2547

問1-b 最後にその病気にかかったのはいつですか(脳卒中または脳出血)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	166
	50	0	-	0	-	0	-	0	-	0	-	-	-	-	252
	60	1	100.0	0	-	0	-	0	-	1	0.4	-	-	-	264
	70	0	-	0	-	3	100.0	0	-	3	-	-	1.7	-	175
	80	0	-	0	-	1	100.0	0	-	1	-	-	2.5	-	40
	男性合計	2	33.3	0	-	4	66.7	0	-	6	0.2	-	0.3	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.4	-	261
	50	0	-	0	-	1	100.0	0	-	1	-	-	0.4	-	283
	60	0	-	0	-	2	66.7	1	33.3	3	-	-	0.7	0.4	284
	70	2	100.0	0	-	0	-	0	-	2	1.2	-	-	-	166
	80	1	50.0	0	-	1	50.0	0	-	2	1.9	-	1.9	-	52
	女性合計	3	33.3	0	-	5	55.6	1	11.1	9	0.2	-	0.4	0.1	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	1	50.0	0	-	1	50.0	0	-	2	0.2	-	0.2	-	427
	50	0	-	0	-	1	100.0	0	-	1	-	-	0.2	-	535
	60	1	25.0	0	-	2	50.0	1	25.0	4	0.2	-	0.4	0.2	548
	70	2	40.0	0	-	3	80.0	0	-	5	0.6	-	0.9	-	341
	80	1	33.3	0	-	2	66.7	0	-	3	1.1	-	2.2	-	92
	男女計	5	33.3	0	-	9	60.0	1	6.7	15	0.2	-	0.4	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(脳卒中または脳出血)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	0	-	0	-	0	-	0	-	-	-	118	
	30	0	-	0	-	0	-	0	-	-	-	169	
	40	1	100.0	0	-	0	-	1	0.6	-	-	166	
	50	0	-	0	-	0	-	0	-	-	-	252	
	60	1	100.0	0	-	0	-	1	0.4	-	-	264	
	70	3	100.0	0	-	0	-	3	1.7	-	-	175	
	80	1	100.0	0	-	0	-	1	2.5	-	-	40	
	男性合計	6	100.0	0	-	0	-	6	0.5	-	-	1184	
女性	20	0	-	0	-	0	-	0	-	-	-	110	
	30	0	-	0	-	0	-	0	-	-	-	207	
	40	1	100.0	0	-	0	-	1	0.4	-	-	261	
	50	1	100.0	0	-	0	-	1	0.4	-	-	283	
	60	2	66.7	0	-	1	33.3	3	0.7	-	0.4	284	
	70	2	100.0	0	-	0	-	2	1.2	-	-	166	
	80	2	100.0	0	-	0	-	2	3.8	-	-	52	
	女性合計	8	88.9	0	-	1	11.1	9	0.6	-	0.1	1363	
総数	20	0	-	0	-	0	-	0	-	-	-	228	
	30	0	-	0	-	0	-	0	-	-	-	376	
	40	2	100.0	0	-	0	-	2	0.5	-	-	427	
	50	1	100.0	0	-	0	-	1	0.2	-	-	535	
	60	3	75.0	0	-	1	25.0	4	0.5	-	0.2	548	
	70	5	100.0	0	-	0	-	5	1.5	-	-	341	
	80	3	100.0	0	-	0	-	3	3.3	-	-	92	
	男女計	14	93.3	0	-	1	6.7	15	0.5	-	0.0	2547	

問1-d その病気の主な原因はアルコールによるものでしたか(脳卒中または脳出血)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	118	
	30	0	-	0	-	0	-	0	-	0	-	-	-	169	
	40	0	-	0	-	0	-	1	100.0	1	-	-	-	166	
	50	0	-	0	-	0	-	0	-	0	-	-	-	252	
	60	1	100.0	0	-	0	-	0	-	1	0.4	-	-	264	
	70	0	-	2	66.7	0	-	1	33.3	3	-	1.1	-	175	
	80	0	-	0	-	0	-	1	100.0	1	-	-	-	40	
	男性合計	1	16.7	2	33.3	0	-	3	50.0	6	0.1	0.2	-	1184	
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	110	
	30	0	-	0	-	0	-	0	-	0	-	-	-	207	
	40	0	-	0	-	0	-	1	100.0	1	-	-	-	261	
	50	0	-	0	-	0	-	1	100.0	1	-	-	-	283	
	60	0	-	2	66.7	0	-	1	33.3	3	-	0.7	-	284	
	70	0	-	2	100.0	0	-	0	-	2	-	1.2	-	166	
	80	0	-	2	100.0	0	-	0	-	2	-	3.8	-	52	
	女性合計	0	-	6	66.7	0	-	3	33.3	9	-	0.4	-	1363	
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	228	
	30	0	-	0	-	0	-	0	-	0	-	-	-	376	
	40	0	-	0	-	0	-	2	100.0	2	-	-	-	427	
	50	0	-	0	-	0	-	1	100.0	1	-	-	-	535	
	60	1	25.0	2	50.0	0	-	1	25.0	4	0.2	0.4	-	548	
	70	0	-	4	80.0	0	-	1	20.0	5	-	1.2	-	341	
	80	0	-	2	66.7	0	-	1	33.3	3	-	2.2	-	92	
	男女計	1	6.7	8	53.3	0	-	6	40.0	15	0.0	0.3	-	2547	

問1-a あなたはここにあげるような病気にかかったことがありますか(脳梗塞)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	0	-	166	98.2	3	1.8	169
	40	1	0.6	164	98.8	1	0.6	166
	50	4	1.6	245	97.2	3	1.2	252
	60	9	3.4	252	95.5	3	1.1	264
	70	16	9.1	156	89.1	3	1.7	175
	80	1	2.5	38	95.0	1	2.5	40
	男性合計	31	2.6	1139	96.2	14	1.2	1184
女性	20	0	-	109	99.1	1	0.9	110
	30	0	-	206	99.5	1	0.5	207
	40	0	-	252	96.6	9	3.4	261
	50	3	1.1	277	97.9	3	1.1	283
	60	11	3.9	267	94.0	6	2.1	284
	70	6	3.6	157	94.6	3	1.8	166
	80	1	1.9	51	98.1	0	-	52
	女性合計	21	1.5	1319	96.8	23	1.7	1363
総数	20	0	-	227	99.6	1	0.4	228
	30	0	-	372	98.9	4	1.1	376
	40	1	0.2	416	97.4	10	2.3	427
	50	7	1.3	522	97.6	6	1.1	535
	60	20	3.6	519	94.7	9	1.6	548
	70	22	6.5	313	91.8	6	1.8	341
	80	2	2.2	89	96.7	1	1.1	92
	男女計	52	2.0	2458	96.5	37	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(脳梗塞)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	166
	50	3	75.0	0	-	1	25.0	0	-	4	1.2	-	0.4	-	252
	60	5	55.6	0	-	4	44.4	0	-	9	1.9	-	1.5	-	264
	70	5	31.3	2	12.5	9	56.3	0	-	16	2.9	1.1	5.1	-	175
	80	0	-	0	-	1	100.0	0	-	1	-	-	2.5	-	40
	男性合計	13	41.9	2	6.5	16	51.6	0	-	31	1.1	0.2	1.4	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	261
	50	1	33.3	0	-	1	33.3	1	33.3	3	0.4	-	0.4	0.4	283
	60	4	36.4	0	-	6	54.5	1	9.1	11	1.4	-	2.1	0.4	284
	70	2	33.3	1	16.7	3	50.0	0	-	6	1.2	0.6	1.8	-	166
	80	0	-	0	-	1	100.0	0	-	1	-	-	1.9	-	52
	女性合計	7	33.3	1	4.8	11	52.4	2	9.5	21	0.5	0.1	0.8	0.1	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.2	-	427
	50	4	57.1	0	-	2	28.6	1	14.3	7	0.7	-	0.4	0.2	535
	60	9	45.0	0	-	10	50.0	1	5.0	20	1.6	-	1.8	0.2	548
	70	7	31.8	3	13.6	12	54.5	0	-	22	2.1	0.9	3.5	-	341
	80	0	-	0	-	2	100.0	0	-	2	-	-	2.2	-	92
	男女計	20	38.5	3	5.8	27	51.9	2	3.8	52	0.8	0.1	1.1	0.1	2547

問1-c 病気に對する医師の正式な診断はありましたか(脳梗塞)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	0		0		0		0	-	-	-	118	
	30	0		0		0		0	-	-	-	169	
	40	1	100.0	0	-	0	-	1	0.6	-	-	166	
	50	4	100.0	0	-	0	-	4	1.6	-	-	252	
	60	9	100.0	0	-	0	-	9	3.4	-	-	264	
	70	16	100.0	0	-	0	-	16	9.1	-	-	175	
	80	1	100.0	0	-	0	-	1	2.5	-	-	40	
	男性合計	31	100.0	0	-	0	-	31	2.6	-	-	1184	
女性	20	0		0		0		0	-	-	-	110	
	30	0		0		0		0	-	-	-	207	
	40	0		0		0		0	-	-	-	261	
	50	2	66.7	0	-	1	33.3	3	0.7	-	0.4	283	
	60	9	81.8	1	9.1	1	9.1	11	3.2	0.4	0.4	284	
	70	6	100.0	0	-	0	-	6	3.6	-	-	166	
	80	1	100.0	0	-	0	-	1	1.9	-	-	52	
	女性合計	18	85.7	1	4.8	2	9.5	21	1.3	0.1	0.1	1363	
総数	20	0		0		0		0	-	-	-	228	
	30	0		0		0		0	-	-	-	376	
	40	1	100.0	0	-	0	-	1	0.2	-	-	427	
	50	6	85.7	0	-	1	14.3	7	1.1	-	0.2	535	
	60	18	90.0	1	5.0	1	5.0	20	3.3	0.2	0.2	548	
	70	22	100.0	0	-	0	-	22	6.5	-	-	341	
	80	2	100.0	0	-	0	-	2	2.2	-	-	92	
	男女計	49	94.2	1	1.9	2	3.8	52	1.9	0.0	0.1	2547	

問1-d その病気の主な原因はアルコールによるものでしたか(脳梗塞)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール		その他		合計
		実数	%	実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	166
	50	1	25.0	2	50.0	0	-	1	25.0	4	0.4	0.8	-	0.4	252
	60	2	22.2	5	55.6	0	-	2	22.2	9	0.8	1.9	-	0.8	264
	70	2	12.5	5	31.3	0	-	9	56.3	16	1.1	2.9	-	5.1	175
	80	0	-	0	-	0	-	1	100.0	1	-	-	-	2.5	40
	男性合計	5	16.1	13	41.9	0	-	13	41.9	31	0.4	1.1	-	1.1	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	261
	50	0	-	1	33.3	0	-	2	66.7	3	-	0.4	-	0.7	283
	60	0	-	7	63.8	0	-	4	36.4	11	-	2.5	-	1.4	284
	70	0	-	3	50.0	0	-	3	50.0	6	-	1.8	-	1.8	166
	80	0	-	1	100.0	0	-	0	-	1	-	1.9	-	-	52
	女性合計	0	-	12	57.1	0	-	9	42.9	21	-	0.9	-	0.7	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	0	-	1	100.0	0	-	0	-	1	-	0.2	-	-	427
	50	1	14.3	3	42.9	0	-	3	42.9	7	0.2	0.6	-	0.6	535
	60	2	10.0	12	60.0	0	-	6	30.0	20	0.4	2.2	-	1.1	548
	70	2	9.1	8	36.4	0	-	12	54.5	22	0.6	2.3	-	3.5	341
	80	0	-	1	50.0	0	-	1	50.0	2	-	1.1	-	1.1	92
	男女計	5	9.6	25	48.1	0	-	22	42.3	52	0.2	1.0	-	0.9	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(不眠症)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	1	0.6	165	97.6	3	1.8	169
	40	1	0.6	164	98.8	1	0.6	166
	50	4	1.6	244	96.8	4	1.6	252
	60	4	1.5	255	96.6	5	1.9	264
	70	3	1.7	169	96.6	3	1.7	175
	80	3	7.5	36	90.0	1	2.5	40
	男性合計	16	1.4	1151	97.2	17	1.4	1184
	女性	20	5	4.5	104	94.5	1	0.9
30		3	1.4	203	98.1	1	0.5	207
40		3	1.1	249	95.4	9	3.4	261
50		8	2.8	272	96.1	3	1.1	283
60		14	4.9	266	93.7	4	1.4	284
70		19	11.4	144	86.7	3	1.8	166
80		6	11.5	46	88.5	0	-	52
女性合計		58	4.3	1284	94.2	21	1.5	1363
総数		20	5	2.2	222	97.4	1	0.4
	30	4	1.1	368	97.9	4	1.1	376
	40	4	0.9	413	96.7	10	2.3	427
	50	12	2.2	516	96.4	7	1.3	535
	60	18	3.3	521	95.1	9	1.6	548
	70	22	6.5	313	91.8	6	1.8	341
	80	9	9.8	82	89.1	1	1.1	92
	男女計	74	2.9	2435	95.6	38	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(不眠症)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	169
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	166
	50	4	100.0	0	-	0	-	0	-	4	1.6	-	-	-	252
	60	4	100.0	0	-	0	-	0	-	4	1.5	-	-	-	264
	70	1	33.3	0	-	2	66.7	0	-	3	0.6	-	1.1	-	175
	80	2	66.7	0	-	1	33.3	0	-	3	5.0	-	2.5	-	40
	男性合計	12	75.0	0	-	4	25.0	0	-	16	1.0	-	0.3	-	1184
	女性	20	2	40.0	3	60.0	0	-	0	-	5	1.8	2.7	-	-
30		2	66.7	1	33.3	0	-	0	-	3	1.0	0.5	-	-	207
40		3	100.0	0	-	0	-	0	-	3	1.1	-	-	-	261
50		8	100.0	0	-	0	-	0	-	8	2.8	-	-	-	283
60		10	71.4	2	14.3	1	7.1	1	7.1	14	3.5	0.7	0.4	0.4	284
70		12	63.2	0	-	7	36.8	0	-	19	7.2	-	4.2	-	166
80		4	66.7	1	16.7	1	16.7	0	-	6	7.7	1.9	1.9	-	52
女性合計		41	70.7	7	12.1	9	15.5	1	1.7	58	3.0	0.5	0.7	0.1	1363
総数		20	2	40.0	3	60.0	0	-	0	-	5	0.9	1.3	-	-
	30	3	75.0	1	25.0	0	-	0	-	4	0.8	0.3	-	-	376
	40	3	75.0	0	-	1	25.0	0	-	4	0.7	-	0.2	-	427
	50	12	100.0	0	-	0	-	0	-	12	2.2	-	-	-	535
	60	14	77.8	2	11.1	1	5.6	1	5.6	18	2.6	0.4	0.2	0.2	548
	70	13	59.1	0	-	9	40.9	0	-	22	3.8	-	2.6	-	341
	80	6	66.7	1	11.1	2	22.2	0	-	9	6.5	1.1	2.2	-	92
	男女計	53	71.6	7	9.5	13	17.6	1	1.4	74	2.1	0.3	0.5	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(不眠症)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	0	-	0	-	0	-	-	-	118	
	30	1	100.0	0	-	0	-	1	0.6	-	-	169	
	40	1	100.0	0	-	0	-	1	0.6	-	-	166	
	50	3	75.0	1	25.0	0	-	4	1.2	0.4	-	252	
	60	2	50.0	2	50.0	0	-	4	0.8	0.8	-	264	
	70	2	66.7	0	-	1	33.3	3	1.1	-	0.6	175	
	80	3	100.0	0	-	0	-	3	7.5	-	-	40	
男性合計		12	75.0	3	18.8	1	6.3	16	1.0	0.3	0.1	1184	
女性	20	2	40.0	3	60.0	0	-	5	1.8	2.7	-	110	
	30	1	33.3	2	66.7	0	-	3	0.5	1.0	-	207	
	40	2	66.7	1	33.3	0	-	3	0.8	0.4	-	261	
	50	2	25.0	6	75.0	0	-	8	0.7	2.1	-	283	
	60	7	50.0	6	42.9	1	7.1	14	2.5	2.1	0.4	284	
	70	11	57.9	8	42.1	0	-	19	6.6	4.8	-	166	
	80	3	50.0	2	33.3	1	16.7	6	5.8	3.8	1.9	52	
女性合計		28	48.3	28	48.3	2	3.4	58	2.1	2.1	0.1	1363	
総数	20	2	40.0	3	60.0	0	-	5	0.9	1.3	-	228	
	30	2	50.0	2	50.0	0	-	4	0.5	0.5	-	376	
	40	3	75.0	1	25.0	0	-	4	0.7	0.2	-	427	
	50	5	41.7	7	58.3	0	-	12	0.9	1.3	-	535	
	60	9	50.0	8	44.4	1	5.6	18	1.6	1.5	0.2	548	
	70	13	59.1	8	36.4	1	4.5	22	3.8	2.3	0.3	341	
	80	6	66.7	2	22.2	1	11.1	9	6.5	2.2	1.1	92	
男女計	40	54.1	31	41.9	3	4.1	74	1.6	1.2	0.1	2547		

問1-d その病気の主な原因はアルコールによるものでしたか(不眠症)

		該当者						総数									
		アルコール		その他		不明		無回答		合計	アルコール		その他		不明		合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%			
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	118
	30	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	-	-	169
	40	0	-	0	-	0	-	1	100.0	1	-	-	-	-	0.6	-	166
	50	0	-	4	100.0	0	-	0	-	4	-	1.6	-	-	-	-	252
	60	0	-	3	75.0	0	-	1	25.0	4	-	1.1	-	-	0.4	-	264
	70	0	-	1	33.3	0	-	2	66.7	3	-	0.6	-	-	1.1	-	175
	80	0	-	2	66.7	0	-	1	33.3	3	-	5.0	-	-	2.5	-	40
男性合計		0	-	11	88.8	0	-	5	31.3	16	-	0.9	-	-	0.4	-	1184
女性	20	0	-	4	80.0	0	-	1	20.0	5	-	3.6	-	-	0.9	-	110
	30	0	-	2	66.7	0	-	1	33.3	3	-	1.0	-	-	0.5	-	207
	40	0	-	2	66.7	0	-	1	33.3	3	-	0.8	-	-	0.4	-	261
	50	0	-	7	87.5	0	-	1	12.5	8	-	2.5	-	-	0.4	-	283
	60	0	-	9	64.3	0	-	5	35.7	14	-	3.2	-	-	1.8	-	284
	70	0	-	12	63.2	0	-	7	36.8	19	-	7.2	-	-	4.2	-	166
	80	0	-	3	50.0	0	-	3	50.0	6	-	5.8	-	-	5.8	-	52
女性合計		0	-	39	67.2	0	-	19	32.8	58	-	2.9	-	-	1.4	-	1363
総数	20	0	-	4	80.0	0	-	1	20.0	5	-	1.8	-	-	0.4	-	228
	30	0	-	3	75.0	0	-	1	25.0	4	-	0.8	-	-	0.3	-	376
	40	0	-	2	50.0	0	-	2	50.0	4	-	0.5	-	-	0.5	-	427
	50	0	-	11	91.7	0	-	1	8.3	12	-	2.1	-	-	0.2	-	535
	60	0	-	12	66.7	0	-	6	33.3	18	-	2.2	-	-	1.1	-	548
	70	0	-	13	59.1	0	-	9	40.9	22	-	3.8	-	-	2.6	-	341
	80	0	-	5	55.6	0	-	4	44.4	9	-	5.4	-	-	4.3	-	92
男女計	40	0	-	50	67.6	0	-	24	32.4	74	-	2.0	-	-	0.9	-	2547



問1-a あなたはここにあげるような病気にかかったことがありますか(うつ病)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	3	2.5	115	97.5	0	-	118
	30	1	0.6	165	97.6	3	1.8	169
	40	1	0.6	164	98.8	1	0.6	166
	50	1	0.4	247	98.0	4	1.6	252
	60	1	0.4	257	97.3	6	2.3	264
	70	2	1.1	170	97.1	3	1.7	175
	80	0	-	39	97.5	1	2.5	40
	男性合計	9	0.8	1157	97.7	18	1.5	1184
女性	20	3	2.7	106	96.4	1	0.9	110
	30	0	-	206	99.5	1	0.5	207
	40	1	0.4	251	96.2	9	3.4	261
	50	2	0.7	277	97.9	4	1.4	283
	60	4	1.4	276	97.2	4	1.4	284
	70	3	1.8	160	96.4	3	1.8	166
	80	0	-	52	100.0	0	-	52
	女性合計	13	1.0	1328	97.4	22	1.6	1363
総数	20	6	2.6	221	96.9	1	0.4	228
	30	1	0.3	371	98.7	4	1.1	376
	40	2	0.5	415	97.2	10	2.3	427
	50	3	0.6	524	97.9	8	1.5	535
	60	5	0.9	533	97.3	10	1.8	548
	70	5	1.5	330	96.8	6	1.8	341
	80	0	-	91	98.9	1	1.1	92
	男女計	22	0.9	2485	97.6	40	1.6	2547

問1-b 最後にその病気にかかったのはいつですか(うつ病)

		該当者								合計	総数				合計
		現在ある		過去1年間にあった		1年以上前にあった		無回答			現在ある	過去1年間にあった	1年以上前にあった	無回答	
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	1	33.3	2	66.7	0	-	3	-	0.8	1.7	-	118
	30	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	169
	40	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	166
	50	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	252
	60	1	100.0	0	-	0	-	0	-	1	0.4	-	-	-	264
	70	0	-	0	-	2	100.0	0	-	2	-	-	1.1	-	175
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	40
	男性合計	3	33.3	2	22.2	4	44.4	0	-	9	0.3	0.2	0.3	-	1184
女性	20	2	66.7	1	33.3	0	-	0	-	3	1.8	0.9	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.4	-	261
	50	1	50.0	1	50.0	0	-	0	-	2	0.4	0.4	-	-	283
	60	1	25.0	1	25.0	1	25.0	1	25.0	4	0.4	0.4	0.4	0.4	284
	70	2	66.7	0	-	1	33.3	0	-	3	1.2	-	0.6	-	166
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	52
	女性合計	6	46.2	3	23.1	3	23.1	1	7.7	13	0.4	0.2	0.2	0.1	1363
総数	20	2	33.3	2	33.3	2	33.3	0	-	6	0.9	0.9	0.9	-	228
	30	1	100.0	0	-	0	-	0	-	1	0.3	-	-	-	376
	40	1	50.0	0	-	1	50.0	0	-	2	0.2	-	0.2	-	427
	50	1	33.3	2	66.7	0	-	0	-	3	0.2	0.4	-	-	535
	60	2	40.0	1	20.0	1	20.0	1	20.0	5	0.4	0.2	0.2	0.2	548
	70	2	40.0	0	-	3	60.0	0	-	5	0.6	-	0.9	-	341
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	92
	男女計	9	40.9	5	22.7	7	31.8	1	4.5	22	0.4	0.2	0.3	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(うつ病)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	3	100.0	0	-	3	-	2.5	-	118	
	30	1	100.0	0	-	0	-	1	0.6	-	-	169	
	40	1	100.0	0	-	0	-	1	0.6	-	-	166	
	50	1	100.0	0	-	0	-	1	0.4	-	-	252	
	60	1	100.0	0	-	0	-	1	0.4	-	-	264	
	70	1	50.0	1	50.0	0	-	2	0.6	0.6	-	175	
	80	0	-	0	-	0	-	0	-	-	-	40	
男性合計		5	55.6	4	44.4	0	-	9	0.4	0.3	-	1184	
女性	20	2	66.7	1	33.3	0	-	3	1.8	0.9	-	110	
	30	0	-	0	-	0	-	0	-	-	-	207	
	40	1	100.0	0	-	0	-	1	0.4	-	-	261	
	50	0	-	2	100.0	0	-	2	-	0.7	-	283	
	60	1	25.0	2	50.0	1	25.0	4	0.4	0.7	0.4	284	
	70	3	100.0	0	-	0	-	3	1.8	-	-	166	
	80	0	-	0	-	0	-	0	-	-	-	52	
女性合計		7	53.8	5	38.5	1	7.7	13	0.5	0.4	0.1	1363	
総数	20	2	33.3	4	66.7	0	-	6	0.9	1.8	-	228	
	30	1	100.0	0	-	0	-	1	0.3	-	-	376	
	40	2	100.0	0	-	0	-	2	0.5	-	-	427	
	50	1	33.3	2	66.7	0	-	3	0.2	0.4	-	535	
	60	2	40.0	2	40.0	1	20.0	5	0.4	0.4	0.2	548	
	70	4	80.0	1	20.0	0	-	5	1.2	0.3	-	341	
	80	0	-	0	-	0	-	0	-	-	-	92	
男女計		12	54.5	9	40.9	1	4.5	22	0.5	0.4	0.0	2547	

問1-d その病気の主な原因はアルコールによるものでしたか(うつ病)

		該当者						総数									
		アルコール		その他		不明		無回答		合計	アルコール		その他		不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%			
男性	20	0	-	2	66.7	0	-	1	33.3	3	-	1.7	-	-	0.8	118	
	30	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	-	169	
	40	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	-	166	
	50	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	-	252	
	60	0	-	0	-	0	-	1	100.0	1	-	-	-	-	0.4	264	
	70	0	-	1	50.0	0	-	1	50.0	2	-	0.6	-	-	0.6	175	
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	40	
男性合計		0	-	6	66.7	0	-	3	33.3	9	-	0.5	-	-	0.3	1184	
女性	20	0	-	0	-	0	-	3	100.0	3	-	-	-	-	2.7	110	
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	207	
	40	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	-	261	
	50	0	-	2	100.0	0	-	0	-	2	-	0.7	-	-	-	283	
	60	0	-	2	50.0	0	-	2	50.0	4	-	0.7	-	-	0.7	284	
	70	0	-	3	100.0	0	-	0	-	3	-	1.8	-	-	-	166	
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	52	
女性合計		0	-	8	61.5	0	-	5	38.5	13	-	0.6	-	-	0.4	1363	
総数	20	0	-	2	33.3	0	-	4	66.7	6	-	0.9	-	-	1.8	228	
	30	0	-	1	100.0	0	-	0	-	1	-	0.3	-	-	-	376	
	40	0	-	2	100.0	0	-	0	-	2	-	0.5	-	-	-	427	
	50	0	-	3	100.0	0	-	0	-	3	-	0.6	-	-	-	535	
	60	0	-	2	40.0	0	-	3	60.0	5	-	0.4	-	-	0.5	548	
	70	0	-	4	80.0	0	-	1	20.0	5	-	1.2	-	-	0.3	341	
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	92	
男女計		0	-	14	63.6	0	-	8	36.4	22	-	0.5	-	-	0.3	2547	

問1-a あなたはここにあげるような病気にかかったことがありますか(ノイローゼ)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	0	-	118	100.0	0	-	118
	30	0	-	166	98.2	3	1.8	169
	40	1	0.6	164	98.8	1	0.6	166
	50	2	0.8	246	97.6	4	1.6	252
	60	0	-	258	97.7	6	2.3	264
	70	1	0.6	171	97.7	3	1.7	175
	80	0	-	39	97.5	1	2.5	40
	男性合計	4	0.3	1162	98.1	18	1.5	1184
女性	20	0	-	106	96.4	4	3.6	110
	30	0	-	206	99.5	1	0.5	207
	40	0	-	251	96.2	10	3.8	261
	50	1	0.4	279	98.6	3	1.1	283
	60	2	0.7	278	97.9	4	1.4	284
	70	1	0.6	162	97.6	3	1.8	166
	80	0	-	52	100.0	0	-	52
	女性合計	4	0.3	1334	97.9	25	1.8	1363
総数	20	0	-	224	98.2	4	1.8	228
	30	0	-	372	98.9	4	1.1	376
	40	1	0.2	415	97.2	11	2.6	427
	50	3	0.6	525	98.1	7	1.3	535
	60	2	0.4	536	97.8	10	1.8	548
	70	2	0.6	333	97.7	6	1.8	341
	80	0	-	91	98.9	1	1.1	92
	男女計	8	0.3	2496	98.0	43	1.7	2547

問1-b 最後にその病気にかかったのはいつですか(ノイローゼ)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	166
	50	1	50.0	0	-	1	50.0	0	-	2	0.4	-	0.4	-	252
	60	0	-	0	-	0	-	0	-	0	-	-	-	-	264
	70	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	175
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	40
	男性合計	2	50.0	0	-	2	50.0	0	-	4	0.2	-	0.2	-	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	261
	50	1	100.0	0	-	0	-	0	-	1	0.4	-	-	-	283
	60	1	50.0	0	-	0	-	1	50.0	2	0.4	-	0.4	-	284
	70	1	100.0	0	-	0	-	0	-	1	0.6	-	-	-	166
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	52
	女性合計	3	75.0	0	-	0	-	1	25.0	4	0.2	-	0.1	-	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	1	100.0	0	-	0	-	0	-	1	0.2	-	-	-	427
	50	2	66.7	0	-	1	33.3	0	-	3	0.4	-	0.2	-	535
	60	1	50.0	0	-	0	-	1	50.0	2	0.2	-	0.2	-	548
	70	1	50.0	0	-	1	50.0	0	-	2	0.3	-	0.3	-	341
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	92
	男女計	5	62.5	0	-	2	25.0	1	12.5	8	0.2	-	0.1	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(ノイローゼ)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	0	-	0	-	0	-	-	-	118
	30	0	-	0	-	0	-	0	-	-	-	169
	40	1	100.0	0	-	0	-	1	0.6	-	-	166
	50	2	100.0	0	-	0	-	2	0.8	-	-	252
	60	0	-	0	-	0	-	0	-	-	-	264
	70	1	100.0	0	-	0	-	1	0.6	-	-	175
	80	0	-	0	-	0	-	0	-	-	-	40
男性合計		4	100.0	0	-	0	-	4	0.3	-	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	0	-	0	-	0	-	-	-	207
	40	0	-	0	-	0	-	0	-	-	-	261
	50	1	100.0	0	-	0	-	1	0.4	-	-	283
	60	0	-	1	50.0	1	50.0	2	-	0.4	0.4	284
	70	1	100.0	0	-	0	-	1	0.6	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
女性合計		2	50.0	1	25.0	1	25.0	4	0.1	0.1	0.1	1363
総数	20	0	-	0	-	0	-	0	-	-	-	228
	30	0	-	0	-	0	-	0	-	-	-	376
	40	1	100.0	0	-	0	-	1	0.2	-	-	427
	50	3	100.0	0	-	0	-	3	0.6	-	-	535
	60	0	-	1	50.0	1	50.0	2	-	0.2	0.2	548
	70	2	100.0	0	-	0	-	2	0.6	-	-	341
	80	0	-	0	-	0	-	0	-	-	-	92
男女計		6	75.0	1	12.5	1	12.5	8	0.2	0.0	0.0	2547

問1-d その病気の主な原因はアルコールによるものでしたか(ノイローゼ)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	118
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	169
	40	0	-	0	-	0	-	1	100.0	1	-	-	-	0.6	166
	50	0	-	2	100.0	0	-	0	-	2	-	0.8	-	-	252
	60	0	-	0	-	0	-	0	-	0	-	-	-	-	264
	70	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	175
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	40
男性合計		0	-	3	75.0	0	-	1	25.0	4	-	0.3	-	0.1	1184
女性	20	0	-	0	-	0	-	0	-	0	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	207
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	261
	50	0	-	0	-	0	-	1	100.0	1	-	-	-	0.4	283
	60	0	-	1	50.0	0	-	1	50.0	2	-	0.4	-	0.4	284
	70	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	166
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	52
女性合計		0	-	2	50.0	0	-	2	50.0	4	-	0.1	-	0.1	1363
総数	20	0	-	0	-	0	-	0	-	0	-	-	-	-	228
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	376
	40	0	-	0	-	0	-	1	100.0	1	-	-	-	0.2	427
	50	0	-	2	66.7	0	-	1	33.3	3	-	0.4	-	0.2	535
	60	0	-	1	50.0	0	-	1	50.0	2	-	0.2	-	0.2	548
	70	0	-	2	100.0	0	-	0	-	2	-	0.6	-	-	341
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	92
男女計		0	-	5	62.5	0	-	3	37.5	8	-	0.2	-	0.1	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(貧血)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	1	0.8	117	99.2	0	-	118
	30	1	0.6	165	97.6	3	1.8	169
	40	1	0.6	164	98.8	1	0.6	166
	50	5	2.0	243	96.4	4	1.6	252
	60	4	1.5	254	96.2	6	2.3	264
	70	2	1.1	169	96.6	4	2.3	175
	80	2	5.0	37	92.5	1	2.5	40
	男性合計	16	1.4	1149	97.0	19	1.6	1184
女性	20	11	10.0	98	89.1	1	0.9	110
	30	26	12.6	180	87.0	1	0.5	207
	40	46	17.6	207	79.3	8	3.1	261
	50	37	13.1	243	85.9	3	1.1	283
	60	21	7.4	259	91.2	4	1.4	284
	70	13	7.8	150	90.4	3	1.8	166
	80	3	5.8	48	92.3	1	1.9	52
	女性合計	157	11.5	1185	86.9	21	1.5	1363
総数	20	12	5.3	215	94.3	1	0.4	228
	30	27	7.2	345	91.8	4	1.1	376
	40	47	11.0	371	86.9	9	2.1	427
	50	42	7.9	486	90.8	7	1.3	535
	60	25	4.6	513	93.6	10	1.8	548
	70	15	4.4	319	93.5	7	2.1	341
	80	5	5.4	85	92.4	2	2.2	92
	男女計	173	6.8	2334	91.6	40	1.6	2547

問1-b 最後にその病気にかかったのはいつですか(貧血)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	1	100.0	0	-	1	-	-	0.8	-	118
	30	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	169
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	166
	50	1	20.0	1	20.0	3	60.0	0	-	5	0.4	0.4	1.2	-	252
	60	2	50.0	0	-	2	50.0	0	-	4	0.8	-	0.8	-	264
	70	2	100.0	0	-	0	-	0	-	2	1.1	-	-	-	175
	80	1	50.0	0	-	1	50.0	0	-	2	2.5	-	2.5	-	40
	男性合計	6	37.5	1	6.3	9	56.3	0	-	16	0.5	0.1	0.8	-	1184
女性	20	4	36.4	0	-	7	63.6	0	-	11	3.6	-	6.4	-	110
	30	10	38.5	6	23.1	10	38.5	0	-	26	4.8	2.9	4.8	-	207
	40	20	43.5	5	10.9	21	45.7	0	-	46	7.7	1.9	8.0	-	261
	50	16	43.2	1	2.7	20	54.1	0	-	37	5.7	0.4	7.1	-	283
	60	4	19.0	2	9.5	14	66.7	1	4.8	21	1.4	0.7	4.9	0.4	284
	70	4	30.8	0	-	9	69.2	0	-	13	2.4	-	5.4	-	166
	80	1	33.3	0	-	2	66.7	0	-	3	1.9	-	3.8	-	52
	女性合計	59	37.6	14	8.9	83	52.9	1	0.6	157	4.3	1.0	6.1	0.1	1363
総数	20	4	33.3	0	-	8	66.7	0	-	12	1.8	-	3.5	-	228
	30	10	37.0	6	22.2	11	40.7	0	-	27	2.7	1.6	2.9	-	376
	40	20	42.6	5	10.6	22	46.8	0	-	47	4.7	1.2	5.2	-	427
	50	17	40.5	2	4.8	23	54.8	0	-	42	3.2	0.4	4.3	-	535
	60	6	24.0	2	8.0	16	64.0	1	4.0	25	1.1	0.4	2.9	0.2	548
	70	6	40.0	0	-	9	60.0	0	-	15	1.8	-	2.6	-	341
	80	2	40.0	0	-	3	60.0	0	-	5	2.2	-	3.3	-	92
	男女計	65	37.6	15	8.7	92	53.2	1	0.6	173	2.6	0.6	3.6	0.0	2547

問1-c 病気に対する医師の正式な診断はありましたか(貧血)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	1	100.0	0	-	0	-	1	0.8	-	-	118
	30	0	-	1	100.0	0	-	1	-	0.6	-	169
	40	0	-	0	-	1	100.0	1	-	-	0.6	166
	50	4	80.0	1	20.0	0	-	5	1.6	0.4	-	252
	60	2	50.0	2	50.0	0	-	4	0.8	0.8	-	264
	70	2	100.0	0	-	0	-	2	1.1	-	-	175
	80	2	100.0	0	-	0	-	2	5.0	-	-	40
	男性合計	11	68.8	4	25.0	1	6.3	16	0.9	0.3	0.1	1184
女性	20	6	54.5	5	45.5	0	-	11	5.5	4.5	-	110
	30	21	80.8	5	19.2	0	-	26	10.1	2.4	-	207
	40	34	73.9	12	26.1	0	-	46	13.0	4.6	-	261
	50	34	91.9	3	8.1	0	-	37	12.0	1.1	-	283
	60	17	81.0	3	14.3	1	4.8	21	6.0	1.1	0.4	284
	70	9	69.2	3	23.1	1	7.7	13	5.4	1.8	0.6	166
	80	3	100.0	0	-	0	-	3	5.8	-	-	52
	女性合計	124	79.0	31	19.7	2	1.3	157	9.1	2.3	0.1	1363
総数	20	7	58.3	5	41.7	0	-	12	3.1	2.2	-	228
	30	21	77.8	6	22.2	0	-	27	5.6	1.6	-	376
	40	34	72.3	12	25.5	1	2.1	47	8.0	2.8	0.2	427
	50	38	90.5	4	9.5	0	-	42	7.1	0.7	-	535
	60	19	76.0	5	20.0	1	4.0	25	3.5	0.9	0.2	548
	70	11	73.3	3	20.0	1	6.7	15	3.2	0.9	0.3	341
	80	5	100.0	0	-	0	-	5	5.4	-	-	92
	男女計	135	78.0	35	20.2	3	1.7	173	5.3	1.4	0.1	2547

問1-d その病気の主な原因はアルコールによるものでしたか(貧血)

		該当者						総数							
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	1	100.0	0	-	0	-	1	-	0.8	-	-	118
	30	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	169
	40	0	-	0	-	0	-	1	100.0	1	-	-	-	0.6	166
	50	0	-	4	80.0	0	-	1	20.0	5	-	1.6	-	0.4	252
	60	0	-	2	50.0	0	-	2	50.0	4	-	0.8	-	0.8	264
	70	0	-	0	-	0	-	2	100.0	2	-	-	-	1.1	175
	80	0	-	1	50.0	0	-	1	50.0	2	-	2.5	-	2.5	40
	男性合計	0	-	9	58.3	0	-	7	43.8	16	-	0.8	-	0.6	1184
女性	20	0	-	5	45.5	0	-	6	54.5	11	-	4.5	-	5.5	110
	30	0	-	21	80.8	0	-	5	19.2	26	-	10.1	-	2.4	207
	40	0	-	31	67.4	0	-	15	32.6	46	-	11.9	-	5.7	261
	50	0	-	27	73.0	0	-	10	27.0	37	-	9.5	-	3.5	283
	60	0	-	18	76.2	0	-	5	23.8	21	-	5.6	-	1.8	284
	70	0	-	10	76.9	0	-	3	23.1	13	-	6.0	-	1.8	166
	80	0	-	1	33.3	0	-	2	66.7	3	-	1.9	-	3.8	52
	女性合計	0	-	111	70.7	0	-	46	29.3	157	-	8.1	-	3.4	1363
総数	20	0	-	6	50.0	0	-	6	50.0	12	-	2.6	-	2.6	228
	30	0	-	22	81.5	0	-	5	18.5	27	-	5.9	-	1.3	376
	40	0	-	31	66.0	0	-	16	34.0	47	-	7.3	-	3.7	427
	50	0	-	31	73.8	0	-	11	26.2	42	-	5.8	-	2.1	535
	60	0	-	18	72.0	0	-	7	28.0	25	-	3.3	-	1.3	548
	70	0	-	10	66.7	0	-	5	33.3	15	-	2.9	-	1.5	341
	80	0	-	2	40.0	0	-	3	60.0	5	-	2.2	-	3.3	92
	男女計	0	-	120	69.4	0	-	53	30.6	173	-	4.7	-	2.1	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(外傷)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	13	11.0	104	88.1	1	0.8	118
	30	18	10.7	148	87.6	3	1.8	169
	40	17	10.2	148	89.2	1	0.6	166
	50	26	10.3	222	88.1	4	1.6	252
	60	19	7.2	240	90.9	5	1.9	264
	70	13	7.4	159	90.9	3	1.7	175
	80	3	7.5	36	90.0	1	2.5	40
	男性合計	109	9.2	1057	89.3	18	1.5	1184
女性	20	4	3.6	105	95.5	1	0.9	110
	30	6	2.9	199	96.1	2	1.0	207
	40	8	3.1	244	93.5	9	3.4	261
	50	9	3.2	271	95.8	3	1.1	283
	60	28	9.9	253	89.1	3	1.1	284
	70	9	5.4	154	92.8	3	1.8	166
	80	9	17.3	43	82.7	0	-	52
	女性合計	73	5.4	1269	93.1	21	1.5	1363
総数	20	17	7.5	209	91.7	2	0.9	228
	30	24	6.4	347	92.3	5	1.3	376
	40	25	5.9	392	91.8	10	2.3	427
	50	35	6.5	493	92.1	7	1.3	535
	60	47	8.6	493	90.0	8	1.5	548
	70	22	6.5	313	91.8	6	1.8	341
	80	12	13.0	79	85.9	1	1.1	92
	男女計	182	7.1	2326	91.3	39	1.5	2547

問1-b 最後にその病気にかかったのはいつですか(外傷)

		該当者								合計	総数					合計
		現在ある		過去1年間にあった		1年以上前にあった		無回答			現在ある	過去1年間にあった	1年以上前にあった	無回答		
		実数	%	実数	%	実数	%	実数	%		%	%	%	%		
男性	20	0	-	1	7.7	12	92.3	0	-	13	-	0.8	10.2	-	118	
	30	1	5.6	4	22.2	12	66.7	1	5.6	18	0.6	2.4	7.1	0.6	169	
	40	1	5.9	1	5.9	15	88.2	0	-	17	0.6	0.6	9.0	-	166	
	50	0	-	3	11.5	23	88.5	0	-	26	-	1.2	9.1	-	252	
	60	0	-	0	-	19	100.0	0	-	19	-	-	7.2	-	264	
	70	3	23.1	0	-	10	76.9	0	-	13	1.7	-	5.7	-	175	
	80	0	-	0	-	3	100.0	0	-	3	-	-	7.5	-	40	
	男性合計	5	4.6	9	8.3	94	86.2	1	0.9	109	0.4	0.8	7.9	0.1	1184	
女性	20	0	-	1	25.0	3	75.0	0	-	4	-	0.9	2.7	-	110	
	30	0	-	1	16.7	5	83.3	0	-	6	-	0.5	2.4	-	207	
	40	0	-	2	25.0	6	75.0	0	-	8	-	0.8	2.3	-	261	
	50	0	-	0	-	9	100.0	0	-	9	-	-	3.2	-	283	
	60	1	3.6	0	-	25	89.3	2	7.1	28	0.4	-	8.8	0.7	284	
	70	2	22.2	0	-	7	77.8	0	-	9	1.2	-	4.2	-	166	
	80	2	22.2	0	-	7	77.8	0	-	9	3.8	-	13.5	-	52	
	女性合計	5	6.8	4	5.5	62	84.9	2	2.7	73	0.4	0.3	4.5	0.1	1363	
総数	20	0	-	2	11.8	15	88.2	0	-	17	-	0.9	6.6	-	228	
	30	1	4.2	5	20.8	17	70.8	1	4.2	24	0.3	1.3	4.5	0.3	376	
	40	1	4.0	3	12.0	21	84.0	0	-	25	0.2	0.7	4.9	-	427	
	50	0	-	3	8.6	32	91.4	0	-	35	-	0.6	6.0	-	535	
	60	1	2.1	0	-	44	93.6	2	4.3	47	0.2	-	8.0	0.4	548	
	70	5	22.7	0	-	17	77.3	0	-	22	1.5	-	5.0	-	341	
	80	2	16.7	0	-	10	83.3	0	-	12	2.2	-	10.9	-	92	
	男女計	10	5.5	13	7.1	156	85.7	3	1.6	182	0.4	0.5	6.1	0.1	2547	

問1-c 病気に対する医師の正式な診断はありましたか(外傷)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	12	92.3	1	7.7	0	-	13	10.2	0.8	-	118
	30	16	88.9	1	5.6	1	5.6	18	9.5	0.6	0.6	169
	40	14	82.4	3	17.6	0	-	17	8.4	1.8	-	166
	50	23	88.5	1	3.8	2	7.7	26	9.1	0.4	0.8	252
	60	17	89.5	1	5.3	1	5.3	19	6.4	0.4	0.4	264
	70	12	92.3	0	-	1	7.7	13	6.9	-	0.6	175
	80	3	100.0	0	-	0	-	3	7.5	-	-	40
	男性合計	97	89.0	7	6.4	5	4.6	109	8.2	0.6	0.4	1184
女性	20	4	100.0	0	-	0	-	4	3.6	-	-	110
	30	6	100.0	0	-	0	-	6	2.9	-	-	207
	40	7	87.5	1	12.5	0	-	8	2.7	0.4	-	261
	50	8	88.9	0	-	1	11.1	9	2.8	-	0.4	283
	60	25	89.3	0	-	3	10.7	28	8.8	-	1.1	284
	70	9	100.0	0	-	0	-	9	5.4	-	-	166
	80	8	88.9	1	11.1	0	-	9	15.4	1.9	-	52
	女性合計	67	91.8	2	2.7	4	5.5	73	4.9	0.1	0.3	1363
総数	20	16	94.1	1	5.9	0	-	17	7.0	0.4	-	228
	30	22	91.7	1	4.2	1	4.2	24	5.9	0.3	0.3	376
	40	21	84.0	4	16.0	0	-	25	4.9	0.9	-	427
	50	31	88.6	1	2.9	3	8.6	35	5.8	0.2	0.6	535
	60	42	89.4	1	2.1	4	8.5	47	7.7	0.2	0.7	548
	70	21	95.5	0	-	1	4.5	22	6.2	-	0.3	341
	80	11	91.7	1	8.3	0	-	12	12.0	1.1	-	92
	男女計	164	90.1	9	4.9	9	4.9	182	6.4	0.4	0.4	2547

問1-d その病気の主な原因はアルコールによるものでしたか(外傷)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%		
男性	20	0	-	12	92.3	0	-	1	7.7	13	-	10.2	-	0.8	118
	30	0	-	17	94.4	0	-	1	5.6	18	-	10.1	-	0.6	169
	40	0	-	17	100.0	0	-	0	-	17	-	10.2	-	-	166
	50	0	-	26	100.0	0	-	0	-	26	-	10.3	-	-	252
	60	0	-	16	84.2	0	-	3	15.8	19	-	6.1	-	1.1	264
	70	2	15.4	11	84.6	0	-	0	-	13	1.1	6.3	-	-	175
	80	0	-	3	100.0	0	-	0	-	3	-	7.5	-	-	40
	男性合計	2	1.8	102	93.6	0	-	5	4.6	109	0.2	8.6	-	0.4	1184
女性	20	0	-	4	100.0	0	-	0	-	4	-	3.6	-	-	110
	30	0	-	6	100.0	0	-	0	-	6	-	2.9	-	-	207
	40	0	-	8	100.0	0	-	0	-	8	-	3.1	-	-	261
	50	0	-	9	100.0	0	-	0	-	9	-	3.2	-	-	283
	60	0	-	25	89.3	0	-	3	10.7	28	-	8.8	-	1.1	284
	70	0	-	9	100.0	0	-	0	-	9	-	5.4	-	-	166
	80	0	-	9	100.0	0	-	0	-	9	-	17.3	-	-	52
	女性合計	0	-	70	95.9	0	-	3	4.1	73	-	5.1	-	0.2	1363
総数	20	0	-	16	94.1	0	-	1	5.9	17	-	7.0	-	0.4	228
	30	0	-	23	95.8	0	-	1	4.2	24	-	6.1	-	0.3	376
	40	0	-	25	100.0	0	-	0	-	25	-	5.9	-	-	427
	50	0	-	35	100.0	0	-	0	-	35	-	6.5	-	-	535
	60	0	-	41	87.2	0	-	6	12.8	47	-	7.5	-	1.1	548
	70	2	9.1	20	90.9	0	-	0	-	22	0.6	5.9	-	-	341
	80	0	-	12	100.0	0	-	0	-	12	-	13.0	-	-	92
	男女計	2	1.1	172	94.5	0	-	8	4.4	182	0.1	6.8	-	0.3	2547



問1-a あなたはここにあげるような病気にかかったことがありますか(頭部外傷)

		ある		ない		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	3	2.5	115	97.5	0	-	118
	30	5	3.0	161	95.3	3	1.8	169
	40	1	0.6	164	98.8	1	0.6	166
	50	1	0.4	246	97.6	5	2.0	252
	60	2	0.8	255	96.6	7	2.7	264
	70	1	0.6	170	97.1	4	2.3	175
	80	0	-	38	95.0	2	5.0	40
	男性合計	13	1.1	1149	97.0	22	1.9	1184
女性	20	2	1.8	107	97.3	1	0.9	110
	30	0	-	205	99.0	2	1.0	207
	40	0	-	251	96.2	10	3.8	261
	50	3	1.1	275	97.2	5	1.8	283
	60	5	1.8	274	96.5	5	1.8	284
	70	2	1.2	160	96.4	4	2.4	166
	80	0	-	52	100.0	0	-	52
	女性合計	12	0.9	1324	97.1	27	2.0	1363
総数	20	5	2.2	222	97.4	1	0.4	228
	30	5	1.3	366	97.3	5	1.3	376
	40	1	0.2	415	97.2	11	2.6	427
	50	4	0.7	521	97.4	10	1.9	535
	60	7	1.3	529	96.5	12	2.2	548
	70	3	0.9	330	96.8	8	2.3	341
	80	0	-	90	97.8	2	2.2	92
	男女計	25	1.0	2473	97.1	49	1.9	2547

問1-b 最後にその病気にかかったのはいつですか(頭部外傷)

		該当者								総数					
		現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	0	-	0	-	3	100.0	0	-	3	-	-	2.5	-	118
	30	0	-	0	-	5	100.0	0	-	5	-	-	3.0	-	169
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.6	-	166
	50	0	-	1	100.0	0	-	0	-	1	-	0.4	-	252	
	60	0	-	0	-	2	100.0	0	-	2	-	-	0.8	-	264
	70	0	-	0	-	0	-	1	100.0	1	-	-	-	0.6	175
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	40
	男性合計	0	-	1	7.7	11	84.6	1	7.7	13	-	0.1	0.9	0.1	1184
女性	20	0	-	0	-	2	100.0	0	-	2	-	-	1.8	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	207	
	40	0	-	0	-	0	-	0	-	0	-	-	-	261	
	50	1	33.3	1	33.3	1	33.3	0	-	3	0.4	0.4	0.4	-	283
	60	0	-	0	-	3	60.0	2	40.0	5	-	-	1.1	0.7	284
	70	1	50.0	0	-	1	50.0	0	-	2	0.6	-	0.6	-	166
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	52
	女性合計	2	16.7	1	8.3	7	58.3	2	16.7	12	0.1	0.1	0.5	0.1	1363
総数	20	0	-	0	-	5	100.0	0	-	5	-	-	2.2	-	228
	30	0	-	0	-	5	100.0	0	-	5	-	-	1.3	-	376
	40	0	-	0	-	1	100.0	0	-	1	-	-	0.2	-	427
	50	1	25.0	2	50.0	1	25.0	0	-	4	0.2	0.4	0.2	-	535
	60	0	-	0	-	5	71.4	2	28.6	7	-	-	0.9	0.4	548
	70	1	33.3	0	-	1	33.3	1	33.3	3	0.3	-	0.3	0.3	341
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	92
	男女計	2	8.0	2	8.0	18	72.0	3	12.0	25	0.1	0.1	0.7	0.1	2547

問1-c 病気に対する医師の正式な診断はありましたか(頭部外傷)

		該当者						総数					
		ある		ない		無回答		合計	ある		ない		合計
		実数	%	実数	%	実数	%		実数	%	実数	%	
男性	20	2	66.7	1	33.3	0	-	3	1.7	0.8	-	118	
	30	4	80.0	0	-	1	20.0	5	2.4	-	0.6	169	
	40	1	100.0	0	-	0	-	1	0.6	-	-	166	
	50	1	100.0	0	-	0	-	1	0.4	-	-	252	
	60	2	100.0	0	-	0	-	2	0.8	-	-	264	
	70	0	-	0	-	1	100.0	1	-	-	0.6	175	
	80	0	-	0	-	0	-	0	-	-	-	40	
男性合計		10	76.9	1	7.7	2	15.4	13	0.8	0.1	0.2	1184	
女性	20	2	100.0	0	-	0	-	2	1.8	-	-	110	
	30	0	-	0	-	0	-	0	-	-	-	207	
	40	0	-	0	-	0	-	0	-	-	-	261	
	50	2	66.7	1	33.3	0	-	3	0.7	0.4	-	283	
	60	3	60.0	0	-	2	40.0	5	1.1	-	0.7	284	
	70	2	100.0	0	-	0	-	2	1.2	-	-	166	
	80	0	-	0	-	0	-	0	-	-	-	52	
女性合計		9	75.0	1	8.3	2	16.7	12	0.7	0.1	0.1	1363	
総数	20	4	80.0	1	20.0	0	-	5	1.8	0.4	-	228	
	30	4	80.0	0	-	1	20.0	5	1.1	-	0.3	376	
	40	1	100.0	0	-	0	-	1	0.2	-	-	427	
	50	3	75.0	1	25.0	0	-	4	0.6	0.2	-	535	
	60	5	71.4	0	-	2	28.6	7	0.9	-	0.4	548	
	70	2	66.7	0	-	1	33.3	3	0.6	-	0.3	341	
	80	0	-	0	-	0	-	0	-	-	-	92	
男女計		19	76.0	2	8.0	4	16.0	25	0.7	0.1	0.2	2547	

問1-d その病気の主な原因はアルコールによるものでしたか(頭部外傷)

		該当者						総数									
		アルコール		その他		不明		無回答		合計	アルコール		その他		不明		合計
		実数	%	実数	%	実数	%	実数	%		実数	%	実数	%	実数	%	
男性	20	0	-	3	100.0	0	-	0	-	3	-	2.5	-	-	-	-	118
	30	1	20.0	4	80.0	0	-	0	-	5	0.6	2.4	-	-	-	-	169
	40	0	-	1	100.0	0	-	0	-	1	-	0.6	-	-	-	-	166
	50	0	-	1	100.0	0	-	0	-	1	-	0.4	-	-	-	-	252
	60	1	50.0	1	50.0	0	-	0	-	2	0.4	0.4	-	-	-	-	264
	70	0	-	0	-	0	-	1	100.0	1	-	-	-	-	-	0.6	175
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	40
男性合計		2	15.4	10	76.9	0	-	1	7.7	13	0.2	0.8	-	-	-	0.1	1184
女性	20	0	-	2	100.0	0	-	0	-	2	-	1.8	-	-	-	-	110
	30	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	207
	40	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	261
	50	0	-	2	66.7	0	-	1	33.3	3	-	0.7	-	-	-	0.4	283
	60	0	-	2	40.0	0	-	3	60.0	5	-	0.7	-	-	-	1.1	284
	70	0	-	2	100.0	0	-	0	-	2	-	1.2	-	-	-	-	166
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	52
女性合計		0	-	8	66.7	0	-	4	33.3	12	-	0.6	-	-	-	0.3	1363
総数	20	0	-	5	100.0	0	-	0	-	5	-	2.2	-	-	-	-	228
	30	1	20.0	4	80.0	0	-	0	-	5	0.3	1.1	-	-	-	-	376
	40	0	-	1	100.0	0	-	0	-	1	-	0.2	-	-	-	-	427
	50	0	-	3	75.0	0	-	1	25.0	4	-	0.6	-	-	-	0.2	535
	60	1	14.3	3	42.9	0	-	3	42.9	7	0.2	0.5	-	-	-	0.5	548
	70	0	-	2	66.7	0	-	1	33.3	3	-	0.6	-	-	-	0.3	341
	80	0	-	0	-	0	-	0	-	0	-	-	-	-	-	-	92
男女計		2	8.0	18	72.0	0	-	5	20.0	25	0.1	0.7	-	-	-	0.2	2547

問1-a あなたはここにあげるような病気にかかったことがありますか(その他)

	ある		ない		無回答		合計	
	実数	%	実数	%	実数	%		
男性	20	2	1.7	97	82.2	19	16.1	118
	30	3	1.8	127	75.1	39	23.1	169
	40	7	4.2	131	78.9	28	16.9	166
	50	26	10.3	184	73.0	42	16.7	252
	60	30	11.4	183	69.3	51	19.3	264
	70	29	16.6	120	68.6	26	14.9	175
	80	14	35.0	22	55.0	4	10.0	40
男性合計	111	9.4	864	73.0	209	17.7	1184	
女性	20	5	4.5	87	79.1	18	16.4	110
	30	12	5.8	158	76.3	37	17.9	207
	40	20	7.7	175	67.0	66	25.3	261
	50	23	8.1	193	68.2	67	23.7	283
	60	41	14.4	202	71.1	41	14.4	284
	70	43	25.9	100	60.2	23	13.9	166
	80	17	32.7	25	48.1	10	19.2	52
女性合計	161	11.8	940	69.0	262	19.2	1363	
総数	20	7	3.1	184	80.7	37	16.2	228
	30	15	4.0	285	75.8	76	20.2	376
	40	27	6.3	306	71.7	94	22.0	427
	50	49	9.2	377	70.5	109	20.4	535
	60	71	13.0	385	70.3	92	16.8	548
	70	72	21.1	220	64.5	49	14.4	341
	80	31	33.7	47	51.1	14	15.2	92
男女計	272	10.7	1804	70.8	471	18.5	2547	

問1-b 最後にその病気にかかったのはいつですか(その他)

	該当者								総数						
	現在ある		過去1年間にあった		1年以上前にあった		無回答		合計	現在ある	過去1年間にあった	1年以上前にあった	無回答	合計	
	実数	%	実数	%	実数	%	実数	%		実数	%	実数			%
男性	20	1	50.0	0	-	1	50.0	0	-	2	0.8	-	0.8	-	118
	30	1	33.3	0	-	2	66.7	0	-	3	0.6	-	1.2	-	169
	40	3	42.9	0	-	4	57.1	0	-	7	1.8	-	2.4	-	166
	50	10	38.5	2	7.7	13	50.0	1	3.8	26	4.0	0.8	5.2	0.4	252
	60	13	43.3	1	3.3	16	53.3	0	-	30	4.9	0.4	6.1	-	264
	70	9	31.0	3	10.3	17	58.6	0	-	29	5.1	1.7	9.7	-	175
	80	7	50.0	0	-	7	50.0	0	-	14	17.5	-	17.5	-	40
男性合計	44	39.6	6	5.4	60	54.1	1	0.9	111	3.7	0.5	5.1	0.1	1184	
女性	20	2	40.0	2	40.0	1	20.0	0	-	5	1.8	1.8	0.9	-	110
	30	5	41.7	1	8.3	6	50.0	0	-	12	2.4	0.5	2.9	-	207
	40	7	35.0	0	-	13	65.0	0	-	20	2.7	-	5.0	-	261
	50	7	30.4	1	4.3	13	56.5	2	8.7	23	2.5	0.4	4.6	0.7	283
	60	20	48.8	2	4.9	19	46.3	0	-	41	7.0	0.7	6.7	-	284
	70	25	58.1	5	11.6	12	27.9	1	2.3	43	15.1	3.0	7.2	0.6	166
	80	9	52.9	3	17.6	5	29.4	0	-	17	17.3	5.8	9.6	-	52
女性合計	75	46.6	14	8.7	69	42.9	3	1.9	161	5.5	1.0	5.1	0.2	1363	
総数	20	3	42.9	2	28.6	2	28.6	0	-	7	1.3	0.9	0.9	-	228
	30	6	40.0	1	6.7	8	53.3	0	-	15	1.6	0.3	2.1	-	376
	40	10	37.0	0	-	17	63.0	0	-	27	2.3	-	4.0	-	427
	50	17	34.7	3	6.1	26	53.1	3	6.1	49	3.2	0.6	4.9	0.6	535
	60	33	46.5	3	4.2	35	49.3	0	-	71	6.0	0.5	6.4	-	548
	70	34	47.2	8	11.1	29	40.3	1	1.4	72	10.0	2.3	8.5	0.3	341
	80	16	51.6	3	9.7	12	38.7	0	-	31	17.4	3.3	13.0	-	92
男女計	119	43.8	20	7.4	129	47.4	4	1.5	272	4.7	0.8	5.1	0.2	2547	

問1-c 病気に対する医師の正式な診断はありましたか(その他)

		該当者						総数				
		ある		ない		無回答		合計	ある	ない	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	2	100.0	0	-	0	-	2	1.7	-	-	118
	30	3	100.0	0	-	0	-	3	1.8	-	-	169
	40	6	85.7	0	-	1	14.3	7	3.6	-	0.6	166
	50	21	80.8	2	7.7	3	11.5	26	8.3	0.8	1.2	252
	60	28	93.3	1	3.3	1	3.3	30	10.6	0.4	0.4	264
	70	27	93.1	1	3.4	1	3.4	29	15.4	0.6	0.6	175
	80	14	100.0	0	-	0	-	14	35.0	-	-	40
	男性合計	101	91.0	4	3.6	6	5.4	111	8.5	0.3	0.5	1184
女性	20	5	100.0	0	-	0	-	5	4.5	-	-	110
	30	11	91.7	1	8.3	0	-	12	5.3	0.5	-	207
	40	19	95.0	1	5.0	0	-	20	7.3	0.4	-	261
	50	18	78.3	3	13.0	2	8.7	23	6.4	1.1	0.7	283
	60	40	97.6	1	2.4	0	-	41	14.1	0.4	-	284
	70	40	93.0	2	4.7	1	2.3	43	24.1	1.2	0.6	166
	80	17	100.0	0	-	0	-	17	32.7	-	-	52
	女性合計	150	93.2	8	5.0	3	1.9	161	11.0	0.6	0.2	1363
総数	20	7	100.0	0	-	0	-	7	3.1	-	-	228
	30	14	93.3	1	6.7	0	-	15	3.7	0.3	-	376
	40	25	92.6	1	3.7	1	3.7	27	5.9	0.2	0.2	427
	50	39	79.6	5	10.2	5	10.2	49	7.3	0.9	0.9	535
	60	68	95.8	2	2.8	1	1.4	71	12.4	0.4	0.2	548
	70	67	93.1	3	4.2	2	2.8	72	19.6	0.9	0.6	341
	80	31	100.0	0	-	0	-	31	33.7	-	-	92
	男女計	251	92.3	12	4.4	9	3.3	272	9.9	0.5	0.4	2547

問1-d その病気の主な原因はアルコールによるものでしたか(その他)

		該当者								総数					
		アルコール		その他		不明		無回答		合計	アルコール	その他	不明	無回答	合計
		実数	%	実数	%	実数	%	実数	%		%	%	%	%	
男性	20	1	50.0	1	50.0	0	-	0	-	2	0.8	0.8	-	-	118
	30	0	-	3	100.0	0	-	0	-	3	-	1.8	-	-	169
	40	1	14.3	4	57.1	0	-	2	28.6	7	0.6	2.4	-	1.2	166
	50	1	3.8	15	57.7	0	-	10	38.5	26	0.4	6.0	-	4.0	252
	60	1	3.3	20	66.7	0	-	9	30.0	30	0.4	7.6	-	3.4	264
	70	1	3.4	21	72.4	0	-	7	24.1	29	0.6	12.0	-	4.0	175
	80	1	7.1	13	92.9	0	-	0	-	14	2.5	32.5	-	-	40
	男性合計	6	5.4	77	69.4	0	-	28	25.2	111	0.5	6.5	-	2.4	1184
女性	20	0	-	3	60.0	0	-	2	40.0	5	-	2.7	-	1.8	110
	30	1	8.3	8	66.7	0	-	3	25.0	12	0.5	3.9	-	1.4	207
	40	0	-	13	65.0	0	-	7	35.0	20	-	5.0	-	2.7	261
	50	0	-	16	69.6	0	-	7	30.4	23	-	5.7	-	2.5	283
	60	0	-	30	73.2	0	-	11	26.8	41	-	10.6	-	3.9	284
	70	0	-	30	69.8	0	-	13	30.2	43	-	18.1	-	7.8	166
	80	0	-	12	70.6	0	-	5	29.4	17	-	23.1	-	9.6	52
	女性合計	1	0.6	112	69.6	0	-	48	29.8	161	0.1	8.2	-	3.5	1363
総数	20	1	14.3	4	57.1	0	-	2	28.6	7	0.4	1.8	-	0.9	228
	30	1	6.7	11	73.3	0	-	3	20.0	15	0.3	2.9	-	0.8	376
	40	1	3.7	17	63.0	0	-	9	33.3	27	0.2	4.0	-	2.1	427
	50	1	2.0	31	63.3	0	-	17	34.7	49	0.2	5.8	-	3.2	535
	60	1	1.4	50	70.4	0	-	20	28.2	71	0.2	9.1	-	3.6	548
	70	1	1.4	51	70.8	0	-	20	27.8	72	0.3	15.0	-	5.9	341
	80	1	3.2	25	80.6	0	-	5	16.1	31	1.1	27.2	-	5.4	92
	男女計	7	2.6	189	69.5	0	-	76	27.9	272	0.3	7.4	-	3.0	2547