

問21-(ケ) 以前より多くのアルコールを飲んでも、ひどくは酔っぱらわないと感じましたか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	27	31.4	56	65.1	3	3.5	86	22.9	47.5	2.5	118
	30	25	19.4	101	78.3	3	2.3	129	14.8	59.8	1.8	169
	40	31	22.8	103	75.7	2	1.5	136	18.7	62.0	1.2	166
	50	53	25.7	149	72.3	4	1.9	206	21.0	59.1	1.6	252
	60	39	19.8	154	78.2	4	2.0	197	14.8	58.3	1.5	264
	70	24	19.7	91	74.6	7	5.7	122	13.7	52.0	4.0	175
	80	3	13.6	19	86.4	0	-	22	7.5	47.5	-	40
	男性合計	202	22.5	673	74.9	23	2.6	898	17.1	56.8	1.9	1184
女性	20	15	27.8	39	72.2	0	-	54	13.6	35.5	-	110
	30	17	15.9	87	81.3	3	2.8	107	8.2	42.0	1.4	207
	40	18	15.4	97	82.9	2	1.7	117	6.9	37.2	0.8	261
	50	18	18.9	76	80.0	1	1.1	95	6.4	26.9	0.4	283
	60	5	9.1	50	90.9	0	-	55	1.8	17.6	-	284
	70	3	20.0	11	73.3	1	6.7	15	1.8	6.6	0.6	166
	80	0	-	4	100.0	0	-	4	-	7.7	-	52
	女性合計	76	17.0	364	81.4	7	1.6	447	5.6	26.7	0.5	1363
総数	20	42	30.0	95	67.9	3	2.1	140	18.4	41.7	1.3	228
	30	42	17.8	188	79.7	6	2.5	236	11.2	50.0	1.6	376
	40	49	19.4	200	79.1	4	1.6	253	11.5	46.8	0.9	427
	50	71	23.6	225	74.8	5	1.7	301	13.3	42.1	0.9	535
	60	44	17.5	204	81.0	4	1.6	252	8.0	37.2	0.7	548
	70	27	19.7	102	74.5	8	5.8	137	7.9	29.9	2.3	341
	80	3	11.5	23	88.5	0	-	26	3.3	25.0	-	92
	男女合計	278	20.7	1037	77.1	30	2.2	1345	10.9	40.7	1.2	2547

問21-(コ) あなたは飲酒のために大事な活動、たとえば、スポーツ、仕事、あるいは友人や親戚との付き合いといったことをあきらめたり、大幅に減らしたことがありますか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	4	4.7	82	95.3	0	-	86	3.4	69.5	-	118
	30	7	5.4	121	93.8	1	0.8	129	4.1	71.6	0.6	169
	40	7	5.1	129	94.9	0	-	136	4.2	77.7	-	166
	50	11	5.3	193	93.7	2	1.0	206	4.4	76.6	0.8	252
	60	13	6.6	180	91.4	4	2.0	197	4.9	68.2	1.5	264
	70	12	9.8	110	90.2	0	-	122	6.9	62.9	-	175
	80	1	4.5	21	95.5	0	-	22	2.5	52.5	-	40
	男性合計	55	6.1	836	93.1	7	0.8	898	4.6	70.6	0.6	1184
女性	20	1	1.9	53	98.1	0	-	54	0.9	48.2	-	110
	30	4	3.7	102	95.3	1	0.9	107	1.9	49.3	0.5	207
	40	3	2.6	112	95.7	2	1.7	117	1.1	42.9	0.8	261
	50	2	2.1	92	96.8	1	1.1	95	0.7	32.5	0.4	283
	60	0	-	55	100.0	0	-	55	-	19.4	-	284
	70	2	13.3	13	86.7	0	-	15	1.2	7.8	-	166
	80	0	-	4	100.0	0	-	4	-	7.7	-	52
	女性合計	12	2.7	431	96.4	4	0.9	447	0.9	31.6	0.3	1363
総数	20	5	3.6	135	96.4	0	-	140	2.2	59.2	-	228
	30	11	4.7	223	94.5	2	0.8	236	2.9	59.3	0.5	376
	40	10	4.0	241	95.3	2	0.8	253	2.3	56.4	0.5	427
	50	13	4.3	285	94.7	3	1.0	301	2.4	53.3	0.6	535
	60	13	5.2	235	93.3	4	1.6	252	2.4	42.9	0.7	548
	70	14	10.2	123	89.8	0	-	137	4.1	36.1	-	341
	80	1	3.8	25	96.2	0	-	26	1.1	27.2	-	92
	男女合計	67	5.0	1267	94.2	11	0.8	1345	2.6	49.7	0.4	2547

問21-(サ) 飲んでいる時に、誤ってけがをしたことが3回以上ありますか。けがとは、激しく転んだり、ひどく切ってしまったたり、骨折したり、交通事故にあう、というようなことです。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	10	11.6	76	88.4	0	-	86	8.5	64.4	-	118
	30	2	1.6	127	98.4	0	-	129	1.2	75.1	-	169
	40	8	5.9	128	94.1	0	-	136	4.8	77.1	-	166
	50	14	6.8	191	92.7	1	0.5	206	5.6	75.8	0.4	252
	60	13	6.6	183	92.9	1	0.5	197	4.9	69.3	0.4	264
	70	11	9.0	111	91.0	0	-	122	6.3	63.4	-	175
	80	0	-	22	100.0	0	-	22	-	55.0	-	40
	男性合計	58	6.5	838	93.3	2	0.2	898	4.9	70.8	0.2	1184
女性	20	2	3.7	52	96.3	0	-	54	1.8	47.3	-	110
	30	1	0.9	105	98.1	1	0.9	107	0.5	50.7	0.5	207
	40	2	1.7	113	96.6	2	1.7	117	0.8	43.3	0.8	261
	50	3	3.2	91	95.8	1	1.1	95	1.1	32.2	0.4	283
	60	1	1.8	54	98.2	0	-	55	0.4	19.0	-	284
	70	0	-	15	100.0	0	-	15	-	9.0	-	166
	80	0	-	4	100.0	0	-	4	-	7.7	-	52
	女性合計	9	2.0	434	97.1	4	0.9	447	0.7	31.8	0.3	1363
総数	20	12	8.6	128	91.4	0	-	140	5.3	56.1	-	228
	30	3	1.3	232	98.3	1	0.4	236	0.8	61.7	0.3	376
	40	10	4.0	241	95.3	2	0.8	253	2.3	56.4	0.5	427
	50	17	5.6	282	93.7	2	0.7	301	3.2	52.7	0.4	535
	60	14	5.6	237	94.0	1	0.4	252	2.6	43.2	0.2	548
	70	11	8.0	126	92.0	0	-	137	3.2	37.0	-	341
	80	0	-	26	100.0	0	-	26	-	28.3	-	92
	男女合計	67	5.0	1272	94.6	6	0.4	1345	2.6	49.9	0.2	2547

問21-(シ) この1年に少なくとも1回、そのようなけがをしましたか。(問12-(サ)が「はい」の人のみ回答)

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	5	50.0	5	50.0	0	-	10	4.2	4.2	-	118
	30	0	-	2	100.0	0	-	2	-	1.2	-	169
	40	1	12.5	7	87.5	0	-	8	0.6	4.2	-	166
	50	5	35.7	9	64.3	0	-	14	2.0	3.6	-	252
	60	1	7.7	12	92.3	0	-	13	0.4	4.5	-	264
	70	1	9.1	9	81.8	1	9.1	11	0.6	5.1	0.6	175
	80	0	-	0	-	0	-	0	-	-	-	40
	男性合計	13	22.4	44	75.9	1	1.7	58	1.1	3.7	0.1	1184
女性	20	1	50.0	1	50.0	0	-	2	0.9	0.9	-	110
	30	0	-	1	100.0	0	-	1	-	0.5	-	207
	40	1	50.0	1	50.0	0	-	2	0.4	0.4	-	261
	50	1	33.3	2	66.7	0	-	3	0.4	0.7	-	283
	60	0	-	1	100.0	0	-	1	-	0.4	-	284
	70	0	-	0	-	0	-	0	-	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	3	33.3	6	66.7	0	-	9	0.2	0.4	-	1363
総数	20	6	50.0	6	50.0	0	-	12	2.6	2.6	-	228
	30	0	-	3	100.0	0	-	3	-	0.8	-	376
	40	2	20.0	8	80.0	0	-	10	0.5	1.9	-	427
	50	6	35.3	11	64.7	0	-	17	1.1	2.1	-	535
	60	1	7.1	13	92.9	0	-	14	0.2	2.4	-	548
	70	1	9.1	9	81.8	1	9.1	11	0.3	2.6	0.3	341
	80	0	-	0	-	0	-	0	-	-	-	92
	男女合計	16	23.9	50	74.6	1	1.5	67	0.6	2.0	0.0	2547

問21-(ス) 長い間にわたって飲酒を続けていると、それが原因となって、肝臓の病気、胃の病気、すい臓の病気、高血圧、糖尿病、高脂血症、高尿酸血症や痛風といった健康上の障害がでてくることがあります。飲酒が引き金になってこのような障害を引き起こしたことがありますか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	2	2.3	84	97.7	0	-	86	1.7	71.2	-	118
	30	5	3.9	124	96.1	0	-	129	3.0	73.4	-	169
	40	19	14.0	117	86.0	0	-	136	11.4	70.5	-	166
	50	32	15.5	170	82.5	4	1.9	206	12.7	67.5	1.6	252
	60	27	13.7	169	85.8	1	0.5	197	10.2	64.0	0.4	264
	70	26	21.3	95	77.9	1	0.8	122	14.9	54.3	0.6	175
	80	3	13.6	19	86.4	0	-	22	7.5	47.5	-	40
	男性合計	114	12.7	778	86.6	6	0.7	898	9.6	65.7	0.5	1184
女性	20	1	1.9	53	98.1	0	-	54	0.9	48.2	-	110
	30	1	0.9	105	98.1	1	0.9	107	0.5	50.7	0.5	207
	40	3	2.6	112	95.7	2	1.7	117	1.1	42.9	0.8	261
	50	2	2.1	92	96.8	1	1.1	95	0.7	32.5	0.4	283
	60	1	1.8	54	98.2	0	-	55	0.4	19.0	-	284
	70	0	-	15	100.0	0	-	15	-	9.0	-	166
	80	0	-	4	100.0	0	-	4	-	7.7	-	52
	女性合計	8	1.8	435	97.3	4	0.9	447	0.6	31.9	0.3	1363
総数	20	3	2.1	137	97.9	0	-	140	1.3	60.1	-	228
	30	6	2.5	229	97.0	1	0.4	236	1.6	60.9	0.3	376
	40	22	8.7	229	90.5	2	0.8	253	5.2	53.6	0.5	427
	50	34	11.3	262	87.0	5	1.7	301	6.4	49.0	0.9	535
	60	28	11.1	223	88.5	1	0.4	252	5.1	40.7	0.2	548
	70	26	19.0	110	80.3	1	0.7	137	7.6	32.3	0.3	341
	80	3	11.5	23	88.5	0	-	26	3.3	25.0	-	92
	男女合計	122	9.1	1213	90.2	10	0.7	1345	4.8	47.6	0.4	2547

問21-(セ) そのような障害は、この1年間にもありましたか。(問12-(ス)が「はい」の人のみ回答)

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	1	50.0	1	50.0	0	-	2	0.8	0.8	-	118
	30	1	20.0	4	80.0	0	-	5	0.6	2.4	-	169
	40	10	52.6	9	47.4	0	-	19	6.0	5.4	-	166
	50	12	37.5	20	62.5	0	-	32	4.8	7.9	-	252
	60	13	48.1	14	51.9	0	-	27	4.9	5.3	-	264
	70	10	38.5	16	61.5	0	-	26	5.7	9.1	-	175
	80	0	-	3	100.0	0	-	3	-	7.5	-	40
	男性合計	47	41.2	67	58.8	0	-	114	4.0	5.7	-	1184
女性	20	1	100.0	0	-	0	-	1	0.9	-	-	110
	30	0	-	1	100.0	0	-	1	-	0.5	-	207
	40	0	-	3	100.0	0	-	3	-	1.1	-	261
	50	1	50.0	1	50.0	0	-	2	0.4	0.4	-	283
	60	0	-	1	100.0	0	-	1	-	0.4	-	284
	70	0	-	0	-	0	-	0	-	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	2	25.0	6	75.0	0	-	8	0.1	0.4	-	1363
総数	20	2	66.7	1	33.3	0	-	3	0.9	0.4	-	228
	30	1	16.7	5	83.3	0	-	6	0.3	1.3	-	376
	40	10	45.5	12	54.5	0	-	22	2.3	2.8	-	427
	50	13	38.2	21	61.8	0	-	34	2.4	3.9	-	535
	60	13	46.4	15	53.6	0	-	28	2.4	2.7	-	548
	70	10	38.5	16	61.5	0	-	26	2.9	4.7	-	341
	80	0	-	3	100.0	0	-	3	-	3.3	-	92
	男女合計	49	40.2	73	59.8	0	-	122	1.9	2.9	-	2547

問21-(ソ) あなたは、飲酒がこれらの健康上の障害を引き起こしているとわかっていながら、飲酒を続けましたか。  
(問12-(ス)が「はい」の人のみ回答)

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	2	100.0	0	-	0	-	2	1.7	-	-	118
	30	3	60.0	2	40.0	0	-	5	1.8	1.2	-	169
	40	16	84.2	3	15.8	0	-	19	9.6	1.8	-	166
	50	22	68.8	10	31.3	0	-	32	8.7	4.0	-	252
	60	18	66.7	9	33.3	0	-	27	6.8	3.4	-	264
	70	14	53.8	12	46.2	0	-	26	8.0	6.9	-	175
	80	2	66.7	1	33.3	0	-	3	5.0	2.5	-	40
	男性合計	77	67.5	37	32.5	0	-	114	6.5	3.1	-	1184
女性	20	0	-	1	100.0	0	-	1	-	0.9	-	110
	30	0	-	1	100.0	0	-	1	-	0.5	-	207
	40	2	66.7	1	33.3	0	-	3	0.8	0.4	-	261
	50	2	100.0	0	-	0	-	2	0.7	-	-	283
	60	0	-	1	100.0	0	-	1	-	0.4	-	284
	70	0	-	0	-	0	-	0	-	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	4	50.0	4	50.0	0	-	8	0.3	0.3	-	1363
総数	20	2	66.7	1	33.3	0	-	3	0.9	0.4	-	228
	30	3	50.0	3	50.0	0	-	6	0.8	0.8	-	376
	40	18	81.8	4	18.2	0	-	22	4.2	0.9	-	427
	50	24	70.6	10	29.4	0	-	34	4.5	1.9	-	535
	60	18	64.3	10	35.7	0	-	28	3.3	1.8	-	548
	70	14	53.8	12	46.2	0	-	26	4.1	3.5	-	341
	80	2	66.7	1	33.3	0	-	3	2.2	1.1	-	92
	男女合計	81	66.4	41	33.6	0	-	122	3.2	1.6	-	2547

問21-(タ) 飲酒によって悪化する可能性がある他の重大な体の病気が自分にあることを知りながら、飲酒をし続けたことがありますか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	86	100.0	0	-	86	-	72.9	-	118
	30	0	-	129	100.0	0	-	129	-	76.3	-	169
	40	12	8.8	121	89.0	3	2.2	136	7.2	72.9	1.8	166
	50	17	8.3	186	90.3	3	1.5	206	6.7	73.8	1.2	252
	60	17	8.6	180	91.4	0	-	197	6.4	68.2	-	264
	70	9	7.4	112	91.8	1	0.8	122	5.1	64.0	0.6	175
	80	1	4.5	21	95.5	0	-	22	2.5	52.5	-	40
	男性合計	56	6.2	835	93.0	7	0.8	898	4.7	70.5	0.6	1184
女性	20	1	1.9	52	96.3	1	1.9	54	0.9	47.3	0.9	110
	30	0	-	106	99.1	1	0.9	107	-	51.2	0.5	207
	40	1	0.9	114	97.4	2	1.7	117	0.4	43.7	0.8	261
	50	1	1.1	92	96.8	2	2.1	95	0.4	32.5	0.7	283
	60	0	-	55	100.0	0	-	55	-	19.4	-	284
	70	1	6.7	14	93.3	0	-	15	0.6	8.4	-	166
	80	0	-	4	100.0	0	-	4	-	7.7	-	52
	女性合計	4	0.9	437	97.8	6	1.3	447	0.3	32.1	0.4	1363
総数	20	1	0.7	138	98.6	1	0.7	140	0.4	60.5	0.4	228
	30	0	-	235	99.6	1	0.4	236	-	62.5	0.3	376
	40	13	5.1	235	92.9	5	2.0	253	3.0	55.0	1.2	427
	50	18	6.0	278	92.4	5	1.7	301	3.4	52.0	0.9	535
	60	17	6.7	235	93.3	0	-	252	3.1	42.9	-	548
	70	10	7.3	126	92.0	1	0.7	137	2.9	37.0	0.3	341
	80	1	3.8	25	96.2	0	-	26	1.1	27.2	-	92
	男女合計	60	4.5	1272	94.6	13	1.0	1345	2.4	49.9	0.5	2547

問21-(チ) 飲酒が原因で、不眠、憂うつな気分、神経過敏、幻視、幻聴、他人に対して疑い深くなるといったような、心の問題を経験したことがありますか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	2	2.3	83	96.5	1	1.2	86	1.7	70.3	0.8	118
	30	1	0.8	128	99.2	0	-	129	0.6	75.7	-	169
	40	3	2.2	132	97.1	1	0.7	136	1.8	79.5	0.6	166
	50	7	3.4	198	96.1	1	0.5	206	2.8	78.6	0.4	252
	60	4	2.0	192	97.5	1	0.5	197	1.5	72.7	0.4	264
	70	5	4.1	117	95.9	0	-	122	2.9	66.9	-	175
	80	0	-	22	100.0	0	-	22	-	55.0	-	40
	男性合計	22	2.4	872	97.1	4	0.4	898	1.9	73.6	0.3	1184
女性	20	0	-	54	100.0	0	-	54	-	49.1	-	110
	30	0	-	106	99.1	1	0.9	107	-	51.2	0.5	207
	40	0	-	115	98.3	2	1.7	117	-	44.1	0.8	261
	50	0	-	93	97.9	2	2.1	95	-	32.9	0.7	283
	60	0	-	54	98.2	1	1.8	55	-	19.0	0.4	284
	70	1	6.7	14	93.3	0	-	15	0.6	8.4	-	166
	80	0	-	4	100.0	0	-	4	-	7.7	-	52
	女性合計	1	0.2	440	98.4	6	1.3	447	0.1	32.3	0.4	1363
総数	20	2	1.4	137	97.9	1	0.7	140	0.9	60.1	0.4	228
	30	1	0.4	234	99.2	1	0.4	236	0.3	62.2	0.3	376
	40	3	1.2	247	97.6	3	1.2	253	0.7	57.8	0.7	427
	50	7	2.3	291	96.7	3	1.0	301	1.3	54.4	0.6	535
	60	4	1.6	246	97.6	2	0.8	252	0.7	44.9	0.4	548
	70	6	4.4	131	95.6	0	-	137	1.8	38.4	-	341
	80	0	-	26	100.0	0	-	26	-	28.3	-	92
	男女合計	23	1.7	1312	97.5	10	0.7	1345	0.9	51.5	0.4	2547

問21-(ツ) そのような問題は、この1年間にもありましたか。(問12-(チ)が「はい」の人のみ回答)

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	1	50.0	1	50.0	0	-	2	0.8	0.8	-	118
	30	0	-	1	100.0	0	-	1	-	0.6	-	169
	40	2	66.7	1	33.3	0	-	3	1.2	0.6	-	166
	50	3	42.9	4	57.1	0	-	7	1.2	1.6	-	252
	60	1	25.0	3	75.0	0	-	4	0.4	1.1	-	264
	70	3	60.0	2	40.0	0	-	5	1.7	1.1	-	175
	80	0	-	0	-	0	-	0	-	-	-	40
	男性合計	10	45.5	12	54.5	0	-	22	0.8	1.0	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	0	-	0	-	0	-	-	-	207
	40	0	-	0	-	0	-	0	-	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	283
	60	0	-	0	-	0	-	0	-	-	-	284
	70	1	100.0	0	-	0	-	1	0.6	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	1	100.0	0	-	0	-	1	0.1	-	-	1363
総数	20	1	50.0	1	50.0	0	-	2	0.4	0.4	-	228
	30	0	-	1	100.0	0	-	1	-	0.3	-	376
	40	2	66.7	1	33.3	0	-	3	0.5	0.2	-	427
	50	3	42.9	4	57.1	0	-	7	0.6	0.7	-	535
	60	1	25.0	3	75.0	0	-	4	0.2	0.5	-	548
	70	4	66.7	2	33.3	0	-	6	1.2	0.6	-	341
	80	0	-	0	-	0	-	0	-	-	-	92
	男女合計	11	47.8	12	52.2	0	-	23	0.4	0.5	-	2547

問21-(テ) あなたは、これらの問題が飲酒のために生じていると知りながら、飲酒を続けましたか。  
(問12-(チ)が「はい」の人のみ回答)

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	2	100.0	0	-	2	-	1.7	-	118
	30	0	-	1	100.0	0	-	1	-	0.6	-	169
	40	0	-	3	100.0	0	-	3	-	1.8	-	166
	50	4	57.1	3	42.9	0	-	7	1.6	1.2	-	252
	60	3	75.0	1	25.0	0	-	4	1.1	0.4	-	264
	70	3	60.0	2	40.0	0	-	5	1.7	1.1	-	175
	80	0	-	0	-	0	-	0	-	-	-	40
	男性合計	10	45.5	12	54.5	0	-	22	0.8	1.0	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	0	-	0	-	0	-	-	-	207
	40	0	-	0	-	0	-	0	-	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	283
	60	0	-	0	-	0	-	0	-	-	-	284
	70	0	-	1	100.0	0	-	1	-	0.6	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	0	-	1	100.0	0	-	1	-	0.1	-	1363
総数	20	0	-	2	100.0	0	-	2	-	0.9	-	228
	30	0	-	1	100.0	0	-	1	-	0.3	-	376
	40	0	-	3	100.0	0	-	3	-	0.7	-	427
	50	4	57.1	3	42.9	0	-	7	0.7	0.6	-	535
	60	3	75.0	1	25.0	0	-	4	0.5	0.2	-	548
	70	3	50.0	3	50.0	0	-	6	0.9	0.9	-	341
	80	0	-	0	-	0	-	0	-	-	-	92
	男女合計	10	43.5	13	56.5	0	-	23	0.4	0.5	-	2547

問21-(ト) ある期間飲酒していた人が、その後、酒の量を減らしたり、やめたり、酒なしで過ごすようになると、気分が悪くなることがあります。この気分の悪さは通常の二日酔いよりずっと辛いものです。あなたは酒をやめたり、減らしたり、または酒なしで過ごしたとき、手のふるえを経験したことがありますか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	1	1.2	85	98.8	0	-	86	0.8	72.0	-	118
	30	0	-	128	99.2	1	0.8	129	-	75.7	0.6	169
	40	0	-	136	100.0	0	-	136	-	81.9	-	166
	50	5	2.4	199	96.6	2	1.0	206	2.0	79.0	0.8	252
	60	2	1.0	193	98.0	2	1.0	197	0.8	73.1	0.8	264
	70	8	6.6	114	93.4	0	-	122	4.6	65.1	-	175
	80	0	-	22	100.0	0	-	22	-	55.0	-	40
	男性合計	16	1.8	877	97.7	5	0.6	898	1.4	74.1	0.4	1184
女性	20	0	-	54	100.0	0	-	54	-	49.1	-	110
	30	1	0.9	105	98.1	1	0.9	107	0.5	50.7	0.5	207
	40	0	-	114	97.4	3	2.6	117	-	43.7	1.1	261
	50	0	-	94	98.9	1	1.1	95	-	33.2	0.4	283
	60	0	-	55	100.0	0	-	55	-	19.4	-	284
	70	0	-	15	100.0	0	-	15	-	9.0	-	166
	80	0	-	4	100.0	0	-	4	-	7.7	-	52
	女性合計	1	0.2	441	98.7	5	1.1	447	0.1	32.4	0.4	1363
総数	20	1	0.7	139	99.3	0	-	140	0.4	61.0	-	228
	30	1	0.4	233	98.7	2	0.8	236	0.3	62.0	0.5	376
	40	0	-	250	98.8	3	1.2	253	-	58.5	0.7	427
	50	5	1.7	293	97.3	3	1.0	301	0.9	54.8	0.6	535
	60	2	0.8	248	98.4	2	0.8	252	0.4	45.3	0.4	548
	70	8	5.8	129	94.2	0	-	137	2.3	37.8	-	341
	80	0	-	26	100.0	0	-	26	-	28.3	-	92
	男女合計	17	1.3	1318	98.0	10	0.7	1345	0.7	51.7	0.4	2547

問21-(ナ) そのような場合、あなたは手のふるえが出ないように、あるいはそれをなくすために飲酒したことが、これまでに3回以上ありますか。(問12-(ト)が「はい」の人のみ回答)

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	1	100.0	0	-	1	-	0.8	-	118
	30	0	-	0	-	0	-	0	-	-	-	169
	40	0	-	0	-	0	-	0	-	-	-	166
	50	0	-	5	100.0	0	-	5	-	2.0	-	252
	60	1	50.0	1	50.0	0	-	2	0.4	0.4	-	264
	70	8	100.0	0	-	0	-	8	4.6	-	-	175
	80	0	-	0	-	0	-	0	-	-	-	40
	男性合計	9	56.3	7	43.8	0	-	16	0.8	0.6	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	1	100.0	0	-	1	-	0.5	-	207
	40	0	-	0	-	0	-	0	-	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	283
	60	0	-	0	-	0	-	0	-	-	-	284
	70	0	-	0	-	0	-	0	-	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	0	-	1	100.0	0	-	1	-	0.1	-	1363
総数	20	0	-	1	100.0	0	-	1	-	0.4	-	228
	30	0	-	1	100.0	0	-	1	-	0.3	-	376
	40	0	-	0	-	0	-	0	-	-	-	427
	50	0	-	5	100.0	0	-	5	-	0.9	-	535
	60	1	50.0	1	50.0	0	-	2	0.2	0.2	-	548
	70	8	100.0	0	-	0	-	8	2.3	-	-	341
	80	0	-	0	-	0	-	0	-	-	-	92
	男女合計	9	52.9	8	47.1	0	-	17	0.4	0.3	-	2547

問21-(ニ) あなたは酒をやめたり、減らしたり、または酒なしで過ごしたとき、夜眠れなかったり、汗をかく、心臓が強く打つ、吐き気や嘔吐、てんかん発作、厳格などの症状が出たことがありますか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	1	100.0	0	-	1	-	0.8	-	118
	30	0	-	0	-	0	-	0	-	-	-	169
	40	0	-	0	-	0	-	0	-	-	-	166
	50	2	40.0	3	60.0	0	-	5	0.8	1.2	-	252
	60	0	-	2	100.0	0	-	2	-	0.8	-	264
	70	4	50.0	4	50.0	0	-	8	2.3	2.3	-	175
	80	0	-	0	-	0	-	0	-	-	-	40
	男性合計	6	37.5	10	62.5	0	-	16	0.5	0.8	-	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	1	100.0	0	-	1	-	0.5	-	207
	40	0	-	0	-	0	-	0	-	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	283
	60	0	-	0	-	0	-	0	-	-	-	284
	70	0	-	0	-	0	-	0	-	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	0	-	1	100.0	0	-	1	-	0.1	-	1363
総数	20	0	-	1	100.0	0	-	1	-	0.4	-	228
	30	0	-	1	100.0	0	-	1	-	0.3	-	376
	40	0	-	0	-	0	-	0	-	-	-	427
	50	2	40.0	3	60.0	0	-	5	0.4	0.6	-	535
	60	0	-	2	100.0	0	-	2	-	0.4	-	548
	70	4	50.0	4	50.0	0	-	8	1.2	1.2	-	341
	80	0	-	0	-	0	-	0	-	-	-	92
	男女合計	6	35.3	11	64.7	0	-	17	0.2	0.4	-	2547

問21-(又) その症状が出ないように、あるいは症状をなくすために飲酒したことが、日を違えて3回以上ありますか。

		該当者						総数				
		はい		いいえ		無回答		合計	はい	いいえ	無回答	合計
		実数	%	実数	%	実数	%		%	%	%	
男性	20	0	-	1	100.0	0	-	1	-	0.8	-	118
	30	0	-	0	-	0	-	0	-	-	-	169
	40	0	-	0	-	0	-	0	-	-	-	166
	50	1	20.0	4	80.0	0	-	5	0.4	1.6	-	252
	60	0	-	2	100.0	0	-	2	-	0.8	-	264
	70	2	25.0	5	62.5	1	12.5	8	1.1	2.9	0.6	175
	80	0	-	0	-	0	-	0	-	-	-	40
	男性合計	3	18.8	12	75.0	1	6.3	16	0.3	1.0	0.1	1184
女性	20	0	-	0	-	0	-	0	-	-	-	110
	30	0	-	1	100.0	0	-	1	-	0.5	-	207
	40	0	-	0	-	0	-	0	-	-	-	261
	50	0	-	0	-	0	-	0	-	-	-	283
	60	0	-	0	-	0	-	0	-	-	-	284
	70	0	-	0	-	0	-	0	-	-	-	166
	80	0	-	0	-	0	-	0	-	-	-	52
	女性合計	0	-	1	100.0	0	-	1	-	0.1	-	1363
総数	20	0	-	1	100.0	0	-	1	-	0.4	-	228
	30	0	-	1	100.0	0	-	1	-	0.3	-	376
	40	0	-	0	-	0	-	0	-	-	-	427
	50	1	20.0	4	80.0	0	-	5	0.2	0.7	-	535
	60	0	-	2	100.0	0	-	2	-	0.4	-	548
	70	2	25.0	5	62.5	1	12.5	8	0.6	1.5	0.3	341
	80	0	-	0	-	0	-	0	-	-	-	92
	男女合計	3	17.6	13	76.5	1	5.9	17	0.1	0.5	0.0	2547



問22 これら二までのお話をまとめましたが、これらのあなたの体験の中で、一番最近のものは何歳のときですか。

	19歳以下		20～29歳		30～39歳		40～49歳		50～59歳		60～69歳		70～79歳		80歳以上		無回答		合計
	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	12.3	49	86.0	0	-	0	0	0	-	0	0	0	0	0	0	1	1.8	57
	30	1.2	29	34.9	51	61.4	0	0	0	0	0	0	0	0	0	0	2	2.4	83
	40	1.0	19	18.3	18	17.3	57	54.8	1	1.0	0	0	0	0	0	0	8	7.7	104
	50	3.0	22	15.0	13	8.8	38	25.9	59	40.1	0	0	0	0	0	12	8.2	147	
	60	0.8	13	10.5	17	13.7	25	20.2	26	21.0	34	27.4	0	0	0	8	6.5	124	
	70	0	5	6.7	7	9.3	16	21.3	12	16.0	14	18.7	15	20.0	0	6	8.0	75	
	80	0	1	11.1	2	22.2	1	11.1	2	22.2	0	0	17	22.2	1	11.1	0	9	
男性合計	13	2.2	138	23.0	108	18.0	137	22.9	100	16.7	48	8.0	17	2.8	1	0.2	37	6.2	599
女性	20	11.1	24	88.9	0	-	0	0	0	0	0	0	0	0	0	0	0	0	27
	30	0	22	47.8	21	45.7	0	0	0	0	0	0	0	0	0	0	3	6.5	46
	40	1	11	21.2	14	26.9	23	44.2	0	0	0	0	0	0	0	0	3	5.8	52
	50	0	3	8.8	7	20.6	13	38.2	9	26.5	0	0	0	0	0	0	2	5.9	34
	60	1	6.7	3	20.0	2	13.3	1	6.7	5	33.3	3	20.0	0	0	0	0	15	15
	70	0	0	0	0	0	0	0	0	2	33.3	2	33.3	0	0	0	0	6	6
	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
女性合計	5	2.8	63	35.0	44	24.4	39	21.7	16	8.9	5	2.8	0	0	0	0	8	4.4	180
総数	20	11.9	73	86.9	0	-	0	0	0	0	0	0	0	0	0	0	1	1.2	84
	30	1	0.8	51	39.5	72	55.8	0	0	0	0	0	0	0	0	0	5	3.9	129
	40	2	1.3	30	19.2	32	20.5	80	51.3	1	0.6	0	0	0	0	0	11	7.1	156
	50	3	1.7	25	13.8	20	11.0	51	28.2	68	37.6	0	0	0	0	0	14	7.7	181
	60	2	1.4	16	11.5	19	13.7	26	18.7	31	22.3	37	26.6	0	0	0	8	5.8	139
	70	0	0	5	6.2	7	8.6	18	22.2	14	17.3	16	19.8	15	18.5	0	6	7.4	81
	80	0	0	1	11.1	2	22.2	1	11.1	2	22.2	0	0	2	22.2	1	11.1	0	9
男女合計	18	2.3	201	25.8	152	19.5	176	22.6	116	14.9	53	6.8	17	2.2	1	0.1	45	5.8	779

	19歳以下		20～29歳		30～39歳		40～49歳		50～59歳		60～69歳		70～79歳		80歳以上		合計	
	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%
男性	20	5.9	41.5	-	30.2	-	34.3	-	0.6	-	0.8	-	1.2	-	1.2	-	118	0.8
	30	0.6	17.2	30.2	10.8	34.3	0.6	1.4	4.8	166	4.8	1.2	4.8	1.2	1.2	169	1.2	
	40	1.2	8.7	5.2	15.1	23.4	12.9	12.9	3.0	284	3.0	8.6	8.6	3.4	3.4	252	4.8	
	50	0.4	4.9	6.4	9.5	9.8	8.0	8.0	5.0	40	5.0	2.5	2.5	0.1	0.1	175	3.4	
	60	0	2.5	5.0	2.5	5.0	4.1	4.1	1.2	1.2	1.2	1.2	1.2	0	0	40	1.2	
	70	0	11.7	9.1	11.6	8.4	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0	0	1184	3.1	
男性合計	1.1	11.7	9.1	11.6	8.4	8.4	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0	0	52	1.1	
女性	20	2.7	21.8	-	10.1	-	8.8	-	3.2	-	3.2	-	2.9	-	2.9	-	110	2.7
	30	0.4	10.6	10.1	5.4	8.8	4.6	4.6	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.4	207	1.4
	40	0.4	4.2	5.4	2.5	4.6	3.2	3.2	0.7	0.7	0.7	0.7	0.7	0.7	0.7	283	0.7	
	50	0.4	1.1	0.7	1.8	1.1	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	166	1.1	
	60	0.4	1.1	0.7	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	52	0.4	
	70	0	4.6	3.2	2.9	2.9	1.2	1.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1363	0.6	
女性合計	0.4	4.6	3.2	2.9	2.9	2.9	1.2	1.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	228	0.4	
総数	20	4.4	32.0	-	19.1	-	18.7	-	0.2	-	0.4	-	0.4	-	0.4	-	228	4.4
	30	0.3	13.6	19.1	18.7	0.2	0.2	0.2	1.3	376	1.3	1.2	1.2	1.2	1.2	1.3	376	1.3
	40	0.5	7.0	7.5	9.5	12.7	9.5	9.5	2.6	427	2.6	8.6	8.6	3.1	3.1	2.6	427	2.6
	50	0.6	4.7	3.7	3.5	4.7	5.7	6.8	1.5	548	1.5	4.4	4.4	1.1	1.1	1.5	548	1.5
	60	0.4	2.9	3.5	4.1	4.1	4.7	4.7	1.8	341	1.8	2.2	2.2	1.1	1.1	1.8	341	1.8
	70	0	1.5	2.1	5.3	4.1	4.1	4.1	2.2	92	2.2	1.1	1.1	1.1	1.1	2.2	92	2.2
	80	0	7.9	6.0	6.9	6.9	2.1	2.1	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.8	7.9	
男女合計	0.7	7.9	6.0	6.9	6.9	6.9	2.1	2.1	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.8	7.9	

問23 ここにあるあるあなたの体験のうち、別々のグループから3つ以上のことが同時に起こり、それが1ヶ月以上続いたことがありますか。

	該当者						総数					
	はい		いいえ		無回答		はい		いいえ		無回答	
	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%
男性	20	0	9	100.0	0	-	9	7.6	-	-	118	-
	30	1	3	60.0	1	20.0	5	1.8	0.6	0.6	169	0.6
	40	3	15	78.9	1	5.3	19	9.0	1.8	0.6	166	0.6
	50	3	23	79.3	3	10.3	29	9.1	1.2	1.2	252	1.2
	60	5	23	79.3	1	3.4	29	8.7	1.9	0.4	264	0.4
	70	10	6	35.3	1	5.9	17	3.4	5.7	0.6	175	0.6
	80	0	2	100.0	0	-	2	5.0	-	-	40	-
男性合計	22	20.0	81	73.6	7	6.4	110	6.8	1.9	0.6	1184	0.6
女性	20	0	3	100.0	0	-	3	2.7	-	-	110	-
	30	1	1	50.0	0	-	2	0.5	0.5	-	207	-
	40	0	2	100.0	0	-	2	0.8	-	-	261	-
	50	1	5	71.4	1	14.3	7	1.8	0.4	0.4	283	0.4
	60	0	0	-	0	-	0	-	-	-	284	-
	70	0	0	-	1	100.0	1	-	-	0.6	166	0.6
	80	0	0	-	0	-	0	-	-	-	52	-
女性合計	2	13.3	11	73.3	2	13.3	15	0.8	0.1	0.1	1363	0.1
総数	20	0	12	100.0	0	-	12	5.3	-	-	228	-
	30	2	4	57.1	1	14.3	7	1.1	0.5	0.3	376	0.3
	40	3	17	81.0	1	4.8	21	4.0	0.7	0.2	427	0.2
	50	4	28	77.8	4	11.1	36	5.2	0.7	0.7	535	0.7
	60	5	23	79.3	1	3.4	29	4.2	0.9	0.2	548	0.2
	70	10	6	33.3	2	11.1	18	1.8	2.9	0.6	341	0.6
	80	0	2	100.0	0	-	2	2.2	-	-	92	-
男女合計	24	19.2	92	73.6	9	7.2	125	3.6	0.9	0.4	2547	0.4

問23付問1 それぞれ初めて起きたとき、あなたは回復しましたか。

	19歳以下		20~29歳		30~39歳		40~49歳		50~59歳		60~69歳		70~79歳		80歳以上		合計	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%		
男性	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30	1	100.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
	40	0	0	0	2	66.7	1	33.3	0	0	0	0	0	0	0	0	0	3
	50	0	0	2	66.7	1	33.3	0	0	0	0	0	0	0	0	0	0	5
	60	0	0	1	20.0	1	40.0	2	40.0	1	20.0	0	0	0	0	0	0	10
	70	0	0	2	20.0	1	10.0	2	20.0	0	0	4	40.0	1	10.0	0	0	0
	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
男性合計	1	4.5	5	22.7	5	22.7	5	22.7	5	22.7	1	4.5	4	18.2	1	4.5	0	22
女性	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30	0	0	1	100.0	0	0	0	0	0	0	0	0	0	0	0	0	1
	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50	0	0	0	0	0	0	1	100.0	0	0	0	0	0	0	0	0	1
	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
女性合計	0	0	0	1	50.0	0	0	1	50.0	0	0	0	0	0	0	0	0	2
総数	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30	1	50.0	1	50.0	0	0	0	0	0	0	0	0	0	0	0	0	2
	40	0	0	0	2	66.7	1	33.3	0	0	0	0	0	0	0	0	0	3
	50	0	0	2	50.0	1	25.0	1	25.0	0	0	0	0	0	0	0	0	4
	60	0	0	1	20.0	1	20.0	2	40.0	1	20.0	0	0	0	0	0	0	5
	70	0	0	2	20.0	1	10.0	2	20.0	0	0	4	40.0	1	10.0	0	0	10
	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
男女合計	1	4.2	6	25.0	5	20.8	6	25.0	5	20.8	4	16.7	4	16.7	1	4.2	0	24

	19歳以下		20~29歳		30~39歳		40~49歳		50~59歳		60~69歳		70~79歳		80歳以上		合計
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	
男性	20	0.1	0.4	0.4	0.4	0.1	0.3	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	118
	30	0.6	1.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	169
	40	0	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	166
	50	0	0.4	0.4	0.8	0.4	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	252
	60	0	1.1	0.6	1.1	0.6	2.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	264
	70	0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	175
	80	0	0.4	0.4	0.4	0.1	0.3	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	40
男性合計	0.1	0.4	0.4	0.4	0.4	0.1	0.3	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	1184
女性	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110
	30	0	0.5	0	0	0	0	0	0	0	0	0	0	0	0	0	207
	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	261
	50	0	0	0	0	0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	283
	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	284
	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	166
	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52
女性合計	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1363
総数	20	0.3	0.3	0.3	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	228
	30	0.6	1.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	376
	40	0	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	427
	50	0	0.4	0.4	0.8	0.4	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	535
	60	0	1.1	0.6	1.1	0.6	2.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	548
	70	0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	341
	80	0	0.4	0.4	0.4	0.1	0.3	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	92
男女合計	0.0	0.2	0.2	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	2547

問23付問2. それぞれ最後に起きたとき、あなたは何歳でしたか。

	歳別												合計	
	19歳以下	20~29歳	30~39歳	40~49歳	50~59歳	60~69歳	70~79歳	80歳以上	実数	%	実数	%		
男性	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	0	1	100.0	0	0	0	0	0	0	0	0	0	0	1
40	0	0	0	2	66.7	0	0	0	0	0	0	0	0	3
50	0	0	0	1	33.3	0	0	0	0	0	0	0	0	3
60	0	1	33.3	3	60.0	1	33.3	0	0	0	0	0	0	5
70	0	0	0	2	20.0	0	0	2	20.0	5	50.0	0	0	10
80	0	0	0	0	0	0	0	0	0	0	0	0	0	0
男性合計	0	2	9.1	8	36.4	3	13.6	2	9.1	5	22.7	0	0	22
女性	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	0	1	100.0	0	0	0	0	0	0	0	0	0	0	1
40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0	0
女性合計	0	1	50.0	0	0	0	0	0	0	0	0	0	0	2
総数	0	2	100.0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	0	0	0	2	66.7	0	0	0	0	0	0	0	0	2
40	0	0	0	1	33.3	0	0	0	0	0	0	0	0	3
50	0	0	0	1	25.0	1	25.0	2	50.0	0	0	0	0	5
60	0	0	0	1	20.0	0	0	1	20.0	0	0	0	0	5
70	0	0	0	0	0	1	10.0	2	20.0	5	50.0	0	0	10
80	0	0	0	0	0	0	0	0	0	0	0	0	0	0
男女合計	0	3	12.5	8	33.3	3	12.5	2	8.3	5	20.8	0	0	24

	総数												合計
	19歳以下	20~29歳	30~39歳	40~49歳	50~59歳	60~69歳	70~79歳	80歳以上	実数	%	実数	%	
男性	-	0.6	-	-	-	-	-	-	-	-	-	-	118
	-	-	-	1.2	0.4	0.4	-	-	-	-	-	-	166
30	-	-	0.6	0.4	0.4	-	-	-	-	-	-	-	252
40	-	-	0.4	1.1	0.4	-	-	-	-	-	-	-	264
50	-	0.4	0.6	1.1	0.4	1.1	2.9	-	-	-	-	-	175
60	-	-	0.6	1.1	-	-	40	-	-	-	-	-	40
70	-	-	0.2	0.3	0.7	0.2	0.4	-	-	-	-	-	1184
80	-	-	-	-	-	-	-	-	-	-	-	-	1363
男性合計	-	0.1	0.1	0.3	0.2	0.2	0.1	0.2	-	-	-	-	228
女性	-	-	-	-	-	-	-	-	-	-	-	-	110
	-	0.5	-	-	-	-	-	-	-	-	-	-	207
30	-	-	-	-	-	-	-	-	-	-	-	-	261
40	-	-	-	-	0.4	-	-	-	-	-	-	-	283
50	-	-	-	-	-	-	-	-	-	-	-	-	284
60	-	-	-	-	-	-	-	-	-	-	-	-	166
70	-	-	-	-	-	-	-	-	-	-	-	-	52
80	-	-	-	-	-	-	-	-	-	-	-	-	1363
女性合計	-	0.1	-	-	-	-	-	-	-	-	-	-	376
総数	-	0.5	-	-	-	-	-	-	-	-	-	-	427
	-	0.2	0.2	0.5	0.4	0.2	0.4	-	-	-	-	-	535
30	-	0.2	0.2	0.5	0.2	0.2	0.6	-	-	-	-	-	548
40	-	-	0.3	0.6	0.6	0.6	1.5	-	-	-	-	-	341
50	-	-	0.1	0.3	0.1	0.1	0.2	-	-	-	-	-	92
60	-	-	-	-	-	-	-	-	-	-	-	-	2547
70	-	-	-	-	-	-	-	-	-	-	-	-	2547
80	-	-	-	-	-	-	-	-	-	-	-	-	2547
男女合計	-	0.1	0.1	0.3	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.1	2547

A1. あなたは、ふだん酒類(アルコール含有飲料)を、平均するとどのくらいの頻度で飲みますか。

		まったく飲まない		1ヶ月に1回以下		1ヶ月に2~4回		1週間に2~3回		1週間に4回以上		無回答		合計
		実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	14	11.9	18	15.3	28	23.7	31	26.3	27	22.9	0	-	118
	30	20	11.8	26	15.4	26	15.4	34	20.1	63	37.3	0	-	169
	40	19	11.4	18	10.8	22	13.3	30	18.1	77	46.4	0	-	166
	50	31	12.3	21	8.3	26	10.3	37	14.7	137	54.4	0	-	252
	60	44	16.7	26	9.8	30	11.4	26	9.8	136	51.5	2	0.8	264
	70	65	37.1	17	9.7	14	8.0	16	9.1	63	36.0	0	-	175
	80	15	37.5	8	20.0	0	-	6	15.0	11	27.5	0	-	40
	男性合計	208	17.6	134	11.3	146	12.3	180	15.2	514	43.4	2	0.2	1184
女性	20	25	22.7	32	29.1	31	28.2	10	9.1	12	10.9	0	-	110
	30	52	25.1	65	31.4	27	13.0	30	14.5	32	15.5	1	0.5	207
	40	84	32.2	63	24.1	41	15.7	38	14.6	35	13.4	0	-	261
	50	112	39.6	73	25.8	33	11.7	33	11.7	32	11.3	0	-	283
	60	143	50.4	63	22.2	34	12.0	24	8.5	20	7.0	0	-	284
	70	115	69.3	23	13.9	13	7.8	4	2.4	10	6.0	1	0.6	166
	80	45	86.5	3	5.8	1	1.9	1	1.9	2	3.8	0	-	52
	女性合計	576	42.3	322	23.6	180	13.2	140	10.3	143	10.5	2	0.1	1363
総数	20	39	17.1	50	21.9	59	25.9	41	18.0	39	17.1	0	-	228
	30	72	19.1	91	24.2	53	14.1	64	17.0	95	25.3	1	0.3	376
	40	103	24.1	81	19.0	63	14.8	68	15.9	112	26.2	0	-	427
	50	143	26.7	94	17.6	59	11.0	70	13.1	169	31.6	0	-	535
	60	187	34.1	89	16.2	64	11.7	50	9.1	156	28.5	2	0.4	548
	70	180	52.8	40	11.7	27	7.9	20	5.9	73	21.4	1	0.3	341
	80	60	65.2	11	12.0	1	1.1	7	7.6	13	14.1	0	-	92
	男女合計	784	30.8	456	17.9	326	12.8	320	12.6	657	25.8	4	0.2	2547

A2. 飲酒するときには、通常どのくらいの量を飲みますか。

		まったく飲まない		1~2単位		3~4単位		5~6単位		7~9単位		10単位以上		無回答		合計
		実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	15	12.7	59	50.0	27	22.9	11	9.3	4	3.4	2	1.7	0	-	118
	30	21	12.4	82	48.5	48	28.4	12	7.1	2	1.2	3	1.8	1	0.6	169
	40	18	10.8	78	47.0	43	25.9	15	9.0	8	4.8	3	1.8	1	0.6	166
	50	32	12.7	110	43.7	65	25.8	31	12.3	8	3.2	4	1.6	2	0.8	252
	60	43	16.3	131	49.6	65	24.6	11	4.2	6	2.3	6	2.3	2	0.8	264
	70	60	34.3	82	46.9	29	16.6	1	0.6	0	-	3	1.7	0	-	175
	80	14	35.0	20	50.0	3	7.5	2	5.0	0	-	0	-	1	2.5	40
	男性合計	203	17.1	562	47.5	280	23.6	83	7.0	28	2.4	21	1.8	7	0.6	1184
女性	20	23	20.9	56	50.9	26	23.6	4	3.6	1	0.9	0	-	0	-	110
	30	46	22.2	125	60.4	29	14.0	6	2.9	0	-	1	0.5	0	-	207
	40	78	29.9	151	57.9	23	8.8	5	1.9	2	0.8	2	0.8	0	-	261
	50	104	36.7	163	57.6	6	2.1	4	1.4	3	1.1	2	0.7	1	0.4	283
	60	136	47.9	140	49.3	6	2.1	1	0.4	0	-	1	0.4	0	-	284
	70	115	69.3	51	30.7	0	-	0	-	0	-	0	-	0	-	166
	80	45	86.5	7	13.5	0	-	0	-	0	-	0	-	0	-	52
	女性合計	547	40.1	693	50.8	90	6.6	20	1.5	6	0.4	6	0.4	1	0.1	1363
総数	20	38	16.7	115	50.4	53	23.2	15	6.6	5	2.2	2	0.9	0	-	228
	30	67	17.8	207	55.1	77	20.5	18	4.8	2	0.5	4	1.1	1	0.3	376
	40	96	22.5	229	53.6	66	15.5	20	4.7	10	2.3	5	1.2	1	0.2	427
	50	136	25.4	273	51.0	71	13.3	35	6.5	11	2.1	6	1.1	3	0.6	535
	60	179	32.7	271	49.5	71	13.0	12	2.2	6	1.1	7	1.3	2	0.4	548
	70	175	51.3	133	39.0	29	8.5	1	0.3	0	-	3	0.9	0	-	341
	80	59	64.1	27	29.3	3	3.3	2	2.2	0	-	0	-	1	1.1	92
	男女合計	750	29.4	1255	49.3	370	14.5	103	4.0	34	1.3	27	1.1	8	0.3	2547

A3. 1度に6単位以上飲酒することがありますか。あるとすればどのくらいの頻度ですか。

		ない		1ヶ月に1回未満		1ヶ月に1回		1週間に1回		毎日あるいはほとんど毎日		無回答		合計
		実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	62	52.5	32	27.1	12	10.2	10	8.5	2	1.7	0	-	118
	30	91	53.8	46	27.2	20	11.8	7	4.1	5	3.0	0	-	169
	40	85	51.2	39	23.5	23	13.9	11	6.6	8	4.8	0	-	166
	50	146	57.9	56	22.2	11	4.4	23	9.1	16	6.3	0	-	252
	60	175	66.3	48	18.2	15	5.7	9	3.4	15	5.7	2	0.8	264
	70	148	84.6	17	9.7	5	2.9	3	1.7	2	1.1	0	-	175
	80	37	92.5	2	5.0	1	2.5	0	-	0	-	0	-	40
	男性合計	744	62.8	240	20.3	87	7.3	63	5.3	48	4.1	2	0.2	1184
女性	20	82	74.5	16	14.5	10	9.1	2	1.8	0	-	0	-	110
	30	178	86.0	24	11.6	2	1.0	2	1.0	0	-	1	0.5	207
	40	231	88.5	24	9.2	3	1.1	1	0.4	1	0.4	1	0.4	261
	50	259	91.5	14	4.9	2	0.7	2	0.7	6	2.1	0	-	283
	60	278	97.9	3	1.1	0	-	0	-	1	0.4	2	0.7	284
	70	160	96.4	4	2.4	0	-	0	-	2	1.2	0	-	166
	80	52	100.0	0	-	0	-	0	-	0	-	0	-	52
	女性合計	1240	91.0	85	6.2	17	1.2	7	0.5	10	0.7	4	0.3	1363
総数	20	144	63.2	48	21.1	22	9.6	12	5.3	2	0.9	0	-	228
	30	269	71.5	70	18.6	22	5.9	9	2.4	5	1.3	1	0.3	376
	40	316	74.0	63	14.8	26	6.1	12	2.8	9	2.1	1	0.2	427
	50	405	75.7	70	13.1	13	2.4	25	4.7	22	4.1	0	-	535
	60	453	82.7	51	9.3	15	2.7	9	1.6	16	2.9	4	0.7	548
	70	308	90.3	21	6.2	5	1.5	3	0.9	4	1.2	0	-	341
	80	89	96.7	2	2.2	1	1.1	0	-	0	-	0	-	92
	男女合計	1984	77.9	325	12.8	104	4.1	70	2.7	58	2.3	6	0.2	2547

A4. 飲み始めたらやめられなかったということが、過去1年間にどのくらいの頻度でありましたか。

		ない		1ヶ月に1回未満		1ヶ月に1回		1週間に1回		毎日あるいはほとんど毎日		無回答		合計
		実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	92	78.0	13	11.0	9	7.6	2	1.7	2	1.7	0	-	118
	30	149	88.2	11	6.5	6	3.6	1	0.6	2	1.2	0	-	169
	40	139	83.7	18	10.8	5	3.0	4	2.4	0	-	0	-	166
	50	217	86.1	21	8.3	8	3.2	2	0.8	4	1.6	0	-	252
	60	231	87.5	18	6.8	4	1.5	3	1.1	6	2.3	2	0.8	264
	70	162	92.6	5	2.9	4	2.3	2	1.1	2	1.1	0	-	175
	80	40	100.0	0	-	0	-	0	-	0	-	0	-	40
	男性合計	1030	87.0	86	7.3	36	3.0	14	1.2	16	1.4	2	0.2	1184
女性	20	102	92.7	3	2.7	1	0.9	4	3.6	0	-	0	-	110
	30	204	98.6	1	0.5	1	0.5	0	-	1	0.5	0	-	207
	40	254	97.3	5	1.9	2	0.8	0	-	0	-	0	-	261
	50	276	97.5	3	1.1	2	0.7	2	0.7	0	-	0	-	283
	60	283	99.6	1	0.4	0	-	0	-	0	-	0	-	284
	70	164	98.8	2	1.2	0	-	0	-	0	-	0	-	166
	80	52	100.0	0	-	0	-	0	-	0	-	0	-	52
	女性合計	1335	97.9	15	1.1	6	0.4	6	0.4	1	0.1	0	-	1363
総数	20	194	85.1	16	7.0	10	4.4	6	2.6	2	0.9	0	-	228
	30	353	93.9	12	3.2	7	1.9	1	0.3	3	0.8	0	-	376
	40	393	92.0	23	5.4	7	1.6	4	0.9	0	-	0	-	427
	50	493	92.1	24	4.5	10	1.9	4	0.7	4	0.7	0	-	535
	60	514	93.8	19	3.5	4	0.7	3	0.5	6	1.1	2	0.4	548
	70	326	95.6	7	2.1	4	1.2	2	0.6	2	0.6	0	-	341
	80	92	100.0	0	-	0	-	0	-	0	-	0	-	92
	男女合計	2365	92.9	101	4.0	42	1.6	20	0.8	17	0.7	2	0.1	2547

A5. 普通の状態だとできることを飲酒していたためにできなかったということが、過去1年間にどのくらいの頻度でありましたか。

	ない		1ヶ月に1回未満		1ヶ月に1回		1週間に1回		毎日あるいはほとんど毎日		無回答		合計	
	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%		
男性	20	99	83.9	14	11.9	2	1.7	2	1.7	1	0.8	0	-	118
	30	152	89.9	16	9.5	1	0.6	0	-	0	-	0	-	169
	40	144	86.7	17	10.2	3	1.8	1	0.6	0	-	1	0.6	166
	50	217	86.1	23	9.1	5	2.0	5	2.0	2	0.8	0	-	252
	60	246	93.2	11	4.2	2	0.8	2	0.8	2	0.8	1	0.4	264
	70	167	95.4	2	1.1	4	2.3	2	1.1	0	-	0	-	175
	80	39	97.5	1	2.5	0	-	0	-	0	-	0	-	40
	男性合計	1064	89.9	84	7.1	17	1.4	12	1.0	5	0.4	2	0.2	1184
女性	20	100	90.9	7	6.4	3	2.7	0	-	0	-	0	-	110
	30	200	96.6	7	3.4	0	-	0	-	0	-	0	-	207
	40	248	95.0	9	3.4	4	1.5	0	-	0	-	0	-	261
	50	275	97.2	6	2.1	1	0.4	1	0.4	0	-	0	-	283
	60	282	99.3	2	0.7	0	-	0	-	0	-	0	-	284
	70	161	97.0	4	2.4	1	0.6	0	-	0	-	0	-	166
	80	52	100.0	0	-	0	-	0	-	0	-	0	-	52
	女性合計	1318	96.7	35	2.6	9	0.7	1	0.1	0	-	0	-	1363
総数	20	199	87.3	21	9.2	5	2.2	2	0.9	1	0.4	0	-	228
	30	352	93.6	23	6.1	1	0.3	0	-	0	-	0	-	376
	40	392	91.8	26	6.1	7	1.6	1	0.2	0	-	1	0.2	427
	50	492	92.0	29	5.4	6	1.1	6	1.1	2	0.4	0	-	535
	60	528	96.4	13	2.4	2	0.4	2	0.4	2	0.4	1	0.2	548
	70	328	96.2	6	1.8	5	1.5	2	0.6	0	-	0	-	341
	80	91	98.9	1	1.1	0	-	0	-	0	-	0	-	92
	男女合計	2382	93.5	119	4.7	26	1.0	13	0.5	5	0.2	2	0.1	2547

A6. 深酒の後に体調を整えるために、翌朝飲酒(迎え酒)をしなくてはならなかったことが、過去1年間にどのくらいの頻度でありましたか。

	ない		1ヶ月に1回未満		1ヶ月に1回		1週間に1回		毎日あるいはほとんど毎日		無回答		合計	
	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%		
男性	20	114	96.6	3	2.5	1	0.8	0	-	0	-	0	-	118
	30	163	96.4	5	3.0	1	0.6	0	-	0	-	0	-	169
	40	160	96.4	3	1.8	2	1.2	1	0.6	0	-	0	-	166
	50	242	96.0	8	3.2	1	0.4	1	0.4	0	-	0	-	252
	60	254	96.2	7	2.7	2	0.8	0	-	0	-	1	0.4	264
	70	170	97.1	0	-	3	1.7	1	0.6	0	-	1	0.6	175
	80	40	100.0	0	-	0	-	0	-	0	-	0	-	40
	男性合計	1143	96.5	26	2.2	10	0.8	3	0.3	0	-	2	0.2	1184
女性	20	107	97.3	3	2.7	0	-	0	-	0	-	0	-	110
	30	207	100.0	0	-	0	-	0	-	0	-	0	-	207
	40	260	99.6	1	0.4	0	-	0	-	0	-	0	-	261
	50	281	99.3	0	-	0	-	0	-	0	-	2	0.7	283
	60	284	100.0	0	-	0	-	0	-	0	-	0	-	284
	70	164	98.8	1	0.6	1	0.6	0	-	0	-	0	-	166
	80	52	100.0	0	-	0	-	0	-	0	-	0	-	52
	女性合計	1355	99.4	5	0.4	1	0.1	0	-	0	-	2	0.1	1363
総数	20	221	96.9	6	2.6	1	0.4	0	-	0	-	0	-	228
	30	370	98.4	5	1.3	1	0.3	0	-	0	-	0	-	376
	40	420	98.4	4	0.9	2	0.5	1	0.2	0	-	0	-	427
	50	523	97.8	8	1.5	1	0.2	1	0.2	0	-	2	0.4	535
	60	538	98.2	7	1.3	2	0.4	0	-	0	-	1	0.2	548
	70	334	97.9	1	0.3	4	1.2	1	0.3	0	-	1	0.3	341
	80	92	100.0	0	-	0	-	0	-	0	-	0	-	92
	男女合計	2498	98.1	31	1.2	11	0.4	3	0.1	0	-	4	0.2	2547

A7. 飲酒后、罪悪感や自責の念にかられたことが、過去1年間にどのくらいの頻度でありましたか。

		ない		1ヶ月に1回未満		1ヶ月に1回		1週間に1回		毎日あるいはほとんど毎日		無回答		合計
		実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	107	90.7	9	7.6	2	1.7	0	-	0	-	0	-	118
	30	157	92.9	10	5.9	2	1.2	0	-	0	-	0	-	169
	40	142	85.5	18	10.8	4	2.4	1	0.6	1	0.6	0	-	166
	50	227	90.1	19	7.5	3	1.2	2	0.8	1	0.4	0	-	252
	60	251	95.1	10	3.8	1	0.4	0	-	1	0.4	1	0.4	264
	70	168	96.0	3	1.7	0	-	2	1.1	2	1.1	0	-	175
	80	39	97.5	1	2.5	0	-	0	-	0	-	0	-	40
	男性合計	1091	92.1	70	5.9	12	1.0	5	0.4	5	0.4	1	0.1	1184
女性	20	106	96.4	4	3.6	0	-	0	-	0	-	0	-	110
	30	199	96.1	8	3.9	0	-	0	-	0	-	0	-	207
	40	254	97.3	6	2.3	0	-	0	-	0	-	1	0.4	261
	50	277	97.9	4	1.4	2	0.7	0	-	0	-	0	-	283
	60	283	99.6	1	0.4	0	-	0	-	0	-	0	-	284
	70	165	99.4	1	0.6	0	-	0	-	0	-	0	-	166
	80	52	100.0	0	-	0	-	0	-	0	-	0	-	52
	女性合計	1336	98.0	24	1.8	2	0.1	0	-	0	-	1	0.1	1363
総数	20	213	93.4	13	5.7	2	0.9	0	-	0	-	0	-	228
	30	356	94.7	18	4.8	2	0.5	0	-	0	-	0	-	376
	40	396	92.7	24	5.6	4	0.9	1	0.2	1	0.2	1	0.2	427
	50	504	94.2	23	4.3	5	0.9	2	0.4	1	0.2	0	-	535
	60	534	97.4	11	2.0	1	0.2	0	-	1	0.2	1	0.2	548
	70	333	97.7	4	1.2	0	-	2	0.6	2	0.6	0	-	341
	80	91	98.9	1	1.1	0	-	0	-	0	-	0	-	92
	男女合計	2427	95.3	94	3.7	14	0.5	5	0.2	5	0.2	2	0.1	2547

A8. 飲酒のため前夜の出来事を思い出せなかったことが、過去1年間にどのくらいの頻度でありましたか。

		ない		1ヶ月に1回未満		1ヶ月に1回		1週間に1回		毎日あるいはほとんど毎日		無回答		合計
		実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	94	79.7	20	16.9	4	3.4	0	-	0	-	0	-	118
	30	147	87.0	18	10.7	3	1.8	1	0.6	0	-	0	-	169
	40	126	75.9	32	19.3	6	3.6	2	1.2	0	-	0	-	166
	50	214	84.9	32	12.7	3	1.2	2	0.8	1	0.4	0	-	252
	60	234	88.6	24	9.1	3	1.1	1	0.4	1	0.4	1	0.4	264
	70	163	93.1	8	4.6	2	1.1	1	0.6	1	0.6	0	-	175
	80	39	97.5	0	-	1	2.5	0	-	0	-	0	-	40
	男性合計	1017	85.9	134	11.3	22	1.9	7	0.6	3	0.3	1	0.1	1184
女性	20	102	92.7	8	7.3	0	-	0	-	0	-	0	-	110
	30	201	97.1	6	2.9	0	-	0	-	0	-	0	-	207
	40	252	96.6	7	2.7	2	0.8	0	-	0	-	0	-	261
	50	277	97.9	3	1.1	2	0.7	1	0.4	0	-	0	-	283
	60	283	99.6	1	0.4	0	-	0	-	0	-	0	-	284
	70	164	98.8	2	1.2	0	-	0	-	0	-	0	-	166
	80	52	100.0	0	-	0	-	0	-	0	-	0	-	52
	女性合計	1331	97.7	27	2.0	4	0.3	1	0.1	0	-	0	-	1363
総数	20	196	86.0	28	12.3	4	1.8	0	-	0	-	0	-	228
	30	348	92.6	24	6.4	3	0.8	1	0.3	0	-	0	-	376
	40	378	88.5	39	9.1	8	1.9	2	0.5	0	-	0	-	427
	50	491	91.8	35	6.5	5	0.9	3	0.6	1	0.2	0	-	535
	60	517	94.3	25	4.6	3	0.5	1	0.2	1	0.2	1	0.2	548
	70	327	95.9	10	2.9	2	0.6	1	0.3	1	0.3	0	-	341
	80	91	98.9	0	-	1	1.1	0	-	0	-	0	-	92
	男女合計	2348	92.2	161	6.3	26	1.0	8	0.3	3	0.1	1	0.0	2547



A9. あなたの飲酒のために、あなた自身かほかの誰かがけがをしたことがありますか。

		ない		あるが、過去1年 間にはない		過去1年間にある		無回答		合計
		実数	%	実数	%	実数	%	実数	%	
男性	20	107	90.7	7	5.9	4	3.4	0	-	118
	30	163	96.4	6	3.6	0	-	0	-	169
	40	156	94.0	9	5.4	1	0.6	0	-	166
	50	243	96.4	5	2.0	4	1.6	0	-	252
	60	254	96.2	7	2.7	2	0.8	1	0.4	264
	70	168	96.0	6	3.4	1	0.6	0	-	175
	80	39	97.5	1	2.5	0	-	0	-	40
	男性合計	1130	95.4	41	3.5	12	1.0	1	0.1	1184
女性	20	109	99.1	0	-	1	0.9	0	-	110
	30	205	99.0	2	1.0	0	-	0	-	207
	40	258	98.9	2	0.8	1	0.4	0	-	261
	50	280	98.9	3	1.1	0	-	0	-	283
	60	284	100.0	0	-	0	-	0	-	284
	70	166	100.0	0	-	0	-	0	-	166
	80	52	100.0	0	-	0	-	0	-	52
	女性合計	1354	99.3	7	0.5	2	0.1	0	-	1363
総数	20	216	94.7	7	3.1	5	2.2	0	-	228
	30	368	97.9	8	2.1	0	-	0	-	376
	40	414	97.0	11	2.6	2	0.5	0	-	427
	50	523	97.8	8	1.5	4	0.7	0	-	535
	60	538	98.2	7	1.3	2	0.4	1	0.2	548
	70	334	97.9	6	1.8	1	0.3	0	-	341
	80	91	98.9	1	1.1	0	-	0	-	92
	男女合計	2484	97.5	48	1.9	14	0.5	1	0.0	2547

A10. 肉親や親戚、友人、医師、あるいは他の健康管理にたずさわる人が、あなたの飲酒について心配したり、飲酒量を減らすようにすすめたりしたことがありますか。

		ない		あるが、過去1年 間にはない		過去1年間にある		無回答		合計
		実数	%	実数	%	実数	%	実数	%	
男性	20	104	88.1	6	5.1	8	6.8	0	-	118
	30	142	84.0	11	6.5	15	8.9	1	0.6	169
	40	127	76.5	21	12.7	18	10.8	0	-	166
	50	181	71.8	27	10.7	44	17.5	0	-	252
	60	215	81.4	21	8.0	27	10.2	1	0.4	264
	70	147	84.0	13	7.4	14	8.0	1	0.6	175
	80	37	92.5	2	5.0	1	2.5	0	-	40
	男性合計	953	80.5	101	8.5	127	10.7	3	0.3	1184
女性	20	101	91.8	6	5.5	3	2.7	0	-	110
	30	194	93.7	6	2.9	6	2.9	1	0.5	207
	40	252	96.6	6	2.3	2	0.8	1	0.4	261
	50	273	96.5	5	1.8	5	1.8	0	-	283
	60	282	99.3	1	0.4	1	0.4	0	-	284
	70	165	99.4	0	-	1	0.6	0	-	166
	80	52	100.0	0	-	0	-	0	-	52
	女性合計	1319	96.8	24	1.8	18	1.3	2	0.1	1363
総数	20	205	89.9	12	5.3	11	4.8	0	-	228
	30	336	89.4	17	4.5	21	5.6	2	0.5	376
	40	379	88.8	27	6.3	20	4.7	1	0.2	427
	50	454	84.9	32	6.0	49	9.2	0	-	535
	60	497	90.7	22	4.0	28	5.1	1	0.2	548
	70	312	91.5	13	3.8	15	4.4	1	0.3	341
	80	89	96.7	2	2.2	1	1.1	0	-	92
	男女合計	2272	89.2	125	4.9	145	5.7	5	0.2	2547

C1. 次の中から、あなたが今までに経験したことがあるものをすべて選んでください。(複数回答)

		飲酒量を減らさね ければならないと 感じたことがある		他人があなたの 飲酒を非難する ので気にさわった ことがある		自分の飲酒につ いて、悪いとか申 しわけないと感じ たことがある		神経を落ち着か せたり、二日酔い を治すために「迎 え酒」をしたこと がある		どれも経験がな い		無回答		合計
		実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
男性	20	15	12.7	2	1.7	9	7.6	3	2.5	93	78.8	4	3.4	118
	30	24	14.2	1	0.6	7	4.1	3	1.8	138	81.7	1	0.6	169
	40	46	27.7	12	7.2	12	7.2	9	5.4	106	63.9	0	-	166
	50	71	28.2	9	3.6	20	7.9	10	4.0	162	64.3	2	0.8	252
	60	60	22.7	10	3.8	17	6.4	11	4.2	191	72.3	3	1.1	264
	70	39	22.3	10	5.7	12	6.9	8	4.6	130	74.3	2	1.1	175
	80	5	12.5	0	-	2	5.0	1	2.5	35	87.5	0	-	40
	男性合計	260	22.0	44	3.7	79	6.7	45	3.8	855	72.2	12	1.0	1184
女性	20	7	6.4	3	2.7	7	6.4	2	1.8	92	83.6	4	3.6	110
	30	10	4.8	4	1.9	8	3.9	1	0.5	187	90.3	1	0.5	207
	40	12	4.6	2	0.8	3	1.1	1	0.4	245	93.9	3	1.1	261
	50	12	4.2	1	0.4	3	1.1	0	-	265	93.6	6	2.1	283
	60	0	-	1	0.4	0	-	0	-	281	98.9	2	0.7	284
	70	5	3.0	2	1.2	2	1.2	1	0.6	158	95.2	2	1.2	166
	80	0	-	0	-	0	-	0	-	52	100.0	0	-	52
	女性合計	46	3.4	13	1.0	23	1.7	5	0.4	1280	93.9	18	1.3	1363
総数	20	22	9.6	5	2.2	16	7.0	5	2.2	185	81.1	8	3.5	228
	30	34	9.0	5	1.3	15	4.0	4	1.1	325	86.4	2	0.5	376
	40	58	13.6	14	3.3	15	3.5	10	2.3	351	82.2	3	0.7	427
	50	83	15.5	10	1.9	23	4.3	10	1.9	427	79.8	8	1.5	535
	60	60	10.9	11	2.0	17	3.1	11	2.0	472	86.1	5	0.9	548
	70	44	12.9	12	3.5	14	4.1	9	2.6	288	84.5	4	1.2	341
	80	5	5.4	0	-	2	2.2	1	1.1	87	94.6	0	-	92
	男女合計	306	12.0	57	2.2	102	4.0	50	2.0	2135	83.8	30	1.2	2547

K1. 酒が原因で、大切な人(家族や友人)との人間関係にひびが入ったことがある

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	4	3.4	114	96.6	0	-	118
	30	3	1.8	166	98.2	0	-	169
	40	12	7.2	154	92.8	0	-	166
	50	8	3.2	244	96.8	0	-	252
	60	11	4.2	252	95.5	1	0.4	264
	70	6	3.4	169	96.6	0	-	175
	80	0	-	40	100.0	0	-	40
男性合計		44	3.7	1139	96.2	1	0.1	1184
女性	20	4	3.6	106	96.4	0	-	110
	30	3	1.4	204	98.6	0	-	207
	40	5	1.9	255	97.7	1	0.4	261
	50	2	0.7	281	99.3	0	-	283
	60	0	-	284	100.0	0	-	284
	70	1	0.6	164	98.8	1	0.6	166
	80	0	-	52	100.0	0	-	52
女性合計		15	1.1	1346	98.8	2	0.1	1363
総数	20	8	3.5	220	96.5	0	-	228
	30	6	1.6	370	98.4	0	-	376
	40	17	4.0	409	95.8	1	0.2	427
	50	10	1.9	525	98.1	0	-	535
	60	11	2.0	536	97.8	1	0.2	548
	70	7	2.1	333	97.7	1	0.3	341
	80	0	-	92	100.0	0	-	92
男女合計		59	2.3	2485	97.6	3	0.1	2547

K2. せめて今日だけは酒を飲まないと思っても、つい飲んでしまうことが多い

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	17	14.4	101	85.6	0	-	118
	30	15	8.9	154	91.1	0	-	169
	40	30	18.1	136	81.9	0	-	166
	50	49	19.4	203	80.8	0	-	252
	60	50	18.9	213	80.7	1	0.4	264
	70	17	9.7	158	90.3	0	-	175
	80	2	5.0	38	95.0	0	-	40
男性合計		180	15.2	1003	84.7	1	0.1	1184
女性	20	4	3.6	106	96.4	0	-	110
	30	7	3.4	200	96.6	0	-	207
	40	9	3.4	251	96.2	1	0.4	261
	50	8	2.8	275	97.2	0	-	283
	60	2	0.7	282	99.3	0	-	284
	70	1	0.6	164	98.8	1	0.6	166
	80	0	-	52	100.0	0	-	52
女性合計		31	2.3	1330	97.6	2	0.1	1363
総数	20	21	9.2	207	90.8	0	-	228
	30	22	5.9	354	94.1	0	-	376
	40	39	9.1	387	90.6	1	0.2	427
	50	57	10.7	478	89.3	0	-	535
	60	52	9.5	495	90.3	1	0.2	548
	70	18	5.3	322	94.4	1	0.3	341
	80	2	2.2	90	97.8	0	-	92
男女合計		211	8.3	2333	91.6	3	0.1	2547

K3. 周囲の人(家族、友人、上役)から大酒のみと非難されたことがある

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	12	10.2	106	89.8	0	-	118
	30	11	6.5	158	93.5	0	-	169
	40	14	8.4	152	91.6	0	-	166
	50	19	7.5	233	92.5	0	-	252
	60	18	6.8	244	92.4	2	0.8	264
	70	11	6.3	164	93.7	0	-	175
	80	1	2.5	39	97.5	0	-	40
男性合計		86	7.3	1096	92.6	2	0.2	1184
女性	20	3	2.7	107	97.3	0	-	110
	30	9	4.3	198	95.7	0	-	207
	40	10	3.8	250	95.8	1	0.4	261
	50	0	-	282	99.6	1	0.4	283
	60	0	-	284	100.0	0	-	284
	70	0	-	165	99.4	1	0.6	166
	80	0	-	52	100.0	0	-	52
女性合計		22	1.6	1338	98.2	3	0.2	1363
総数	20	15	6.6	213	93.4	0	-	228
	30	20	5.3	356	94.7	0	-	376
	40	24	5.6	402	94.1	1	0.2	427
	50	19	3.6	515	96.3	1	0.2	535
	60	18	3.3	528	96.4	2	0.4	548
	70	11	3.2	329	96.5	1	0.3	341
	80	1	1.1	91	98.9	0	-	92
男女合計		108	4.2	2434	95.6	5	0.2	2547

K4. 適量でやめようと思っても、つい酔いつぶれるまで飲んでしまう

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	15	12.7	103	87.3	0	-	118
	30	4	2.4	165	97.6	0	-	169
	40	16	9.6	150	90.4	0	-	166
	50	14	5.6	237	94.0	1	0.4	252
	60	10	3.8	253	95.8	1	0.4	264
	70	6	3.4	169	96.6	0	-	175
	80	2	5.0	38	95.0	0	-	40
男性合計		67	5.7	1115	94.2	2	0.2	1184
女性	20	2	1.8	108	98.2	0	-	110
	30	4	1.9	203	98.1	0	-	207
	40	5	1.9	256	98.1	0	-	261
	50	2	0.7	281	99.3	0	-	283
	60	0	-	284	100.0	0	-	284
	70	0	-	165	99.4	1	0.6	166
	80	0	-	52	100.0	0	-	52
女性合計		13	1.0	1349	99.0	1	0.1	1363
総数	20	17	7.5	211	92.5	0	-	228
	30	8	2.1	368	97.9	0	-	376
	40	21	4.9	406	95.1	0	-	427
	50	16	3.0	518	96.8	1	0.2	535
	60	10	1.8	537	98.0	1	0.2	548
	70	6	1.8	334	97.9	1	0.3	341
	80	2	2.2	90	97.8	0	-	92
男女合計		80	3.1	2464	96.7	3	0.1	2547

K5. 酒を飲んだ翌朝に、前夜のことをとどころ思い出せないことがしばしばある

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	15	12.7	103	87.3	0	-	118
	30	11	6.5	158	93.5	0	-	169
	40	21	12.7	145	87.3	0	-	166
	50	20	7.9	232	92.1	0	-	252
	60	23	8.7	240	90.9	1	0.4	264
	70	10	5.7	164	93.7	1	0.6	175
	80	1	2.5	39	97.5	0	-	40
男性合計		101	8.5	1081	91.3	2	0.2	1184
女性	20	4	3.6	106	96.4	0	-	110
	30	7	3.4	200	96.6	0	-	207
	40	6	2.3	255	97.7	0	-	261
	50	7	2.5	276	97.5	0	-	283
	60	1	0.4	283	99.6	0	-	284
	70	2	1.2	163	98.2	1	0.6	166
	80	0	-	52	100.0	0	-	52
女性合計		27	2.0	1335	97.9	1	0.1	1363
総数	20	19	8.3	209	91.7	0	-	228
	30	18	4.8	358	95.2	0	-	376
	40	27	6.3	400	93.7	0	-	427
	50	27	5.0	508	95.0	0	-	535
	60	24	4.4	523	95.4	1	0.2	548
	70	12	3.5	327	95.9	2	0.6	341
	80	1	1.1	91	98.9	0	-	92
男女合計		128	5.0	2416	94.9	3	0.1	2547

K6. 休日には、ほとんどいつも朝から酒を飲む

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	2	1.7	116	98.3	0	-	118
	30	1	0.6	168	99.4	0	-	169
	40	3	1.8	163	98.2	0	-	166
	50	9	3.6	242	96.0	1	0.4	252
	60	8	3.0	255	96.6	1	0.4	264
	70	6	3.4	169	96.6	0	-	175
	80	0	-	40	100.0	0	-	40
男性合計		29	2.4	1153	97.4	2	0.2	1184
女性	20	1	0.9	109	99.1	0	-	110
	30	0	-	207	100.0	0	-	207
	40	0	-	261	100.0	0	-	261
	50	0	-	283	100.0	0	-	283
	60	0	-	284	100.0	0	-	284
	70	0	-	166	100.0	0	-	166
	80	0	-	52	100.0	0	-	52
女性合計		1	0.1	1362	99.9	0	-	1363
総数	20	3	1.3	225	98.7	0	-	228
	30	1	0.3	375	99.7	0	-	376
	40	3	0.7	424	99.3	0	-	427
	50	9	1.7	525	98.1	1	0.2	535
	60	8	1.5	539	98.4	1	0.2	548
	70	6	1.8	335	98.2	0	-	341
	80	0	-	92	100.0	0	-	92
男女合計		30	1.2	2515	98.7	2	0.1	2547

K7. 二日酔いで仕事を休んだり、大事な約束を守らなかったりしたことが時々ある

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	6	5.1	112	94.9	0	-	118
	30	5	3.0	164	97.0	0	-	169
	40	6	3.6	160	96.4	0	-	166
	50	8	3.2	244	96.8	0	-	252
	60	5	1.9	258	97.7	1	0.4	264
	70	5	2.9	170	97.1	0	-	175
	80	0	-	40	100.0	0	-	40
男性合計		35	3.0	1148	97.0	1	0.1	1184
女性	20	1	0.9	109	99.1	0	-	110
	30	3	1.4	204	98.6	0	-	207
	40	2	0.8	259	99.2	0	-	261
	50	0	-	282	99.6	1	0.4	283
	60	0	-	284	100.0	0	-	284
	70	0	-	166	100.0	0	-	166
	80	0	-	52	100.0	0	-	52
女性合計		6	0.4	1356	99.5	1	0.1	1363
総数	20	7	3.1	221	96.9	0	-	228
	30	8	2.1	368	97.9	0	-	376
	40	8	1.9	419	98.1	0	-	427
	50	8	1.5	526	98.3	1	0.2	535
	60	5	0.9	542	98.9	1	0.2	548
	70	5	1.5	336	98.5	0	-	341
	80	0	-	92	100.0	0	-	92
男女合計		41	1.6	2504	98.3	2	0.1	2547

K8. 糖尿病、肝臓病、または心臓病と診断されたり、その治療を受けたことがある

		はい		いいえ		無回答		合計
		実数	%	実数	%	実数	%	
男性	20	1	0.8	117	99.2	0	-	118
	30	6	3.6	163	96.4	0	-	169
	40	14	8.4	152	91.6	0	-	166
	50	28	11.1	224	88.9	0	-	252
	60	46	17.4	217	82.2	1	0.4	264
	70	33	18.9	142	81.1	0	-	175
	80	7	17.5	33	82.5	0	-	40
男性合計		135	11.4	1048	88.5	1	0.1	1184
女性	20	2	1.8	108	98.2	0	-	110
	30	1	0.5	205	99.0	1	0.5	207
	40	6	2.3	255	97.7	0	-	261
	50	7	2.5	276	97.5	0	-	283
	60	22	7.7	262	92.3	0	-	284
	70	18	10.8	148	89.2	0	-	166
	80	4	7.7	48	92.3	0	-	52
女性合計		60	4.4	1302	95.5	1	0.1	1363
総数	20	3	1.3	225	98.7	0	-	228
	30	7	1.9	368	97.9	1	0.3	376
	40	20	4.7	407	95.3	0	-	427
	50	35	6.5	500	93.5	0	-	535
	60	68	12.4	479	87.4	1	0.2	548
	70	51	15.0	290	85.0	0	-	341
	80	11	12.0	81	88.0	0	-	92
男女合計		195	7.7	2350	92.3	2	0.1	2547