

- T-cell epitopes in retroviral vector-packaging sequences. *Gene Therapy*. 12:252-258. 2005.
10. Nakai K., Kanda Y., Fukuhara S., Sakamaki H., Okamoto S., Kodera Y., Tanosaki R., Takahashi S., Matsushima T., Atsuta Y., Hamajima N., Kasai M. and Kato S. : Value of chemotherapy before allogeneic hematopoietic stem cell transplantation from an HLA-identical sibling donor for myelodysplastic syndrome. *Leukemia*. 19:396-401. 2005.
11. Mori T, Mori S, KandaY,Yakushiji K, Mineishi S, Takaue Y, Gondo H, Harada M, Sakamaki H, Yajima T, Iwao Y, Hibi T, Okamoto S : Clinical significance of cytomegalovirus(CMV) antigenemia in the prediction and diagnosis of CMV gastrointestinal disease after allogeneic hematopoietic stem cell transplantation. *Bone Marrow Transplant* 33 : 431-434,2004
12. Kozuka T, Ikeda K, Teshima T, Yoshida C, Shinagawa K, Kojima K, Matsuo K, Bessho A, Sunami K, Hiramatsu Y, Maeda Y, Noguchi T, Yamamoto K, Fujii N, Imai T, Kusumoto-Kaneda K, Masuda K, Takenaka K, Ishimaru F, Niiya K, Koide N, Tanimoto M, Harada M : Peripheral blood circulating immature cell counts predict CD34+ cell yields in G-CSF-induced PBPC mobilization in healthy donors. *Transfusion* 44 : 526-532,2004
13. Otsuka J, Horiuchi T, Yoshizawa S, Tsukamoto H, Sawabe T, Kikuchi Y, Himeji D, Kayama T, Mitoma H, Watanabe T, Harada M : Association of four-amino acid residue insertion polymorphism of the HS1 gene with systemic lupus erythematosus. *Molecular and functional analysis*. *Arthritis and Rheumatism* 50 : 871-881,2004
14. Kunisaki Y, Masuko S, Noda M, Inayoshi A, Sanui T, Harada M, Sasazuki T, Fukui Y, : Defective fetal liver erythropoiesis and T lymphopoiesis in mice lacking the phosphatidylserine receptor. *Blood* 103 : 3362-3364,2004
15. Kuma F, Maruyama T, Ito H, Kaji Y, Harada M, : Extracellular potassium dependent negative dromotropic action of Nicorandil in guinea pig myocardium. *Fukuoka Acta Medica* 95 : 98-106,2004
16. Mitsugi K, Nakamura T, Kashiwabara N, Ariyama H, Tanaka R, Baba E, Nakamura M, Harada M, Nakano S : Protection against methotrexate toxicity by a soybean-protein-and  $\omega$ -3 fatty acid containing diet : Comparative study with a casein-containing diet. *Oncology Reports* 12 : 41-45,2004
17. Karube K, Oshima K, Tsuchiya T, Yamaguchi T, Kawano R, Suzuyama J, Utsunomiya A, Harada M, Kikuchi M : Expression of FoxP3, a key molecule in

- CD4<sup>+</sup>CD5<sup>+</sup> regulatory T cells, in adult T-cell leukaemia/lymphoma cells.Br J Haematol 126 : 81-84,2004
18. Fujishima H, Kikuchi I, Miyanaga O, Ueda A, Baba E, Mitsugi K, Harada M, Nakano S : Phase I study of CPT-11 and bolus 5-FU/l-leucovorin in patients with metastatic colorectal cancer.Int J Clin Oncol 9 : 92-97,2004
19. Ogawa H, Ikegami K, Kawakami M, Takahashi S, Sakamaki H, Karasuno T, Sao H, Kodera Y, Hirabayashi N, Okamoto S, Harada M, Iwato K, Maruta A, Tanimoto M, Kawa K, Japan Society for Hematopoietic Cell Transplantation : Impact of cytogenetics on outcome of stem cell transplantation for acute myeloid leukemia in first remission : A Large-Scale retrospective analysis of data from the Japan Society for Hematopoietic Cell Transplantation.Int J Hematol 79 : 495-500,2004
20. Haro T, Shimoda K, Kakumitsu H, Kamezaki K, Numata A, Ishikawa F, Sekine Y, Muromoto R, Matsuda T, Harada M : Tyrosine kinase 2 interacts with and phosphorylates receptor for activated C kinase-1, a WD motif-containing protein. J Immunol 173 : 1151-1157,2004
21. Kamezaki K, Shimoda K, Numata A, Matsuda T, Nakayama K-I, Harada M : The role of Tyk2, Stat1 and Stat4 in LPS-induced endotoxin signals. International Immunology 16 : 1173-1179,2004
22. Horiuchi T, Tsukamoto H, Mitoma H, Miyagawa H, Tanimoto Y, Yoshizawa S, Harada M, Hayashi K, Hashimura C, Oribe M, Okamura S : Novel mutations in TNFRSFIA in patients with typical tumor necrosis factor receptor-associated periodic syndrome and with systemic lupus erythematosus in Japanese. Int J Mol Med 14 : 813-818,2004
23. Kobayashi S, Ueno T, Kato K, Nose Y, Harada M : Peer-to-Peer communication system for sharing electronic medical records. J Information Technology in Health Care 2 : 2004
24. Nagafuji K, Aoki K, Henzan H, Kato K, Miyamoto T, Eto T, Nagatoshi Y, Ohba T, Obama K, Gondo H, Harada M : Cidofovir for treating adenoviral hemorrhagic cystitis in hematopoietic stem cell transplant recipients. Bone Marrow Transplant 34:909-914,2004
25. Ohtsubo K, Takase K, Nagafuji K, Henzan K, Henzan H, Tanimoto T, Fukuda T, Miyamoto T, Inaba S, Harada M : Nonmyeloablative allogeneic bone marrow transplantation for treatment of myelodysplastic syndrome complicated by recent intracerebral hemorrhage.Am J Hematol 77 : 400-404,2004
26. Ishikawa F, Yasukawa M, Yoshida S, Nakamura K, Nagatoshi Y, Kanemaru T, Shimoda K, Shimoda S, Miyamoto T, Okamura J, Shultz LD, Harada M : Human

- cord blood-and bone marrow-derived CD34<sup>+</sup> cells regenerate gastrointestinal epithelial cells. *FASEB J.* 18(15) : 1958-1960,2004
27. Hiraki A, Fujii N, Murakami T, Kiura K, Aoe K, Yamane H, Masuda K, Maeda T, Sugi K, Darzynkiewicz Z, Tanimoto M, Harada M : High frequency of allele-specific down-regulation of HLA class I expression in lung cancer cell line. *Anticancer Res* 24 : 1525-1528,2004
28. Ogawa Y, Ouchida M, Yoshimoto T, Ito S, Takimoto H, Shiote Y, Ishimaru F, Harada M, Tanimoto M, Shimizu K : Prevalent hyper-methylation of the CDH13 gene promotor in malignant B cell lymphoma. *Int J Oncol* 25: 685-691,2004
29. Gondo H, Himeji D, Kamezaki K, Numata A, Tanimoto T, Takase K, Aoki K, Henzan H, Nagafuji K, Miyamoto T, Ishikawa F, Shimoda K, Inaba S, Tsukamoto H, Horiuchi T, Nakashima H, Otsuka T, Kato K, Kuroiwa M, Higuchi M, Shibuya T, Kamimura T, Kuzushima K, Tsurumi T, Kanda Y, Harada M : Reconstitution of HLA-A\*2402-restricted cytomegalovirus-specific T-cells following stem cell transplantation. *Int J Hematol* 80 : 441-448,2004
30. Fujii K, Ishimaru F, Kozuka T, Matsuo K, Nakase K, Kataoka I, Tabayashi T, Shinagawa K, Ikeda K, Harada M, Tanimoto M, Elevation of serum hepatocyte growth factor during granulocyte colony-stimulating factor-induced peripheral blood stem cell mobilization. *Br J Haematol* 124(2):190-194,2004
31. Kozuka T, Ikeda K, Teshima T, Yoshida C, Shinagawa K, Kojima K, Matsuo K, Bessho A, Sunami K, Hiramatsu Y, Maeda Y, Noguchi T, Yamamoto K, Fujii N, Imai T, Kusumoto KK, Masuda K, Takenaka K, Ishimaru F, Niiya K, Koide N, Tanimoto M, Harada M. Peripheral blood circulating immature cell counts predict CD34<sup>+</sup> cell yields in G-CSF-induced PBPC mobilization in healthy donors. *Transfusion* 44(4):526-532,2004
32. Tanaka M, Yamada M, Ono T, Noguchi Y, Uenaka A, Ota S, Hata H, Harada M, Tanimoto M, Nakayama E. Inhibition of RL male 1 tumor growth in BALB/c mice by introduction of the RLakt gene coding for antigen recognized by cytotoxic T-lymphocytes and the GM-CSF gene by in vivo electroporation. *Cancer Sci* 95(2):154-159, 2004
33. Kojima K, Sakai I, Hasegawa A, Niiya H, Azuma T, Matsuo Y, Fujii N, Tanimoto M, Fujita S. FLJ10849, a septin family gene, fuses MLL in a novel leukemia cell line CNLBC1 derived from chronic neutrophilic leukemia in

- transformation with t(4;11)(q21;q23). Leukemia 18(5): 998-1005, 2004
34. Asaumi N, Niiya K, Yoshida C, Shibakura M, Niiya M, Tanimoto M. Complete remission of cyclic thrombocytopenia after Helicobacter pylori eradication. Blood Coagul Fibrinolysis 15(5):439-440, 2004
35. Hiraki A, Fujii N, (Murakami T), Kiura K, Aoe K, Yamane H, Masuda K, Maeda T, Sugi K, Darzynkiewicz Z, Tanimoto M, Harada M. High frequency of allele-specific down-regulation of HLA class I expression in lung cancer cell lines. Anticancer Res 24(3a):1525-1528, 2004
36. Ogama Y, Ouchida M, Yoshino T, Ito S, Takimoto H, Shiote Y, Ishimaru F, Harada M, Tanimoto M, Shimizu K. Prevalent hyper-methylation of the CDH13 gene promoter in malignant B cell lymphomas. Int J Oncol 25(3):685-691, 2004
37. Niiya M, Niiya K, Shibakura M, Asaumi N, Yoshida C, Shinagawa K, Teshima T, Ishimaru F, Ikeda K, Tanimoto M. Involvement of ERK1/2 and p38 MAP kinase in doxorubicin-induced uPA expression in human RC-K8 lymphoma and NCI-H69 small cell lung carcinoma cells. Oncology 67(3-4):310-319, 2004
38. Kondo E, Akatsuka Y, Nawa A, Kuzushima K, Tsujimura K, Tanimoto M, Kodera Y, Morishima Y, Kuzuya K, Takahashi T. Retroviral vector backbone immunogenicity: identification of cytotoxic T-cell epitopes in retroviral vector-packaging sequences. Gene Ther. 12(1):252-258, 2005
39. Hashimoto D, Asakura S, Miyake S, Yamamura T, Van KL, Liu C, Tanimoto M, Teshima T. Stimulation of Host NKT Cells by Synthetic Glycolipid Regulates Acute Graft-versus-Host Disease by Inducing Th2 Polarization of Donor T Cells. J Immunol 174(1):551-556, 2005
40. Yanada M., Emi N., Naoe T., Sakamaki H., Takahashi S., Hirabayashi N., Hiraoka A., Kanda Y., Tanosaki R., Okamoto S., Iwata K., Atsuta Y., Hamajima N., Tanimoto M., Kato S. : Graft -versus-host disease : Tacrolimus instead of cyclosporine used for prophylaxis against graft-versus-host disease improves outcome after hematopoietic stem cell transplantation from unrelated donors, but not from HLA-identical sibling donors: a nationwide survey conducted in Japan. Bone Marrow Transplantation 34 : 331-337, 2004.
41. Ogawa H., Ikegami K., Kawakami M., Takahashi S., Sakamaki H., Karasuno T., Sao H., Kodera Y., Hirabayashi N., Okamoto S., Harada M., Iwata K., Murata A., Tanimoto M., Kawa K. on behalf of the Japan Society for Hematopoietic Cell

- Transplantation. : Impact of cytogenetics on outcome of stem cell transplantation for acute myeloid leukemia in first remission: a large-scale retrospective analysis of data from the Japan Society for Hematopoietic Cell Transplantation. International Journal of Hematology 79 : 495-500, 2004.
42. Oh H., Loberiza FR., Zhang M., Ringden O., Akiyama H., Asai T., Miyawaki S., Okamoto S., Horowitz MM., Antin JH., Bashey A., Bird JM., Carabasi MH., Fay JW., Gale RP., Giller RH., Goldman JM., Hale GA., Harris RE., Henslee-Downey J., Kolb HJ., Litzow MR., McCarthy PL., Neudorf SM., Sema DS., Socie G., Tiberghien P., Barrett J. : Comparison of graft-versus-host-disease and survival after HLA-identical sibling bone marrow transplantation in ethnic populations. Blood 105 (4) : 1408-1416, 2005.
43. Ichinohe T, Uchiyama T, Shimazaki C, Matsuo K, Tamaki S, Hino M, Watanabe A, Hamaguchi M, Adachi S, Gondo H, Uoshima N, Yoshihara T, Hatanaka K, Fujii H, Kawa K, Kawanishi K, Oka K, Kimura H, Itoh M, Inukai T, Maruya E, Saji H, Kodera Y: Feasibility of HLA-haploididentical hematopoietic stem cell transplantation between non-inherited maternal antigen (NIMA)-mismatched family members linked with long-term fetomaternal microchimerism. Blood 2004;104:3821 -3828.
44. Muta T, Kamo M, Gondo H, Kato K, Eto T, Shibuya T, Fukuda T, Miyamoto T, Nagafuji K, Ichinohe T, Harada M.: Human herpesvirus-6 encephalitis followed by severe acute GVHD after a stem cell transplant from a microchimeric non-inherited maternal antigen (NIMA)-mismatched sibling. Bone Marrow Transplant 2005;35:411-413.
45. Ichinohe T, Maruya E, Tamaki S, Kodera Y, Uchiyama T, Saji H.: NIMA and NIPA in haploididentical related transplantation: The Kyoto Experience. In: Hansen JA, Dupont B, eds. HLA 2004-Immunobiology of the human MHC: Proceedings of the 13 th International Histocompatibility Workshop and Congress. Vol.2. Seattle: IHWG press (in press).
46. Saji H, Maruya E, Ichinohe T, Tamaki S, Watanabe A, Ogawa H : Long-term fetomaternal microchimerism, an indicator of HLA haploididentical/mismatched donation. In: Hansen JA, Dupont B, eds. HLA 2004-Immunobiology of the human MHC: Proceedings of the 13 th International Histocompatibility Workshop and Congress. Vol.2. Seattle: IHWG press (in press).
47. Yamasaki S, and Taniguchi S et al. Allogeneic peripheral blood stem cell transplantation from two-or three -loci-mismatched related donors in adult Japanese patients with high-risk hematologic malignancies. Bone Marrow

- Transplant 33:279-289, 2004.
- 2005;8:12-17.
48. Yanada M, Terakura S, Yokozawa T, Yamamoto K, et al. Multiplex real-time RT-PCR for prospective evaluation of WT1 and fusion gene transcripts in newly diagnosed de novo acute myeloid leukemia. Leuk Lymphoma. 2004;45:1803-1808.
  49. Niwa Y, Hamajima N, Atsuta Y, Yamamoto K, Tamakoshi A, Saito T, Hirose K, Nakanishi T, Nawa A, Kuzuya K, Tajima K. Genetic polymorphisms of p73 G4C14-to-A4T14 at exon 2 and p53 Arg72Pro and the risk of cervical cancer in Japanese Cancer Lett. 2004;205:55-60.
  50. Hamajima N, Atsuta Y, Niwa Y, Nishio K, Tanaka D, Yamamoto K, Tamakoshi A. Precise definition of anonymization in genetic polymorphism studies. Asian Pac J Cancer Prev. 2004;5:83-88.
  51. Nishio K, Tanaka D, Atsuta Y, Yamamoto K, Tamakoshi A, Nakamura S, Sekido Y, Niwa T, Hamajima N. Genotype announcement in a genetic polymorphism study for health checkup examinees at Nagoya University Hospital. Nagoya J Med Sci. 2004;67:45-49.
  52. Goto Y, Hamajima N, Honda H, Matsuo K, Yamamoto K, Tamakoshi A, Ando T, Goto H. Association between Helicobacter pylori seropositivity and NAD(P)H:quinone oxidoreductase 1 (NQO1) C609T polymorphism observed in outpatients and health checkup examinees. Gastric Cancer.
  53. Yasuda,S., Atsumi,T., Ieko,M., Matsuura,E., Kobayashi,K., Inagaki,J., Kato,H., Tanaka,H., Yamakado,M., Akino,M., Saitou,H., Amasaki,Y., Jodo,S., Amengual,O., Koike,T.: Nicked  $\beta$ -glycoprotein I: a marker of cerebral infarct and a novel role in the negative feedback pathway of extrinsic fibrinolysis. Blood. 103:10. 3766-3772.2004
  54. Yamamoto,S., Tsuji,T., Matsuzaki,J., Zhange,Y., Chamoto,K., Kosaka,A., Togashi,Y., Sekikawa,K., Sawada,K., Takeshima,T. Koike,T., Nishimura,T.: Unexpected role of TNF- $\alpha$  in graft versus host reaction (GVHR): donor-derived TNF- $\alpha$  suppresses GVHR via inhibition of IFN- $\gamma$ -dependent donor type-1 immunity. Int Immunol. 16: 811-817. 2004
  55. Endo,T., Mogi,Y., Koizumi,K., Nishio,M., Fujimoto,K., Sakai,T., Kumano,K., Obara,M., Ikeda,H., Koike,T.: Peripheral blood stem cell mobilization following plus rituximab therapy combined with G-CSF in patients with B-cell non-Hodgkin's lymphoma. Bone Marrow Transpl. 33.703-707. 2004
  56. Yasuda,S., Ogura,N., Horita,T., Yasuda,I., Hio ka,T., Kondo,N., Fujisaku,A. Abacterial prostatitis and primary biliary cirrhosis with Sjogren's syndrome. Mod Rheumatol 14:70-72.2004
  57. Das,H., Atsumi,T., Fukushima,Y.,

- Shibuya,H., Ito,K., Yamada,Y., Amasaki,Y., Ichikawa,K., Amengual,O., Koike,T.: Diagnostic value of antiagalactosyl IgG antibodies in rheumatoid arthritis. *Clin Rheumatol* 23:218-222.2004
58. Ieko,M., Tarumi,T., Takeda,M., Nito,S., Nakabayashi,T., Koike,T.: Synthetic selective inhibitors of coagulation factor Xa strongly inhibit thrombin generation without affecting initial thrombin forming time necessary for platelet activation in hemostasis. *J Thromb Haemost* 2: 612-622.2004
59. Amengual,O., Atsumi.T., Koike,T.: Antiprothrombin antibodies and the diagnosis of antiphospholipid syndrome. *Clin Immunol* 112: 144-149.2004
60. Yang,L., Hakoda.M., Iwabuchi.K., Takeda.T., Koike.T., Kamatani.N., Takada.K.: Rheumatoid Factors Induce Signaling from B cells, leading to Epstein-barr virus and B-cell activation. *J Virol* 78:18. 9918-9923.2004
61. Kataoka,H., Koike,T. :Lupus mortality in Japan. *Autoimmun Rev* 3: 421- 422.2004
62. Xiao,S., Deshmukh,S.U., Jodo,S., Koike,T., Sharma,R., Furusaki,A., Sung,J.S., Ju, Shyr-Tu : Novel negative regulator of expression in Fas Ligand(CD178)Cytoplasmic tail: Evidence for Translational Regulation and against Fas Ligand Retention in secretory lysosomes. *J Immunol* 173: 5095-5102.2004
63. Yasuda,S., Atsumi,T., Ieko,M., Koike,T.:  $\beta$  2-glycoprotein I,anti-  $\beta$  2-glycoprotein I, and fibrinolysis. *Thromb Res* 114: 461-465.2004
64. Astumi,T., Amengual,O., Yasuda,S., Koike,T. : Antiprothrombin antibodies-are they worth assaying? *Thromb Res* 114: 533-538.2004
65. Hashimoto,S., Ogawa,Y., Ishida,T., Mochizuki,T., Koike,T., Sato,H., Ueda,T.: Steroid-sensitive nephrotic syndrome associated with positive C1q immunofluorescence. *Clin Exp Nephrol* 8: 266- 269.2004
66. Bohgaki,M., Atsumi,T., Yamashita,Y., Yasuda,S., Sakai,Y., Furusaki,A., Bohgaki,T., Amengual,O., Amasaki,Y., Koike,T.: The p38 mitogen-activated protein kinase(MAPK)pathway mediates induction of the tissue factor gene in monocytes stimulated with human monoclonal anti-  $\beta$  2Glycoprotein I antibodies. *Int Immunol* 16:11. 1633- 1641.2004
67. Yasuda S, Atsumi T, Matsuura E, Kaihara K, Yamamoto D, Ichikawa K, Koike T. Significance of valine/leucine<sup>247</sup> polymorphism of 2-glycoprotein I in antiphospholipid syndrome: increased reactivity of anti-  $\beta$  2-glycoprotein I autoantibodies to the valine<sup>247</sup>  $\beta$  2-glycoprotein I variant. *Arthritis Rheum* 52:1.212-218.2004
68. Sugiura-ogasawara.M., Atsumi,T., Ozaki,Y.,

- Koike,T.,
- Suzumori,K.:Phosphatidylserine-dependent antiprothrombin antibodies are not useful markers for high-risk woman with recurrent miscarriages.*Fertil Steril* 82:51440-1442,2004.
69. 伊藤仁也 活性化リンパ球輸注療法: 今日の移植 17(1)P89-98 ,2004
70. 伊藤仁也 活性化 T 細胞の造血細胞移植への臨床応用 医薬ジャーナル社 「血液成分治療」 P145-161,2004
71. Watanabe N, Kamachi Y, Koyama N, Hama A, Liang J, Nakamura Y, Yamamoto T, Isomura M, Kudo K, Kuzushima K, Kojima S. Expansion of human CMV-specific cytotoxic T lymphocytes to a clinical scale: a simple culture system using tetrameric HLA-peptide complexes. *Cytotherapy* 6: 514-522, 2004
72. Torikai H, Akatsuka Y, Miyazaki M, Warren EH 3rd, Oba T, Tsujimura K, Motoyoshi K, Morishima Y, Kodera Y, Kuzushima K, Takahashi T. A novel HLA-A\*3303-restricted minor histocompatibility antigen encoded by an unconventional open reading frame of human TMSB4Y gene. *J Immunol.* 173:7046-54, 2004.
73. Kondo E, Akatsuka Y, Nawa A, Kuzushima K, Tsujimura K, Tanimoto M, Kodera Y, Morishima Y, Kuzuya K, Takahashi T. Retroviral vector backbone immunogenicity: identification of cytotoxic T-cell epitopes in retroviral vector-packaging sequences. *Gene Ther.* 12: 252-258, 2005.
74. Ishida T, Iida S, Akatsuka Y, Ishii T, Miyazaki M, Komatsu H, Inagaki H, Okada N, Fujita T, Shitara K, Akinaga S, Takahashi T, Utsunomiya A, Ueda R. The CC chemokine receptor 4 as a novel specific molecular target for immunotherapy in adult T-Cell leukemia/lymphoma. *Clin Cancer Res.* 10: 7529-39, 2004.
75. Tomita M, Yamada H, Adachi Y, Cui Y, Yamada E, Higuchi A, Minamino K, Suzuki Y, Matsumura M, and Ikehara S: Choroidal neovascularization is provided by bone marrow cells. *Stem Cells* 22: 21, 2004.
76. Nakamura K, Inaba M, Sugiura K, Yoshimura T, Kwon A-Hon, Kamiyama Y, and Ikehara S: Enhancement of allogeneic hematopoietic stem cell engraftment and prevention of graft-versus-host diseases (GvHD) by intra-bone marrow-bone marrow transplantation plus donor lymphocyte infusion. *Stem Cells* 22: 125, 2004.
77. Fan T-X, Hisha H, Jin T-N, Sugiura K, Inaba M, Yang G-X, Li Q, Wang X-L, Song C-Y, Cui Y-Z, Li Q, Zhang Y, Zhange X-G, Fan H-X and Ikehara S: Induction of tolerance in quadruple chimeric mice. *Stem Cells* 22:683, 2004.
78. Zhang Y, Adachi Y, Suzuki Y, Minamino K, Iwasaki M, Kusafuka K, Hisha H, Song

- C-Y, Nakano K, Koh E, and Ikehara S: Simultaneous injection of bone marrow cells and stromal cells into bone marrow accelerates hematopoiesis *in vivo*. Stem Cells 22: 1256, 2004.
79. Kaneda H, Adachi Y, Saito Y, Ikebukuro K, Machida H, Suzuki Y, Minamino K, Zhang Y, Iwasaki M, Imamura H, and Ikehara S: Long-term observation after simultaneous lung and intra-bone marrow-bone marrow transplantation. J. Heart Lung Transpl. In press.
80. Minamino K, Adachi Y, Okigaki M, Ito H, Togawa Y, Fujita K, Tomita M, Suzuki Y, Zhang Y, Iwasaki M, Koike Y, Matsubara H, Iwasaka T, Matsumura M, and Ikehara S: Macrophage colony-stimulating factor (M-CSF) as well as granulocyte colony-stimulating factor (G-CSF) accelerates neoangiogenesis. Stem Cells 23: 347, 2005.
81. Taira M, Inaba M, Takada K, Baba S, Fukui J, Ueda Y, Kwoh A-H, Hisha H, Kamiyama Y, and Ikehara S: Treatment of streptozotocin-induced diabetes mellitus in rats by transplantation of islet cells from two MHC-disparate rats in combination with intra-bone marrow injection of allogeneic bone marrow cells. Transplantation. 79(6): 680-687, 2005.
82. Suzuki Y, Adachi Y, Minamino K, Zhang Y, Iwasaki M, Nakano K, Koike Y, and Ikehara S: A new strategy for treatment of malignant tumor: Intra-bone marrow-bone marrow transplantation plus CD4- donor lymphocyte infusion. Stem Cells 23: 365, 2005.
83. Iwasaki M, Adachi Y, Minamino K, Suzuki Y, Zhang Y, Okigaki M, Nakano K, Taketani S, Takahashi H, Iwasaka T, and Ikehara S: Mobilization of bone marrow cells by G-CSF rescues mice from cisplatin-induced renal failure, and MCSF enhances the effects of G-CSF. J. Am. Soc. Nephrol. 16(3): 658-666, 2005.
84. Tomonari A, Iseki T, Takahashi S, Ooi J, Yamada T, Takasugi K, Nagamura F, Uchimaru K, Tojo A, Asano S: Ganciclovir-related neutropenia after preemptive therapy for cytomegalovirus infection: comparison between cord blood and bone marrow transplantation. Ann Hematol. 83: 573-7, 2004.
85. Tomonari A, Takahashi S, Iseki T, Ooi J, Yamada T, Takasugi K, Shimohakamada Y, Ohno N, Nagamura F, Uchimaru K, Tani K, Tojo A, Asano S: Herpes simplex virus infection in adult patients after unrelated cord blood transplantation: a single institute experience in Japan. Bone marrow transplant, 33: 259-270, 2004.
86. Li S, Morishima Y: Association of polymorphic MHC microsatellites with GVHD, survival, and leukemia relapse in unrelated hematopoietic stem cell transplant donor/recipient pairs matched at

- five HLA loci. *Tissue Antigens*.2004 Apr;63(4):362-8
87. Morishima Y. Efficacy and Safety of Imatinib Mesylate for Patients in the First Chronic Phase of Chronic Myeloid Leukemia: Results of a Japanese Phase II Clinical Study. *Intern J Hematol.* 80:261-266,2004
88. Ogura M, Morishima Y. Durable Response but Prolonged Cytopenia after Cladribine Treatment in Relapsed Patients with Indolent non-Hodgkin's Lymphomas: Results of a Japanese Phase II Study. *Intern J Hematol.* 80:267-277,2004.
89. Tagawa H, Morishima Y. Genome-wide array-based comparative genomic hybridization of diffuse large B-cell lymphoma: comparison between CD5-positive and CD5-negative cases. *Cancer Res*.2004 Sep 1;64(17):5948-55
90. Qi X, Tang J, Pramanik R, Schultz RM, Shirasawa S, Sasazuki T, Han J, Chen G. p38 MAPK activation selectively induces cell death in K-ras mutated human colon cancer cells through regulation of vitamin D receptor. *J Biol Chem*. 279(21):22138-22144, 2004.
91. Kunisaki Y, Masuko S, Noda M, Inayoshi A, Sanui T, Harada M, Sasazuki T, Fukui Y. Defective fetal liver erythropoiesis and T-lymphopoiesis in mice lacking phosphatidylserine receptor. *Blood*. 103(9):3362-3364, 2004.
92. Shirasawa S, Sugiyama S, Baba I, Inokuchi J, Sekine S, Ogino K, Kawamura Y, Dohi T, Fujimoto M, Sasazuki T. Dermatitis due to epiregulin deficiency and a critical role of epiregulin in immune-related responses of keratinocyte and macrophage. *Proc. Natl Acad. Sci USA* , 101:13921-13926, 2004
93. Shirasawa S, Harada H, Furugaki K, Akamizu T, Ishikawa N, Ito K, Ito K, Tamai H, Kuma K, Kubota S, Hiratani H, Tsuchiya T, Baba I, Ishikawa M, Tanaka M, Sakai K, Aoki M, Yamamoto K, Sasazuki T. SNPs in the promoter of a B cell-specific antisense transcript, *SAS-ZFAT*, determine susceptibility to autoimmune thyroid disease. *Hum. Mol. Genet.*, 13: 2221-2231, 2004
94. Kunisaki Y, Masuko S, Noda M, Inayoshi A, Sanui T, Harada M, Sasazuki T, Fukui Y. Defective fetal liver erythropoiesis and T-lymphopoiesis in mice lacking phosphatidylserine receptor. *Blood*, 103:3362-4, 2004
95. Hui J, Oka A, Tomizawa M, Tay GK, Kulski JK, Penhale WJ, Isachi SPA, Tamiya G, Inoko H: Identification of two new C4 alleles by DNA sequencing and evidence for a historical recombination of serologically defined C4A and C4B alleles. *Tissue Antigen* 63: 263-269, 2004.
96. Koishi S, Yamazaki K, Yamamoto K, Koishi S, Enseki Y, Nakamura Y, Oya A, Yasueda M, Asakura A, Aoki Y, Atsumi M,

- Inomata J, Inoko H, Matsumoto: Notch4 gene polymorphisms are not associated with autism in Japanese population. Am J Med Genet 125B: 61-62, 2004.
97. Mano S, Yasuda N, Katoh T, Tounai K, Inoko H, Imanishi T, Tamiya G, Gojobori T: Notes on the maximum likelihood estimation of haplotype frequencies. Annals of Human Genetics 68: 257–264, 2004.
98. Farjadian S, Naruse T, Kawata H, Ghaderi A, Bahram S, Inoko H. Molecular analysis of HLA allele frequencies and haplotypes in Baloch of Iran compared with related populations of Pakistan. Tissue Antigens 64: 581 – 587, 2004.
99. Miyashita R, Tsuchiya N, Hikami K, Kuroki K, Fukazawa T, Bijl M, Kallenberg CG, Hashimoto H, Yabe T, Tokunaga K. : Molecular genetic analysis of human NKG2C (KLRC2) gene deletion. Int Immunol. 16(1):163-168.2004.
1. 学会発表
- 鳥飼宏樹、赤塚美樹、大庭 拓、元吉和夫、森島泰雄、小寺良尚、高橋利忠：TMSB4Y5' 非翻訳領域にコードされる新規マイナー組織適合抗原の同定 第66回日本血液学会総会・第46回日本臨床血液学会総会 京都 2004.9.
  - 寺倉精太郎、村田 誠、西田徹也、恵美宣彦、赤塚美樹、森島泰雄、高久史麿、小寺良尚、直江知樹：同種骨髄移植におけるUGT2B17遺伝子欠損の影響 第66回日本血液学会総会・第46回日本臨床血液学会総会 京都 2004.9.
  - 辻村朱音、鍬塚八千代、徳永正浩、稻本賢弘、大庭 拓、笠井雅信、宮村耕一、小寺良尚:同種移植前処置におけるサイクロフォスファマイドの心毒性～当院における後方視的解析～ 第66回日本血液学会総会・第46回日本臨床血液学会総会 京都 2004.9.
  - 鍬塚八千代、辻村朱音、徳永正浩、稻本賢弘、大庭 拓、笠井雅信、宮村耕一、小寺良尚：低用量 Melphalan + Fludarabine を用いた同種造血幹細胞移植 3例の経験 第66回日本血液学会総会・第46回日本臨床血液学会総会 京都 2004.9.
  - 稻本賢弘、鍬塚八千代、辻村朱音、徳永正浩、大庭 拓、笠井雅信、宮村耕一、小寺良尚：当院における Reduced Intensity レジメン導入による高齢者同種移植成績の変化 第66回日本血液学会総会・第46回日本臨床血液学会総会 京都 2004.9.
  - Kodera Y for JSHCT, JMDP and JCBN :Current status of stem cell transplantation in Japan. 9<sup>th</sup> Asian Pacific Bone Marrow Transplantation Congress. Tehran/IRAN. 2004.11.
  - Kodera Y for JSHCT, JMDP and JCBN :Current status of stem cell banking and stem cell engineering in Japan. 9<sup>th</sup> Asian Pacific Bone Marrow

- Transplantation Congress. Tehran/IRAN. 2004.11.
8. 小寺良尚、浅野茂隆、池田康夫、加藤俊一、河 敬世、神田善伸、塙原信太郎、高上洋一、谷本光音、土肥博雄、中畠龍俊、原田実根、森島泰雄、山本一仁：日本造血細胞移植学会ドナー委員会：同種末梢血幹細胞ドナーの安全性に関する検討 一日本造血細胞移植学会同種末梢血幹細胞ドナーフォローアップ事業並びに JSHCT・EBMT 共同事業の中間報告より一 第 27 回日本造血細胞移植学会総会 岡山 2004.12
  9. 徳永正浩、鍼塚八千代、辻村朱音、稻本賢弘、大庭 拓、宮村耕一、小寺良尚：CML への移植後 4 年経過して発症した内臓播種型 VZV の 1 例 第 27 回日本造血細胞移植学会総会 岡山 2004.12
  10. 李 俊容、小池道明、貞政祐子、吉池高志、押味和夫、寺倉精太郎、小寺良尚：移植 2 年半後に内臓播種性水痘帯状疱疹ウイルス感染症を発症した再生不良性貧血 第 27 回日本造血細胞移植学会総会 岡山 2004.12.
  11. 辻村朱音、鍼塚八千代、稻本賢弘、徳永正浩、大庭 拓、宮村耕一、小寺良尚、平林紀男：同種造血幹細胞移植後のステロイド使用が及ぼすウイルス感染症発症への影響 第 27 回日本造血細胞移植学会総会 岡山 2004.12.
  12. 鍼塚八千代、辻村朱音、稻本賢弘、徳永正浩、大庭 拓、宮村耕一、小寺良尚：当院における慢性骨髓性白血病 131 例の後方視的検討 第 27 回日本造血細胞移植学会総会 岡山 2004.12.
  13. 稲本賢弘、鍼塚八千代、辻村朱音、徳永正浩、大庭 拓、宮村耕一、小寺良尚：当院における血縁・非血縁者間 HLA DR 血清学的 1 座不適合移植の検討 第 27 回日本造血細胞移植学会総会 岡山 2004.12.
  14. 大庭 拓、平林紀男、鍼塚八千代、辻村朱音、稻本賢弘、徳永正浩、宮村耕一、小寺良尚：当院における移植後腸炎 一大腸内視鏡施行例 28 例の臨床病理的検討 第 27 回日本造血細胞移植学会総会 岡山 2004.12.
  15. 鳥飼広基、赤塚美樹、宮崎幹則、辻村朱音、元吉和夫、森島泰雄、小寺良尚、高橋 利忠：HLA-A\*3303 および HLA-A\*3101 拘束性新規マイナー組織適合抗原の同定 第 27 回日本造血細胞移植学会総会 岡山 2004.12.
  16. Kodera Y., Harada M., Kato S., Shiobara S., Hamajima N., Morishima Y., Tanimoto M., Asano S., Ikeda Y., Dohi H., Nakahata T., Imamura M., Kawa K., Takaue Y., Kanda Y., Yamamoto K., Gratwohl A for the Japan Society of Hematopoietic Cell Transplantation and the European Group of Blood and Marrow Transplantation. : Severe adverse events of allogeneic peripheral blood stem cell donors-results of nation-wide 2,784 prospectively registered case survey and of its comparison to bone marrow donors in Japan. 31<sup>st</sup> Annual

- Meeting of the European Group for Blood and Marrow Transplantation. Prague/Czech Republic. 2005.3.
17. Harada M : Hematopoietic stem cell transplantation for treatment of acute myelogenous leukemia, solid tumors and autoimmune diseases. 25 Anniversary Seminar of Inje University Medical college, June 2,2004,Busan,Korea
18. 原田実根 : 骨髓移植療法の近未来、日本内科学会北陸支部第32回生涯教育講演会、2004年6月6日、金沢市
19. Harada M: Hematopoietic stem cell transplantation for treatment of solid tumors and autoimmune diseases. 2<sup>nd</sup> Annual Meeting of Asian Hematology Association, June 26,2004,Beijing, PR China
20. 長藤宏司、高瀬謙、平安山英穂、宮本敏浩、塚本浩、堀内孝彦、原田実根 : 難治性自己免疫性疾患に対する自己末梢血純化 CD34 陽性細胞移植、第41回日本臨床分子医学会学術集会、2004年7月17日、福岡市
21. Eto T, Tanimoto, Shimoda K, Yamaguchi T, Okuma T, Mizoguchi H, Omine M, Niho Y, Harada M : Prognostic Factors in Primary Chronic Myelofibrosis in Patients Aged Less Than 70 Years : A Report on 207 Patients with the Description of a Scoring system and Its Validation on 100 Other Patients. The 46<sup>th</sup> Annual Meeting of The American society of Hematology.
- December 4,2004,San Diego, U.S.A
22. Katagiri T, Shibata S, Furukawa T, Tsukada J, Nakao S, Wakano M, Muranaka E, Harada M : Incompatibilities of HA-1 and CD62L Polymorphic Adhesion Molecule Induce Graft-Versus- Leukemia Effect Rather Than GVHD Resulting in Long-Term Survival in HLA Identical Myeloabative Stem Cell Transplantation. The 46<sup>th</sup> Annual Meeting of The American society of Hematology. December 4,2004,San Diego, U.S.A
23. Yoshimoto G, Nagafuji K, Miyamoto T, Kamimura T, Ohno Y, Taniguchi S, Harada M : FLT3 Mutations in Normal Karyotype Acute Myeloid Leukemia in First Complete Remission Treated with Autologous Peripheral Blood Stem Cell Transplantation. The 46<sup>th</sup> Annual Meeting of The American society of Hematology. December 4,2004,San Diego, U.S.A
24. Kamezaki K, Shimoda K, Numata A, Yoshie M, Yamamoto M, Takeda K, Matsuda T, Akira S, Ogawa K, Harada M : The Roles of Stat3 and ERK in G-CSF Signaling. The 46<sup>th</sup> Annual Meeting of The American society of Hematology. December 5,2004,San Diego, U.S.A
25. 吉田周郎、石川文彦、下田和哉、原田実根 : ヒト臍帯血細胞によるインスリン産生の再生、第66回日本血液学会総会、第46回日本臨床血液学会総会、2004年9月17日、京都市

26. 張華、石川文彦、吉田周郎、河野徳明、孔圓、深田光敬、下田和哉、大島孝一、安川正貴、原田実根：免疫不全マウスを用いたヒト臍帯血由来T細胞による異種GVHDの作成、第66回日本血液学会総会、第46回日本臨床血液学会総会、2004年9月17日、京都市
27. 牟田毅、権藤久司、加藤光次、衛藤徹也、渋谷恒文、上村智彦、林真、長藤宏司、宮本敏浩、福田隆浩、下田和哉、原田実根：HLA不一致の同種造血細胞移植後に合併したHHV-6脳炎の2症例、第66回日本血液学会総会、第46回日本臨床血液学会総会、2004年9月17日、京都市
28. 高瀬謙、沼田晃彦、山崎聰、福田隆浩、長藤宏司、下田和哉、原田実根：自己末梢血幹細胞移植後の再発に対し同種移植を施行した悪性リンパ腫の9例、第27回日本造血細胞移植学会総会、2004年12月17日、岡山市
29. 福田隆浩、大野祐樹、衛藤徹也、谷本徹也、長藤宏司、青木健一、土持典子、下野信行、原田実根：同種造血幹細胞移植後の播種性トリコスプロン症の5例、第27回日本造血細胞移植学会総会、2004年12月17日、岡山市
30. 橋本大吾、朝倉昇司、三宅幸子、山村 隆、VanKaer, Luc, Liu, Chen、谷本光音、豊嶋崇徳、NKT細胞刺激による急性GVHD予防、第66回日本血液学会総会・第46回日本臨床血液学会総会、ワークショップ：造血幹細胞移植における免疫病態とその制御
31. 青山一利、品川克至、小山幹子、新谷大悟、近藤英生、藤井伸治、石丸文彦、池田和真、那須保友、谷本光音、固形癌に対するRIST(reduced-intensity transplantation)7症例の検討、第27回日本造血細胞移植学会総会、ポスターセッション12:RIST(2):再生不良性貧血、その他、臨床研究、2004.12.16、岡山
32. 吉田 功、池田和真、松尾恵太郎、藤井伸治、谷本 安、品川克至、竹内 誠、谷本光音、原田実根、同種PBSCドナーにおけるG-CSF投与後の低酸素血症、第27回日本造血細胞移植学会総会ワークショップ12:ドナーの安全確保、2004.12.16、岡山
33. 内田亜希子、品川克至、矢野朋文、竹内誠、原 雅道、上田恭典、近藤英生、藤井伸治、豊嶋崇徳、石丸文彦、池田和真、谷本光音、同種造血細胞移植後に合併した閉塞性細気管支炎10症例の検討、第27回日本造血細胞移植学会総会 ワークショップ14:合併症(1):肺、中枢神経、2004.12.17、岡山
34. 藤井伸治、増田浩三、平木章夫、青江啓介、松尾恵太郎、村上知之、池田和真、杉 和郎、谷本光音、Cytometric beads array(CBA)を用いた急性GVHDに関するサイトカインのマルチ解析、第27回日本造血細胞移植学会総会 ワークショップ17:GVHD(1):病体解析とGVL、2004.12.17、岡山
35. 朝倉昇司、橋本大吾、松岡賢市、佐古田

- 幸美、谷本光音、豊嶋崇徳、レシピエン  
ト非血液細胞に発現するアロ抗原は  
GVL 効果を限弱する、第 27 回日本造  
血細胞移植学会総会 ワークショップ  
17 : GVHD(1) : 病体解析と GVL、  
2004.12.17、岡山
36. Mori T., Yokoyama A., Aisa Y., Yamane A., Yamazaki R., Nakazato T., Ikeda Y., Okamoto S. : Total body irradiation (TBI) and G-CSF-combined high-dose cytarabine as a preparative regimen for allogeneic hematopoietic stem cell transplantation for acute myelogenous leukemia (AML) and advanced myelodysplastic syndrome (MDS). Tandem BMT Meetings. Keystone, Colorado, 2005.
37. Okamoto S., Urabe A., Omine M. : Late complications and quality of life after allogeneic stem cell transplantation for severe aplastic anaemia. 31<sup>st</sup> Annual Meeting of the European Group for Blood and Marrow Transplantation, 21<sup>st</sup> Meeting of the EBMT Nurses Group, 4<sup>th</sup> Meeting of the EBMT Data Management Group. Prague, Czech Republic, 2005.
38. Kondo S., Iwaori K., Inui M., Kaneko H., Kudo M., Okuwaki S., Mori T., Okamoto S. : Effects of rehabilitation on quality of life in patients undergoing allogeneic stem cell transplantation. 31<sup>st</sup> Annual Meeting of the European Group for Blood and Marrow Transplantation, 21<sup>st</sup> Meeting of the EBMT Nurses Group, 4<sup>th</sup> Meeting of the EBMT Data Management Group. Prague, Czech Republic, 2005.
39. Kudo M., Aisa Y., Kondo S., Yashima T., Watanabe Y., Higashikaze T., Sotome T., Okamoto M., Okamoto S., Mori T. : Oral cryotherapy for the prophylaxis of high-dose melphalan-induced mucositis in recipients of reduced-intensity stem cell transplantation. 31<sup>st</sup> Annual Meeting of the European Group for Blood and Marrow Transplantation, 21<sup>st</sup> Meeting of the EBMT Nurses Group, 4<sup>th</sup> Meeting of the EBMT Data Management Group. Prague, Czech Republic, 2005.
40. 山本一仁、小寺良尚、他. 同種末梢血幹細胞ドナーの有害事象に対する危険因子および CD34 細胞回収数に関する予測因子の検討－日本造血細胞移植学会同種末梢血幹細胞ドナーフォローアップ事業中間データより－ 第 27 回日本造血細胞移植学会総会. 2004.
41. Kodera Y., Harada M., Kato S., Shiobara S., Hamajima N., Morishima Y., Tanimoto M., Asano S., Ikeda Y., Dohi H., Nakahata T., Imamura M., Kawa K., Takaue Y., Kanda Y., Yamamoto K., Gratwohl A. :Severe adverse events of allogeneic peripheral blood stem cell donors – Results of nation-wide 2,784 prospectively registered case survey and of its comparison to bone marrow donors in Japan. 第 31 回 EBMT 総会. 2005.
42. Koike,T. :"Antiphospholipid Syndrome"  
7<sup>rd</sup> International Congress SLE and Related

- conditions , New York, U.S.A., May 9-13,  
2004
43. Koike,T. :" Antiphospholipid Syndrome, mechanism of thrombus and complication of reproductive system" 11<sup>rd</sup> European Congress on Reproductive Immunology, Praha,Czech ,June 30-July 3, 2004
44. Koike,T. :" Antiphospholipid Syndrome, mechanism of thrombus and complication of reproductive system" 11<sup>rd</sup> Asia Pacific League Associasions for rheumatology Congress, Jeju, Korea ,September 11- September 15, 2004
45. Koike,T. :" Antiprothrombin-is it worth assaying? " 11<sup>rd</sup> International Congress on Antiphospholipid Antibodies, Sydney, Australia,12-19,November ,2004
46. Koike,T. :" Pathogenesis of antiprothrombin antibody " 4<sup>rd</sup> International Congress onAutoimmunity, Budapest, Hungary,3-7,November ,2004
47. 鳥飼宏基, 赤塚美樹, 大庭拓, 元吉和夫, 森島泰雄, 小寺良尚, 高橋利忠 : TMSB4Y の 5' 非翻訳領域にコードされる新規マイナー組織適合抗原の同定: 第 66 回日本血液学会・第 46 回日本臨床血液学会回総会 大阪 2004 年 9 月
48. 赤塚美樹, 鳥飼宏基, 宮崎幹規, 出町文子, 伊藤嘉規, 辻村邦夫, 元吉和夫, 森島泰雄, 小寺良尚, 葛島清隆, 高橋利忠 : Y 染色体上に存在する TMSB4Y の 5' 非翻訳領域にコードされる HLA-A33 拘束性の新規マイナー組織適合抗原の同定: 第 63 回日本癌学会 福岡 2004 年 9 月
49. 鳥飼宏基, 赤塚美樹, 宮崎幹規, 辻村朱音, 元吉和夫, 森島泰, 小寺良尚, 高橋利忠 : HLA-A\*3303 および HLA-A\*3101 拘束性新規マイナー組織適合抗原の同定: 第 27 回日本造血細胞移植学会総会 岡山 2004 年 12 月
50. Morishima Y. Clinical significance of the matching of HLA alleles and NK cell receptors in hematopoietic stem cell transplantation from unrelated donors. The 2004 Tandem BMT Meetings.2004 (Orland USA)
51. 橋本奈美、椎名 隆、勝山善彦、太田正穂、猪子英俊 : LR-PCR 法による HLA クラス領域の多様性解析. 第 13 回日本組織適合性学会大会、2004.
52. 成瀬妙子、志知大輔、吉川枝里、重成敦子、河田寿子、割田貴之、勝山善彦、太田正穂、猪子英俊 : HLA 領域における SNPs,マイクロサテライトの LD ブロック解析.第 13 回日本組織適合性学会大会、2004.
53. 太田正穂、勝山善彦、成瀬妙子、猪子英俊、佐田正晴、福島弘文 : HLA 領域内マイクロサテライトのハプロタイプ解析.第 13 回日本組織適合性学会大会、2004.
54. 清水佐良子、椎名 隆、桜井敬之、安西達也、重成敦子、安藤麻子、坂本修一、小松賢志、猪子英俊 : HLA クラス I 領

- 域に位置する DNA 修復関連遺伝子 MDC1 の比較ゲノム解析および比較機能解析. 第 13 回日本組織適合性学会大会、2004.
55. Li S, Kawata H, Kikuchi T, Ota M, Morishima Y, Naruse T, Inoko H: Correlation between disparity for microsatellites markers and clinical outcome after unrelated HLA identical Hematopoietic stem cell transplantation. 第 13 回日本組織適合性学会大会、2004.
56. Yabe T, Morishima Y, Kashiwase K, Satake M, Tokunaga K, Inoko H, Saji H, Juji T, Yamamoto K, Sasazuki T, Kodera Y, for the Japan Marrow Donor Program (JNDP) : KIR genotype and HLA-C KIR ligand incompatibility promotes acute CVHD of unrelated bone marrow transplantation in Japan. The 8<sup>th</sup> Annual Meeting of the Society for Natural immunity and 20<sup>th</sup> International Natural Killer Cell in the Netherlands. 2004.
57. 屋部登志雄、宮下リサ、八幡真人、八幡信代、Peter Parham、土屋尚之、森島泰雄、小寺良尚、平安恒幸、柏瀬貢一、佐竹正博、徳永勝士：ヒト NK 細胞受容体 KIR,LIR 多型性と骨髄移植成績への影響 第 34 回日本免疫学会総会 学術集会 札幌 2004.12.
58. 屋部登志雄、柏瀬貢一、高梨美乃子、徳永勝士、森島泰雄、佐竹正博：NK 細胞受容体 KIR 型適合性と骨髄移植成績—不適合は急性 GVHD 発症を高め生存率を低下させる 第 28 回日本血液事業学会総会 横浜市 2004.9.
59. 屋部登志雄：特別講演 造血幹細胞移植 NK 細胞受容体適合性の意義 第 13 回日本組織適合性学会 豊中市 2004.9.
60. 屋部登志雄、森島泰雄：ヒト NK 細胞受容体 KIR 適合性と GVHD 第 46 回日本小児血液学会シンポジウム講演 京都 市 2004.10.
61. 屋部登志雄、平安恒幸、柏瀬貢一、佐竹正博、森島泰雄：NK 細胞受容体 KIR,LILR 型適合性と非血縁者間骨髄移植成績 第 3 回組織適合性学会近畿地方会シンポジウム講演 大阪市 2005.2.
- H. 知的財産権の出願・登録状況（予定を含む）
1. 特許取得  
伊藤仁也
    1. 標的核酸の検出法 特願 2003 - 164799
    2. アロジェニックな活性化 CD4 陽性細胞を主成分とする製剤ならびにその製剤の製造方法 特願平 10-97378
    3. 脣帶血由来活性化リンパ球及び該リンパ球を主成分とする製剤ならびに該製剤の製造方法、該製剤調製用キット 特開 2002 - 171966
    4. CORD BLOOD-DERIVED ACTIVATED LYMPHOCYTES, PREPARATIONS CONTAINING SAID LYMPHOCYTES AS MAIN INGREDIENT AND METHOD AND KIT FOR PRODUCING SAID

PREPARATIONS. US6,692,958/

2004.2.17

2. 実用新案登録 なし

3. その他 なし

赤塚美樹

1. 「Cathepsin H タンパク質由来の CD8+  
細胞傷害性Tリンパ球mHAエピトープ  
ペプチドおよびその用途」を申請中で  
ある（特願 2004-325328）

### III. 分担研究報告書

### III. テーマー I

細胞治療とその適正運用