

## Ⅱ 研究成果の刊行に関する一覧表

雑誌

1) T Horiuti, H Kazama, A Araki, J Inoue, T Hosoi, T Onouchi, S Mizuno, H Ito, H Orimo: Impaired gamma carboxylation of osteocalcin in elderly women with type II diabetes mellitus: relationship between increase in undercarboxylated osteocalcin levels and low bone mineral density. *J Bone Miner Metab* 22:236-240, 2004

2) Kazama H, Usui S, Okazaki M, Hosoi T, Ito H, Orimo H: Effects of bezafibrate and pravastatin on remnant-like lipoprotein particles and lipoprotein subclasses in type 2 diabetes. *Diabetes Research and Clinical Practice* (2003)59:181-189

3) Araki A, Ito H: Development of elderly diabetes burden scale for elderly patients with diabetes mellitus. *Geriatrics and Gerontology International* 3: 212-224, 2003.

4) Araki A, Murotani Y, Kamimiya F, Ito H: Low well-being is an independent predictor for stroke in elderly patients with diabetes mellitus. *J Am Geriatr Soc* 52: 205-210, 2004.

5) Araki A, Nakano T, Oba K, Ito C, Mori S, Ishibashi S, Umeda F, Abe R, Kojima H, Kikkawa R, Kawamori R, Ito H: Low well-being, cognitive impairment and visual impairment were associated with functional disabilities in elderly Japanese patients with diabetes mellitus. *Geriatrics and Gerontology International* 4: 27-36, 2004.

6) Araki A, Ito H: Glucose metabolism, advanced glycation endproducts, and cognition. *Geriatrics and Gerontology International* 4: S108-S110, 2004.

7) Takahashi M, Araki A, Ito H. Development of a new method for simple dietary education in elderly patients with diabetes mellitus. *Geriatrics and Gerontology International* 4: 111-119, 2004.

8) Yanagawa T, Araki A, Sasamoto K, Shirabe S, Yamanouchi T. Effect of antidiabetic medications on microalbuminuria in patients with type 2 diabetes. *Metabolism* 53: 353-357, 2004.

9) Miyasaka K, Ichikawa M, Momose K, Araki A, Kobayashi M, Ichimaru Y, Funakoshi

A. Physiological and pathological age-associated changes in diurnal rhythm of energy expenditure in rats. Arch Gerontol Geriatr 39: 83-91, 2004.

10) Araki A, Ito H, Majima Y, Hosoi T, Orimo H: Association between plasma homocysteine concentrations and asymptomatic cerebral infarction or leukoaraiosis in elderly diabetic patients. Geriatrics and Gerontology International 3: 12-20, 2003.

11) Araki A, Ito H, Hosoi T, Orimo H: Plasma homocysteine and cognitive function in elderly patients with diabetes mellitus. Geriatrics and Gerontology International 3: 86-92, 2003.

12) 荒木 厚: 高齢者の身体と検査値の特徴を理解するー内臓各器官の老化と急変. 臨床老年看護 12: 6-15, 2005.

13) 荒木 厚: 高齢糖尿病患者のインスリン治療. 日本老年医学会雑誌 41:157-160, 2004.

14) 荒木 厚: 高齢者糖尿病 CGA 外来. Geriatric Medicine 42:167-171, 2004.

15) 荒木 厚, 折茂肇: 糖尿病性腎症. 老年病診療 Q&A 41:1149-1151, 2004.

16) 荒木 厚, 折茂肇: 糖尿病性神経症. 老年病診療 Q&A 41:1158-1161, 2004.

17) 荒木 厚, 折茂肇: 老年期糖尿病昏睡. 老年病診療 Q&A 41:1149-1151, 2004.

18) 荒木 厚: 高齢者糖尿病の管理のあり方. 内分泌・糖尿病科 16: 305-311, 2003.

19) 荒木 厚, 大竹登志子, 青・幸利: QOL 低下の運動とは? 肥満と糖尿病 2:74-75, 2003.

20) 荒木 厚: Master Lecture 老年医学的総合評価. 糖尿病診療マスター 1:400-409, 2003.

21) 荒木 厚: 高齢糖尿病患者への注意点. 糖尿病診療マスター 1:437-444, 2003.

22) 荒木 厚: 前期高齢者と後期高齢者: 糖尿病. Medicina 40: 1674-1676, 2003.

23) 荒木 厚: 糖尿病に使われるくすりと看護. 臨床老年看護 10: 52-59, 2003

- 24) 曾根博仁、齊藤 康、吉村幸雄、大橋靖雄 他 JDCS グループ：糖尿病と合併症 日本人における最近の動向。 日本内科学会雑誌 2004；93(11)：131-138.
- 25) Mayama C, Arai M, Suzuki Y, Ohashi Y, et al: Statistical Evaluation of the Diagnostic Accuracy of Methods Used to Determine the Progression of Visual Field Defects in Glaucoma. The American Academy of Ophthalmology 2004;111:2117-2125.
- 26) Waki K, Noda M, Sasaki S, Ohashi Y, et al: Alcohol Consumption and Other Risk Factors for Self-reported Diabetes Among Middle-aged Japanese: a Population-based Prospective Study in the JPHC Study Cohort. Diabetic Medicine 2004
- 27) 大橋靖雄：臨床統計学・臨床試験を中心として。 数理科学 2004；3(489)：60-67.
- 28) 大橋靖雄：日本の医療情報伝達分野における問題点。 薬理と治療 2004；32(10)：707-710.
- 29) Hashimoto T, Nakamura T, Maegawa H, Nishio Y, Egawa K, Kashiwagi A. Regulation of ATP-sensitive potassium channel subunit Kir6.2 expression in rat intestinal insulin-producing progenitor cells. J Biol Chem 280:1893-1900, 2005.
- 30) Shinozaki K, Ayajiki K, Kashiwagi A, Masada M, Okamura T. Malfunction of vascular control in lifestyle-related diseases: mechanisms underlying endothelial dysfunction in the insulin-resistant state. J Pharmacol Sci 96:401-405, 2004.
- 31) Tsuchiya M, Suzuki E, Egawa K, Nishio Y, Maegawa H, Inoue S, Mitsunami K, Morikawa S, Inubushi T, Kashiwagi A. Stiffness and impaired blood flow in lower-leg arteries are associated with severity of coronary artery calcification among asymptomatic type 2 diabetic patients. Diabetes Care 27:2409-2415, 2004.
- 32) Kanazawa A, Tsukada S, Sekine A, Tsunoda T, Takahashi A, Kashiwagi A, Tanaka Y, Babazono T, Matsuda M, Kaku K, Iwamoto Y, Kawamori R, Kikkawa R, Nakamura Y, Maeda S. Association of the gene encoding wingless-type mammary tumor virus integration-site family member 5B (WNT5B) with type 2 diabetes. Am J Hum Genet 75:832-843, 2004.
- 33) Ugi S, Imamura T, Maegawa H, Egawa K, Yoshizaki T, Shi K, Obata T, Ebina Y, Kashiwagi A, Olefsky JM. Protein phosphatase 2A negatively regulates insulin's

metabolic signaling pathway by inhibiting Akt (protein kinase B) activity in 3T3-L1 adipocytes. *Mol Cell Biol* 24:8778-8789, 2004.

34) Shi K, Egawa K, Maegawa H, Nakamura T, Ugi S, Nishio Y, Kashiwagi A. Protein-tyrosine phosphatase 1B associates with insulin receptor and negatively regulates insulin signaling without receptor internalization. *J Biochem (Tokyo)* 136:89-96, 2004.

35) Nishio Y, Kanazawa A, Nagai Y, Inagaki H, Kashiwagi A. Regulation and role of the mitochondrial transcription factor in the diabetic rat heart. *Ann N Y Acad Sci* 1011:78-85, 2004.

36) Nagata R, Nishio Y, Sekine O, Nagai Y, Maeno Y, Ugi S, Maegawa H, Kashiwagi A. Single nucleotide polymorphism (-468 Gly to A) at the promoter region of SREBP-1c associates with genetic defect of fructose-induced hepatic lipogenesis. *J Biol Chem* 279:29031-29042, 2004

37) Sanada M, Matsuura H, Omatsu-Kanbe M, Sango K, Kashiwagi A, Yasuda H. Cytosolic Ca<sup>2+</sup> under high glucose with suppressed Na<sup>+</sup>/K<sup>+</sup> pump activity in rat sensory neurons. *Neuroreport* 15:197-201, 2004.

38) Yoshizaki T, Maegawa H, Egawa K, Ugi S, Nishio Y, Imamura T, Kobayashi T, Tamura S, Olefsky JM, Kashiwagi A. Protein phosphatase-2C alpha as a positive regulator of insulin sensitivity through direct activation of phosphatidylinositol 3-kinase in 3T3-L1 adipocytes. *J Biol Chem* 279:22715-22726, 2004.

39) Shinozaki K, Ayajiki K, Nishio Y, Sugaya T, Kashiwagi A, Okamura T. Evidence for a causal role of the renin-angiotensin system in vascular dysfunction associated with insulin resistance. *Hypertension* 43:255-262, 2004.

40) Guo B, Koya D, Isono M, Sugimoto T, Kashiwagi A, Haneda M. Peroxisome proliferator-activated receptor-gamma ligands inhibit TGF-beta 1-induced fibronectin expression in glomerular mesangial cells. *Diabetes* 53:200-208, 2004.

41) Kitada M, Koya D, Sugimoto T, Isono M, Araki S, Kashiwagi A, Haneda M. Translocation of glomerular p47phox and p67phox by protein kinase C-beta

activation is required for oxidative stress in diabetic nephropathy. *Diabetes*(2003) 52(10):2603-14.

42) Shimizu S, Ugi S, Maegawa H, Egawa K, Nishio Y, Yoshizaki T, Shi K, Nagai Y, Morino K, Nemoto K, Nakamura T, Bryer-Ash M, Kashiwagi A. Protein-tyrosine phosphatase 1B as new activator for hepatic lipogenesis via sterol regulatory element-binding protein-1 gene expression. *J Biol Chem*(2003) 278 (44): 43095-101.

43) Kim H, Sasaki T, Maeda K, Koya D, Kashiwagi A, Yasuda H. Protein kinase C beta selective inhibitor LY333531 attenuates diabetic hyperalgesia through ameliorating cGMP level of dorsal root ganglion neurons. *Diabetes*.(2003) 52(8):2102-9.

44) Araki S, Koya D, Makiishi T, Sugimoto T, Isono M, Kikkawa R, Kashiwagi A, Haneda M. APOE polymorphism and the progression of diabetic nephropathy in Japanese subjects with type 2 diabetes: results of a prospective observational follow-up study. *Diabetes Care*.(2003) 26(8):2416-20.

45) Suzuki E, Egawa K, Nishio Y, Maegawa H, Tsuchiya M, Haneda M, Yasuda H, Morikawa S, Inubushi T, Kashiwagi A. Prevalence and major risk factors of reduced flow volume in lower extremities with normal ankle-brachial index in Japanese patients with type 2 diabetes. *Diabetes Care*(2003) 26(6):1764-9.

46) Kanasaki K, Koya D, Sugimoto T, Isono M, Kashiwagi A, Haneda M: N-Acetyl-seryl-aspartyl-lysyl-proline inhibits TGF-beta-mediated plasminogen activator inhibitor-1 expression via inhibition of Smad pathway in human mesangial cells. *J Am Soc Nephrol* (2003) 14:863-872,

47) Sakaue Y, Sanada M, Sasaki T, Kashiwagi A, Yasuda H: Amelioration of retarded neurite outgrowth of dorsal root ganglion neurons by overexpression of PKCdelta in diabetic rats. *Neuroreport* (2003) 14:431-436

48) Takaya K, Koya D, Isono M, Sugimoto T, Sugaya T, Kashiwagi A, Haneda M: Involvement of ERK pathway in albumin-induced MCP-1 expression in mouse proximal tubular cells. *Am J Physiol Renal Physiol* (2003) 284: F1037-F1045

49) Kishi A, Nakamura T, Nishio Y, Maegawa H, Kashiwagi A: Sumoylation of Pdx1 is

associated with its nuclear localization and insulogene activation. Am J Physiol Endocrinol Metab , (2003) 284:E830-E840

50) Mogi N., Umegaki H., Hattori A., Maeda N., Miura H., et al ; Cognitive function in Japanese elderly with type 2 diabetes mellitus. J Diabetes and Its complications 18 42-46 2004

51) 遠藤英俊, 三浦久幸, 佐竹昭介, 野村秀樹 高齢者一般外来に有用な老年病診断学の知識(2)―初診外来どこまでみるか, 専門外来への紹介の岐路―Geriatr. Med.42 (2)159-162. 2004

52) Nomura H., Miura H., Satake S., Endo H. Extraordinary high elevation of carbohydrate antigen CA 19-9 with macroamylasemia in an elderly Japanese woman. JAGS 52:644-645 2004

53) 三浦久幸, 有園陽子, 遠藤英俊 ; 高齢者のナラティブ・ベイスト・メディスン (NB M) Geriatric Med.42:487-493 2004

54) 三浦久幸, 遠藤英俊 痴呆症の早期診断と対策. 日本醫事新報 4173:1-9 2004

55) 三浦久幸, 遠藤英俊 痴呆症の早期診断(臨床) 4. 地域における痴呆症の早期診断の試み -SKT (Syndrom Kurz Test)を用いて-. 日本老年医学会雑誌 41:183-185 2004

56) 遠藤英俊, 三浦久幸, 佐竹昭介 周辺症状への対応治療(別刷) 86 131-134 2004

57) 山本智子, 三浦久幸, 中島一光 国立病院ならびに療養所における疥癬の院内感染の実態調査 日本老年医学雑誌 41 408-413 2004

58) 遠藤英俊, 三浦久幸, 佐竹昭介, 野村秀樹 高齢者感染症のすべて I 高齢者感染症の特徴 4. 高齢者在宅感染対策 化学療法領域 20:32-35 2004

59) 寺本信嗣, 松林公蔵, 林登志雄, 三浦久幸, 遠藤英俊 高齢者の多臓器不全をめぐる Geriatric Med 42:507-520, 2004

60) 佐竹昭介, 牛田千佳, 藤澤道子, 野村秀樹, 三浦久幸, 遠藤英俊 多臓器不全に対す

る予防医療、Geriatric Med、42:471-476、2004

61) 藤澤道子、三浦久幸、遠藤英俊 脳内石灰化を伴うびまん性神経原線維変化型痴呆と  
考えられた一例 Geriatric Med 42:481-485 2004

62) 遠藤英俊、大島伸一、三浦久幸、大西丈二、梅垣宏行、鈴木裕介、井口昭久 特集 高  
齢者医療の現状と展望 IV 最近のトピックス 1. 諸外国における高齢者医療の現状 日  
本内科学会雑誌 93:109-112 2004

63) Takata T, Yang B, Sakurai T, Okada Y, Yokono K. Glycolysis regulates the induction  
of lactate utilization for synaptic potentials after hypoxia in the granule cell of guinea  
pig hippocampus. Neurosci Res 50(4):467-74 2004 Dec

64) Kotani R, Nagata M, Imagawa A, Moriyama H, Yasuda H, Miyagawa J, Hanafusa T,  
Yokono K. T lymphocyte response against pancreatic beta cell antigens in fulminant  
Type 1 diabetes. Diabetologia 47(7):1285-91 2004 Jul

65) Chakrabarty S, Nagata M, Yasuda H, Wen L, Nakayama M, Chowdhury SA,  
Yamada K, Jin Z, Kotani R, Moriyama H, Shimozato O, Yagita H, Yokono K. Critical  
roles of CD30/CD30L interactions in murine autoimmune diabetes. Clin Exp Immunol  
133(3):318-25 2003 Sep

66) Nagata M, Kotani R, Moriyama H, Yokono K, Roep B, Peakman M. Detection of  
autoreactive T cell in Type 1 diabetes using coded autoantigens and an  
immunoglobulin-free cytokine ELISPOT assay. Ann NY Acad Sci 1037 10-15  
2004. Dec

67) Yong B, Sakurai T, Takata T, Yokono K. Effects of lactate/pyruvate on synaptic  
plasticity in the hippocampal dentate gyrus. Neurosci Res 46(3):333-7 2003 Jul

68) 横野浩一(神戸大学 大学院医学系研究科老年内科学), 櫻井孝 高齢者糖尿病最新の治  
療と研究(解説) 日本老年医学会雑誌 41 巻 4 号 369-371 2004. 07

69) 櫻井孝(神戸大学 大学院医学系研究科老年内科学), 宋秀珍, 横野浩一 老年医学と介護  
保険(原著論文) 日本老年医学会雑誌 41 巻 2 号 189-192 2004. 03

- 70) 櫻井孝(神戸大学 大学院 医学系研究科 老年内科学), 楊波, 横野浩一 老化とホルモン  
老化における脳の乳酸/ピルビン酸代謝とシナプス機能(原著論文)日本老年医学会雑誌 40 卷  
4号 344-347 2003.07
- 71) Okazaki K, Oba K, Nakano H, Suzuki T; Urinary N-acetyl-beta-D-glucosaminidase  
activity predicts development of diabetic nephropathy Geriatrics and Gerontology  
International 5 22-28 2005
- 72) Araki A, Nakano T, Oba K, Ito C, Mori S, Ishibashi S, Umeda F, Abe R, Kojima H,  
Kikkawa R, Kawamori R, Ito H; Low well-being, cognitive impairment and visual  
impairment associated with functional disabilities in elderly Japanese patients with  
diabetes mellitus Geriatrics and Gerontology International 4:15-24 2004
- 73) 犬塚有紀、二見章子、鈴木一成、関水憲一、鈴木達也、中野博司、大庭建三; 当科に  
おける高齢患者の血清脂質管理の現状 Geriatric Medicine 42 925-929 2004
- 74) 大庭建三 エビデンスからみた高齢者高脂血症の診療 東京都医師会雑誌 57  
135-145、2004
- 75) Suzuki T, K Oba, Igari Y, Matsumura N, Inuzuka Y, Kigawa Y, Ajiro Y, Okazaki K,  
Nakano H, Metori S: Four-year prospective study of the influence of elevated serum  
lipoprotein(a) concentration on ischaemic heart disease and cerebral infarction in  
elderly patients with type-2 diabetes Geriatrics and Gerontology International 3  
106-112 2003
- 76) 鈴木達也、中野博司、大庭建三 高齢者の生活習慣病; 糖尿病 ジェロントロジーニ  
ューホライズン 15 231-236 2003
- 77) 中野博司、岡崎恭次、大庭建三 高齢者における肥満 日本臨床 61 880-885 2003  
犬塚有紀, 中野博司, 大庭建三 高齢者の疾患と治療の進め方: 糖尿病, その他の代謝性  
疾患 医学と薬学 50 145-152 2003
- 78) 福長麻美、岡崎恭次、鈴木達也、中野博司、大庭建三 Pravastatin 投与の血管内皮機  
能に及ぼす影響に関する検討 Geriatr Med 41 1509-1514 2003
- 79) 大庭建三、斉藤好史、伊藤 民、中野博司 高齢者糖尿病の経口血糖降下療法の実

際ーナテグリニド (ファステック®) の使用経験例も含めー Prog. Med 23 2639-2647  
2003

興田小百合、吉松寛臣、山田幸弘、野呂瀬準、二見章子、鈴木一成、新井みどり、工藤律子、山下直子、渡邊健太郎、鈴木達也、中野博司、大庭建三 外来における非侵襲的な動脈硬化および骨密度検査の臨床的有用性 Geriat Med 41 1867-1871 2003

80) Harano T, Harano K, Hong Y-F, Than AM, Suetsugu Y, Oba K ; The mutation of Hb Turriff [ $\alpha$ 99(G6)Lys→Glu(AAG→GAG)] is carried by the  $\alpha$ 1-globin gene in a Japanese (Hb Turriff-I) Hemoglobin 27 123-127 2003

81) Sone H, Mizuno S, Fujii H, Yoshimura Y, Yamazaki Y, Ishibashi S, Katayama S, Saito Y, Hideki I, Ohashi Y, Akanuma Y, Yamada N. Japan Diabetes Complications Study (JDCS) Group. Is the diagnosis of metabolic syndrome useful for predicting cardiovascular disease in Asian diabetic patients? –Analysis from the Japan Diabetes Complications Study–. Diabetes Care (in press)

82) Sone H, Yoshimura Y, Ito H, Ohashi Y, Yamada N, Japan Diabetes Complications Study Group. Energy intake and obesity in Japanese patients with type 2 diabetes. Lancet 363: 248-249, 2004

83) Sone H, Mizuno S, Aida R, Ohashi Y, Yamada N. Alcohol Use and Diabetes Mellitus. Ann Intern Med 141:408-9, 2004.

84) Sone H, Mizuno S, Ohashi Y, Yamada N. Type 2 diabetes prevalence in Asian subjects. Diabetes Care 27: 1251-1252, 2004.

85) Sone H, Yamada N, Mizuno S, Ohashi Y, Ishibashi S, Yamazaki Y. Requirement for hypertension and hyperlipidemia medication in U.S. and Japanese patients with diabetes. Am J Med. 117:711-2, 2004.

86) 曾根博仁, 山田信博 糖尿病患者における降圧療法の心血管イベント抑制効果 COMPLICATION 糖尿病と血管 9:139-144, 2004.

87) 曾根博仁, 齋藤康, 吉村幸雄, 石橋俊, 井藤英喜, 山下英俊, 山崎義光, 片山茂裕, 大橋靖雄, 赤沼 安夫, 山田 信博, JDCS グループ 医学と医療の最前線. 糖尿病と合併症・日本人に

における最近の動向・ 日本内科学会誌 93:2427-2434, 2004

88) 曾根博仁,水野佐知子,藤井仁美,大橋靖雄,赤沼安夫,山田信博, JDCS グループ. Japan Diabetes Complications Study (JDCS)にみるメタボリックシンドローム 動脈硬化予防 3:34-41,2004

89) 曾根博仁, 水野佐知子, 大橋靖雄, 齋藤康, 井藤英喜, 山下英俊, 清野弘明, 松岡健平, 山崎義光, 片山茂裕, 赤沼安夫, 山田信博, JDCS グループ Japan Diabetes Complications Study (JDCS)の中間結果 Diabetes Frontier 14(4): 445-450 2003.

90) 曾根博仁, 赤沼安夫, 山田信博, JDCS グループ. 糖尿病における血管合併症の発症予防と進展抑制に関する研究(Japan Diabetes Complications Study (JDCS)) の中間報告. 内分泌・代謝科 16(6): 575-581, 2003.

91) 曾根博仁, 赤沼安夫,山田信博, JDCS グループ 日本人糖尿病患者における動脈硬化性疾患の現状 : JDCS より. 糖尿病 46 : 903-905, 2003.

92) Sone H, Akanuma Y, Yamada N, Japan Diabetes Complication Study Group. Still a Chance for Diabetes Education . Hormone and Metabolic Research 35: 334-335, 2003.

93) Sone H, Ito H, Ohashi Y, Akanuma Y, Yamada N. Obesity and type 2 diabetes in Japanese patients. Lancet. 2003; 361:85.

94) Mogi N, Umegaki H, Hattori A, Maeda N, Miura H, Kuzuya M, Shimokata H, Ando F, Ito H, Iguchi. A,. Cognitive Function in Japanese Elderly with Type 2 Diabetes Mellitus. J. Diabetes Complicat.18/1, 42-46 2004

95) Yamamoto S, Mogi N, Umegaki H, Suuki Y, Ando F, Shimokata H, Iguchi A  
The Clock Drawing Test as a Valid Screening Method for Mild Cognitive Impairment  
Dementi Geriatr Cogn, 18, 172-179, 2004

96) Yamamoto S, Mogi N, Umegaki H, Suzuki Y, Ando F, Shimokata H, Iguchi A.:The clock drawing test as a valid screening method for mild cognitive impairment.  
Dementi Geriatr Cogn (2004)18: 172-179,

97) Onishi J, Umegaki H, Suzuki Y, Uemura K, Kuzuya M, Iguchi A.:The relationship between functional disability and depressive mood in Japanese older adult inpatients. J

Geriatr Psychiatr Neurol (2004)17(2): 93-98

98) Suzuki Y, Yamamoto S, Umegaki H, Onishi J, Mogi N, Fujishiro H, Iguchi A: Smell identification test as an indicator for cognitive impairment in Alzheimer's disease. International Journal of Geriatric Psychiatry (2004)19: 727-733

99) Thanos PK, Taintor NB, Rivera SN, Umegaki H, Ikari H, Roth G, Ingram DK, Hitzemann R, Fowler JS, Gatley SJ, Wang GJ, Volkow ND. DRD2 Gene Transfer Into the Nucleus Accumbens Core of the Alcohol Preferring and Nonpreferring Rats Attenuates Alcohol Drinking. Alcohol Clin Exp Res. (2004) (5):720-728

100) 梅垣宏行 高血糖性高浸透圧昏睡 河盛隆造、岩本安彦 糖尿病最新の治療 2004—2006 南江堂 (2004) 151-153

101) 梅垣宏行 内分泌関連検査 痴呆症学日本臨床 2003年増刊 日本臨床社 (2003) 402-405

102) Umegaki H, Zhu W, Nalamura A, Suzuki Y, Takada M, Endo H, Iguchi A. Involvement of the entorhinal cortex in the stress response to immobilization, but not to insulin-induced hypoglycemia. J Neuroendocrinol, 15: 237-241, 2003.

103) Umegaki H, Ishiwata K, Ogawa O., Ingram D.K., Roth G.S, Oda K., Kurotani S., Kawamura K., Wang W.F., Ikari H., Senda M, Iguchi A. Longitudinal follow-up study of adenoviral vector-mediated gene transfer of dopamine D<sub>2</sub> receptors in the striatum in young, middle-aged, and aged rats: a positron emission tomography study Neuroscience 121/2 479-486, 2003

104) Zhu W, Umegaki H, Shinkai T, Kurotani S, Suzuki Y, Endo H, Iguchi A. Different glial reactions to hippocampal stab wounds in young adult and aged rats. J Gerontol A Biol Sci Med Sci. (2003) Feb;58(2):117-22.

105) Umegaki H, Zhu W, Nakamura A, Suzuki Y, Takada M, Endo H, Iguchi A. Involvement of the entorhinal cortex in the stress response to immobilization, but not to insulin-induced hypoglycaemia. J Neuroendocrinol (2003)15 (3) :237-41.

106) Umegaki H Ando. F et. al. Factors associated with Long hospital stay in

geriatric ward in Japan. *Geriatr Gerintol Int* (2003) 3 (2) : 120-12

107) Kurotani S, Umegaki H, Ishiwata K, Suzuki Y, Iguchi A. The age-associated changes of dopamine-acetylcholine interaction in the striatum. *Exp Gerontol.* (2003) 38(9):1009-13.

108) Umegaki H, Ishiwata K, Ogawa O, Ingram DK, Roth GS, Oda K, Kurotani S, Kawamura K, Wang WF, Ikari H, Senda M, Iguchi A. Longitudinal follow-up study of adenoviral vector-mediated gene transfer of dopamine D2 receptors in the striatum in young, middle-aged, and aged rats: a positron emission tomography study. *Neuroscience.* (2003) 121(2):479-86.

109) Kuzuya M, Umegaki H et. Al: Atrovastatin, 3-Hydroxy 3-Methylglutaryl Coenzyme A Reductase Inhibitor, reduces bone resorption in the elderly. *AGS* (2003) 51 : 1677-1678

110) 大西丈二、梅垣宏行、他 心理症状(BPSD)および介護環境の介護負担に与える影響  
日本老年精神医学会誌 (2003)14(4) : 465-473

111) Ohike Y, Kozaki K, Iijima K, Eto M, Kojima T, Ohga E, Santa T, Imai K, Hashimoto M, Yoshizumi M, Ouchi Y. Amelioration of vascular endothelial dysfunction in obstructive sleep apnea syndrome by nasal continuous positive airway pressure-possible involvement of nitric oxide and asymmetric NG, NG-dimethylarginine. *Circ J.* 2005;69:221-6.

112) Watanabe T, Miyahara Y, Akishita M, Nakaoka T, Yamashita N, Iijima K, Kim H, Kozaki K, Ouchi Y. Inhibitory effect of low-dose estrogen on neointimal formation after balloon injury of rat carotid artery. *Eur J Pharmacol.* 2004;502:265-70.

113) Watanabe T, Akishita M, Nakaoka T, He H, Miyahara Y, Yamashita N, Wada Y, Aburatani H, Yoshizumi M, Kozaki K, Ouchi Y. Caveolin-1, Id3a and two LIM protein genes are upregulated by estrogen in vascular smooth muscle cells. *Life Sci.* 2004;75:1219-29.

114) 富田哲治, 神崎恒一. 経口摂取困難な胃癌術後患者に経皮経食道胃管挿入術(PTEG)を施行し有効であった1例. *治療学* 38: 821-825, 2004

115) 高山賢一, 小島太郎, 浦野友彦, 神崎恒一. 非特異的徴候で発症した高齢者の重大な疾患 大量の胸水貯留を認めた症例. *Geriatric Medicine* 42: 214-218, 2004

116) Eto M, Toba K, Akishita M, Kozaki K, Watanabe T, Kim S, Hashimoto M, Sudoh N, Yoshizumi M, Ouchi Y. Reduced endothelial vasomotor function and enhanced neointimal formation after vascular injury in a rat model of blood pressure lability. *Hypertens Res.* 2003;26:991-8.

117) Watanabe T, Akishita M, He H, Miyahara Y, Nagano K, Nakaoka T, Yamashita N, Kozaki K, Ouchi Y. 17 beta-estradiol inhibits cardiac fibroblast growth through both subtypes of estrogen receptor. *Biochem Biophys Res Commun.* 2003;311:454-9.

118) Watanabe T, Akishita M, Nakaoka T, Kozaki K, Miyahara Y, He H, Ohike Y, Ogita T, Inoue S, Muramatsu M, Yamashita N, Ouchi Y. Estrogen receptor beta mediates the inhibitory effect of estradiol on vascular smooth muscle cell proliferation. *Cardiovasc Res.* 2003;59:734-44.

#### 書籍

119) 荒木 厚：高齢者のトラブルポイント，石井均編集，糖尿病ケアの知恵袋—よき「治療同盟」をめざして，医学書院，東京，2004，pp 155-171.

120) 荒木 厚：高齢者の食習慣と生活習慣病，井藤英喜編集，高齢者の生活習慣病の診療の実際。メディカルビュー社，東京，2004，pp 12-26.

121) 荒木 厚：血糖，井藤英喜、木田厚瑞、鳥羽研二、桑島巖編集，折茂肇監修，高齢者診療ポケットメモ，南江堂，東京，2003，pp 98-99.

122) 荒木 厚：糖尿病，井藤英喜、木田厚瑞、鳥羽研二、桑島巖編集，折茂肇監修，高齢者診療ポケットメモ，南江堂，東京，2003，pp 250-254.

123) Araki A：Homocysteine and diabetes. Harmani Kalim (Eds.), Homocysteine and Vascular Disease. Results of Studies on Homocysteine in Indonesia, Homocysteine Study Group, Jakarta, 2003, pp 5-8.

124) 遠藤英俊、三浦久幸、佐竹昭介、数井裕光 包括管理・診療 田平 武 最新医学別冊 新しい診断と治療の ABC22 (別刷) 神経3 アルツハイマー病 最新医学社 大阪 2004 129-136

125) 大庭建三、犬塚有紀、岡崎恭次、中野博司 老年糖尿病患者の管理 日本糖尿病学会 糖尿病学の進歩 (第 38 集) 2004 診断と治療社 東京 2004 110-113

- 126) 大庭建三 糖尿病と低血糖：低血糖症 祖父江逸郎 長寿科学事典 医学書院 東京  
2003 581-582
- 127) 中野博司、大庭建三 老年期糖尿病 小沢利男 老年病診療Q & A 六法出版 東  
京 2003 1141-1143
- 128) 大庭建三、中野博司 特別な管理を要する糖尿病：高齢者 日本糖尿病学会 糖尿病  
学の進歩 2003 診断と治療社 東京 2003 p87-89
- 129) 大庭建三 加齢と糖尿病 日本老年医学会 老年医療の歩みと展望；養生訓から現代  
医療の最先端まで メジカルビュー社 東京 2003 p157-159
- 130) 渡邊健太郎、大庭建三 老年期糖尿病患者に発症した脳卒中の治療 小沢利男 老年  
病診療Q & A 六法出版 東京 2003 1149-1149