

Department of family physician

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
internal med.	Male	108	41.4	142	43.3	188	63.3	189	71.1	32	76.2	659	55.2
	Female	148	50.7	150	52.8	185	64.9	212	77.7	29	85.3	724	62.0
	Total	256	46.3	292	47.7	373	64.1	401	74.4	61	80.3	1383	58.6
surgery	Male	9	3.4	18	5.5	20	6.7	26	9.8	3	7.1	76	6.4
	Female	8	2.7	17	6.0	19	6.7	21	7.7	2	5.9	67	5.7
	Total	17	3.1	35	5.7	39	6.7	47	8.7	5	6.6	143	6.1
orthopedics	Male	14	5.4	19	5.8	26	8.8	45	16.9	9	21.4	113	9.5
	Female	25	8.6	30	10.6	53	18.6	80	29.3	12	35.3	200	17.1
	Total	39	7.1	49	8.0	79	13.6	125	23.2	21	27.6	313	13.3
otolaryngology	Male	20	7.7	18	5.5	24	8.1	28	10.5	4	9.5	94	7.9
	Female	33	11.3	25	8.8	36	12.6	28	10.3	6	17.6	128	11.0
	Total	53	9.6	43	7.0	60	10.3	56	10.4	10	13.2	222	9.4
ophthalmology	Male	6	2.3	25	7.6	47	15.8	78	29.3	20	47.6	176	14.7
	Female	25	8.6	30	10.6	74	26.0	136	49.8	24	70.6	289	24.7
	Total	31	5.6	55	9.0	121	20.8	214	39.7	44	57.9	465	19.7
dentistry	Male	87	33.3	134	40.9	133	44.8	144	54.1	24	57.1	522	43.7
	Female	133	45.5	143	50.4	155	54.4	153	56.0	17	50.0	601	51.5
	Total	220	39.8	277	45.3	288	49.5	297	55.1	41	53.9	1123	47.5
others	Male	17	6.5	21	6.4	22	7.4	36	13.5	8	19.0	104	8.7
	Female	28	9.6	31	10.9	22	7.7	21	7.7	2	5.9	104	8.9
	Total	45	8.1	52	8.5	44	7.6	57	10.6	10	13.2	208	8.8
Total	Male	261	100.0	328	100.0	297	100.0	266	100.0	42	100.0	1194	100.0
	Female	292	100.0	284	100.0	285	100.0	273	100.0	34	100.0	1168	100.0
	Total	553	100.0	612	100.0	582	100.0	539	100.0	76	100.0	2362	100.0

4) Past history and present illness

Stroke

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	2	0.8	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	1	0.4	1	2.9	2	0.2
	Total	1	0.2	0	0.0	0	0.0	3	0.6	1	1.3	5	0.2
None	Male	259	99.2	321	97.9	282	94.9	231	86.8	38	90.5	1131	94.7
	Female	292	100.0	283	99.6	273	95.8	256	93.8	30	88.2	1134	97.1
	Total	551	99.6	604	98.7	555	95.4	487	90.4	68	89.5	2265	95.9
On medication	Male	0	0.0	5	1.5	10	3.4	22	8.3	3	7.1	40	3.4
	Female	0	0.0	1	0.4	10	3.5	12	4.4	2	5.9	25	2.1
	Total	0	0.0	6	1.0	20	3.4	34	6.3	5	6.6	65	2.8
Previously medicated	Male	1	0.4	2	0.6	5	1.7	8	3.0	0	0.0	16	1.3
	Female	0	0.0	0	0.0	1	0.4	3	1.1	1	2.9	5	0.4
	Total	1	0.2	2	0.3	6	1.0	11	2.0	1	1.3	21	0.9
Not treated	Male	0	0.0	0	0.0	0	0.0	3	1.1	1	2.4	4	0.3
	Female	0	0.0	0	0.0	1	0.4	1	0.4	0	0.0	2	0.2
	Total	0	0.0	0	0.0	1	0.2	4	0.7	1	1.3	6	0.3

Hypertension

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Total	1	0.2	0	0.0	0	0.0	1	0.2	1	1.3	3	0.1
None	Male	239	91.6	254	77.4	185	62.3	165	62.0	25	59.5	868	72.7
	Female	274	93.8	230	81.0	204	71.6	135	49.5	16	47.1	859	73.5
	Total	513	92.8	484	79.1	389	66.8	300	55.7	41	53.9	1727	73.1
On medication	Male	11	4.2	52	15.9	87	29.3	87	32.7	14	33.3	251	21.0
	Female	12	4.1	35	12.3	66	23.2	114	41.8	16	47.1	243	20.8
	Total	23	4.2	87	14.2	153	26.3	201	37.3	30	39.5	494	20.9
Previously medicated	Male	6	2.3	10	3.0	16	5.4	9	3.4	3	7.1	44	3.7
	Female	1	0.3	12	4.2	13	4.6	20	7.3	1	2.9	47	4.0
	Total	7	1.3	22	3.6	29	5.0	29	5.4	4	5.3	91	3.9
Not treated	Male	4	1.5	12	3.7	9	3.0	4	1.5	0	0.0	29	2.4
	Female	5	1.7	7	2.5	2	0.7	4	1.5	0	0.0	18	1.5
	Total	9	1.6	19	3.1	11	1.9	8	1.5	0	0.0	47	2.0

Ischemic heart disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	0	0.0	2	0.8	1	2.4	5	0.4
	Female	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Total	1	0.2	1	0.2	0	0.0	4	0.7	1	1.3	7	0.3
None	Male	256	98.1	324	98.8	275	92.6	229	86.1	35	83.3	1119	93.7
	Female	290	99.3	279	98.2	273	95.8	234	85.7	30	88.2	1106	94.7
	Total	546	98.7	603	98.5	548	94.2	463	85.9	65	85.5	2225	94.2
On medication	Male	0	0.0	3	0.9	13	4.4	24	9.0	3	7.1	43	3.6
	Female	0	0.0	2	0.7	8	2.8	25	9.2	4	11.8	39	3.3
	Total	0	0.0	5	0.8	21	3.6	49	9.1	7	9.2	82	3.5
Previously medicated	Male	1	0.4	0	0.0	6	2.0	8	3.0	3	7.1	18	1.5
	Female	1	0.3	3	1.1	3	1.1	6	2.2	0	0.0	13	1.1
	Total	2	0.4	3	0.5	9	1.5	14	2.6	3	3.9	31	1.3
Not treated	Male	3	1.1	0	0.0	3	1.0	3	1.1	0	0.0	9	0.8
	Female	1	0.3	0	0.0	1	0.4	6	2.2	0	0.0	8	0.7
	Total	4	0.7	0	0.0	4	0.7	9	1.7	0	0.0	17	0.7

Other heart disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	10	3.8	13	4.0	3	1.0	3	1.1	1	2.4	30	2.5
	Female	7	2.4	3	1.1	4	1.4	4	1.5	0	0.0	18	1.5
	Total	17	3.1	16	2.6	7	1.2	7	1.3	1	1.3	48	2.0
None	Male	238	91.2	288	87.8	265	89.2	226	85.0	33	78.6	1050	87.9
	Female	273	93.5	270	95.1	264	92.6	233	85.3	26	76.5	1066	91.3
	Total	511	92.4	558	91.2	529	90.9	459	85.2	59	77.6	2116	89.6
On medication	Male	1	0.4	5	1.5	8	2.7	18	6.8	5	11.9	37	3.1
	Female	1	0.3	5	1.8	6	2.1	20	7.3	4	11.8	36	3.1
	Total	2	0.4	10	1.6	14	2.4	38	7.1	9	11.8	73	3.1
Previously medicated	Male	7	2.7	5	1.5	5	1.7	7	2.6	1	2.4	25	2.1
	Female	4	1.4	3	1.1	5	1.8	6	2.2	1	2.9	19	1.6
	Total	11	2.0	8	1.3	10	1.7	13	2.4	2	2.6	44	1.9
Not treated	Male	5	1.9	17	5.2	16	5.4	12	4.5	2	4.8	52	4.4
	Female	7	2.4	3	1.1	6	2.1	10	3.7	3	8.8	29	2.5
	Total	12	2.2	20	3.3	22	3.8	22	4.1	5	6.6	81	3.4

Hyperlipidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	1	0.3	1	0.4	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0	3	0.3
	Total	1	0.2	0	0.0	1	0.2	4	0.7	0	0.0	6	0.3
None	Male	231	88.5	270	82.3	250	84.2	217	81.6	39	92.9	1007	84.3
	Female	275	94.2	224	78.9	208	73.0	177	64.8	26	76.5	910	77.9
	Total	506	91.5	494	80.7	458	78.7	394	73.1	65	85.5	1917	81.2
On medication	Male	4	1.5	18	5.5	20	6.7	30	11.3	2	4.8	74	6.2
	Female	2	0.7	21	7.4	32	11.2	63	23.1	5	14.7	123	10.5
	Total	6	1.1	39	6.4	52	8.9	93	17.3	7	9.2	197	8.3
Previously medicated	Male	3	1.1	12	3.7	4	1.3	5	1.9	0	0.0	24	2.0
	Female	1	0.3	3	1.1	12	4.2	10	3.7	2	5.9	28	2.4
	Total	4	0.7	15	2.5	16	2.7	15	2.8	2	2.6	52	2.2
Not treated	Male	22	8.4	28	8.5	22	7.4	13	4.9	1	2.4	86	7.2
	Female	14	4.8	36	12.7	33	11.6	20	7.3	1	2.9	104	8.9
	Total	36	6.5	64	10.5	55	9.5	33	6.1	2	2.6	190	8.0

Renal disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
None	Male	248	95.0	316	96.3	281	94.6	256	96.2	37	88.1	1138	95.3
	Female	282	96.6	271	95.4	271	95.1	252	92.3	32	94.1	1108	94.9
	Total	530	95.8	587	95.9	552	94.8	508	94.2	69	90.8	2246	95.1
On medication	Male	0	0.0	0	0.0	3	1.0	1	0.4	0	0.0	4	0.3
	Female	0	0.0	0	0.0	2	0.7	4	1.5	0	0.0	6	0.5
	Total	0	0.0	0	0.0	5	0.9	5	0.9	0	0.0	10	0.4
Previously medicated	Male	10	3.8	11	3.4	12	4.0	5	1.9	5	11.9	43	3.6
	Female	10	3.4	12	4.2	12	4.2	15	5.5	2	5.9	51	4.4
	Total	20	3.6	23	3.8	24	4.1	20	3.7	7	9.2	94	4.0
Not treated	Male	2	0.8	1	0.3	1	0.3	3	1.1	0	0.0	7	0.6
	Female	0	0.0	1	0.4	0	0.0	2	0.7	0	0.0	3	0.3
	Total	2	0.4	2	0.3	1	0.2	5	0.9	0	0.0	10	0.4

Liver disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
None	Male	248	95.0	304	92.7	269	90.6	247	92.9	41	97.6	1109	92.9
	Female	283	96.9	271	95.4	268	94.0	262	96.0	32	94.1	1116	95.5
	Total	531	96.0	575	94.0	537	92.3	509	94.4	73	96.1	2225	94.2
On medication	Male	0	0.0	5	1.5	11	3.7	2	0.8	1	2.4	19	1.6
	Female	1	0.3	2	0.7	3	1.1	2	0.7	0	0.0	8	0.7
	Total	1	0.2	7	1.1	14	2.4	4	0.7	1	1.3	27	1.1
Previously medicated	Male	5	1.9	13	4.0	13	4.4	13	4.9	0	0.0	44	3.7
	Female	8	2.7	8	2.8	10	3.5	7	2.6	2	5.9	35	3.0
	Total	13	2.4	21	3.4	23	4.0	20	3.7	2	2.6	79	3.3
Not treated	Male	7	2.7	6	1.8	4	1.3	3	1.1	0	0.0	20	1.7
	Female	0	0.0	3	1.1	4	1.4	2	0.7	0	0.0	9	0.8
	Total	7	1.3	9	1.5	8	1.4	5	0.9	0	0.0	29	1.2

Cholecystitis or gallstone

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	1	0.3	1	0.4	0	0.0	3	0.3
	Female	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	1	0.2	1	0.2	1	0.2	0	0.0	4	0.2
None	Male	251	96.2	300	91.5	272	91.6	232	87.2	38	90.5	1093	91.5
	Female	280	95.9	264	93.0	259	90.9	251	91.9	31	91.2	1085	92.9
	Total	531	96.0	564	92.2	531	91.2	483	89.6	69	90.8	2178	92.2
On medication	Male	0	0.0	1	0.3	0	0.0	3	1.1	1	2.4	5	0.4
	Female	0	0.0	0	0.0	1	0.4	1	0.4	0	0.0	2	0.2
	Total	0	0.0	1	0.2	1	0.2	4	0.7	1	1.3	7	0.3
Previously medicated	Male	7	2.7	20	6.1	17	5.7	25	9.4	3	7.1	72	6.0
	Female	7	2.4	16	5.6	21	7.4	18	6.6	2	5.9	64	5.5
	Total	14	2.5	36	5.9	38	6.5	43	8.0	5	6.6	136	5.8
Not treated	Male	2	0.8	7	2.1	7	2.4	5	1.9	0	0.0	21	1.8
	Female	5	1.7	3	1.1	4	1.4	3	1.1	1	2.9	16	1.4
	Total	7	1.3	10	1.6	11	1.9	8	1.5	1	1.3	37	1.6

Diabetes mellitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
None	Male	255	97.7	300	91.5	260	87.5	221	83.1	36	85.7	1072	89.8
	Female	288	98.6	267	94.0	261	91.6	251	91.9	31	91.2	1098	94.0
	Total	543	98.2	567	92.6	521	89.5	472	87.6	67	88.2	2170	91.9
On medication	Male	2	0.8	19	5.8	31	10.4	33	12.4	2	4.8	87	7.3
	Female	1	0.3	11	3.9	18	6.3	14	5.1	1	2.9	45	3.9
	Total	3	0.5	30	4.9	49	8.4	47	8.7	3	3.9	132	5.6
Previously medicated	Male	1	0.4	3	0.9	1	0.3	4	1.5	3	7.1	12	1.0
	Female	1	0.3	1	0.4	4	1.4	2	0.7	2	5.9	10	0.9
	Total	2	0.4	4	0.7	5	0.9	6	1.1	5	6.6	22	0.9
Not treated	Male	2	0.8	6	1.8	5	1.7	7	2.6	1	2.4	21	1.8
	Female	2	0.7	5	1.8	2	0.7	6	2.2	0	0.0	15	1.3
	Total	4	0.7	11	1.8	7	1.2	13	2.4	1	1.3	36	1.5

Peptic ulcer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	0	0.0	0	0.0	0	0.0	2	0.2
	Female	1	0.3	1	0.4	0	0.0	1	0.4	0	0.0	3	0.3
	Total	2	0.4	2	0.3	0	0.0	1	0.2	0	0.0	5	0.2
None	Male	211	80.8	271	82.6	225	75.8	195	73.3	32	76.2	934	78.2
	Female	267	91.4	262	92.3	256	89.8	243	89.0	30	88.2	1058	90.6
	Total	478	86.4	533	87.1	481	82.6	438	81.3	62	81.6	1992	84.3
On medication	Male	4	1.5	3	0.9	9	3.0	11	4.1	2	4.8	29	2.4
	Female	3	1.0	0	0.0	5	1.8	11	4.0	2	5.9	21	1.8
	Total	7	1.3	3	0.5	14	2.4	22	4.1	4	5.3	50	2.1
Previously medicated	Male	40	15.3	47	14.3	61	20.5	57	21.4	7	16.7	212	17.8
	Female	19	6.5	20	7.0	21	7.4	18	6.6	2	5.9	80	6.8
	Total	59	10.7	67	10.9	82	14.1	75	13.9	9	11.8	292	12.4
Not treated	Male	5	1.9	6	1.8	2	0.7	3	1.1	1	2.4	17	1.4
	Female	2	0.7	1	0.4	3	1.1	0	0.0	0	0.0	6	0.5
	Total	7	1.3	7	1.1	5	0.9	3	0.6	1	1.3	23	1.0

Tuberculosis or plauritis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
None	Male	254	97.3	322	98.2	276	92.9	222	83.5	32	76.2	1106	92.6
	Female	287	98.3	279	98.2	276	96.8	237	86.8	31	91.2	1110	95.0
	Total	541	97.8	601	98.2	552	94.8	459	85.2	63	82.9	2216	93.8
On medication	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Previously medicated	Male	6	2.3	5	1.5	20	6.7	40	15.0	8	19.0	79	6.6
	Female	5	1.7	5	1.8	9	3.2	35	12.8	3	8.8	57	4.9
	Total	11	2.0	10	1.6	29	5.0	75	13.9	11	14.5	136	5.8
Not treated	Male	0	0.0	1	0.3	1	0.3	2	0.8	2	4.8	6	0.5
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	1	0.2	1	0.2	3	0.6	2	2.6	7	0.3

Bronchial asthma

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
None	Male	244	93.5	318	97.0	293	98.7	251	94.4	40	95.2	1146	96.0
	Female	271	92.8	272	95.8	278	97.5	260	95.2	33	97.1	1114	95.4
	Total	515	93.1	590	96.4	571	98.1	511	94.8	73	96.1	2260	95.7
On medication	Male	4	1.5	2	0.6	2	0.7	9	3.4	0	0.0	17	1.4
	Female	4	1.4	2	0.7	2	0.7	5	1.8	0	0.0	13	1.1
	Total	8	1.4	4	0.7	4	0.7	14	2.6	0	0.0	30	1.3
Previously medicated	Male	12	4.6	8	2.4	1	0.3	4	1.5	2	4.8	27	2.3
	Female	16	5.5	10	3.5	5	1.8	8	2.9	1	2.9	40	3.4
	Total	28	5.1	18	2.9	6	1.0	12	2.2	3	3.9	67	2.8
Not treated	Male	0	0.0	0	0.0	1	0.3	1	0.4	0	0.0	2	0.2
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	1	0.2	1	0.2	0	0.0	3	0.1

Chronic bronchitis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
None	Male	256	98.1	324	98.8	290	97.6	253	95.1	37	88.1	1160	97.2
	Female	286	97.9	278	97.9	279	97.9	255	93.4	33	97.1	1131	96.8
	Total	542	98.0	602	98.4	569	97.8	508	94.2	70	92.1	2291	97.0
On medication	Male	0	0.0	0	0.0	1	0.3	3	1.1	3	7.1	7	0.6
	Female	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0	3	0.3
	Total	0	0.0	0	0.0	1	0.2	6	1.1	3	3.9	10	0.4
Previously medicated	Male	4	1.5	4	1.2	6	2.0	5	1.9	2	4.8	21	1.8
	Female	6	2.1	6	2.1	5	1.8	13	4.8	1	2.9	31	2.7
	Total	10	1.8	10	1.6	11	1.9	18	3.3	3	3.9	52	2.2
Not treated	Male	0	0.0	0	0.0	0	0.0	4	1.5	0	0.0	4	0.3
	Female	0	0.0	0	0.0	1	0.4	2	0.7	0	0.0	3	0.3
	Total	0	0.0	0	0.0	1	0.2	6	1.1	0	0.0	7	0.3

Anemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	1	0.4	0	0.0	2	0.7	0	0.0	3	0.3
	Total	1	0.2	1	0.2	0	0.0	2	0.4	0	0.0	4	0.2
None	Male	253	96.9	317	96.6	280	94.3	241	90.6	35	83.3	1126	94.3
	Female	183	62.7	191	67.3	239	83.9	231	84.6	25	73.5	869	74.4
	Total	436	78.8	508	83.0	519	89.2	472	87.6	60	78.9	1995	84.5
On medication	Male	0	0.0	1	0.3	1	0.3	4	1.5	0	0.0	6	0.5
	Female	4	1.4	3	1.1	1	0.4	3	1.1	5	14.7	16	1.4
	Total	4	0.7	4	0.7	2	0.3	7	1.3	5	6.6	22	0.9
Previously medicated	Male	2	0.8	4	1.2	8	2.7	9	3.4	5	11.9	28	2.3
	Female	80	27.4	75	26.4	36	12.6	27	9.9	1	2.9	219	18.8
	Total	82	14.8	79	12.9	44	7.6	36	6.7	6	7.9	247	10.5
Not treated	Male	5	1.9	6	1.8	8	2.7	12	4.5	2	4.8	33	2.8
	Female	25	8.6	14	4.9	9	3.2	10	3.7	3	8.8	61	5.2
	Total	30	5.4	20	3.3	17	2.9	22	4.1	5	6.6	94	4.0

Osteoporosis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	2	0.7	2	0.8	0	0.0	5	0.4
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	1	0.2	0	0.0	2	0.3	3	0.6	0	0.0	6	0.3
None	Male	260	99.6	327	99.7	294	99.0	259	97.4	40	95.2	1180	98.8
	Female	291	99.7	264	93.0	255	89.5	209	76.6	21	61.8	1040	89.0
	Total	551	99.6	591	96.6	549	94.3	468	86.8	61	80.3	2220	94.0
On medication	Male	0	0.0	1	0.3	0	0.0	3	1.1	0	0.0	4	0.3
	Female	0	0.0	10	3.5	15	5.3	37	13.6	8	23.5	70	6.0
	Total	0	0.0	11	1.8	15	2.6	40	7.4	8	10.5	74	3.1
Previously medicated	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	0.1
	Female	0	0.0	0	0.0	6	2.1	11	4.0	3	8.8	20	1.7
	Total	0	0.0	0	0.0	6	1.0	11	2.0	4	5.3	21	0.9
Not treated	Male	0	0.0	0	0.0	1	0.3	2	0.8	1	2.4	4	0.3
	Female	1	0.3	10	3.5	9	3.2	15	5.5	2	5.9	37	3.2
	Total	1	0.2	10	1.6	10	1.7	17	3.2	3	3.9	41	1.7

Arthritis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	0	0.0	1	0.4	0	0.0	3	0.3
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	1	0.2	1	0.2	1	0.2	1	0.2	0	0.0	4	0.2
None	Male	255	97.7	303	92.4	275	92.6	244	91.7	33	78.6	1110	93.0
	Female	275	94.2	259	91.2	251	88.1	209	76.6	27	79.4	1021	87.4
	Total	530	95.8	562	91.8	526	90.4	453	84.0	60	78.9	2131	90.2
On medication	Male	2	0.8	3	0.9	11	3.7	4	1.5	5	11.9	25	2.1
	Female	5	1.7	5	1.8	7	2.5	34	12.5	6	17.6	57	4.9
	Total	7	1.3	8	1.3	18	3.1	38	7.1	11	14.5	82	3.5
Previously medicated	Male	3	1.1	19	5.8	11	3.7	15	5.6	4	9.5	52	4.4
	Female	8	2.7	18	6.3	21	7.4	24	8.8	1	2.9	72	6.2
	Total	11	2.0	37	6.0	32	5.5	39	7.2	5	6.6	124	5.2
Not treated	Male	0	0.0	2	0.6	0	0.0	2	0.8	0	0.0	4	0.3
	Female	4	1.4	2	0.7	5	1.8	6	2.2	0	0.0	17	1.5
	Total	4	0.7	4	0.7	5	0.9	8	1.5	0	0.0	21	0.9

Gout, hyperuricacidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	2	0.4	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
None	Male	246	94.3	303	92.4	269	90.6	237	89.1	38	90.5	1093	91.5
	Female	290	99.3	281	98.9	269	94.4	265	97.1	33	97.1	1138	97.4
	Total	536	96.9	584	95.4	538	92.4	502	93.1	71	93.4	2231	94.5
On medication	Male	3	1.1	11	3.4	12	4.0	18	6.8	3	7.1	47	3.9
	Female	0	0.0	0	0.0	5	1.8	3	1.1	1	2.9	9	0.8
	Total	3	0.5	11	1.8	17	2.9	21	3.9	4	5.3	56	2.4
Previously medicated	Male	10	3.8	9	2.7	11	3.7	9	3.4	1	2.4	40	3.4
	Female	0	0.0	2	0.7	4	1.4	2	0.7	0	0.0	8	0.7
	Total	10	1.8	11	1.8	15	2.6	11	2.0	1	1.3	48	2.0
Not treated	Male	1	0.4	5	1.5	5	1.7	2	0.8	0	0.0	13	1.1
	Female	1	0.3	1	0.4	7	2.5	3	1.1	0	0.0	12	1.0
	Total	2	0.4	6	1.0	12	2.1	5	0.9	0	0.0	25	1.1

Thyroid disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	1	0.4	1	0.4	0	0.0	2	0.2
	Total	1	0.2	0	0.0	1	0.2	2	0.4	0	0.0	4	0.2
None	Male	258	98.9	325	99.1	291	98.0	261	98.1	42	100.0	1177	98.6
	Female	282	96.6	262	92.3	268	94.0	258	94.5	33	97.1	1103	94.4
	Total	540	97.6	587	95.9	559	96.0	519	96.3	75	98.7	2280	96.5
On medication	Male	1	0.4	1	0.3	1	0.3	1	0.4	0	0.0	4	0.3
	Female	3	1.0	6	2.1	2	0.7	6	2.2	0	0.0	17	1.5
	Total	4	0.7	7	1.1	3	0.5	7	1.3	0	0.0	21	0.9
Previously medicated	Male	1	0.4	2	0.6	4	1.3	3	1.1	0	0.0	10	0.8
	Female	6	2.1	11	3.9	12	4.2	7	2.6	1	2.9	37	3.2
	Total	7	1.3	13	2.1	16	2.7	10	1.9	1	1.3	47	2.0
Not treated	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	1	0.3	5	1.8	2	0.7	1	0.4	0	0.0	9	0.8
	Total	1	0.2	5	0.8	3	0.5	1	0.2	0	0.0	10	0.4

Parathyroid disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	1	0.4	1	0.4	0	0.0	0	0.0	2	0.2
	Total	1	0.2	1	0.2	1	0.2	1	0.2	0	0.0	4	0.2
None	Male	260	99.6	328	100.0	297	100.0	265	99.6	42	100.0	1192	99.8
	Female	292	100.0	283	99.6	284	99.6	273	100.0	34	100.0	1166	99.8
	Total	552	99.8	611	99.8	581	99.8	538	99.8	76	100.0	2358	99.8

Cancer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	2	0.4	0	0.0	3	0.1
None	Male	259	99.2	321	97.9	284	95.6	248	93.2	39	92.9	1151	96.4
	Female	285	97.6	277	97.5	272	95.4	251	91.9	30	88.2	1115	95.5
	Total	544	98.4	598	97.7	556	95.5	499	92.6	69	90.8	2266	95.9
On medication	Male	1	0.4	2	0.6	3	1.0	4	1.5	2	4.8	12	1.0
	Female	1	0.3	2	0.7	7	2.5	4	1.5	0	0.0	14	1.2
	Total	2	0.4	4	0.7	10	1.7	8	1.5	2	2.6	26	1.1
Previously medicated	Male	0	0.0	5	1.5	10	3.4	13	4.9	1	2.4	29	2.4
	Female	6	2.1	5	1.8	6	2.1	16	5.9	4	11.8	37	3.2
	Total	6	1.1	10	1.6	16	2.7	29	5.4	5	6.6	66	2.8
Not treated	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0

Fracture

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	1	0.3	0	0.0	0	0.0	2	0.7	0	0.0	3	0.3
	Total	2	0.4	0	0.0	0	0.0	3	0.6	0	0.0	5	0.2
None	Male	172	65.9	237	72.3	204	68.7	188	70.7	26	61.9	827	69.3
	Female	252	86.3	242	85.2	216	75.8	186	68.1	26	76.5	922	78.9
	Total	424	76.7	479	78.3	420	72.2	374	69.4	52	68.4	1749	74.0
On medication	Male	1	0.4	0	0.0	0	0.0	3	1.1	1	2.4	5	0.4
	Female	0	0.0	1	0.4	1	0.4	4	1.5	0	0.0	6	0.5
	Total	1	0.2	1	0.2	1	0.2	7	1.3	1	1.3	11	0.5
Previously medicated	Male	87	33.3	89	27.1	93	31.3	73	27.4	15	35.7	357	29.9
	Female	39	13.4	41	14.4	68	23.9	81	29.7	8	23.5	237	20.3
	Total	126	22.8	130	21.2	161	27.7	154	28.6	23	30.3	594	25.1
Not treated	Male	0	0.0	2	0.6	0	0.0	1	0.4	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	2	0.3	0	0.0	1	0.2	0	0.0	3	0.1

Benign prostate hyperplasia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	0.8	0	0.0	0	0.0	1	0.4	0	0.0	3	0.3
	Female	2	0.7	5	1.8	3	1.1	1	0.4	0	0.0	11	0.9
	Total	4	0.7	5	0.8	3	0.5	2	0.4	0	0.0	14	0.6
None	Male	256	98.1	321	97.9	266	89.6	218	82.0	29	69.0	1090	91.3
	Female	289	99.0	279	98.2	282	98.9	272	99.6	34	100.0	1156	99.0
	Total	545	98.6	600	98.0	548	94.2	490	90.9	63	82.9	2246	95.1
On medication	Male	0	0.0	2	0.6	8	2.7	19	7.1	6	14.3	35	2.9
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	2	0.3	8	1.4	19	3.5	6	7.9	35	1.5
Previously medicated	Male	3	1.1	3	0.9	18	6.1	23	8.6	6	14.3	53	4.4
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	3	0.5	3	0.5	18	3.1	23	4.3	6	7.9	53	2.2
Not treated	Male	0	0.0	2	0.6	5	1.7	5	1.9	1	2.4	13	1.1
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	2	0.3	5	0.9	5	0.9	1	1.3	14	0.6

Dementia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	2	0.4	0	0.0	3	0.1
None	Male	260	99.6	328	100.0	297	100.0	264	99.2	41	97.6	1190	99.7
	Female	292	100.0	284	100.0	285	100.0	269	98.5	34	100.0	1164	99.7
	Total	552	99.8	612	100.0	582	100.0	533	98.9	75	98.7	2354	99.7
On medication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Previously medicated	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Not treated	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	2.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	2	0.4	1	1.3	3	0.1

Parkinson disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	2	0.4	0	0.0	3	0.1
None	Male	260	99.6	327	99.7	296	99.7	264	99.2	42	100.0	1189	99.6
	Female	292	100.0	284	100.0	285	100.0	272	99.6	34	100.0	1167	99.9
	Total	552	99.8	611	99.8	581	99.8	536	99.4	76	100.0	2356	99.7
On medication	Male	0	0.0	1	0.3	1	0.3	1	0.4	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	1	0.2	1	0.2	0	0.0	3	0.1

Others diseases

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	3	0.9	1	0.3	1	0.4	1	2.4	7	0.6
	Female	4	1.4	2	0.7	3	1.1	6	2.2	1	2.9	16	1.4
	Total	5	0.9	5	0.8	4	0.7	7	1.3	2	2.6	23	1.0
None	Male	190	72.8	216	65.9	186	62.6	159	59.8	28	66.7	779	65.2
	Female	212	72.6	207	72.9	191	67.0	184	67.4	21	61.8	815	69.8
	Total	402	72.7	423	69.1	377	64.8	343	63.6	49	64.5	1594	67.5
On medication	Male	11	4.2	23	7.0	28	9.4	31	11.7	5	11.9	98	8.2
	Female	16	5.5	16	5.6	31	10.9	29	10.6	4	11.8	96	8.2
	Total	27	4.9	39	6.4	59	10.1	60	11.1	9	11.8	194	8.2
Previously medicated	Male	56	21.5	81	24.7	80	26.9	71	26.7	8	19.0	296	24.8
	Female	52	17.8	57	20.1	58	20.4	53	19.4	8	23.5	228	19.5
	Total	108	19.5	138	22.5	138	23.7	124	23.0	16	21.1	524	22.2
Not treated	Male	3	1.1	5	1.5	2	0.7	4	1.5	0	0.0	14	1.2
	Female	8	2.7	2	0.7	2	0.7	1	0.4	0	0.0	13	1.1
	Total	11	2.0	7	1.1	4	0.7	5	0.9	0	0.0	27	1.1

History of gastrectomy

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	1	0.3	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	1	0.2	0	0.0	2	0.4	0	0.0	3	0.1
Yes	Male	0	0.0	10	3.0	10	3.4	27	10.2	6	14.3	53	4.4
	Female	2	0.7	1	0.4	2	0.7	8	2.9	2	5.9	15	1.3
	Total	2	0.4	11	1.8	12	2.1	35	6.5	8	10.5	68	2.9
No	Male	261	100.0	317	96.6	287	96.6	238	89.5	36	85.7	1139	95.4
	Female	290	99.3	283	99.6	283	99.3	264	96.7	32	94.1	1152	98.6
	Total	551	99.6	600	98.0	570	97.9	502	93.1	68	89.5	2291	97.0

Age of gastrectomy (years old)

		40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
		Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male		.	.	.	39.3	12.4	10	46.8	13.8	10	53.3	14.0	25	55.0	20.8	6	49.5	15.3	51
Female		36.0	.	1	53.0	.	1	37.0	11.3	2	57.1	13.7	7	65.5	3.5	2	53.4	14.4	13
Total		36.0	.	1	40.5	12.4	11	45.2	13.5	12	54.2	13.8	32	57.6	18.3	8	50.3	15.1	64

History of gall bladder surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	1	0.3	1	0.3	1	0.4	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	1	0.2	1	0.2	2	0.4	0	0.0	4	0.2
Yes	Male	3	1.1	13	4.0	7	2.4	19	7.1	2	4.8	44	3.7
	Female	6	2.1	11	3.9	12	4.2	15	5.5	3	8.8	47	4.0
	Total	9	1.6	24	3.9	19	3.3	34	6.3	5	6.6	91	3.9
No	Male	258	98.9	314	95.7	289	97.3	246	92.5	40	95.2	1147	96.1
	Female	286	97.9	273	96.1	273	95.8	257	94.1	31	91.2	1120	95.9
	Total	544	98.4	587	95.9	562	96.6	503	93.3	71	93.4	2267	96.0

Age of gall bladder surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	33.0	6.1	3	41.5	10.3	13	52.7	11.1	7	58.9	12.0	18	77.0	2.8	2	51.7	14.8	43
Female	40.6	5.9	5	41.9	10.1	11	53.7	7.5	12	62.6	11.3	15	65.3	3.2	3	53.1	13.0	46
Total	37.8	6.8	8	41.7	10.0	24	53.3	8.7	19	60.6	11.6	33	70.0	6.9	5	52.4	13.8	89

History of head surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	1	0.3	1	0.3	0	0.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	2	0.3	0	0.0	0	0.0	3	0.1
Yes	Male	4	1.5	6	1.8	7	2.4	10	3.8	0	0.0	27	2.3
	Female	2	0.7	1	0.4	0	0.0	4	1.5	0	0.0	7	0.6
	Total	6	1.1	7	1.1	7	1.2	14	2.6	0	0.0	34	1.4
No	Male	257	98.5	321	97.9	289	97.3	256	96.2	42	100.0	1165	97.6
	Female	290	99.3	283	99.6	284	99.6	269	98.5	34	100.0	1160	99.3
	Total	547	98.9	604	98.7	573	98.5	525	97.4	76	100.0	2325	98.4

Age of head surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	12.5	12.6	4	48.2	6.2	6	41.3	21.2	7	53.5	18.9	10	43.8	21.5	27
Female	5.0	.	1	13.0	.	1	.	.	.	54.3	8.7	3	36.2	25.7	5
Total	11.0	11.4	5	43.1	14.5	7	41.3	21.2	7	53.2	16.7	13	42.6	21.9	32

History of cardiac surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	1	0.3	2	0.7	1	0.4	0	0.0	4	0.3
	Female	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Total	0	0.0	1	0.2	2	0.3	3	0.6	0	0.0	6	0.3
Yes	Male	2	0.8	1	0.3	3	1.0	6	2.3	2	4.8	14	1.2
	Female	2	0.7	2	0.7	2	0.7	3	1.1	0	0.0	9	0.8
	Total	4	0.7	3	0.5	5	0.9	9	1.7	2	2.6	23	1.0
No	Male	259	99.2	326	99.4	292	98.3	259	97.4	40	95.2	1176	98.5
	Female	290	99.3	282	99.3	283	99.3	268	98.2	34	100.0	1157	99.1
	Total	549	99.3	608	99.3	575	98.8	527	97.8	74	97.4	2333	98.8

Age of cardiac surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	15.0	1.4	2	45.0	.	1	63.3	5.0	3	69.8	2.6	5	74.0	12.7	2	58.6	21.2	13
Female	9.0	.	1	49.0	0.0	2	58.5	7.8	2	65.5	2.1	2	.	.	.	50.7	19.9	7
Total	13.0	3.6	3	47.7	2.3	3	61.4	5.9	5	68.6	3.1	7	74.0	12.7	2	55.9	20.6	20

History of lung surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	1	0.3	1	0.3	2	0.8	0	0.0	4	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	1	0.2	2	0.4	0	0.0	4	0.2
Yes	Male	0	0.0	2	0.6	2	0.7	5	1.9	0	0.0	9	0.8
	Female	1	0.3	0	0.0	1	0.4	2	0.7	0	0.0	4	0.3
	Total	1	0.2	2	0.3	3	0.5	7	1.3	0	0.0	13	0.6
No	Male	261	100.0	325	99.1	294	99.0	259	97.4	42	100.0	1181	98.9
	Female	291	99.7	284	100.0	284	99.6	271	99.3	34	100.0	1164	99.7
	Total	552	99.8	609	99.5	578	99.3	530	98.3	76	100.0	2345	99.3

Age of lung surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	.	.	.	45.5	3.5	2	62.0	.	1	53.6	24.7	5	52.6	19.4	8
Female	.	.	0	.	.	.	64.0	.	1	21.5	2.1	2	35.7	24.6	3
Total	.	.	0	45.5	3.5	2	63.0	1.4	2	44.4	25.5	7	48.0	21.2	11

History of thyroid surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	4	1.2	2	0.7	3	1.1	0	0.0	9	0.8
	Female	0	0.0	1	0.4	1	0.4	1	0.4	0	0.0	3	0.3
	Total	0	0.0	5	0.8	3	0.5	4	0.7	0	0.0	12	0.5
Yes	Male	0	0.0	0	0.0	2	0.7	2	0.8	0	0.0	4	0.3
	Female	3	1.0	3	1.1	5	1.8	4	1.5	0	0.0	15	1.3
	Total	3	0.5	3	0.5	7	1.2	6	1.1	0	0.0	19	0.8
No	Male	261	100.0	324	98.8	293	98.7	261	98.1	42	100.0	1181	98.9
	Female	289	99.0	280	98.6	279	97.9	268	98.2	34	100.0	1150	98.5
	Total	550	99.5	604	98.7	572	98.3	529	98.1	76	100.0	2331	98.7

Age of thyroid surgery (years old)

		40-49yr			50-59yr			60-69yr			70-79yr			Total		
		Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male		40.0	.	1	58.0	2.8	2	52.0	10.6	3
Female		37.5	14.8	2	47.7	2.5	3	44.4	15.1	5	45.3	18.2	4	44.4	13.2	14
Total		37.5	14.8	2	47.7	2.5	3	43.7	13.6	6	49.5	15.6	6	45.7	12.8	17