

Number of grandchildren living with

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	.	.	.	1.9	0.9	7	1.9	0.7	44	2.0	0.8	72	1.9	0.7	19	1.9	0.7	142
Female	1.0	0.0	3	1.6	0.8	23	1.9	0.8	68	2.2	0.8	95	1.9	0.9	12	2.0	0.8	201
Total	1.0	0.0	3	1.7	0.8	30	1.9	0.7	112	2.1	0.8	167	1.9	0.7	31	2.0	0.8	343

Number of grandchildren' s spouse living with

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	1.0	0.0	2	1.0	0.0	4	1.0	0.0	3	1.0	0.0	9
Female	1.3	0.6	3	.	.	.	1.3	0.6	3
Total	1.0	0.0	2	1.1	0.4	7	1.0	0.0	3	1.1	0.3	12

Number of great-grandchildren living with

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	1.6	0.5	5	1.3	0.6	3	1.5	0.5	8
Female	1.0	.	1	.	.	.	1.0	.	1	1.0	0.0	2
Total	1.0	.	1	1.6	0.5	5	1.3	0.5	4	1.4	0.5	10

Number of brothers or sisters living with

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	1.0	0.0	2	1.0	0.0	3	.	.	.	1.0	0.0	2	.	.	.	1.0	0.0	7
Female	1.0	0.0	6	2.0	.	1	1.0	.	1	4.0	4.2	2	.	.	.	1.7	1.9	10
Total	1.0	0.0	8	1.3	0.5	4	1.0	.	1	2.5	3.0	4	.	.	.	1.4	1.5	17

Number of other relatives living with

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	1.3	0.6	3	1.4	0.9	5	4.0	.	1	1.5	0.7	2	1.0	.	1	1.6	1.0	12
Female	1.0	0.0	5	3.3	3.9	4	1.3	0.5	4	3.5	3.5	2	.	.	.	2.0	2.3	15
Total	1.1	0.4	8	2.2	2.6	9	1.8	1.3	5	2.5	2.4	4	1.0	.	1	1.8	1.8	27

Presence of family members who need care in daily living

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Total	0	0.0	0	0.0	0	0.0	2	0.4	1	1.3	3	0.1
None	Male	246	94.3	296	90.2	267	89.9	244	91.7	38	90.5	1091	91.4
	Female	261	89.4	242	85.2	258	90.5	250	91.6	29	85.3	1040	89.0
	Total	507	91.7	538	87.9	525	90.2	494	91.7	67	88.2	2131	90.2
Exist	Male	15	5.7	32	9.8	30	10.1	20	7.5	4	9.5	101	8.5
	Female	31	10.6	42	14.8	27	9.5	23	8.4	4	11.8	127	10.9
	Total	46	8.3	74	12.1	57	9.8	43	8.0	8	10.5	228	9.7

Who needs care?

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	6.7	0	0.0	1	3.3	0	0.0	0	0.0	2	2.0
	Female	0	0.0	1	2.4	0	0.0	0	0.0	0	0.0	1	0.8
	Total	1	2.2	1	1.4	1	1.8	0	0.0	0	0.0	3	1.3
Spouse	Male	2	13.3	4	12.5	3	10.0	9	45.0	4	100.0	22	21.8
	Female	0	0.0	3	7.1	5	18.5	17	73.9	3	75.0	28	22.0
	Total	2	4.3	7	9.5	8	14.0	26	60.5	7	87.5	50	21.9
Father	Male	6	40.0	5	15.6	2	6.7	1	5.0	0	0.0	14	13.9
	Female	7	22.6	6	14.3	1	3.7	0	0.0	0	0.0	14	11.0
	Total	13	28.3	11	14.9	3	5.3	1	2.3	0	0.0	28	12.3
Mother	Male	3	20.0	16	50.0	17	56.7	2	10.0	0	0.0	38	37.6
	Female	8	25.8	18	42.9	15	55.6	0	0.0	0	0.0	41	32.3
	Total	11	23.9	34	45.9	32	56.1	2	4.7	0	0.0	79	34.6
Father-in-law	Male	1	6.7	1	3.1	0	0.0	0	0.0	0	0.0	2	2.0
	Female	3	9.7	2	4.8	3	11.1	0	0.0	0	0.0	8	6.3
	Total	4	8.7	3	4.1	3	5.3	0	0.0	0	0.0	10	4.4
Mother-in-law	Male	1	6.7	4	12.5	5	16.7	4	20.0	0	0.0	14	13.9
	Female	10	32.3	11	26.2	2	7.4	0	0.0	0	0.0	23	18.1
	Total	11	23.9	15	20.3	7	12.3	4	9.3	0	0.0	37	16.2
Grandfather	Male	0	0.0	1	3.1	0	0.0	0	0.0	0	0.0	1	1.0
	Female	1	3.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8
	Total	1	2.2	1	1.4	0	0.0	0	0.0	0	0.0	2	0.9
Grandmother	Male	0	0.0	0	0.0	1	3.3	0	0.0	0	0.0	1	1.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	1.8	0	0.0	0	0.0	1	0.4
Grandmother-in-law	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	3.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8
	Total	1	2.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4
Others	Male	1	6.7	1	3.1	1	3.3	4	20.0	0	0.0	7	6.9
	Female	1	3.2	1	2.4	1	3.7	6	26.1	1	25.0	10	7.9
	Total	2	4.3	2	2.7	2	3.5	10	23.3	1	12.5	17	7.5

Living place of person who needs care

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	3	7.1	0	0.0	0	0.0	0	0.0	3	2.4
	Total	0	0.0	3	4.1	0	0.0	0	0.0	0	0.0	3	1.3
Home of respondent	Male	9	60.0	17	53.1	14	46.7	16	80.0	4	100.0	60	59.4
	Female	10	32.3	10	23.8	11	40.7	18	78.3	3	75.0	52	40.9
	Total	19	41.3	27	36.5	25	43.9	34	79.1	7	87.5	112	49.1
Home of other family members	Male	2	13.3	2	6.3	1	3.3	1	5.0	0	0.0	6	5.9
	Female	9	29.0	10	23.8	4	14.8	1	4.3	0	0.0	24	18.9
	Total	11	23.9	12	16.2	5	8.8	2	4.7	0	0.0	30	13.2
Institution	Male	3	20.0	12	37.5	14	46.7	3	15.0	0	0.0	32	31.7
	Female	11	35.5	12	28.6	9	33.3	2	8.7	1	25.0	35	27.6
	Total	14	30.4	24	32.4	23	40.4	5	11.6	1	12.5	67	29.4
Others	Male	1	6.7	1	3.1	1	3.3	0	0.0	0	0.0	3	3.0
	Female	1	3.2	7	16.7	3	11.1	2	8.7	0	0.0	13	10.2
	Total	2	4.3	8	10.8	4	7.0	2	4.7	0	0.0	16	7.0

Who cares?

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	2.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4
Respondent	Male	4	26.7	9	28.1	9	30.0	11	55.0	4	100.0	37	36.6
	Female	7	22.6	16	38.1	15	55.6	15	65.2	2	50.0	55	43.3
	Total	11	23.9	25	33.8	24	42.1	26	60.5	6	75.0	92	40.4
Family members including respondent	Male	5	33.3	6	18.8	12	40.0	7	35.0	0	0.0	30	29.7
	Female	14	45.2	20	47.6	9	33.3	8	34.8	1	25.0	52	40.9
	Total	19	41.3	26	35.1	21	36.8	15	34.9	1	12.5	82	36.0
Other family members	Male	3	20.0	16	50.0	9	30.0	1	5.0	0	0.0	29	28.7
	Female	8	25.8	4	9.5	3	11.1	0	0.0	0	0.0	15	11.8
	Total	11	23.9	20	27.0	12	21.1	1	2.3	0	0.0	44	19.3
Others	Male	2	13.3	1	3.1	0	0.0	1	5.0	0	0.0	4	4.0
	Female	2	6.5	2	4.8	0	0.0	0	0.0	1	25.0	5	3.9
	Total	4	8.7	3	4.1	0	0.0	1	2.3	1	12.5	9	3.9

Using home care services

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	8	53.3	18	56.3	12	40.0	12	60.0	1	25.0	51	50.5
	Female	13	41.9	23	54.8	8	29.6	12	52.2	2	50.0	58	45.7
	Total	21	45.7	41	55.4	20	35.1	24	55.8	3	37.5	109	47.8
No	Male	7	46.7	14	43.8	18	60.0	8	40.0	3	75.0	50	49.5
	Female	18	58.1	19	45.2	19	70.4	11	47.8	2	50.0	69	54.3
	Total	25	54.3	33	44.6	37	64.9	19	44.2	5	62.5	119	52.2

Presence of children living apart from respondents

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	2	0.6	1	0.3	1	0.4	0	0.0	4	0.3
	Female	1	0.3	1	0.4	0	0.0	2	0.7	0	0.0	4	0.3
	Total	1	0.2	3	0.5	1	0.2	3	0.6	0	0.0	8	0.3
None	Male	239	91.6	158	48.2	53	17.8	49	18.4	10	23.8	509	42.6
	Female	227	77.7	87	30.6	41	14.4	51	18.7	5	14.7	411	35.2
	Total	466	84.3	245	40.0	94	16.2	100	18.6	15	19.7	920	39.0
Exist	Male	22	8.4	168	51.2	243	81.8	216	81.2	32	76.2	681	57.0
	Female	64	21.9	196	69.0	244	85.6	220	80.6	29	85.3	753	64.5
	Total	86	15.6	364	59.5	487	83.7	436	80.9	61	80.3	1434	60.7

Number of children living apart from respondents

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	1.4	0.6	21	1.4	0.6	167	1.8	0.8	242	1.9	1.0	215	2.0	1.3	32	1.7	0.9	677
Female	1.3	0.6	63	1.5	0.6	195	1.8	0.7	242	1.9	0.9	218	2.2	1.0	29	1.7	0.8	747
Total	1.3	0.6	84	1.5	0.6	362	1.8	0.8	484	1.9	0.9	433	2.1	1.2	61	1.7	0.8	1424

Frequency of visit by children living apart from respondents (most frequent)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	4.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	1	1.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.3
	Total	2	2.3	0	0.0	0	0.0	1	0.2	0	0.0	3	0.2
Every day	Male	0	0.0	12	7.1	29	11.9	22	10.2	2	6.3	65	9.5
	Female	4	6.3	17	8.7	29	11.9	27	12.3	5	17.2	82	10.9
	Total	4	4.7	29	8.0	58	11.9	49	11.2	7	11.5	147	10.3
Several times a week	Male	4	18.2	24	14.3	47	19.3	42	19.4	5	15.6	122	17.9
	Female	11	17.2	44	22.4	65	26.6	48	21.8	6	20.7	174	23.1
	Total	15	17.4	68	18.7	112	23.0	90	20.6	11	18.0	296	20.6
Several times a month	Male	4	18.2	43	25.6	56	23.0	56	25.9	11	34.4	170	25.0
	Female	11	17.2	51	26.0	63	25.8	60	27.3	7	24.1	192	25.5
	Total	15	17.4	94	25.8	119	24.4	116	26.6	18	29.5	362	25.2
Once a month	Male	4	18.2	35	20.8	42	17.3	36	16.7	5	15.6	122	17.9
	Female	10	15.6	33	16.8	38	15.6	29	13.2	4	13.8	114	15.1
	Total	14	16.3	68	18.7	80	16.4	65	14.9	9	14.8	236	16.5
Several times a year	Male	8	36.4	44	26.2	54	22.2	43	19.9	5	15.6	154	22.6
	Female	24	37.5	46	23.5	41	16.8	36	16.4	5	17.2	152	20.2
	Total	32	37.2	90	24.7	95	19.5	79	18.1	10	16.4	306	21.3
Once a year	Male	0	0.0	6	3.6	10	4.1	12	5.6	4	12.5	32	4.7
	Female	2	3.1	4	2.0	5	2.0	12	5.5	2	6.9	25	3.3
	Total	2	2.3	10	2.7	15	3.1	24	5.5	6	9.8	57	4.0
No contact more than one year	Male	0	0.0	3	1.8	5	2.1	1	0.5	0	0.0	9	1.3
	Female	0	0.0	1	0.5	3	1.2	6	2.7	0	0.0	10	1.3
	Total	0	0.0	4	1.1	8	1.6	7	1.6	0	0.0	19	1.3
No contact more than 5years	Male	1	4.5	1	0.6	0	0.0	4	1.9	0	0.0	6	0.9
	Female	1	1.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.3
	Total	2	2.3	1	0.3	0	0.0	5	1.1	0	0.0	8	0.6

Frequency of communication with telephone or letter by children living apart from respondents (most frequent)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	4.5	0	0.0	1	0.4	0	0.0	0	0.0	2	0.3
	Female	1	1.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.3
	Total	2	2.3	0	0.0	1	0.2	1	0.2	0	0.0	4	0.3
Every day	Male	1	4.5	3	1.8	16	6.6	11	5.1	1	3.1	32	4.7
	Female	5	7.8	14	7.1	22	9.0	12	5.5	3	10.3	56	7.4
	Total	6	7.0	17	4.7	38	7.8	23	5.3	4	6.6	88	6.1
Several times a week	Male	4	18.2	27	16.1	55	22.6	52	24.1	8	25.0	146	21.4
	Female	22	34.4	61	31.1	81	33.2	54	24.5	7	24.1	225	29.9
	Total	26	30.2	88	24.2	136	27.9	106	24.3	15	24.6	371	25.9
Several times a month	Male	5	22.7	60	35.7	86	35.4	67	31.0	9	28.1	227	33.3
	Female	27	42.2	79	40.3	85	34.8	77	35.0	6	20.7	274	36.4
	Total	32	37.2	139	38.2	171	35.1	144	33.0	15	24.6	501	34.9
Once a month	Male	4	18.2	29	17.3	32	13.2	32	14.8	3	9.4	100	14.7
	Female	1	1.6	22	11.2	19	7.8	37	16.8	1	3.4	80	10.6
	Total	5	5.8	51	14.0	51	10.5	69	15.8	4	6.6	180	12.6
Several times a year	Male	4	18.2	29	17.3	24	9.9	25	11.6	6	18.8	88	12.9
	Female	6	9.4	13	6.6	17	7.0	17	7.7	7	24.1	60	8.0
	Total	10	11.6	42	11.5	41	8.4	42	9.6	13	21.3	148	10.3
Once a year	Male	0	0.0	1	0.6	2	0.8	2	0.9	1	3.1	6	0.9
	Female	0	0.0	0	0.0	2	0.8	3	1.4	0	0.0	5	0.7
	Total	0	0.0	1	0.3	4	0.8	5	1.1	1	1.6	11	0.8
No contact more than one year	Male	0	0.0	1	0.6	3	1.2	3	1.4	0	0.0	7	1.0
	Female	1	1.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	1.2	1	0.3	3	0.6	3	0.7	0	0.0	8	0.6
None	Male	3	13.6	18	10.7	24	9.9	24	11.1	4	12.5	73	10.7
	Female	1	1.6	7	3.6	18	7.4	19	8.6	5	17.2	50	6.6
	Total	4	4.7	25	6.9	42	8.6	43	9.9	9	14.8	123	8.6

III. Drug Use for Medication

All drugs including prescription and drugs on market used within last 2 weeks were checked. All drugs were coded by drug effect according to Japan Standard Classification.

1. Drugs on nervous system and sensory organ
 11. Agent acting on central nervous system
 111. General anesthetic
 112. Hypnotic sedative agent, antianxiety agent
 113. Antiepileptic agent
 114. Antipyretic analgesic agent
 115. Stimulant drug, antihypnotic drug
 116. Antiparkinson drugs
 117. Antipsychotic drug
 118. Drug for common cold
 119. Other agent acting on central nervous system
 12. Agent acting on peripheral nervous system
 121. Local anesthetic
 122. Muscle relaxant
 123. Agent for autonomic nervous system
 124. Antispasmodic agent
 125. Diaphoretic, antiperspirant
 126. Other agent for peripheral nervous system
 13. Agent acting on sensory organ
 131. Ophthalmic solution (others)
 13111. Ophthalmic solution (for cataract)
 13121. Ophthalmic solution (pilocarpine)
 13122. Ophthalmic solution (beta blocker)
 13123. Ophthalmic solution (epinephrine)
 13124. Ophthalmic solution (other solutions for glaucoma)
 13131. Ophthalmic solution (steroid)
 13100. Ophthalmic solution (unknown)
 132. Agent for ear, nose and throat use
 133. Anti-vertiginous drug
 134. Other agent acting on sensory organ

- 2. Drugs on individual organs
 - 21. Agent acting on cardiovascular system
 - 21101. Digitalis agent
 - 21102. Xanthine agent
 - 21103. Other inotropic agent
 - 21201. β blocker
 - 21202. Agents for membrane-stabilizing activity
 - 21203. Other antiarrhythmic agent
 - 21301. Thiazide diuretic
 - 21302. Loop diuretic
 - 21303. Potassium sparing diuretic
 - 21304. Carbonate dehydratase inhibitor
 - 21305. Other diuretic
 - 21401. ACE inhibitor
 - 21402. Ca antagonist
 - 21403. Other antihypertensive agent
 - 21499. Unknown antihypertensive agent
 - 215. Vascular reinforcing agent
 - 216. Vasoconstrictor
 - 217. Vasodilator
 - 218. Antihyperlipidemic agent
 - 219. Other agent acting on cardiovascular system
- 22. Agent acting on respiratory system
 - 221. Respiratory stimulator
 - 222. Antitussive agent
 - 223. Expectorant
 - 224. Antitussive agent and expectorant
 - 225. Bronchodilator
 - 226. Gargle
 - 229. Other agent acting on respiratory system
- 23. Agent acting on alimentary system
 - 231. Antidiarrheal drug

- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive drug
- 239. Other agent acting on alimentary system

- 24. Hormone drug
 - 241. Pituitary hormone drug
 - 242. Hormone drug of salivary gland
 - 243. Thyroid hormone or parathyroid hormone drug
 - 244. Anabolic steroid drug
 - 245. Adrenocortical hormone drug
 - 246. Androgen drug
 - 247. Estrogen or progesterone drug
 - 248. Mixed hormone drug
 - 249. Other hormone drug

- 25. Agent acting on urogenital system or anus
 - 251. Agent acting on urinary system
 - 252. Agent acting on genital system
 - 253. Uterine constrictor
 - 254. Contraceptive
 - 255. Drugs for hemorrhoids
 - 259. Other agent acting on urogenital system or anus

- 26. Surface-acting agent
 - 261. Integumentary microbicide
 - 262. Protective agent for wound
 - 263. Pyostatics
 - 264. Analgenic, antipruritic, astringent, antiphlogistic (medicine for external application)
 - 265. Integumentary parasiticide
 - 266. Emollient
 - 267. Hair tonic

- 268. Bath liquid
- 269. Other surface-acting agent

- 27. Agent for dental use
 - 271. Dental local anesthetic
 - 272. Agent for devitalization of the pulp
 - 273. Analgesic or sedative for dental use
 - 274. Agent for mummification of the pulp
 - 275. Agent for pulp capping
 - 276. Antibiotics for dental use
 - 279. Other agent for dental use

- 290. Other agent for organ system

3. Drugs on metabolism

- 31. Vitamins
 - 311. Vitamin A or D preparation
 - 312. Vitamin B₁ preparation
 - 313. Vitamin B complex preparation (exclude B₁)
 - 314. Vitamin C preparation
 - 315. Vitamin E preparation
 - 316. Vitamin K preparation
 - 317. Mixed vitamin preparation
 - 319. Other vitamin preparation

32. Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharides preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drugs made from some internal organ
- 327. Drugs for infant
- 329. Other restoratives

- 33. Blood substitute
- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitute

- 34. Agent for dialysis
- 341. Agent for hemodialysis
- 342. Agent for peritoneal dialysis
- 349. Other agent for dialysis

- 39. Other agent acting on metabolic system
- 391. Agent for liver disease
- 392. Antidote
- 393. Agent for habitual intoxication
- 394. Drugs for gout
- 395. Enzyme preparation
- 396. Antidiabetics
- 397. Agent acting generally on metabolic system
- 399. Unclassified agent acting on metabolic system

- 4. Cell activation agent
- 41. Cell activation agent
- 411. Chlorophyll agent
- 412. Pigment agent
- 419. Other cell activation agent

- 42. Antitumor agent
- 421. Alkylating agent
- 422. Antimetabolite
- 423. Antibiotics for antitumor agent
- 424. Plant component for antitumor agent
- 429. Other antitumor agent

- 43. Radioisotope

44. Antiallergic drug

441. Antihistaminic drug

442. Agent for stimulus therapy

443. Agent for nonspecific immunogenicity

449. Other antiallergic drug

5. Drugs prescribed by a crude drug or a herb medicine

51. Crude drug

52. Herb preparation

59. Other drugs prescribed by a crude drug or herb preparation

6. Drugs for pathogenic organism

61. Antibiotics

611. Antibiotics against gram-positive bacteria

612. Antibiotics against gram-negative bacteria

613. Antibiotics against gram-positive and negative bacteria

614. Antibiotics against gram-positive bacteria and Mycoplasma

615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia

616. Antibiotics against acid-fast bacterium

617. Antibiotics against fungus

619. Other antibiotics

62. Agent for chemotherapy

621. Sulfa drug

622. Antituberculous agent

623. Drugs for leprosy

624. Synthetic antibiotics

625. Antiviral agent

626. Other agent for chemotherapy

63. Biological agent

631. Vaccine

632. Poison or toxoid

633. Antitoxic serum or leptospira serum

- 634. Blood supplements
- 635. Reagent for biological test
- 636. Mixed biological agent
- 639. Other biological agent

- 64. Drug against parasitic disease
 - 641. Protozoicide
 - 642. Parasiticide
 - 649. Other drug against parasitic disease

- 69. Other drugs for pathogenic organism

- 7. Drugs used not for treatment
 - 71. Dispensing drug
 - 711. Diluents
 - 712. Ointment base
 - 713. Solution
 - 714. Corrective, tincture
 - 715. Emulsifier
 - 719. Other dispensing drug

 - 72. Drugs used for diagnosis
 - 721. X-ray contrast medium
 - 722. Reagent for functional examination
 - 729. Other drugs for diagnosis

 - 73. Drugs used for public health
 - 731. Antiseptic
 - 732. Pesticide for prevention of epidemics
 - 733. Insect repellent
 - 734. Insecticide
 - 735. Rodenticide
 - 736. Other drug used for public health

 - 74. Reagent for extracorporeal diagnosis

- 741. Reagent for general examination
- 742. Reagent for blood analysis
- 743. Reagent for biochemical analysis
- 744. Reagent for immunologic or serologic test
- 745. Reagent for microbiological examination
- 746. Reagent for histopathological examination
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagent for extracorporeal diagnosis

- 791. Adhesive bandage
- 799. Other drug not for treatment

8. Narcotics

- 81. Alkaloid agent
 - 811. Opiate alkaloid agent
 - 812. Coca alkaloid agent
 - 819. Other alkaloid agent

82. Non-alkaloid narcotics

- 821. Synthetic narcotic

9. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hypogenic sadative agent	Male	7	2.6	8	2.4	13	4.4	30	11.2	4	9.3	62	5.1
	Female	6	2.0	11	3.9	31	10.8	49	17.8	5	14.7	102	8.7
	Total	13	2.3	19	3.1	44	7.5	79	14.6	9	11.7	164	6.9
Antiepileptic agent	Male	0	0.0	0	0.0	2	0.7	2	0.7	0	0.0	4	0.3
	Female	2	0.7	2	0.7	4	1.4	3	1.1	0	0.0	11	0.9
	Total	2	0.4	2	0.3	6	1.0	5	0.9	0	0.0	15	0.6
Antipyretic analgesic agent	Male	31	11.7	20	6.0	24	8.1	41	15.4	9	20.9	125	10.4
	Female	61	20.7	34	11.9	46	16.1	52	18.9	5	14.7	198	16.9
	Total	92	16.4	54	8.8	70	12.0	93	17.2	14	18.2	323	13.6
Stimulant drug, antihypnotic drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiparkinson drugs	Male	0	0.0	1	0.3	1	0.3	1	0.4	0	0.0	3	0.2
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	1	0.2	1	0.2	1	0.2	0	0.0	4	0.2
Antipsychotic drug	Male	5	1.9	6	1.8	12	4.0	9	3.4	0	0.0	32	2.7
	Female	5	1.7	4	1.4	15	5.2	17	6.2	3	8.8	44	3.7
	Total	10	1.8	10	1.6	27	4.6	26	4.8	3	3.9	76	3.2
Drug for common cold	Male	23	8.6	23	6.9	24	8.1	14	5.2	3	7.0	87	7.2
	Female	37	12.6	20	7.0	24	8.4	13	4.7	3	8.8	97	8.3
	Total	60	10.7	43	7.0	48	8.2	27	5.0	6	7.8	184	7.7
Other agent acting on CNS	Male	0	0.0	0	0.0	1	0.3	3	1.1	0	0.0	4	0.3
	Female	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
	Total	0	0.0	1	0.2	1	0.2	4	0.7	0	0.0	6	0.3
Local anesthetic	Male	1	0.4	1	0.3	0	0.0	0	0.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	2	0.7	0	0.0	0	0.0	2	0.2
	Total	1	0.2	1	0.2	2	0.3	0	0.0	0	0.0	4	0.2
Muscle relaxant	Male	0	0.0	0	0.0	0	0.0	2	0.7	1	2.3	3	0.2
	Female	0	0.0	0	0.0	1	0.3	1	0.4	0	0.0	2	0.2
	Total	0	0.0	0	0.0	1	0.2	3	0.6	1	1.3	5	0.2

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Agent for autonomic nervous system	Male	0	0.0	1	0.3	0	0.0	3	1.1	0	0.0	4	0.3
	Female	1	0.3	0	0.0	0	0.0	3	1.1	0	0.0	4	0.3
	Total	1	0.2	1	0.2	0	0.0	6	1.1	0	0.0	8	0.3
Antispasmodic agent	Male	5	1.9	3	0.9	5	1.7	5	1.9	1	2.3	19	1.6
	Female	4	1.4	3	1.1	6	2.1	5	1.8	3	8.8	21	1.8
	Total	9	1.6	6	1.0	11	1.9	10	1.8	4	5.2	40	1.7
Diaphoretic, antiperspirants	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent for PNS	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male	51	19.2	61	18.4	64	21.5	60	22.5	13	30.2	249	20.7
	Female	48	16.3	48	16.8	73	25.5	97	35.3	14	41.2	280	23.9
	Total	99	17.7	109	17.7	137	23.5	157	29.0	27	35.1	529	22.2
Ophthalmic solution (for cataract)	Male	0	0.0	5	1.5	14	4.7	38	14.2	7	16.3	64	5.3
	Female	0	0.0	2	0.7	28	9.8	66	24.0	8	23.5	104	8.9
	Total	0	0.0	7	1.1	42	7.2	104	19.2	15	19.5	168	7.1
Ophthalmic solution (pilocarpine)	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	1	0.2	0	0.0	2	0.1
Ophthalmic solution (β blocker)	Male	0	0.0	1	0.3	5	1.7	10	3.7	2	4.7	18	1.5
	Female	0	0.0	2	0.7	8	2.8	6	2.2	1	2.9	17	1.4
	Total	0	0.0	3	0.5	13	2.2	16	3.0	3	3.9	35	1.5
Ophthalmic solution (epinephrine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (for glaucoma)	Male	0	0.0	2	0.6	5	1.7	7	2.6	1	2.3	15	1.2
	Female	0	0.0	1	0.4	4	1.4	5	1.8	1	2.9	11	0.9
	Total	0	0.0	3	0.5	9	1.5	12	2.2	2	2.6	26	1.1
Ophthalmic solution (steroid)	Male	2	0.8	4	1.2	8	2.7	12	4.5	4	9.3	30	2.5
	Female	3	1.0	3	1.1	5	1.7	18	6.5	5	14.7	34	2.9
	Total	5	0.9	7	1.1	13	2.2	30	5.5	9	11.7	64	2.7

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Ophthalmic solution (unknown)	Male	0	0.0	1	0.3	3	1.0	11	4.1	1	2.3	16	1.3
	Female	3	1.0	3	1.1	4	1.4	8	2.9	3	8.8	21	1.8
	Total	3	0.5	4	0.6	7	1.2	19	3.5	4	5.2	37	1.6
Agent for ENT use	Male	4	1.5	1	0.3	3	1.0	5	1.9	0	0.0	13	1.1
	Female	0	0.0	1	0.4	1	0.3	1	0.4	1	2.9	4	0.3
	Total	4	0.7	2	0.3	4	0.7	6	1.1	1	1.3	17	0.7
Anti-vertigeneous drug	Male	0	0.0	1	0.3	3	1.0	5	1.9	0	0.0	9	0.7
	Female	0	0.0	5	1.8	3	1.0	12	4.4	3	8.8	23	2.0
	Total	0	0.0	6	1.0	6	1.0	17	3.1	3	3.9	32	1.3
Other agent acting on sensory organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Digitalis agent	Male	0	0.0	0	0.0	2	0.7	5	1.9	1	2.3	8	0.7
	Female	1	0.3	2	0.7	3	1.0	1	0.4	0	0.0	7	0.6
	Total	1	0.2	2	0.3	5	0.9	6	1.1	1	1.3	15	0.6
Xanthine agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other inotropic agent	Male	0	0.0	0	0.0	1	0.3	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Total	0	0.0	0	0.0	1	0.2	1	0.2	1	1.3	3	0.1
β blocker	Male	3	1.1	10	3.0	8	2.7	13	4.9	1	2.3	35	2.9
	Female	3	1.0	7	2.5	4	1.4	8	2.9	1	2.9	23	2.0
	Total	6	1.1	17	2.8	12	2.1	21	3.9	2	2.6	58	2.4
Agents for membrane-stabilizing activity	Male	0	0.0	1	0.3	3	1.0	4	1.5	0	0.0	8	0.7
	Female	0	0.0	0	0.0	1	0.3	5	1.8	0	0.0	6	0.5
	Total	0	0.0	1	0.2	4	0.7	9	1.7	0	0.0	14	0.6
Other antiarrhythmic agent	Male	0	0.0	1	0.3	2	0.7	2	0.7	0	0.0	5	0.4
	Female	0	0.0	0	0.0	3	1.0	1	0.4	0	0.0	4	0.3
	Total	0	0.0	1	0.2	5	0.9	3	0.6	0	0.0	9	0.4
Thyazide diuretic	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	1	0.3	0	0.0	1	0.3	4	1.5	0	0.0	6	0.5
	Total	1	0.2	0	0.0	2	0.3	4	0.7	0	0.0	7	0.3

(Continued)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Loop diuretic	Male	0	0.0	0	0.0	2	0.7	4	1.5	1	2.3	7	0.6
	Female	1	0.3	1	0.4	4	1.4	3	1.1	0	0.0	9	0.8
	Total	1	0.2	1	0.2	6	1.0	7	1.3	1	1.3	16	0.7
Potassium sparing diuretic	Male	0	0.0	0	0.0	1	0.3	2	0.7	1	2.3	4	0.3
	Female	0	0.0	0	0.0	4	1.4	5	1.8	1	2.9	10	0.9
	Total	0	0.0	0	0.0	5	0.9	7	1.3	2	2.6	14	0.6
Carbonate dehydratase inhibitor	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Other diuretic	Male	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Female	0	0.0	0	0.0	3	1.0	4	1.5	1	2.9	8	0.7
	Total	0	0.0	0	0.0	3	0.5	6	1.1	1	1.3	10	0.4
ACE inhibitor	Male	4	1.5	22	6.6	27	9.1	41	15.4	6	14.0	100	8.3
	Female	4	1.4	11	3.9	26	9.1	38	13.8	5	14.7	84	7.2
	Total	8	1.4	33	5.4	53	9.1	79	14.6	11	14.3	184	7.7
Ca antagonist	Male	8	3.0	41	12.4	63	21.2	74	27.7	10	23.3	196	16.3
	Female	8	2.7	25	8.8	44	15.4	93	33.8	12	35.3	182	15.5
	Total	16	2.9	66	10.7	107	18.4	167	30.8	22	28.6	378	15.9
Other antihypertensive agent	Male	1	0.4	6	1.8	9	3.0	13	4.9	1	2.3	30	2.5
	Female	0	0.0	3	1.1	9	3.1	7	2.5	2	5.9	21	1.8
	Total	1	0.2	9	1.5	18	3.1	20	3.7	3	3.9	51	2.1
Vascular reinforcing agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Vasoconstrictor	Male	0	0.0	1	0.3	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	0	0.0	1	0.2	0	0.0	2	0.1
Vasodilator	Male	1	0.4	4	1.2	15	5.1	23	8.6	5	11.6	48	4.0
	Female	1	0.3	1	0.4	8	2.8	25	9.1	4	11.8	39	3.3
	Total	2	0.4	5	0.8	23	3.9	48	8.9	9	11.7	87	3.7
Antihyperlipidemic agent	Male	5	1.9	19	5.7	20	6.7	29	10.9	3	7.0	76	6.3
	Female	2	0.7	24	8.4	44	15.4	76	27.6	5	14.7	151	12.9
	Total	7	1.3	43	7.0	64	11.0	105	19.4	8	10.4	227	9.5

(Continued)