

Going to noisy place

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Frequently	Male	25	9.6	26	7.9	18	6.1	8	3.0	2	4.8	79	6.6
	Female	5	1.7	8	2.8	14	4.9	4	1.5	0	0.0	31	2.7
	Total	30	5.4	34	5.6	32	5.5	12	2.2	2	2.6	110	4.7
Sometimes	Male	67	25.7	83	25.3	80	26.9	38	14.3	7	16.7	275	23.0
	Female	64	21.9	54	19.0	64	22.5	38	13.9	6	17.6	226	19.3
	Total	131	23.7	137	22.4	144	24.7	76	14.1	13	17.1	501	21.2
Rarely	Male	169	64.8	219	66.8	199	67.0	220	82.7	33	78.6	840	70.4
	Female	223	76.4	222	78.2	207	72.6	231	84.6	28	82.4	911	78.0
	Total	392	70.9	441	72.1	406	69.8	451	83.7	61	80.3	1751	74.1

Usage of headphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0	3	0.3
	Total	0	0.0	0	0.0	0	0.0	3	0.6	1	1.3	4	0.2
Frequently	Male	9	3.4	5	1.5	6	2.0	7	2.6	0	0.0	27	2.3
	Female	8	2.7	1	0.4	4	1.4	1	0.4	0	0.0	14	1.2
	Total	17	3.1	6	1.0	10	1.7	8	1.5	0	0.0	41	1.7
Sometimes	Male	23	8.8	19	5.8	23	7.7	21	7.9	3	7.1	89	7.5
	Female	10	3.4	13	4.6	9	3.2	18	6.6	2	5.9	52	4.5
	Total	33	6.0	32	5.2	32	5.5	39	7.2	5	6.6	141	6.0
Rarely	Male	50	19.2	34	10.4	24	8.1	17	6.4	2	4.8	127	10.6
	Female	38	13.0	11	3.9	14	4.9	6	2.2	2	5.9	71	6.1
	Total	88	15.9	45	7.4	38	6.5	23	4.3	4	5.3	198	8.4
None	Male	179	68.6	270	82.3	244	82.2	221	83.1	36	85.7	950	79.6
	Female	236	80.8	259	91.2	258	90.5	245	89.7	30	88.2	1028	88.0
	Total	415	75.0	529	86.4	502	86.3	466	86.5	66	86.8	1978	83.7

Usage of earphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	0.1
	Female	1	0.3	0	0.0	0	0.0	2	0.7	0	0.0	3	0.3
	Total	1	0.2	0	0.0	0	0.0	2	0.4	1	1.3	4	0.2
Yes (right ear)	Male	8	3.1	10	3.0	14	4.7	17	6.4	1	2.4	50	4.2
	Female	5	1.7	3	1.1	9	3.2	19	7.0	1	2.9	37	3.2
	Total	13	2.4	13	2.1	23	4.0	36	6.7	2	2.6	87	3.7
Yes (left ear)	Male	9	3.4	15	4.6	17	5.7	17	6.4	1	2.4	59	4.9
	Female	2	0.7	1	0.4	7	2.5	5	1.8	2	5.9	17	1.5
	Total	11	2.0	16	2.6	24	4.1	22	4.1	3	3.9	76	3.2
Yes (bilateral ears)	Male	12	4.6	18	5.5	16	5.4	30	11.3	2	4.8	78	6.5
	Female	12	4.1	8	2.8	14	4.9	10	3.7	4	11.8	48	4.1
	Total	24	4.3	26	4.2	30	5.2	40	7.4	6	7.9	126	5.3
No	Male	232	88.9	285	86.9	250	84.2	202	75.9	37	88.1	1006	84.3
	Female	272	93.2	272	95.8	255	89.5	237	86.8	27	79.4	1063	91.0
	Total	504	91.1	557	91.0	505	86.8	439	81.4	64	84.2	2069	87.6

Self perception of hearing disturbance

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes, always	Male	14	5.4	35	10.7	39	13.1	68	25.6	16	38.1	172	14.4
	Female	13	4.5	28	9.9	43	15.1	55	20.1	11	32.4	150	12.8
	Total	27	4.9	63	10.3	82	14.1	123	22.8	27	35.5	322	13.6
Yes, sometimes	Male	92	35.2	103	31.4	107	36.0	96	36.1	11	26.2	409	34.3
	Female	93	31.8	104	36.6	102	35.8	86	31.5	15	44.1	400	34.2
	Total	185	33.5	207	33.8	209	35.9	182	33.8	26	34.2	809	34.3
No	Male	155	59.4	190	57.9	151	50.8	102	38.3	15	35.7	613	51.3
	Female	186	63.7	152	53.5	140	49.1	132	48.4	8	23.5	618	52.9
	Total	341	61.7	342	55.9	291	50.0	234	43.4	23	30.3	1231	52.1

Pointing out of hearing disturbance by others

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	1.3	2	0.1
Always	Male	9	3.4	16	4.9	27	9.1	42	15.8	11	26.2	105	8.8
	Female	6	2.1	4	1.4	13	4.6	25	9.2	4	11.8	52	4.5
	Total	15	2.7	20	3.3	40	6.9	67	12.4	15	19.7	157	6.6
Sometimes	Male	53	20.3	75	22.9	67	22.6	83	31.2	12	28.6	290	24.3
	Female	43	14.7	61	21.5	49	17.2	55	20.1	12	35.3	220	18.8
	Total	96	17.4	136	22.2	116	19.9	138	25.6	24	31.6	510	21.6
None	Male	199	76.2	237	72.3	203	68.4	140	52.6	19	45.2	798	66.8
	Female	243	83.2	219	77.1	223	78.2	193	70.7	17	50.0	895	76.6
	Total	442	79.9	456	74.5	426	73.2	333	61.8	36	47.4	1693	71.7

Limitation of daily living due to hearing disturbance

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	7	5.8	9	6.0	10	6.5	9	5.2	1	3.4	36	5.7
	Female	6	5.5	11	7.8	14	9.3	6	4.1	0	0.0	37	6.5
	Total	13	5.7	20	6.9	24	7.9	15	4.7	1	1.8	73	6.1
Always	Male	3	2.5	2	1.3	8	5.2	19	10.9	3	10.3	35	5.6
	Female	1	0.9	2	1.4	5	3.3	5	3.4	2	7.7	15	2.6
	Total	4	1.7	4	1.4	13	4.3	24	7.5	5	9.1	50	4.2
Sometimes	Male	9	7.4	13	8.7	15	9.7	28	16.1	11	37.9	76	12.1
	Female	5	4.6	6	4.3	16	10.6	26	17.8	8	30.8	61	10.6
	Total	14	6.1	19	6.6	31	10.2	54	16.9	19	34.5	137	11.4
None	Male	102	84.3	125	83.9	121	78.6	118	67.8	14	48.3	480	76.6
	Female	97	89.0	122	86.5	116	76.8	109	74.7	16	61.5	460	80.3
	Total	199	86.5	247	85.2	237	77.7	227	70.9	30	54.5	940	78.3

Loss of self-confidence due to hearing disturbance

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	7	5.8	9	6.0	10	6.5	10	5.7	1	3.4	37	5.9
	Female	6	5.5	11	7.8	14	9.3	7	4.8	0	0.0	38	6.6
	Total	13	5.7	20	6.9	24	7.9	17	5.3	1	1.8	75	6.3
Always	Male	2	1.7	1	0.7	3	1.9	12	6.9	2	6.9	20	3.2
	Female	1	0.9	3	2.1	3	2.0	5	3.4	2	7.7	14	2.4
	Total	3	1.3	4	1.4	6	2.0	17	5.3	4	7.3	34	2.8
Sometimes	Male	12	9.9	17	11.4	16	10.4	33	19.0	6	20.7	84	13.4
	Female	12	11.0	15	10.6	20	13.2	30	20.5	4	15.4	81	14.1
	Total	24	10.4	32	11.0	36	11.8	63	19.7	10	18.2	165	13.8
None	Male	100	82.6	122	81.9	125	81.2	119	68.4	20	69.0	486	77.5
	Female	90	82.6	112	79.4	114	75.5	104	71.2	20	76.9	440	76.8
	Total	190	82.6	234	80.7	239	78.4	223	69.7	40	72.7	926	77.2

Difficulty in catching words

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	7	5.8	9	6.0	10	6.5	10	5.7	1	3.4	37	5.9
	Female	6	5.5	12	8.5	14	9.3	6	4.1	0	0.0	38	6.6
	Total	13	5.7	21	7.2	24	7.9	16	5.0	1	1.8	75	6.3
Always	Male	9	7.4	24	16.1	29	18.8	49	28.2	12	41.4	123	19.6
	Female	8	7.3	7	5.0	22	14.6	32	21.9	10	38.5	79	13.8
	Total	17	7.4	31	10.7	51	16.7	81	25.3	22	40.0	202	16.8
Sometimes	Male	68	56.2	78	52.3	87	56.5	94	54.0	13	44.8	340	54.2
	Female	75	68.8	103	73.0	95	62.9	92	63.0	12	46.2	377	65.8
	Total	143	62.2	181	62.4	182	59.7	186	58.1	25	45.5	717	59.8
None	Male	37	30.6	38	25.5	28	18.2	21	12.1	3	10.3	127	20.3
	Female	20	18.3	19	13.5	20	13.2	16	11.0	4	15.4	79	13.8
	Total	57	24.8	57	19.7	48	15.7	37	11.6	7	12.7	206	17.2

Catching contents of news on TV

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	7	5.8	9	6.0	10	6.5	9	5.2	1	3.4	36	5.7
	Female	6	5.5	12	8.5	14	9.3	6	4.1	0	0.0	38	6.6
	Total	13	5.7	21	7.2	24	7.9	15	4.7	1	1.8	74	6.2
No problem	Male	101	83.5	120	80.5	110	71.4	108	62.1	17	58.6	456	72.7
	Female	92	84.4	117	83.0	118	78.1	102	69.9	17	65.4	446	77.8
	Total	193	83.9	237	81.7	228	74.8	210	65.6	34	61.8	902	75.2
Occasionally hard to hear	Male	13	10.7	18	12.1	32	20.8	48	27.6	8	27.6	119	19.0
	Female	11	10.1	12	8.5	18	11.9	37	25.3	7	26.9	85	14.8
	Total	24	10.4	30	10.3	50	16.4	85	26.6	15	27.3	204	17.0
Always hard to hear	Male	0	0.0	2	1.3	2	1.3	9	5.2	3	10.3	16	2.6
	Female	0	0.0	0	0.0	1	0.7	1	0.7	2	7.7	4	0.7
	Total	0	0.0	2	0.7	3	1.0	10	3.1	5	9.1	20	1.7

Catching words from conversation with several persons

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	7	5.8	9	6.0	10	6.5	9	5.2	1	3.4	36	5.7
	Female	6	5.5	12	8.5	14	9.3	6	4.1	0	0.0	38	6.6
	Total	13	5.7	21	7.2	24	7.9	15	4.7	1	1.8	74	6.2
No problem	Male	85	70.2	90	60.4	89	57.8	74	42.5	9	31.0	347	55.3
	Female	82	75.2	104	73.8	96	63.6	73	50.0	10	38.5	365	63.7
	Total	167	72.6	194	66.9	185	60.7	147	45.9	19	34.5	712	59.3
Occasionally hard to hear	Male	29	24.0	48	32.2	50	32.5	77	44.3	15	51.7	219	34.9
	Female	21	19.3	25	17.7	40	26.5	65	44.5	12	46.2	163	28.4
	Total	50	21.7	73	25.2	90	29.5	142	44.4	27	49.1	382	31.8
Always hard to hear	Male	0	0.0	2	1.3	5	3.2	14	8.0	4	13.8	25	4.0
	Female	0	0.0	0	0.0	1	0.7	2	1.4	4	15.4	7	1.2
	Total	0	0.0	2	0.7	6	2.0	16	5.0	8	14.5	32	2.7

10) Eyesight

Usage of glasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	177	67.8	285	86.9	265	89.2	241	90.6	40	95.2	1008	84.4
	Female	185	63.4	234	82.4	261	91.6	238	87.2	28	82.4	946	81.0
	Total	362	65.5	519	84.8	526	90.4	479	88.9	68	89.5	1954	82.7
No	Male	84	32.2	43	13.1	32	10.8	25	9.4	2	4.8	186	15.6
	Female	107	36.6	50	17.6	24	8.4	35	12.8	6	17.6	222	19.0
	Total	191	34.5	93	15.2	56	9.6	60	11.1	8	10.5	408	17.3

Type of glasses (for glass users)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	1	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	2	0.6	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Glasses for far distance	Male	117	66.1	68	23.9	26	9.8	15	6.2	3	7.5	229	22.7
	Female	120	64.9	46	19.7	21	8.0	11	4.6	6	21.4	204	21.6
	Total	237	65.5	114	22.0	47	8.9	26	5.4	9	13.2	433	22.2
Glasses for near distance	Male	32	18.1	85	29.8	81	30.6	76	31.5	18	45.0	292	29.0
	Female	39	21.1	79	33.8	100	38.3	80	33.6	10	35.7	308	32.6
	Total	71	19.6	164	31.6	181	34.4	156	32.6	28	41.2	600	30.7
Glasses for near and far distance	Male	26	14.7	132	46.3	155	58.5	146	60.6	19	47.5	478	47.4
	Female	25	13.5	107	45.7	135	51.7	143	60.1	12	42.9	422	44.6
	Total	51	14.1	239	46.1	290	55.1	289	60.3	31	45.6	900	46.1
More than two replies	Male	1	0.6	0	0.0	3	1.1	4	1.7	0	0.0	8	0.8
	Female	0	0.0	2	0.9	5	1.9	4	1.7	0	0.0	11	1.2
	Total	1	0.3	2	0.4	8	1.5	8	1.7	0	0.0	19	1.0

Usage of contact lens

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	0.8	7	2.1	3	1.0	2	0.8	0	0.0	14	1.2
	Female	0	0.0	2	0.7	3	1.1	4	1.5	0	0.0	9	0.8
	Total	2	0.4	9	1.5	6	1.0	6	1.1	0	0.0	23	1.0
Non-user	Male	224	85.8	301	91.8	289	97.3	262	98.5	42	100.0	1118	93.6
	Female	172	58.9	214	75.4	271	95.1	267	97.8	34	100.0	958	82.0
	Total	396	71.6	515	84.2	560	96.2	529	98.1	76	100.0	2076	87.9
Ex-user	Male	21	8.0	14	4.3	3	1.0	2	0.8	0	0.0	40	3.4
	Female	60	20.5	44	15.5	9	3.2	2	0.7	0	0.0	115	9.8
	Total	81	14.6	58	9.5	12	2.1	4	0.7	0	0.0	155	6.6
Current-user	Male	14	5.4	6	1.8	2	0.7	0	0.0	0	0.0	22	1.8
	Female	60	20.5	24	8.5	2	0.7	0	0.0	0	0.0	86	7.4
	Total	74	13.4	30	4.9	4	0.7	0	0.0	0	0.0	108	4.6

Type of contact lens (for contact lens users)

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	50.0	1	0.5
	Total	0	0.0	0	0.0	0	0.0	1	25.0	1	0.4
hard	Male	18	51.4	16	80.0	5	100.0	1	50.0	40	64.5
	Female	81	67.5	56	82.4	9	81.8	1	50.0	147	73.1
	Total	99	63.9	72	81.8	14	87.5	2	50.0	187	71.1
soft	Male	16	45.7	2	10.0	0	0.0	1	50.0	19	30.6
	Female	30	25.0	9	13.2	2	18.2	0	0.0	41	20.4
	Total	46	29.7	11	12.5	2	12.5	1	25.0	60	22.8
disposable	Male	1	2.9	2	10.0	0	0.0	0	0.0	3	4.8
	Female	8	6.7	3	4.4	0	0.0	0	0.0	11	5.5
	Total	9	5.8	5	5.7	0	0.0	0	0.0	14	5.3
more than two replies	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.8	0	0.0	0	0.0	0	0.0	1	0.5
	Total	1	0.6	0	0.0	0	0.0	0	0.0	1	0.4

Duration of using contact lens (for contact lens users)

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	50.0	1	0.5
	Total	0	0.0	0	0.0	0	0.0	1	25.0	1	0.4
-5 yrs.	Male	22	62.9	12	60.0	3	60.0	2	100.0	39	62.9
	Female	39	32.5	28	41.2	6	54.5	1	50.0	74	36.8
	Total	61	39.4	40	45.5	9	56.3	3	75.0	113	43.0
5-10yrs.	Male	5	14.3	1	5.0	0	0.0	0	0.0	6	9.7
	Female	22	18.3	6	8.8	0	0.0	0	0.0	28	13.9
	Total	27	17.4	7	8.0	0	0.0	0	0.0	34	12.9
10-20yrs.	Male	4	11.4	0	0.0	1	20.0	0	0.0	5	8.1
	Female	16	13.3	11	16.2	3	27.3	0	0.0	30	14.9
	Total	20	12.9	11	12.5	4	25.0	0	0.0	35	13.3
20yrs. -	Male	4	11.4	7	35.0	1	20.0	0	0.0	12	19.4
	Female	43	35.8	23	33.8	2	18.2	0	0.0	68	33.8
	Total	47	30.3	30	34.1	3	18.8	0	0.0	80	30.4

History of operation in the right eye

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	255	97.7	318	97.0	270	90.9	220	82.7	27	64.3	1090	91.3
	Female	287	98.3	281	98.9	263	92.3	205	75.1	17	50.0	1053	90.2
	Total	542	98.0	599	97.9	533	91.6	425	78.8	44	57.9	2143	90.7
Cataract	Male	1	0.4	2	0.6	8	2.7	31	11.7	13	31.0	55	4.6
	Female	0	0.0	0	0.0	12	4.2	50	18.3	14	41.2	76	6.5
	Total	1	0.2	2	0.3	20	3.4	81	15.0	27	35.5	131	5.5
Glaucoma	Male	1	0.4	0	0.0	0	0.0	2	0.8	0	0.0	3	0.3
	Female	0	0.0	0	0.0	1	0.4	2	0.7	1	2.9	4	0.3
	Total	1	0.2	0	0.0	1	0.2	4	0.7	1	1.3	7	0.3
Retinal detachment	Male	1	0.4	2	0.6	3	1.0	5	1.9	1	2.4	12	1.0
	Female	1	0.3	1	0.4	0	0.0	2	0.7	0	0.0	4	0.3
	Total	2	0.4	3	0.5	3	0.5	7	1.3	1	1.3	16	0.7
Lasering	Male	2	0.8	4	1.2	14	4.7	11	4.1	1	2.4	32	2.7
	Female	1	0.3	1	0.4	4	1.4	14	5.1	4	11.8	24	2.1
	Total	3	0.5	5	0.8	18	3.1	25	4.6	5	6.6	56	2.4
Others	Male	1	0.4	2	0.6	6	2.0	6	2.3	0	0.0	15	1.3
	Female	3	1.0	1	0.4	5	1.8	6	2.2	1	2.9	16	1.4
	Total	4	0.7	3	0.5	11	1.9	12	2.2	1	1.3	31	1.3
Not determined	Male	2	0.8	0	0.0	0	0.0	1	0.4	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	2	0.4	0	0.0	0	0.0	2	0.4	0	0.0	4	0.2
Total	Male	261	100.0	328	100.0	297	100.0	266	100.0	42	100.0	1194	100.0
	Female	292	100.0	284	100.0	285	100.0	273	100.0	34	100.0	1168	100.0
	Total	553	100.0	612	100.0	582	100.0	539	100.0	76	100.0	2362	100.0

History of operation in the left eye

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	251	96.2	317	96.6	268	90.2	221	83.1	25	59.5	1082	90.6
	Female	286	97.9	278	97.9	261	91.6	207	75.8	20	58.8	1052	90.1
	Total	537	97.1	595	97.2	529	90.9	428	79.4	45	59.2	2134	90.3
Cataract	Male	1	0.4	3	0.9	11	3.7	32	12.0	14	33.3	61	5.1
	Female	0	0.0	1	0.4	13	4.6	48	17.6	13	38.2	75	6.4
	Total	1	0.2	4	0.7	24	4.1	80	14.8	27	35.5	136	5.8
Glaucoma	Male	1	0.4	0	0.0	0	0.0	2	0.8	1	2.4	4	0.3
	Female	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Total	1	0.2	0	0.0	0	0.0	4	0.7	1	1.3	6	0.3
Retinal detachment	Male	1	0.4	0	0.0	4	1.3	0	0.0	1	2.4	6	0.5
	Female	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
	Total	1	0.2	1	0.2	4	0.7	1	0.2	1	1.3	8	0.3
Lasering	Male	2	0.8	5	1.5	16	5.4	11	4.1	1	2.4	35	2.9
	Female	2	0.7	2	0.7	5	1.8	16	5.9	3	8.8	28	2.4
	Total	4	0.7	7	1.1	21	3.6	27	5.0	4	5.3	63	2.7
Others	Male	4	1.5	3	0.9	1	0.3	4	1.5	0	0.0	12	1.0
	Female	3	1.0	2	0.7	6	2.1	4	1.5	0	0.0	15	1.3
	Total	7	1.3	5	0.8	7	1.2	8	1.5	0	0.0	27	1.1
Not determined	Male	3	1.1	0	0.0	0	0.0	2	0.8	0	0.0	5	0.4
	Female	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
	Total	3	0.5	1	0.2	0	0.0	3	0.6	0	0.0	7	0.3
Total	Male	261	100.0	328	100.0	297	100.0	266	100.0	42	100.0	1194	100.0
	Female	292	100.0	284	100.0	285	100.0	273	100.0	34	100.0	1168	100.0
	Total	553	100.0	612	100.0	582	100.0	539	100.0	76	100.0	2362	100.0

History of being pointed out of glaucoma

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	2	0.8	1	2.4	3	0.3
	Female	1	0.3	0	0.0	0	0.0	5	1.8	1	2.9	7	0.6
	Total	1	0.2	0	0.0	0	0.0	7	1.3	2	2.6	10	0.4
None	Male	255	97.7	319	97.3	280	94.3	236	88.7	38	90.5	1128	94.5
	Female	288	98.6	276	97.2	267	93.7	241	88.3	29	85.3	1101	94.3
	Total	543	98.2	595	97.2	547	94.0	477	88.5	67	88.2	2229	94.4
Left eye	Male	0	0.0	2	0.6	1	0.3	4	1.5	1	2.4	8	0.7
	Female	0	0.0	2	0.7	3	1.1	3	1.1	0	0.0	8	0.7
	Total	0	0.0	4	0.7	4	0.7	7	1.3	1	1.3	16	0.7
Right eye	Male	1	0.4	1	0.3	0	0.0	4	1.5	1	2.4	7	0.6
	Female	1	0.3	0	0.0	1	0.4	0	0.0	1	2.9	3	0.3
	Total	2	0.4	1	0.2	1	0.2	4	0.7	2	2.6	10	0.4
Both eyes	Male	2	0.8	2	0.6	12	4.0	11	4.1	1	2.4	28	2.3
	Female	0	0.0	3	1.1	8	2.8	14	5.1	0	0.0	25	2.1
	Total	2	0.4	5	0.8	20	3.4	25	4.6	1	1.3	53	2.2
Not determined	Male	3	1.1	4	1.2	4	1.3	9	3.4	0	0.0	20	1.7
	Female	2	0.7	3	1.1	6	2.1	10	3.7	3	8.8	24	2.1
	Total	5	0.9	7	1.1	10	1.7	19	3.5	3	3.9	44	1.9

History of being pointed out of cataract

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	1	0.3	0	0.0	1	2.4	3	0.3
	Female	1	0.3	0	0.0	2	0.7	5	1.8	0	0.0	8	0.7
	Total	2	0.4	0	0.0	3	0.5	5	0.9	1	1.3	11	0.5
None	Male	258	98.9	313	95.4	261	87.9	171	64.3	18	42.9	1021	85.5
	Female	288	98.6	273	96.1	221	77.5	121	44.3	7	20.6	910	77.9
	Total	546	98.7	586	95.8	482	82.8	292	54.2	25	32.9	1931	81.8
Left eye	Male	0	0.0	2	0.6	4	1.3	11	4.1	2	4.8	19	1.6
	Female	1	0.3	1	0.4	8	2.8	11	4.0	1	2.9	22	1.9
	Total	1	0.2	3	0.5	12	2.1	22	4.1	3	3.9	41	1.7
Right eye	Male	0	0.0	4	1.2	4	1.3	8	3.0	1	2.4	17	1.4
	Female	0	0.0	1	0.4	3	1.1	10	3.7	2	5.9	16	1.4
	Total	0	0.0	5	0.8	7	1.2	18	3.3	3	3.9	33	1.4
Both eyes	Male	1	0.4	8	2.4	22	7.4	66	24.8	18	42.9	115	9.6
	Female	0	0.0	5	1.8	42	14.7	111	40.7	21	61.8	179	15.3
	Total	1	0.2	13	2.1	64	11.0	177	32.8	39	51.3	294	12.4
Not detemined	Male	1	0.4	1	0.3	5	1.7	10	3.8	2	4.8	19	1.6
	Female	2	0.7	4	1.4	9	3.2	15	5.5	3	8.8	33	2.8
	Total	3	0.5	5	0.8	14	2.4	25	4.6	5	6.6	52	2.2

Usage of sunshade

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	1	0.3	0	0.0	0	0.0	2	0.7	0	0.0	3	0.3
	Total	1	0.2	0	0.0	0	0.0	3	0.6	0	0.0	4	0.2
None	Male	182	69.7	209	63.7	133	44.8	74	27.8	5	11.9	603	50.5
	Female	101	34.6	66	23.2	40	14.0	36	13.2	3	8.8	246	21.1
	Total	283	51.2	275	44.9	173	29.7	110	20.4	8	10.5	849	35.9
Sometimes	Male	60	23.0	81	24.7	90	30.3	84	31.6	14	33.3	329	27.6
	Female	138	47.3	142	50.0	119	41.8	84	30.8	7	20.6	490	42.0
	Total	198	35.8	223	36.4	209	35.9	168	31.2	21	27.6	819	34.7
Always	Male	19	7.3	38	11.6	74	24.9	107	40.2	23	54.8	261	21.9
	Female	52	17.8	76	26.8	126	44.2	151	55.3	24	70.6	429	36.7
	Total	71	12.8	114	18.6	200	34.4	258	47.9	47	61.8	690	29.2

Usage of sunglasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	0.1
	Female	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	0	0.0	0	0.0	1	1.3	2	0.1
None	Male	159	60.9	201	61.3	196	66.0	188	70.7	27	64.3	771	64.6
	Female	194	66.4	190	66.9	173	60.7	169	61.9	17	50.0	743	63.6
	Total	353	63.8	391	63.9	369	63.4	357	66.2	44	57.9	1514	64.1
Sometimes	Male	76	29.1	95	29.0	65	21.9	37	13.9	6	14.3	279	23.4
	Female	76	26.0	61	21.5	63	22.1	34	12.5	6	17.6	240	20.5
	Total	152	27.5	156	25.5	128	22.0	71	13.2	12	15.8	519	22.0
Always	Male	26	10.0	32	9.8	36	12.1	41	15.4	8	19.0	143	12.0
	Female	22	7.5	32	11.3	49	17.2	70	25.6	11	32.4	184	15.8
	Total	48	8.7	64	10.5	85	14.6	111	20.6	19	25.0	327	13.8

Self-evaluation on visual acuity

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	1	0.0
Excellent	Male	14	5.4	6	1.8	18	6.1	17	6.4	0	0.0	55	4.6
	Female	14	4.8	7	2.5	25	8.8	18	6.6	2	5.9	66	5.7
	Total	28	5.1	13	2.1	43	7.4	35	6.5	2	2.6	121	5.1
Good	Male	51	19.5	71	21.6	50	16.8	56	21.1	14	33.3	242	20.3
	Female	69	23.6	58	20.4	59	20.7	57	20.9	8	23.5	251	21.5
	Total	120	21.7	129	21.1	109	18.7	113	21.0	22	28.9	493	20.9
Usual	Male	148	56.7	187	57.0	192	64.6	156	58.6	22	52.4	705	59.0
	Female	180	61.6	189	66.5	176	61.8	166	60.8	17	50.0	728	62.3
	Total	328	59.3	376	61.4	368	63.2	322	59.7	39	51.3	1433	60.7
Bad	Male	48	18.4	61	18.6	34	11.4	33	12.4	4	9.5	180	15.1
	Female	28	9.6	26	9.2	21	7.4	27	9.9	5	14.7	107	9.2
	Total	76	13.7	87	14.2	55	9.5	60	11.1	9	11.8	287	12.2
Very bad	Male	0	0.0	3	0.9	3	1.0	4	1.5	1	2.4	11	0.9
	Female	1	0.3	4	1.4	4	1.4	5	1.8	2	5.9	16	1.4
	Total	1	0.2	7	1.1	7	1.2	9	1.7	3	3.9	27	1.1

10) Urinary disturbance

Feeling of residual urine after urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
None	454	82.1	455	74.3	441	75.8	383	71.1	53	69.7	1786	75.6
Less than once in 5 times	81	14.6	113	18.5	102	17.5	110	20.4	8	10.5	414	17.5
Less than once in 2 times	8	1.4	12	2.0	18	3.1	10	1.9	5	6.6	53	2.2
Once in 2 times	3	0.5	10	1.6	7	1.2	6	1.1	5	6.6	31	1.3
More than once in 2 times	3	0.5	6	1.0	6	1.0	12	2.2	0	0.0	27	1.1
Always	4	0.7	16	2.6	7	1.2	18	3.3	5	6.6	50	2.1

Re-urination within 2 hours

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	1	0.2	2	0.3	2	0.3	0	0.0	0	0.0	5	0.2
None	289	52.3	276	45.1	257	44.2	229	42.5	33	43.4	1084	45.9
Less than once in 5 times	216	39.1	249	40.7	210	36.1	195	36.2	26	34.2	896	37.9
Less than once in 2 times	22	4.0	29	4.7	42	7.2	36	6.7	6	7.9	135	5.7
Once in 2 times	14	2.5	24	3.9	30	5.2	25	4.6	4	5.3	97	4.1
More than once in 2 times	4	0.7	11	1.8	12	2.1	17	3.2	4	5.3	48	2.0
Always	7	1.3	21	3.4	29	5.0	37	6.9	3	3.9	97	4.1

Break during urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	1	0.2	1	0.2	2	0.3	1	0.2	1	1.3	6	0.3
None	496	89.7	507	82.8	425	73.0	377	69.9	49	64.5	1854	78.5
Less than once in 5 times	43	7.8	69	11.3	105	18.0	99	18.4	11	14.5	327	13.8
Less than once in 2 times	8	1.4	11	1.8	18	3.1	16	3.0	5	6.6	58	2.5
Once in 2 times	0	0.0	8	1.3	7	1.2	13	2.4	2	2.6	30	1.3
More than once in 2 times	1	0.2	5	0.8	12	2.1	11	2.0	1	1.3	30	1.3
Always	4	0.7	11	1.8	13	2.2	22	4.1	7	9.2	57	2.4

Difficulty to suppress urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	2	0.4	0	0.0	3	0.5	2	0.4	0	0.0	7	0.3
None	465	84.1	427	69.8	372	63.9	319	59.2	39	51.3	1622	68.7
Less than once in 5 times	80	14.5	139	22.7	136	23.4	135	25.0	22	28.9	512	21.7
Less than once in 2 times	1	0.2	18	2.9	27	4.6	20	3.7	3	3.9	69	2.9
Once in 2 times	1	0.2	5	0.8	5	0.9	16	3.0	2	2.6	29	1.2
More than once in 2 times	1	0.2	6	1.0	15	2.6	11	2.0	1	1.3	34	1.4
Always	3	0.5	17	2.8	24	4.1	36	6.7	9	11.8	89	3.8

No forcible urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
None	431	77.9	380	62.1	300	51.5	266	49.4	30	39.5	1407	59.6
Less than once in 5 times	101	18.3	160	26.1	174	29.9	131	24.3	16	21.1	582	24.6
Less than once in 2 times	6	1.1	17	2.8	34	5.8	30	5.6	6	7.9	93	3.9
Once in 2 times	6	1.1	11	1.8	14	2.4	13	2.4	5	6.6	49	2.1
More than once in 2 times	2	0.4	14	2.3	9	1.5	13	2.4	3	3.9	41	1.7
Always	7	1.3	30	4.9	50	8.6	86	16.0	16	21.1	189	8.0

Necessity to bear down on urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
None	508	91.9	514	84.0	467	80.2	414	76.8	49	64.5	1952	82.6
Less than once in 5 times	33	6.0	66	10.8	76	13.1	78	14.5	13	17.1	266	11.3
Less than once in 2 times	3	0.5	14	2.3	17	2.9	14	2.6	4	5.3	52	2.2
Once in 2 times	4	0.7	1	0.2	7	1.2	6	1.1	2	2.6	20	0.8
More than once in 2 times	4	0.7	2	0.3	3	0.5	7	1.3	1	1.3	17	0.7
Always	1	0.2	15	2.5	11	1.9	20	3.7	7	9.2	54	2.3

Times of urination in bedtime

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.0
None	372	67.3	306	50.0	131	22.5	83	15.4	7	9.2	899	38.1
Once a day	159	28.8	259	42.3	302	51.9	234	43.4	25	32.9	979	41.4
Twice a day	11	2.0	30	4.9	119	20.4	148	27.5	30	39.5	338	14.3
Three times a day	2	0.4	12	2.0	25	4.3	56	10.4	12	15.8	107	4.5
Four times a day	2	0.4	0	0.0	4	0.7	18	3.3	1	1.3	25	1.1
More than 5 times a day	7	1.3	4	0.7	1	0.2	0	0.0	1	1.3	13	0.6

Self-rated current urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Very satisfied	89	16.1	58	9.5	46	7.9	23	4.3	1	1.3	217	9.2
Satisfied	195	35.3	189	30.9	137	23.5	104	19.3	10	13.2	635	26.9
Satisfied a little	112	20.3	158	25.8	193	33.2	195	36.2	32	42.1	690	29.2
Not determined	111	20.1	128	20.9	120	20.6	116	21.5	20	26.3	495	21.0
Unsatisfied a little	32	5.8	57	9.3	54	9.3	62	11.5	5	6.6	210	8.9
Unsatisfied	11	2.0	21	3.4	23	4.0	30	5.6	6	7.9	91	3.9
Very unsatisfied	3	0.5	1	0.2	8	1.4	9	1.7	2	2.6	23	1.0

History of incontinence

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	150	27.1	151	24.7	120	20.6	177	32.8	23	30.3	621	26.3
No	403	72.9	461	75.3	462	79.4	362	67.2	53	69.7	1741	73.7

Frequency of incontinence (for persons having a history of incontinence)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	2	1.3	0	0.0	1	0.8	1	0.6	0	0.0	4	0.6
Once a week	133	88.7	131	86.8	98	81.7	117	66.1	11	47.8	490	78.9
Twice or 3 times a week	6	4.0	16	10.6	11	9.2	32	18.1	5	21.7	70	11.3
Once a day	4	2.7	1	0.7	4	3.3	16	9.0	5	21.7	30	4.8
twice a day or more	5	3.3	3	2.0	5	4.2	7	4.0	1	4.3	21	3.4
Always	0	0.0	0	0.0	1	0.8	4	2.3	1	4.3	6	1.0

Level of incontinence (for persons having a history of incontinence)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	2	1.3	0	0.0	2	1.7	0	0.0	0	0.0	4	0.6
Low	144	96.0	146	96.7	108	90.0	160	90.4	18	78.3	576	92.8
Middle	4	2.7	4	2.6	10	8.3	14	7.9	5	21.7	37	6.0
High	0	0.0	1	0.7	0	0.0	3	1.7	0	0.0	4	0.6

Level of difficulty in daily life due to incontinence (for persons having a history of incontinence)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	3	2.0	0	0.0	2	1.7	0	0.0	1	4.3	6	1.0
lowest	79	52.7	90	59.6	56	46.7	56	31.6	6	26.1	287	46.2
Grade 1	53	35.3	30	19.9	36	30.0	49	27.7	9	39.1	177	28.5
Grade 2	6	4.0	18	11.9	14	11.7	28	15.8	0	0.0	66	10.6
Grade 3	7	4.7	6	4.0	6	5.0	25	14.1	1	4.3	45	7.2
Grade 4	0	0.0	1	0.7	0	0.0	5	2.8	1	4.3	7	1.1
Grade 5	1	0.7	2	1.3	2	1.7	6	3.4	4	17.4	15	2.4
Grade 6	0	0.0	0	0.0	2	1.7	2	1.1	0	0.0	4	0.6
Grade 7	1	0.7	1	0.7	0	0.0	0	0.0	1	4.3	3	0.5
Grade 8	0	0.0	1	0.7	2	1.7	4	2.3	0	0.0	7	1.1
Grade 9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
highest	0	0.0	2	1.3	0	0.0	2	1.1	0	0.0	4	0.6

Occasion of incontinence (for persons having a history of incontinence)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
when going to rest room	Male	4	30.8	9	37.5	13	59.1	33	62.3	7	63.6	66	53.7
	Female	11	8.0	14	11.0	22	22.4	48	38.7	5	41.7	100	20.1
	Total	15	10.0	23	15.2	35	29.2	81	45.8	12	52.2	166	26.7
on sneezing or coughing	Male	2	15.4	4	16.7	1	4.5	10	18.9	0	0.0	17	13.8
	Female	127	92.7	117	92.1	84	85.7	88	71.0	7	58.3	423	84.9
	Total	129	86.0	121	80.1	85	70.8	98	55.4	7	30.4	440	70.9
during sleeping	Male	1	7.7	2	8.3	1	4.5	0	0.0	1	9.1	5	4.1
	Female	1	0.7	1	0.8	0	0.0	4	3.2	0	0.0	6	1.2
	Total	2	1.3	3	2.0	1	0.8	4	2.3	1	4.3	11	1.8
during physical activity	Male	1	7.7	3	12.5	0	0.0	6	11.3	2	18.2	12	9.8
	Female	25	18.2	16	12.6	5	5.1	13	10.5	1	8.3	60	12.0
	Total	26	17.3	19	12.6	5	4.2	19	10.7	3	13.0	72	11.6
after urination	Male	6	46.2	12	50.0	9	40.9	10	18.9	3	27.3	40	32.5
	Female	2	1.5	3	2.4	2	2.0	1	0.8	0	0.0	8	1.6
	Total	8	5.3	15	9.9	11	9.2	11	6.2	3	13.0	48	7.7
not determined	Male	1	7.7	0	0.0	0	0.0	7	13.2	2	18.2	10	8.1
	Female	3	2.2	4	3.1	0	0.0	4	3.2	0	0.0	11	2.2
	Total	4	2.7	4	2.6	0	0.0	11	6.2	2	8.7	21	3.4
always	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.2
	Total	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	1	0.2
Total	Male	13	100.0	24	100.0	22	100.0	53	100.0	11	100.0	123	100.0
	Female	137	100.0	127	100.0	98	100.0	124	100.0	12	100.0	498	100.0
	Total	150	100.0	151	100.0	120	100.0	177	100.0	23	100.0	621	100.0

12) Job

State of employment

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Inoccupation	Male	1	0.4	10	3.0	119	40.1	205	77.1	36	85.7	371	31.1
	Female	2	0.7	4	1.4	52	18.2	114	41.8	17	50.0	189	16.2
	Total	3	0.5	14	2.3	171	29.4	319	59.2	53	69.7	560	23.7
Housewife	Male	0	0.0	0	0.0	5	1.7	5	1.9	1	2.4	11	0.9
	Female	87	29.8	93	32.7	140	49.1	127	46.5	14	41.2	461	39.5
	Total	87	15.7	93	15.2	145	24.9	132	24.5	15	19.7	472	20.0
Full employment	Male	259	99.2	312	95.1	108	36.4	33	12.4	3	7.1	715	59.9
	Female	71	24.3	71	25.0	34	11.9	17	6.2	3	8.8	196	16.8
	Total	330	59.7	383	62.6	142	24.4	50	9.3	6	7.9	911	38.6
Part time employment	Male	1	0.4	6	1.8	65	21.9	23	8.6	2	4.8	97	8.1
	Female	132	45.2	116	40.8	59	20.7	15	5.5	0	0.0	322	27.6
	Total	133	24.1	122	19.9	124	21.3	38	7.1	2	2.6	419	17.7

Present job

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	0.8	11	3.4	124	41.8	209	78.6	37	88.1	383	32.1
	Female	89	30.5	98	34.5	193	67.7	241	88.3	31	91.2	652	55.8
	Total	91	16.5	109	17.8	317	54.5	450	83.5	68	89.5	1035	43.8
Specialist (doctor, lawyer, researcher, engineer, teacher, artist, journalist, etc)	Male	51	19.5	30	9.1	14	4.7	3	1.1	1	2.4	99	8.3
	Female	34	11.6	25	8.8	8	2.8	1	0.4	1	2.9	69	5.9
	Total	85	15.4	55	9.0	22	3.8	4	0.7	2	2.6	168	7.1
Administrative position (higher grade than chief in office, stationmaster, head in school, etc)	Male	45	17.2	84	25.6	22	7.4	6	2.3	0	0.0	157	13.1
	Female	0	0.0	2	0.7	2	0.7	1	0.4	0	0.0	5	0.4
	Total	45	8.1	86	14.1	24	4.1	7	1.3	0	0.0	162	6.9
Office worker (company, bank, government office, etc)	Male	38	14.6	42	12.8	22	7.4	1	0.4	1	2.4	104	8.7
	Female	60	20.5	42	14.8	9	3.2	0	0.0	0	0.0	111	9.5
	Total	98	17.7	84	13.7	31	5.3	1	0.2	1	1.3	215	9.1
Engagement in service or selling (clerk salesman, beauty artist, caterer etc)	Male	20	7.7	16	4.9	17	5.7	4	1.5	1	2.4	58	4.9
	Female	53	18.2	46	16.2	29	10.2	7	2.6	1	2.9	136	11.6
	Total	73	13.2	62	10.1	46	7.9	11	2.0	2	2.6	194	8.2
Engagement in skilled or labor work (driver, engineering, construction, manufacture, processing, repairment, printing, etc)	Male	79	30.3	107	32.6	59	19.9	12	4.5	1	2.4	258	21.6
	Female	33	11.3	53	18.7	22	7.7	6	2.2	0	0.0	114	9.8
	Total	112	20.3	160	26.1	81	13.9	18	3.3	1	1.3	372	15.7
Engagement in security (policeman, fire officer, self-defence official)	Male	7	2.7	6	1.8	4	1.3	0	0.0	0	0.0	17	1.4
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Total	9	1.6	6	1.0	4	0.7	0	0.0	0	0.0	19	0.8
Worker in agriculture forestry and fishery	Male	4	1.5	7	2.1	7	2.4	17	6.4	1	2.4	36	3.0
	Female	2	0.7	6	2.1	11	3.9	12	4.4	1	2.9	32	2.7
	Total	6	1.1	13	2.1	18	3.1	29	5.4	2	2.6	68	2.9
Self-management other than agriculture, forestry and fishery	Male	12	4.6	17	5.2	18	6.1	9	3.4	0	0.0	56	4.7
	Female	9	3.1	4	1.4	7	2.5	5	1.8	0	0.0	25	2.1
	Total	21	3.8	21	3.4	25	4.3	14	2.6	0	0.0	81	3.4
Others	Male	2	0.8	5	1.5	7	2.4	5	1.9	0	0.0	19	1.6
	Female	9	3.1	8	2.8	4	1.4	0	0.0	0	0.0	21	1.8
	Total	11	2.0	13	2.1	11	1.9	5	0.9	0	0.0	40	1.7