

資料3 血液検査結果 栄養状態.xls

[illegible]

資料3 血液検査結果 栄養状態.xls

[illegible]

[illegible]

23.TP 大腸がん 感染群											
薬袋番号	TP<-7	TP(-)	TP(+)	TP+1	TP+2	TP+3	TP+5	TP+7	TP+14	TP+21	TP+28
3017	8.5			6.8				7.3	7.3	7.1	7.8
3021	7.5	7.6		5.3	5.7	6.3					7.5
4001	6.7	6.4		5.1	5.0	5.5	5.9	6.2	6.4		6.7
24. TP大腸がん 非感染											
3002	7.4			5.5		6.6	6.5				7.6
3011	6.5	6.8		5.5	5.5	6.6		6.4	6.7		6.7
3012		7.3		5.9	6.2	6.6		6.8		7.0	6.4
3013	6.6	6.4		5.4	5.6	6.2		6.4		6.8	6.9
3014	5.7	5.0		5.6		5.7		6.3			5.7
3015	6.2	5.8		5.1		5.7	5.4	5.5	5.3	5.6	6.6
3016	7.8	7.4		5.3	6.4	6.5	6.9	6.9			7.7
3018	6.0	6.6		6.3		6.9	6.0	6.3	7.4		6.8
3019	7.6	7.8		6.1		6.5		7.1			7.2
3020	6.5	6.7		5.8		5.7	5.5	6.1			6.5
3022	7.9			6	6.1	6.6		6.7		7.7	7.4
3023	7.1	6.9		5.5				5.6			

[illegible]

27. ChE 大腸がん 感染群	ChE<-7	ChE(-)	ChE(+)	ChE+1	ChE+2	ChE+3	ChE+5	ChE+7	ChE+14	ChE+21	ChE+28
薬袋番号											
3017	282			201				193	202	187	244
3021	325										
4001	266	242		210	176	172	174	181	209		235
28.ChE 大腸がん 非感染	ChE<-7	ChE(-)	ChE(+)	ChE+1	ChE+2	ChE+3	ChE+5	ChE+7	ChE+14	ChE+21	ChE+28
3002	247			187		204	205				254
3011	287	295		245	234	269		258	275		285
3012	297	311		246	223	223		223		244	246
3013		246		194	192	199		193		229	232
3014	188	160		154		78		77			181
3015	134	131		97		85	87	93	84	94	126
3016	379	324		221	219	206	220	224	200		328
3018		167		166		157	127	143	191		
3019	367	340		253		241		255			
3020	158	168		134		128	126	140			
3022	227									203	204
3023	265	280				179					

29.TC 大腸がん 感染群											
薬袋番号	TC<-7	TC(-)	TC(+)	TC+1	TC+2	TC+3	TC+5	TC+7	TC+14	TC+21	TC+28
3017	187			132				151	164	151	165
3021	229										
4001	197	178		152	142	155	157	170	189		180
30.TC 大腸がん 非感染											
3002	187			130		155	143				170
3011	193	202		181	184	231		216	222		212
3012	198	216		159	173	193		195		199	199
3013		203		168	167	172		181		198	204
3014	154	111		132		145		178			160
3015	138	135		95		106	99	110	95	115	137
3016	278	280		168	191	192	188	186	180		239
3018		165		151		167	138	156	197		
3019	177	158		118		140		141			
3020	170	175		139		129	127	142			
3022	199										
3023	202	203				152					

薬袋番号	IL2<-7	IL2(-)	IL2(+)	IL2+1	IL2+2	IL2+3	IL2+7
食道癌 感染群 十全大補湯投与群							
1003	0.5	0.72	0	1.17	1.17	1.87	1.4
1011	0	8.55	0	14.5	4.92	2.62	3.59
1012	0	0	0	0	2.02	0	0
1013	0			0.05	0	0	0
1017	5.76	6.1	4.32	5.21	9.74	23.08	7.65
1021	0		0.71	0.88	0.47	0.31	0.88
食道癌 感染群 偽薬投与群							
1001	0.94	0	0.72	0.1	0.19	0.5	1.17
1007	4.64	6.04	3.13	6.04		7.35	7.35
1010	3.01	4.54		6.21	6.39	6.58	1.61
1015	0		0.02	0.25	0	0	0
1018	0		0.31	0	0.23	0.47	0.15
食道癌 非感染群 十全大補湯投与群							
1005	10.1	8.49	5.09	4.84	3.7	4.96	10.5
1008	0		0	0	8.61	9.83	0
1009		1.4	4.64	1.4	1.4	7.35	1.4
1019	0		1.28	0.37	0.13	0	0.83
食道癌 非感染群 偽薬投与群							
1002	0.83	0.5	0	0.01	0.61	0.72	0.61
1004	0	0.72	0	0.1	0.01	0.1	1.99
1006	1.99	1.29	0.61	0.72	0.94	0.29	0.72
1014	0	0.02	0	0.48	0.37	0.94	0
1016	0		0	0.37	1.06	0	0
1020	0		0	0	0.07	0.07	0
1022	0.07	0.23	0.63	0.23	0	0	0

薬袋番号	IL4<-7	IL4(-)	IL4(+)	IL4+1	IL4+2	IL4+3	IL4+7
食道癌 感染群 十全大補湯投与群							
1003	0	0	0	1.14	0	0	0
1011	0	3.73	0	5.03	1.04	0.9	0.57
1012	0	0	0	0.39	0.17	0.15	0.22
1013	0			1.23	0	0.15	0.05
1017	2.19	2.54	2.81	4.2	2.9	6.96	2.46
1021	0.05		0.21	1.09	1.4	0.18	0.38
食道癌 感染群 偽薬投与群							
1001	0	0	1.45	0.28	0	0	0
1007	0	0	0	1.98		0	0
1010	0.45	0.29		0.93	0.97	0.88	0.08
1015	0		1.57	1.32	0	0	0
1018	0		0.2	0.15	0.38	0.28	0.12
食道癌 非感染群 十全大補湯投与群							
1005	5.04	6.39	4.91	3.73	2.63	3.35	5.84
1008	0		0	0	0	0	0
1009	0		13.1	4.49	1.98	0	0
1019	0		0.32	0	0	0	0
食道癌 非感染群 偽薬投与群							
1002	0.21	0	0	1.14	0.55	0.45	0.1
1004	0	1.56	0	0	0	0	0.28
1006	0.35	0	0.45	0.45	0	0	0
1014	0	0	0	0.74	0.19	0.32	0.02
1016	0		0.8	1.61	0.41	0	0
1020	0		0.1	0.12	0.19	0.15	0.06
1022	0.28	0.3	0.88	0.47	0.21	0.09	0.1

薬袋番号	IL6<-7	IL6(-)	IL6(+)	IL6+1	IL6+2	IL6+3	IL6+7
食道癌 感染群 十全大補湯投与群							
1003	0	0	0	2581	428	219	231
1011	16.5	1216	20.8	1646	628	326	85.3
1012	6.06	4.99	12.1	209	46.7	32.3	19.8
1013	2.87			1142	140	324	154
1017	334.85	380.93	724.5	1580.2	344.64	1154.3	319.33
1021	77.6		247	5706	7278	724	1198
食道癌 感染群 偽薬投与群							
1001	25.5	0	2385	1662	792	254	107
1007	68.1	106	1872	3668		603	457
1010	34.9	33.8		386	72.6	66.2	4.03
1015	18.48		1754.5	1722.7	61.01	505.74	278.54
1018	13.2		1900	2157	3358	2275	316
食道癌 非感染群 十全大補湯投与群							
1005	77.2	2298	1075	625	97	80.5	137
1008	30.4		719	1302	1952	497	134
1009		11.6	0	4511	2479	813	422
1019	2.4		766.47	395.4	98.02	31.09	59.08
食道癌 非感染群 偽薬投与群							
1002	0	0	0	1409	186	61.2	43
1004	0	2916	0	765	242	20	15.4
1006	0	4.25	2220	2386	347	62.4	10
1014	28.44	20.04	23.73	694.21	373.5	313.15	211.08
1016	10.86		614.09	1220.4	300.61	125.89	42.53
1020	53.2		1335	1285	2183	1475	139
1022	424	409	4855	2804	941	454	423

薬袋番号	IL8<-7	IL8(-)	IL8(+)	IL8+1	IL8+2	IL8+3	IL8+7
食道癌 感染群 十全大補湯投与群							
1003	0.22	0.54	0	8.31	2.7	4.07	2.21
1011	0.19	6.72	0.86	8.9	13	2.11	0.78
1012	1.2	0.32	0.43	0.43	0.38	0.21	0.17
1013	0.49			2.75	21.4	2.16	25.7
1017	1.58	3.1	2.37	2.34	1.95	3.4	1.41
1021	17.9		5.89	5.19	3.86	0.91	20.6
食道癌 感染群 偽薬投与群							
1001	1.26	0	14.7	4.34	3.44	1.9	1.68
1007	74.5	71.4	80	99.2		64.5	64.1
1010	0.3	0.26		2.02	2.07	1.42	0.78
1015	3.17		8.66	3.87	5.48	6.17	1.11
1018	0.79		3.56	1.36	1.22	0.67	0.78
食道癌 非感染群 十全大補湯投与群							
1005	1.57	17.3	12.6	3.81	1.3	2.21	2.75
1008	33.8		57	88.6	82.7	39.8	43.2
1009		26.7	181	82.5	143	149	76.3
1019	13.81		1.75	1.75	13.7	1.81	1.52
食道癌 非感染群 偽薬投与群							
1002	3.15	0.7	0	6.37	2.39	5.47	3.77
1004	0	5.03	0	1.71	1.44	1.02	2.63
1006	7.45	1.78	7.35	4.47	1.17	0.61	0.95
1014	1.36	9.08	6.16	4.94	12.34	16.18	2.58
1016	2.19		13.21	11.78	6.28	2.63	1.35
1020	0.23		0.68	1.11	0.16	0.31	0.25
1022	0.05	0.06	1.84	0.17	0.17	0.03	0.45

薬袋番号	IL10<-7	IL10(-)	IL10(+)	IL10+1	IL10+2	IL10+3	IL10+7
食道癌 感染群 十全大補湯投与群							
1003	0	0	0	0	0	0	0
1011	0.33	5.47	0.7	9.08	13.9	2.78	1.79
1012	0.66	0.56	0.78	8.35	1.88	1.11	1.88
1013	0.88			8.85	3.58	3.67	3.66
1017	1.67	2.55	12.27	32.68	7.03	36.99	7.17
1021	0.89		1.61	4.58	13.4	1.26	3.35
食道癌 感染群 偽薬投与群							
1001	0	0	0	0	0	0	0
1007	5.04	5.44	15.2	13.5		6.03	4.7
1010	0.23	0.2		5.83	0.53	1.17	0.04
1015	2.09		6.75	9.56	5.41	4.59	4.13
1018	1.69		6.74	13.9	14.8	19.8	24
食道癌 非感染群 十全大補湯投与群							
1005	0	0	0	0	0	0	0
1008	3.18		11.6	18.9	25.4	10	5.37
1009		3.18	22.6	31.4	14.3	11.3	14.1
1019	2.43		13.72	21.52	7.17	3.09	4.32
食道癌 非感染群 偽薬投与群							
1002	0	0	0	0	0	0	0
1004	0	0	0	0	0	0	0
1006	0	0	0	0	0	0	0
1014	2.35	2.11	1.95	22.04	10.02	11.76	7.57
1016	1.81		19.98	16.47	6.63	4.52	3.22
1020		2.73	9.32	9.3	9.14	11.5	5.73
1022	1.96	1.85	16.8	18.8	6.68	4.07	4.16

薬袋番号	CSF<-7	-CSF(-)	CSF(+)	-CSF+1	-CSF+2	-CSF+3	-CSF+7
食道癌 感染群 十全大補湯投与群							
1003	0	0	0	0	0	0	0
1011	0.28	5.99	0	11.1	2.25	2.98	2.41
1012	0	0	0.09	1.25	0.37	0.19	0.37
1013	0			1.58	0	0.19	0.09
1017	2.92	3.76	2.67	3.51	4.3	11.62	3.27
1021	0.08		0.22	1.08	1	0.14	0.85
食道癌 感染群 偽薬投与群							
1001	0	0	0	0	0	0	0
1007	0	0	0	5.6		4.09	0
1010	1.16	3.79		3.39	2.49	3.31	1.08
1015	0		2.22	2.07	0.37	0.12	0.92
1018	0.16		0.28	0.26	0.63	0.44	0.14
食道癌 非感染群 十全大補湯投与群							
1005	23.3	24	12.7	11.1	7.85	10.1	22.2
1008	11.8		4.09	2.37	36.8	32.9	0
1009		0	12.9	6.98	14	10.7	0
1019	0		0.82	1.18	0.32	0.52	0.17
食道癌 非感染群 偽薬投与群							
1002	0	0	0	0	0	0	0
1004	0	0	0	0	0	0	0
1006	0	0	0	0	0	0	0
1014	0	0.42	0.22	1.77	1.23	1.38	0.82
1016	0.01		1.03	2.62	2.02	1.03	0.42
1020		0.01	0.14	0.16	0.22	0.35	0.1
1022	0.16	0.14	0.68	0.28	0.26	0.06	0.16

薬袋番号	N-γ<-7	N-γ(-)	N-γ(+)	N-γ+1	N-γ+2	N-γ+3	N-γ+7
食道癌 感染群 十全大補湯投与群							
1003	0	0	0	18.8	4.14	1.81	2.76
1011	1.9	300	10.9	399	23.2	138	59.3
1012	31.6	29.2	32.2	29.6	23.8	28.8	30.3
1013	0			32.5	5.83	10.1	6.1
1017	515.44	581.3	520.96	511.1	410.63	799.21	395.53
1021	0.81		38.7	49.3	56	19.9	54.8
食道癌 感染群 偽薬投与群							
1001	0.83	0	16	12.9	6.09	2.29	1.49
1007	0	0	26.6	49		11.7	10.1
1010	66.4	62.3		52.9	42.6	57.7	12.5
1015	0		25.75	23.96	0	5.86	3.76
1018	1		6.65	6.65	10.5	8.04	16.5
食道癌 非感染群 十全大補湯投与群							
1005	157	134	103	96.7	76.6	91.9	154
1008	0		4.46	13.3	21.6	0	0
1009		0	92.8	44	32.4	8.38	1.97
1019	1.3		12.59	5.57	2.49	0	1.82
食道癌 非感染群 偽薬投与群							
1002	0	0	0	9.76	1.49	0.5	1
1004	0	20.8	0	5.95	1.65	0	0.83
1006	0.5	0.67	17	16.6	2.91	0.14	0.14
1014	55.88	31.5	42.49	38.8	21.3	23.6	34.03
1016	7.44		20.19	35.86	14.54	7.15	2.82
1020		3.01	4.61	5.08	6.28	3.86	1
1022	80.1	74.7	77.6	58.4	48.6	29.9	32.9

薬袋番号	F- α <-7	F- α (-)	F- α (+)	F- α +1	F- α +2	F- α +3	F- α +7
食道癌 感染群 十全大補湯投与群							
1003	0	0	0	12.3	3.05	0.94	0.94
1011	0.61	10	1.16	17.6	2.28	3.28	1.77
1012	0.4	0.31	0.27	0.4	0.42	0.27	0.04
1013	0.08			1.46	0.23	0.42	0.12
1017	2.62	3.68	3.07	3.19	3.66	5.8	2.47
1021	0.08		0.87	0.92	2.08	0.35	2.24
食道癌 感染群 偽薬投与群							
1001	0.43	0	10.6	7.81	3.61	1.31	0.69
1007	0.99	1.59	2.84	3.98		2.33	1.78
1010	0.67	0.69		1.96	1.26	1.63	0.63
1015	2.21		2.34	2.83	0.74	3.34	1.35
1018	0.01		0.28	0.41	0.76	1.33	0.91
食道癌 非感染群 十全大補湯投与群							
1005	154	111	107	92	74.4	81.1	137
1008	1.4		0.77	2.5	6.23	1.97	0.77
1009		1.19	7.35	3.67	2.84	2.33	1.78
1019	0.32		2.36	2.98	1.83	4.04	2.15
食道癌 非感染群 偽薬投与群							
1002	0	0	0	0.69	0.15	0	0
1004	0	12.9	0	3.73	0.69	0	0.94
1006	0.43	0	10.6	10.1	1.43	0	0
1014	3.76	1.98	2.49	3.59	1.65	2.06	2.98
1016	0.78		2.26	3.72	2.36	1.95	1.29
1020		0.05	0.24	0.28	0.44	0.3	0.03
1022	5	4.48	5.25	4.02	3.06	1.21	1.64

薬袋番号	$-1\beta < -7$	$-1\beta (-)$	$-1\beta (+)$	$-1\beta + 1$	$-1\beta + 2$	$-1\beta + 3$	$-1\beta + 7$
食道癌 感染群 十全大補湯投与群							
1003	0	0	0	0.07	0.1	0.05	0
1011	0	1.25	0.22	2.01	0.49	0.56	0.42
1012	0.27	0.12	0.15	1.26	1.32	1.12	0.28
1013	0.11			0.1	0.05	0.05	0.43
1017	0.98	1.26	0.73	0.67	0.72	1.64	0.48
1021							
食道癌 感染群 偽薬投与群							
1001	0.01	0	0	0	0	0.97	0
1007	0.22	0	0.12	0.32		0.41	0
1010	0.05	0.38		1.24	0.62	0.85	0.07
1015	0		0.26	0.66	0.72	0.8	0.89
1018							
食道癌 非感染群 十全大補湯投与群							
1005	5.32	2.81	2.36	1.81	1.53	2.85	5.67
1008	0.45		0.06	2.6	2.82	0.97	0.66
1009		0	1	0.85	1.5	2.16	1.9
1019	0.13		0.19	0.27	0.64	0.16	0.1
食道癌 非感染群 偽薬投与群							
1002	0.07	0.02	0	0.05	0.18	0.18	0
1004	0	0.01	0	0	0	0	0.04
1006	0.76	0	0	0.05	0	0	0
1014	0	0.15	0.1	0.53	1.22	3.29	0.18
1016	0.19		0.3	0.51	2.43	1.45	0.41
1020							
1022							