

	合計	Q15sq 気をつけている内容					その他	不明
		バランスの良い食事	適度な運動	趣味を楽しむ	ビタミン等の栄養補助食品			
全体	1795 100.0	441 24.6	452 25.2	468 26.1	249 13.9	127 7.1	900 50.1	
分析軸 保健所	678 100.0	170 25.1	184 27.1	182 26.8	82 12.1	41 6.0	360 53.1	
病医院	1108 100.0	268 24.2	264 23.8	283 25.5	166 15.0	86 7.8	538 48.6	
区別不明	9 100.0	3 33.3	4 44.4	3 33.3	1 11.1	0 0.0	2 22.2	
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	
-Senior(40歳以上)	678 100.0	170 25.1	184 27.1	182 26.8	82 12.1	41 6.0	360 53.1	
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	
-Senior(40歳以上)	1108 100.0	268 24.2	264 23.8	283 25.5	166 15.0	86 7.8	538 48.6	
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	
-Senior	9 100.0	3 33.3	4 44.4	3 33.3	1 11.1	0 0.0	2 22.2	

	合計	Q16-1 膝や上半身がぼてる			
		強く感じる	少し感じる	なし	不明
全体	1951 100.0	507 26.0	605 31.0	620 31.8	219 11.2
分析軸 保健所	678 100.0	139 20.5	200 29.5	260 38.3	79 11.7
病医院	1108 100.0	328 29.6	347 31.3	310 28.0	123 11.1
区別不明	165 100.0	40 24.2	58 35.2	50 30.3	17 10.3
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	678 100.0	139 20.5	200 29.5	260 38.3	79 11.7
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	1108 100.0	328 29.6	347 31.3	310 28.0	123 11.1
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior	165 100.0	40 24.2	58 35.2	50 30.3	17 10.3

	合計	Q16-2 汗をかきやすい			
		強く感じる	少し感じる	なし	不明
全体	1951 100.0	544 27.9	550 28.2	636 32.6	221 11.3
分析軸 保健所	678 100.0	153 22.6	196 28.9	248 36.6	81 11.9
病医院	1108 100.0	342 30.9	308 27.8	333 30.1	125 11.3
区別不明	165 100.0	49 29.7	46 27.9	55 33.3	15 9.1
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	678 100.0	153 22.6	196 28.9	248 36.6	81 11.9
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	1108 100.0	342 30.9	308 27.8	333 30.1	125 11.3
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior	165 100.0	49 29.7	46 27.9	55 33.3	15 9.1

	合計	Q16-3 夜なかなか寝付けない			
		強く感じる	少し感じる	なし	不明
全体	1951 100.0	530 27.2	549 28.1	666 34.1	206 10.6
分析軸 保健所	678 100.0	142 20.9	194 28.6	271 40.0	71 10.5
病医院	1108 100.0	341 30.8	305 27.5	343 31.0	119 10.7
区別不明	165 100.0	47 28.5	50 30.3	52 31.5	16 9.7
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	678 100.0	142 20.9	194 28.6	271 40.0	71 10.5
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	1108 100.0	341 30.8	305 27.5	343 31.0	119 10.7
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior	165 100.0	47 28.5	50 30.3	52 31.5	16 9.7

	合計	Q16-4 夜眠っても目を覚ましやすい			
		強く感じる	少し感じる	なし	不明
全体	1951	583	593	552	223
	100.0	29.9	30.4	28.3	11.4
分析軸 保健所	678	159	218	226	75
	100.0	23.5	32.2	33.3	11.1
病医院	1108	368	328	278	134
	100.0	33.2	29.6	25.1	12.1
区別不明	165	56	47	48	14
	100.0	33.9	28.5	29.1	8.5
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	159	218	226	75
	100.0	23.5	32.2	33.3	11.1
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	368	328	278	134
	100.0	33.2	29.6	25.1	12.1
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	56	47	48	14
	100.0	33.9	28.5	29.1	8.5

	合計	Q16-8 よくよし、羨望なことが多い			
		強く感じる	少し感じる	なし	不明
全体	1951	582	703	462	204
	100.0	29.8	36.0	23.7	10.5
分析軸 保健所	678	182	224	199	73
	100.0	26.8	33.0	29.4	10.8
病医院	1108	345	433	215	115
	100.0	31.1	39.1	19.4	10.4
区別不明	165	55	46	48	16
	100.0	33.3	27.9	29.1	9.7
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	182	224	199	73
	100.0	26.8	33.0	29.4	10.8
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	345	433	215	115
	100.0	31.1	39.1	19.4	10.4
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	55	46	48	16
	100.0	33.3	27.9	29.1	9.7

	合計	Q16-5 興奮しやすく、イライラすることが多い			
		強く感じる	少し感じる	なし	不明
全体	1951	537	691	507	216
	100.0	27.5	35.4	26.0	11.1
分析軸 保健所	678	163	235	206	74
	100.0	24.0	34.7	30.4	10.9
病医院	1108	316	410	256	126
	100.0	28.5	37.0	23.1	11.4
区別不明	165	58	46	45	16
	100.0	35.2	27.9	27.3	9.7
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	163	235	206	74
	100.0	24.0	34.7	30.4	10.9
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	316	410	256	126
	100.0	28.5	37.0	23.1	11.4
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	58	46	45	16
	100.0	35.2	27.9	27.3	9.7

	合計	Q16-9 無気力で疲れやすい			
		強く感じる	少し感じる	なし	不明
全体	1951	660	685	401	205
	100.0	33.8	35.1	20.6	10.5
分析軸 保健所	678	188	248	169	73
	100.0	27.7	36.6	24.9	10.8
病医院	1108	400	395	194	119
	100.0	36.1	35.6	17.5	10.7
区別不明	165	72	42	38	13
	100.0	43.6	25.5	23.0	7.9
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	188	248	169	73
	100.0	27.7	36.6	24.9	10.8
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	400	395	194	119
	100.0	36.1	35.6	17.5	10.7
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	72	42	38	13
	100.0	43.6	25.5	23.0	7.9

	合計	Q16-6 いつも不安感がある			
		強く感じる	少し感じる	なし	不明
全体	1951	590	738	432	191
	100.0	30.2	37.8	22.1	9.8
分析軸 保健所	678	186	240	186	66
	100.0	27.4	35.4	27.4	9.7
病医院	1108	353	436	209	110
	100.0	31.9	39.4	18.9	9.9
区別不明	165	51	62	37	15
	100.0	30.9	37.6	22.4	9.1
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	186	240	186	66
	100.0	27.4	35.4	27.4	9.7
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	353	436	209	110
	100.0	31.9	39.4	18.9	9.9
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	51	62	37	15
	100.0	30.9	37.6	22.4	9.1

	合計	Q16-10 目が覚める			
		強く感じる	少し感じる	なし	不明
全体	1951	798	714	255	184
	100.0	40.9	36.6	13.1	9.4
分析軸 保健所	678	251	285	102	60
	100.0	37.0	42.1	15.0	8.8
病医院	1108	482	391	124	111
	100.0	43.5	35.3	11.2	10.0
区別不明	165	65	58	29	13
	100.0	39.4	35.2	17.6	7.9
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	251	285	102	60
	100.0	37.0	42.1	15.0	8.8
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	482	391	124	111
	100.0	43.5	35.3	11.2	10.0
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	65	58	29	13
	100.0	39.4	35.2	17.6	7.9

	合計	Q16-7 ささいなことが気になる			
		強く感じる	少し感じる	なし	不明
全体	1951	603	758	388	202
	100.0	30.9	38.9	19.9	10.4
分析軸 保健所	678	192	261	157	68
	100.0	28.3	38.5	23.2	10.0
病医院	1108	350	441	197	120
	100.0	31.6	39.8	17.8	10.8
区別不明	165	61	56	34	14
	100.0	37.0	33.9	20.6	8.5
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	192	261	157	68
	100.0	28.3	38.5	23.2	10.0
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	350	441	197	120
	100.0	31.6	39.8	17.8	10.8
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	61	56	34	14
	100.0	37.0	33.9	20.6	8.5

	合計	Q16-11 物事が覚えにくかったり物忘れが多い			
		強く感じる	少し感じる	なし	不明
全体	1951	652	888	232	179
	100.0	33.4	45.5	11.9	9.2
分析軸 保健所	678	199	334	84	61
	100.0	29.4	49.3	12.4	9.0
病医院	1108	392	485	121	110
	100.0	35.4	43.8	10.9	9.9
区別不明	165	61	69	27	8
	100.0	37.0	41.8	16.4	4.8
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	199	334	84	61
	100.0	29.4	49.3	12.4	9.0
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	392	485	121	110
	100.0	35.4	43.8	10.9	9.9
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	61	69	27	8
	100.0	37.0	41.8	16.4	4.8

	合計	Q16-12 脚がドキドキする			
		強く感じる	少し感じる	なし	不明
全体	1951	442	878	628	203
	100.0	22.7	34.8	32.2	10.4
分析軸					
保健所	678	116	222	266	74
	100.0	17.1	32.7	39.2	10.9
病医院	1108	286	404	301	117
	100.0	25.8	36.5	27.2	10.6
区別不明	165	40	52	61	12
	100.0	24.2	31.5	37.0	7.3
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	116	222	266	74
	100.0	17.1	32.7	39.2	10.9
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	286	404	301	117
	100.0	25.8	36.5	27.2	10.6
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	40	52	61	12
	100.0	24.2	31.5	37.0	7.3

	合計	Q16-16 肩や首がこる			
		強く感じる	少し感じる	なし	不明
全体	1951	964	579	248	160
	100.0	49.4	29.7	12.7	8.2
分析軸					
保健所	678	287	230	109	52
	100.0	42.3	33.9	16.1	7.7
病医院	1108	593	305	115	95
	100.0	53.5	27.5	10.4	8.6
区別不明	165	84	44	24	13
	100.0	50.9	26.7	14.5	7.9
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	287	230	109	52
	100.0	42.3	33.9	16.1	7.7
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	593	305	115	95
	100.0	53.5	27.5	10.4	8.6
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	84	44	24	13
	100.0	50.9	26.7	14.5	7.9

	合計	Q16-13 めまいがある			
		強く感じる	少し感じる	なし	不明
全体	1951	334	642	758	217
	100.0	17.1	32.9	38.9	11.1
分析軸					
保健所	678	92	218	293	75
	100.0	13.6	32.2	43.2	11.1
病医院	1108	218	376	387	127
	100.0	19.7	33.9	34.9	11.5
区別不明	165	24	48	78	15
	100.0	14.5	29.1	47.3	9.1
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	92	218	293	75
	100.0	13.6	32.2	43.2	11.1
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	218	376	387	127
	100.0	19.7	33.9	34.9	11.5
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	24	48	78	15
	100.0	14.5	29.1	47.3	9.1

	合計	Q16-17 背中や腰が痛む			
		強く感じる	少し感じる	なし	不明
全体	1951	639	687	440	185
	100.0	32.8	35.2	22.6	9.5
分析軸					
保健所	678	200	253	163	62
	100.0	29.5	37.3	24.0	9.1
病医院	1108	386	380	232	110
	100.0	34.8	34.3	20.9	9.9
区別不明	165	53	54	45	13
	100.0	32.1	32.7	27.3	7.9
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	200	253	163	62
	100.0	29.5	37.3	24.0	9.1
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	386	380	232	110
	100.0	34.8	34.3	20.9	9.9
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	53	54	45	13
	100.0	32.1	32.7	27.3	7.9

	合計	Q16-14 胸が締めつけられる			
		強く感じる	少し感じる	なし	不明
全体	1951	210	437	1064	240
	100.0	10.8	22.4	54.5	12.3
分析軸					
保健所	678	56	131	411	80
	100.0	8.3	19.3	60.6	11.8
病医院	1108	138	274	553	143
	100.0	12.5	24.7	49.9	12.9
区別不明	165	16	32	100	17
	100.0	9.7	19.4	60.6	10.3
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	56	131	411	80
	100.0	8.3	19.3	60.6	11.8
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	138	274	553	143
	100.0	12.5	24.7	49.9	12.9
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	16	32	100	17
	100.0	9.7	19.4	60.6	10.3

	合計	Q16-18 手足の節々の痛みがある			
		強く感じる	少し感じる	なし	不明
全体	1951	396	589	757	209
	100.0	20.3	30.2	38.8	10.7
分析軸					
保健所	678	129	203	278	68
	100.0	19.0	29.9	41.0	10.0
病医院	1108	234	335	411	128
	100.0	21.1	30.2	37.1	11.6
区別不明	165	33	51	68	13
	100.0	20.0	30.9	41.2	7.9
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	129	203	278	68
	100.0	19.0	29.9	41.0	10.0
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	234	335	411	128
	100.0	21.1	30.2	37.1	11.6
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	33	51	68	13
	100.0	20.0	30.9	41.2	7.9

	合計	Q16-15 膝が重かったり、硬直がよくする			
		強く感じる	少し感じる	なし	不明
全体	1951	607	596	550	198
	100.0	31.1	30.5	28.2	10.1
分析軸					
保健所	678	159	205	244	70
	100.0	23.5	30.2	36.0	10.3
病医院	1108	394	336	265	113
	100.0	35.6	30.3	23.9	10.2
区別不明	165	54	55	41	15
	100.0	32.7	33.3	24.8	9.1
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	159	205	244	70
	100.0	23.5	30.2	36.0	10.3
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	394	336	265	113
	100.0	35.6	30.3	23.9	10.2
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	54	55	41	15
	100.0	32.7	33.3	24.8	9.1

	合計	Q16-19 腰や手足が冷える			
		強く感じる	少し感じる	なし	不明
全体	1951	607	636	513	195
	100.0	31.1	32.6	26.3	10.0
分析軸					
保健所	678	183	250	181	64
	100.0	27.0	36.9	26.7	9.4
病医院	1108	369	343	277	119
	100.0	33.3	31.0	25.0	10.7
区別不明	165	55	43	55	12
	100.0	33.3	26.1	33.3	7.3
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	183	250	181	64
	100.0	27.0	36.9	26.7	9.4
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	369	343	277	119
	100.0	33.3	31.0	25.0	10.7
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	55	43	55	12
	100.0	33.3	26.1	33.3	7.3

	合計	Q16-20 手足がしびれる			
		強く感じる	少し感じる	なし	不明
全体	1951	309	576	847	219
	100.0	15.8	29.5	43.4	11.2
分析軸					
保健所	678	89	189	324	76
	100.0	13.1	27.9	47.8	11.2
病医院	1108	189	339	449	131
	100.0	17.1	30.6	40.5	11.8
区別不明	165	31	48	74	12
	100.0	18.8	29.1	44.8	7.3
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	89	189	324	76
	100.0	13.1	27.9	47.8	11.2
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	189	339	449	131
	100.0	17.1	30.6	40.5	11.8
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	31	48	74	12
	100.0	18.8	29.1	44.8	7.3

	合計	Q16-24 体重が減少した			
		強く感じる	少し感じる	なし	不明
全体	1951	203	263	1248	237
	100.0	10.4	13.5	64.0	12.1
分析軸					
保健所	678	52	102	441	83
	100.0	7.7	15.0	65.0	12.2
病医院	1108	130	146	699	133
	100.0	11.7	13.2	63.1	12.0
区別不明	165	21	15	108	21
	100.0	12.7	9.1	65.5	12.7
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	52	102	441	83
	100.0	7.7	15.0	65.0	12.2
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	130	146	699	133
	100.0	11.7	13.2	63.1	12.0
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	21	15	108	21
	100.0	12.7	9.1	65.5	12.7

	合計	Q16-21 最近、首に敏感である			
		強く感じる	少し感じる	なし	不明
全体	1951	303	455	959	234
	100.0	15.5	23.3	49.2	12.0
分析軸					
保健所	678	89	153	364	72
	100.0	13.1	22.6	53.7	10.6
病医院	1108	181	264	517	146
	100.0	16.3	23.8	46.7	13.2
区別不明	165	33	38	78	16
	100.0	20.0	23.0	47.3	9.7
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	89	153	364	72
	100.0	13.1	22.6	53.7	10.6
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	181	264	517	146
	100.0	16.3	23.8	46.7	13.2
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	33	38	78	16
	100.0	20.0	23.0	47.3	9.7

	合計	Q16-25 体重が増加した			
		強く感じる	少し感じる	なし	不明
全体	1951	383	385	930	253
	100.0	19.6	19.7	47.7	13.0
分析軸					
保健所	678	128	146	320	84
	100.0	18.9	21.5	47.2	12.4
病医院	1108	220	209	527	152
	100.0	19.9	18.9	47.6	13.7
区別不明	165	35	30	83	17
	100.0	21.2	18.2	50.3	10.3
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	128	146	320	84
	100.0	18.9	21.5	47.2	12.4
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	220	209	527	152
	100.0	19.9	18.9	47.6	13.7
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	35	30	83	17
	100.0	21.2	18.2	50.3	10.3

	合計	Q16-22 意欲が減退した			
		強く感じる	少し感じる	なし	不明
全体	1951	503	706	538	204
	100.0	25.8	36.2	27.6	10.5
分析軸					
保健所	678	145	240	218	75
	100.0	21.4	35.4	32.2	11.1
病医院	1108	308	415	271	114
	100.0	27.8	37.5	24.5	10.3
区別不明	165	50	51	49	15
	100.0	30.3	30.9	29.7	9.1
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	145	240	218	75
	100.0	21.4	35.4	32.2	11.1
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	308	415	271	114
	100.0	27.8	37.5	24.5	10.3
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	50	51	49	15
	100.0	30.3	30.9	29.7	9.1

	合計	Q16-26 コレステロール値が高い			
		強く感じる	少し感じる	なし	不明
全体	1951	415	481	726	329
	100.0	21.3	24.7	37.2	16.9
分析軸					
保健所	678	133	175	272	98
	100.0	19.6	25.8	40.1	14.5
病医院	1108	243	273	386	206
	100.0	21.9	24.6	34.8	18.6
区別不明	165	39	33	68	25
	100.0	23.6	20.0	41.2	15.2
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	133	175	272	98
	100.0	19.6	25.8	40.1	14.5
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	243	273	386	206
	100.0	21.9	24.6	34.8	18.6
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	39	33	68	25
	100.0	23.6	20.0	41.2	15.2

	合計	Q16-23 全身に倦怠感がある			
		強く感じる	少し感じる	なし	不明
全体	1951	579	677	470	225
	100.0	29.7	34.7	24.1	11.5
分析軸					
保健所	678	153	236	209	80
	100.0	22.6	34.8	30.8	11.8
病医院	1108	377	389	216	126
	100.0	34.0	35.1	19.5	11.4
区別不明	165	49	52	45	19
	100.0	29.7	31.5	27.3	11.5
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	153	236	209	80
	100.0	22.6	34.8	30.8	11.8
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	377	389	216	126
	100.0	34.0	35.1	19.5	11.4
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	49	52	45	19
	100.0	29.7	31.5	27.3	11.5

	合計	Q16-27 血圧が高い			
		強く感じる	少し感じる	なし	不明
全体	1951	246	328	1098	279
	100.0	12.6	16.8	56.3	14.3
分析軸					
保健所	678	66	110	418	84
	100.0	9.7	16.2	61.7	12.4
病医院	1108	154	194	589	171
	100.0	13.9	17.5	53.2	15.4
区別不明	165	26	24	91	24
	100.0	15.8	14.5	55.2	14.5
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	66	110	418	84
	100.0	9.7	16.2	61.7	12.4
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	154	194	589	171
	100.0	13.9	17.5	53.2	15.4
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	26	24	91	24
	100.0	15.8	14.5	55.2	14.5

	合計	Q16-28 胃腸の調子が悪い			
		強く感じる	少し感じる	なし	不明
全体	1951	309	633	799	210
	100.0	15.8	32.4	41.0	10.8
分析軸					
保健所	678	91	195	320	72
	100.0	13.4	28.8	47.2	10.6
病医院	1108	187	383	416	122
	100.0	16.9	34.6	37.5	11.0
区別不明	165	31	55	63	16
	100.0	18.8	33.3	38.2	9.7
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	91	195	320	72
	100.0	13.4	28.8	47.2	10.6
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	187	383	416	122
	100.0	16.9	34.6	37.5	11.0
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	31	55	63	16
	100.0	18.8	33.3	38.2	9.7

	合計	Q16-32 のどが渾く			
		強く感じる	少し感じる	なし	不明
全体	1951	295	539	906	211
	100.0	15.1	27.6	46.4	10.8
分析軸					
保健所	678	77	179	348	74
	100.0	11.4	26.4	51.3	10.9
病医院	1108	192	312	486	118
	100.0	17.3	28.2	43.9	10.6
区別不明	165	26	48	72	19
	100.0	15.8	29.1	43.6	11.5
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	77	179	348	74
	100.0	11.4	26.4	51.3	10.9
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	192	312	486	118
	100.0	17.3	28.2	43.9	10.6
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	26	48	72	19
	100.0	15.8	29.1	43.6	11.5

	合計	Q16-29 体がふらつく			
		強く感じる	少し感じる	なし	不明
全体	1951	309	552	848	242
	100.0	15.8	28.3	43.5	12.4
分析軸					
保健所	678	89	176	332	81
	100.0	13.1	26.0	49.0	11.9
病医院	1108	198	337	431	142
	100.0	17.9	30.4	38.9	12.8
区別不明	165	22	39	85	19
	100.0	13.3	23.6	51.5	11.5
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	89	176	332	81
	100.0	13.1	26.0	49.0	11.9
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	198	337	431	142
	100.0	17.9	30.4	38.9	12.8
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	22	39	85	19
	100.0	13.3	23.6	51.5	11.5

	合計	Q16-33 口内炎がしやすい			
		強く感じる	少し感じる	なし	不明
全体	1951	175	361	1184	231
	100.0	9.0	18.5	60.7	11.8
分析軸					
保健所	678	61	130	412	75
	100.0	9.0	19.2	60.8	11.1
病医院	1108	98	207	668	135
	100.0	8.8	18.7	60.3	12.2
区別不明	165	16	24	104	21
	100.0	9.7	14.5	63.0	12.7
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	61	130	412	75
	100.0	9.0	19.2	60.8	11.1
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	98	207	668	135
	100.0	8.8	18.7	60.3	12.2
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	16	24	104	21
	100.0	9.7	14.5	63.0	12.7

	合計	Q16-30 しゃみなどすると涙腺れがある			
		強く感じる	少し感じる	なし	不明
全体	1951	233	617	895	206
	100.0	11.9	31.6	45.9	10.6
分析軸					
保健所	678	86	219	304	69
	100.0	12.7	32.3	44.8	10.2
病医院	1108	122	354	510	122
	100.0	11.0	31.9	46.0	11.0
区別不明	165	25	44	81	15
	100.0	15.2	26.7	49.1	9.1
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	86	219	304	69
	100.0	12.7	32.3	44.8	10.2
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	122	354	510	122
	100.0	11.0	31.9	46.0	11.0
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	25	44	81	15
	100.0	15.2	26.7	49.1	9.1

	合計	Q16-34 肌のシミが増えた			
		強く感じる	少し感じる	なし	不明
全体	1951	451	791	489	220
	100.0	23.1	40.5	25.1	11.3
分析軸					
保健所	678	150	292	162	74
	100.0	22.1	43.1	23.9	10.9
病医院	1108	258	438	281	131
	100.0	23.3	39.5	25.4	11.8
区別不明	165	43	61	46	15
	100.0	26.1	37.0	27.9	9.1
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	150	292	162	74
	100.0	22.1	43.1	23.9	10.9
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	258	438	281	131
	100.0	23.3	39.5	25.4	11.8
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	43	61	46	15
	100.0	26.1	37.0	27.9	9.1

	合計	Q16-31 尿が頻りにでる			
		強く感じる	少し感じる	なし	不明
全体	1951	283	502	926	240
	100.0	14.5	25.7	47.5	12.3
分析軸					
保健所	678	115	166	322	75
	100.0	17.0	24.5	47.5	11.1
病医院	1108	139	301	521	147
	100.0	12.5	27.2	47.0	13.3
区別不明	165	29	35	83	18
	100.0	17.6	21.2	50.3	10.9
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	115	166	322	75
	100.0	17.0	24.5	47.5	11.1
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	139	301	521	147
	100.0	12.5	27.2	47.0	13.3
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	29	35	83	18
	100.0	17.6	21.2	50.3	10.9

	合計	Q16-35 肌のしわが増えた			
		強く感じる	少し感じる	なし	不明
全体	1951	477	834	422	218
	100.0	24.4	42.7	21.6	11.2
分析軸					
保健所	678	163	301	137	77
	100.0	24.0	44.4	20.2	11.4
病医院	1108	271	476	235	126
	100.0	24.5	43.0	21.2	11.4
区別不明	165	43	57	50	15
	100.0	26.1	34.5	30.3	9.1
保健所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	163	301	137	77
	100.0	24.0	44.4	20.2	11.4
病医院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	271	476	235	126
	100.0	24.5	43.0	21.2	11.4
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	43	57	50	15
	100.0	26.1	34.5	30.3	9.1

Table with 5 columns: Total, Q16-36 categories (Strongly feel, Slightly feel, No, Unknown), and counts. Rows include Overall, Analysis by facility (Nursing home, Hospital), and Age groups (Young, Senior).

Table with 5 columns: Total, Q16-37 categories (Strongly feel, Slightly feel, No, Unknown), and counts. Rows include Overall, Analysis by facility (Nursing home, Hospital), and Age groups (Young, Senior).

Table with 17 columns: Total, Q16sq symptoms (e.g., back pain, leg pain, fatigue), and counts. Rows include Overall, Analysis by facility, and Age groups.

Table with 12 columns: Total, Q16sq symptoms (e.g., chest pain, dizziness, difficulty breathing), and counts. Rows include Overall, Analysis by facility, and Age groups.

Table with 9 columns: Total, Q16sq symptoms (e.g., difficulty breathing, chest pain, muscle pain), and counts. Rows include Overall, Analysis by facility, and Age groups.

	合計	Q17 ビルを使った経験		
		はい	いいえ	不明
全体	2934	250	2491	193
	100.0	8.5	84.9	6.8
分析軸 介護所	1136	98	968	70
	100.0	8.6	85.2	8.2
病院	1583	134	1341	108
	100.0	8.5	84.7	6.8
区分不明	215	18	182	15
	100.0	8.4	84.7	7.0
介護所-Young(40歳未満)	458	46	395	17
	100.0	10.0	86.2	3.7
-Senior(40歳以上)	678	52	573	53
	100.0	7.7	84.5	7.8
病院-Young(40歳未満)	475	54	406	15
	100.0	11.4	85.3	3.2
-Senior(40歳以上)	1108	80	935	93
	100.0	7.2	84.4	8.4
不明-Young	50	6	42	2
	100.0	12.0	84.0	4.0
-Senior	165	12	140	13
	100.0	7.3	84.8	7.9

	合計	Q20 ホルモン補充療法について			
		現在受けている	かつて受けていた	受けたことがない	不明
全体	1951	131	181	1448	191
	100.0	6.7	9.3	74.2	9.8
分析軸 介護所	678	45	55	511	67
	100.0	6.6	8.1	75.4	9.9
病院	1108	76	110	816	106
	100.0	6.9	9.9	73.6	9.6
区分不明	165	10	16	121	18
	100.0	6.1	9.7	73.3	10.9
介護所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	45	55	511	67
	100.0	6.6	8.1	75.4	9.9
病院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	76	110	816	106
	100.0	6.9	9.9	73.6	9.6
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	10	16	121	18
	100.0	6.1	9.7	73.3	10.9

	合計	Q18 ビルへの興味		
		はい	いいえ	不明
全体	1951	69	1682	200
	100.0	3.5	86.2	10.3
分析軸 介護所	678	22	589	67
	100.0	3.2	86.9	9.9
病院	1108	37	955	116
	100.0	3.3	86.2	10.5
区分不明	165	10	138	17
	100.0	6.1	83.6	10.3
介護所-Young(40歳未満)	0	0	0	0
	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	22	589	67
	100.0	3.2	86.9	9.9
病院-Young(40歳未満)	0	0	0	0
	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	37	955	116
	100.0	3.3	86.2	10.5
不明-Young	0	0	0	0
	0.0	0.0	0.0	0.0
-Senior	165	10	138	17
	100.0	6.1	83.6	10.3

	合計	Q20-2 投与薬剤			
		貼り薬	飲み薬	塗り薬	不明
全体	1951	76	258	10	1649
	100.0	3.9	13.2	0.5	84.5
分析軸 介護所	678	24	87	3	583
	100.0	3.5	12.8	0.4	86.0
病院	1108	52	151	6	922
	100.0	4.7	13.6	0.5	83.2
区分不明	165	0	20	1	144
	100.0	0.0	12.1	0.6	87.3
介護所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	24	87	3	583
	100.0	3.5	12.8	0.4	86.0
病院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	52	151	6	922
	100.0	4.7	13.6	0.5	83.2
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	0	20	1	144
	100.0	0.0	12.1	0.6	87.3

	合計	Q19 ホルモン補充療法の長所		
		はい	いいえ	不明
全体	1951	1204	580	167
	100.0	61.7	29.7	8.6
分析軸 介護所	678	416	204	58
	100.0	61.4	30.1	8.6
病院	1108	672	341	95
	100.0	60.6	30.8	8.6
区分不明	165	116	35	14
	100.0	70.3	21.2	8.5
介護所-Young(40歳未満)	0	0	0	0
	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	416	204	58
	100.0	61.4	30.1	8.6
病院-Young(40歳未満)	0	0	0	0
	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	672	341	95
	100.0	60.6	30.8	8.6
不明-Young	0	0	0	0
	0.0	0.0	0.0	0.0
-Senior	165	116	35	14
	100.0	70.3	21.2	8.5

	合計	Q20-3 今後採りたい薬剤			
		貼り薬	飲み薬	塗り薬	わからない
全体	1951	100	64	31	269
	100.0	5.1	3.3	1.6	13.8
分析軸 介護所	678	25	22	8	94
	100.0	3.7	3.2	1.2	13.9
病院	1108	53	29	17	173
	100.0	4.8	2.6	1.5	15.6
区分不明	165	22	13	6	2
	100.0	13.3	7.9	3.6	1.2
介護所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	25	22	8	94
	100.0	3.7	3.2	1.2	13.9
病院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	53	29	17	173
	100.0	4.8	2.6	1.5	15.6
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	22	13	6	2
	100.0	13.3	7.9	3.6	1.2

	合計	Q19-1 ホルモン補充療法への興味			
		はい	いいえ	わからない	不明
全体	1951	615	521	633	182
	100.0	31.5	26.7	32.4	9.3
分析軸 介護所	678	199	211	209	59
	100.0	29.4	31.1	30.8	8.7
病院	1108	337	250	417	104
	100.0	30.4	22.6	37.6	9.4
区分不明	165	79	60	7	19
	100.0	47.9	36.4	4.2	11.5
介護所-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	199	211	209	59
	100.0	29.4	31.1	30.8	8.7
病院-Young(40歳未満)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	337	250	417	104
	100.0	30.4	22.6	37.6	9.4
不明-Young	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
-Senior	165	79	60	7	19
	100.0	47.9	36.4	4.2	11.5

	合計	Q20-4 受けたことがない理由							
		いま受けた いが医師に 相談してい ない	医師に相談 したが受け られなかつ た	将来受けて みたい	受ける必要 がない	考えたこと がない	受けたくな い	不明	
全体	1951 100.0	151 7.7	30 1.5	119 6.1	245 12.6	570 29.2	211 10.8	678 34.8	
分析軸	保健所	678 100.0	41 6.0	13 1.9	38 5.6	130 19.2	191 28.2	84 12.4	208 30.7
	病医院	1108 100.0	97 8.8	13 1.2	66 6.0	84 7.6	358 32.3	117 10.6	399 36.0
	区別不明	165 100.0	13 7.9	4 2.4	15 9.1	32 19.4	21 12.7	10 6.1	71 43.0
	保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	678 100.0	41 6.0	13 1.9	38 5.6	130 19.2	191 28.2	84 12.4	208 30.7
	病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	1108 100.0	97 8.8	13 1.2	66 6.0	84 7.6	358 32.3	117 10.6	399 36.0
	不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior	165 100.0	13 7.9	4 2.4	15 9.1	32 19.4	21 12.7	10 6.1	71 43.0

	合計	Q21-1 名前を知ったことがある					
		そう思う	ややそう思 う	そう思わな い	わからない	不明	
全体	1951 100.0	715 36.6	242 12.4	93 4.8	570 29.2	331 17.0	
分析軸	保健所	678 100.0	241 35.5	99 14.6	33 4.9	200 29.5	105 15.5
	病医院	1108 100.0	408 36.8	119 10.7	51 4.6	327 29.5	203 18.3
	区別不明	165 100.0	66 40.0	24 14.5	9 5.5	43 26.1	23 13.9
	保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	678 100.0	241 35.5	99 14.6	33 4.9	200 29.5	105 15.5
	病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	1108 100.0	408 36.8	119 10.7	51 4.6	327 29.5	203 18.3
	不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior	165 100.0	66 40.0	24 14.5	9 5.5	43 26.1	23 13.9

	合計	Q21-4 更年期症状のある人になにか効果がない					
		そう思う	ややそう思 う	そう思わな い	わからない	不明	
全体	1951 100.0	156 8.0	197 10.1	539 27.6	727 37.3	332 17.0	
分析軸	保健所	678 100.0	56 8.3	67 9.9	197 29.1	247 36.4	111 16.4
	病医院	1108 100.0	83 7.5	112 10.1	293 26.4	420 37.9	200 18.1
	区別不明	165 100.0	17 10.3	18 10.9	49 29.7	60 36.4	21 12.7
	保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	678 100.0	56 8.3	67 9.9	197 29.1	247 36.4	111 16.4
	病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	1108 100.0	83 7.5	112 10.1	293 26.4	420 37.9	200 18.1
	不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior	165 100.0	17 10.3	18 10.9	49 29.7	60 36.4	21 12.7

	合計	Q21-2 更年期症状の緩和に効果					
		そう思う	ややそう思 う	そう思わな い	わからない	不明	
全体	1951 100.0	690 35.4	411 21.1	20 1.0	503 25.8	327 16.8	
分析軸	保健所	678 100.0	231 34.1	148 21.8	5 0.7	183 27.0	111 16.4
	病医院	1108 100.0	390 35.2	230 20.8	13 1.2	280 25.3	195 17.6
	区別不明	165 100.0	69 41.8	33 20.0	2 1.2	40 24.2	21 12.7
	保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	678 100.0	231 34.1	148 21.8	5 0.7	183 27.0	111 16.4
	病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	1108 100.0	390 35.2	230 20.8	13 1.2	280 25.3	195 17.6
	不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior	165 100.0	69 41.8	33 20.0	2 1.2	40 24.2	21 12.7

	合計	Q21-5 更年期症状の予防になる					
		そう思う	ややそう思 う	そう思わな い	わからない	不明	
全体	1951 100.0	360 18.5	389 19.9	135 6.9	720 36.9	347 17.8	
分析軸	保健所	678 100.0	117 17.3	145 21.4	49 7.2	250 36.9	117 17.3
	病医院	1108 100.0	203 18.3	217 19.6	68 6.1	411 37.1	209 18.9
	区別不明	165 100.0	40 24.2	27 16.4	18 10.9	59 35.8	21 12.7
	保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	678 100.0	117 17.3	145 21.4	49 7.2	250 36.9	117 17.3
	病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	1108 100.0	203 18.3	217 19.6	68 6.1	411 37.1	209 18.9
	不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior	165 100.0	40 24.2	27 16.4	18 10.9	59 35.8	21 12.7

	合計	Q21-3 女性の体の変化と関係				
		そう思う	ややそう思 う	そう思わな い	わからない	
全体	1951 100.0	949 48.6	393 20.1	7 0.4	273 14.0	
分析軸	保健所	678 100.0	322 47.5	146 21.5	1 0.1	102 15.0
	病医院	1108 100.0	534 48.2	220 19.9	5 0.5	148 13.4
	区別不明	165 100.0	93 56.4	27 16.4	1 0.6	23 13.9
	保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	678 100.0	322 47.5	146 21.5	1 0.1	102 15.0
	病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	1108 100.0	534 48.2	220 19.9	5 0.5	148 13.4
	不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior	165 100.0	93 56.4	27 16.4	1 0.6	23 13.9

	合計	Q21-6 ホルモン補充は自然でない					
		そう思う	ややそう思 う	そう思わな い	わからない	不明	
全体	1951 100.0	253 13.0	409 21.0	446 22.9	501 25.7	342 17.5	
分析軸	保健所	678 100.0	82 12.1	159 23.5	155 22.9	159 24.9	113 16.7
	病医院	1108 100.0	144 13.0	213 19.2	249 22.5	292 26.4	210 19.0
	区別不明	165 100.0	27 16.4	37 22.4	42 25.5	40 24.2	19 11.5
	保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	678 100.0	82 12.1	159 23.5	155 22.9	159 24.9	113 16.7
	病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior(40歳以上)	1108 100.0	144 13.0	213 19.2	249 22.5	292 26.4	210 19.0
	不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
	-Senior	165 100.0	27 16.4	37 22.4	42 25.5	40 24.2	19 11.5

	合計	Q21-7 副作用が心配				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	959	374	42	283	313
分析軸	100.0	49.2	19.2	2.2	13.5	16.0
保健所	678	335	125	14	103	101
病院	1108	539	214	23	139	193
区別不明	165	85	35	5	21	15
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	335	125	14	103	101
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	539	214	23	139	193
不明-Young	0	0	0	0	0	0
-Senior	165	85	35	5	21	15
100.0	51.5	21.2	3.0	12.7	11.5	

	合計	Q21-11 骨粗鬆症の予防に効果				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	405	259	80	874	333
分析軸	100.0	20.8	13.3	4.1	44.8	17.1
保健所	678	143	86	33	307	109
病院	1108	213	150	49	453	181
区別不明	165	49	23	7	66	20
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	143	86	33	307	109
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	213	150	49	453	181
不明-Young	0	0	0	0	0	0
-Senior	165	49	23	7	66	20
100.0	20.8	13.3	4.2	40.0	12.1	

	合計	Q21-8 私には必要ない				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	198	119	453	836	345
分析軸	100.0	10.1	6.1	23.2	42.8	17.7
保健所	678	80	48	152	288	110
病院	1108	96	62	254	482	214
区別不明	165	22	9	47	66	21
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	80	48	152	288	110
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	96	62	254	482	214
不明-Young	0	0	0	0	0	0
-Senior	165	22	9	47	66	21
100.0	13.3	5.5	28.5	40.0	12.7	

	合計	Q21-12 高血圧の予防に効果				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	119	123	199	1162	348
分析軸	100.0	6.1	6.3	10.2	59.8	17.6
保健所	678	40	48	81	392	117
病院	1108	59	71	119	57.8	17.3
区別不明	165	13	9	21	101	21
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	40	48	81	392	117
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	59	71	119	57.8	17.3
不明-Young	0	0	0	0	0	0
-Senior	165	13	9	21	101	21
100.0	7.9	5.5	12.7	61.2	12.7	

	合計	Q21-9 情報が不十分				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	802	362	92	337	358
分析軸	100.0	41.1	18.6	4.7	17.3	18.3
保健所	678	293	121	37	105	122
病院	1108	432	17.6	5.5	15.5	18.0
区別不明	165	78	33	8	26	29
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	293	121	37	105	122
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	432	17.6	5.5	15.5	18.0
不明-Young	0	0	0	0	0	0
-Senior	165	78	33	8	26	29
100.0	41.1	18.6	4.8	15.8	12.1	

	合計	Q21-13 悪コレステロールの予防に効果				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	157	144	168	1135	347
分析軸	100.0	8.0	7.4	8.6	58.2	17.8
保健所	678	60	57	70	375	116
病院	1108	88	84	103	55.3	17.1
区別不明	165	20	11	13	100	21
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	60	57	70	375	116
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	88	84	103	55.3	17.1
不明-Young	0	0	0	0	0	0
-Senior	165	20	11	13	100	21
100.0	12.1	6.7	7.9	60.6	12.7	

	合計	Q21-10 処方してもらえるところがわからない				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	441	184	447	473	406
分析軸	100.0	22.6	9.4	22.9	24.2	20.8
保健所	678	159	68	157	167	127
病院	1108	232	102	247	277	250
区別不明	165	50	14	43	29	29
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	159	68	157	167	127
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	232	102	247	277	250
不明-Young	0	0	0	0	0	0
-Senior	165	50	14	43	29	29
100.0	30.3	8.5	26.1	17.6	17.6	

	合計	Q21-14 確実な効果が得られない				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951	63	124	366	1038	360
分析軸	100.0	3.2	6.4	18.8	53.2	18.5
保健所	678	25	49	129	353	122
病院	1108	37	72	190	52.1	18.0
区別不明	165	7	21	31	85	21
保健所-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	678	25	49	129	353	122
病院-Young(40歳未満)	0	0	0	0	0	0
-Senior(40歳以上)	1108	37	72	190	52.1	18.0
不明-Young	0	0	0	0	0	0
-Senior	165	7	21	31	85	21
100.0	4.2	12.7	18.8	51.5	12.7	

	合計	Q21-15 続けるのが面倒				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951 100.0	143 7.3	273 14.0	398 20.4	751 38.5	386 19.8
分析軸						
保健所	678 100.0	47 6.9	113 16.7	129 19.0	263 38.8	126 18.6
病医院	1108 100.0	74 6.7	130 11.7	239 21.6	429 38.7	236 21.3
区別不明	165 100.0	22 13.3	30 18.2	30 18.2	59 35.8	24 14.5
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	678 100.0	47 6.9	113 16.7	129 19.0	263 38.8	126 18.6
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	1108 100.0	74 6.7	130 11.7	239 21.6	429 38.7	236 21.3
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior	165 100.0	22 13.3	30 18.2	30 18.2	59 35.8	24 14.5

	合計	Q21-16 お金がかかる				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951 100.0	286 14.7	290 14.9	240 12.3	762 39.1	373 19.1
分析軸						
保健所	678 100.0	121 17.8	128 18.9	63 9.3	245 36.1	121 17.8
病医院	1108 100.0	140 12.6	139 12.5	149 13.4	450 40.6	230 20.8
区別不明	165 100.0	25 15.2	23 13.9	28 17.0	67 40.6	22 13.3
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	678 100.0	121 17.8	128 18.9	63 9.3	245 36.1	121 17.8
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	1108 100.0	140 12.6	139 12.5	149 13.4	450 40.6	230 20.8
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior	165 100.0	25 15.2	23 13.9	28 17.0	67 40.6	22 13.3

	合計	Q21-17 直接の知人・友人がいる				
		そう思う	ややそう思う	そう思わない	わからない	不明
全体	1951 100.0	136 7.0	20 1.0	277 14.2	1108 56.8	410 21.0
分析軸						
保健所	678 100.0	48 7.1	6 0.9	92 13.6	395 58.3	137 20.2
病医院	1108 100.0	72 6.5	14 1.3	155 14.0	622 56.1	245 22.1
区別不明	165 100.0	18 9.7	0 0.0	30 18.2	91 55.2	28 17.0
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	678 100.0	48 7.1	6 0.9	92 13.6	395 58.3	137 20.2
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	1108 100.0	72 6.5	14 1.3	155 14.0	622 56.1	245 22.1
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior	165 100.0	18 9.7	0 0.0	30 18.2	91 55.2	28 17.0

	合計	Q22-1 介護には留意					
		とてもそう思う	ややそう思う	どちらともいえない	そう思わない	全くそう思わない	不明
全体	1951 100.0	1210 62.0	329 16.9	74 3.8	22 1.1	11 0.6	305 15.6
分析軸							
保健所	678 100.0	413 60.9	131 19.3	20 2.9	7 1.0	3 0.4	104 15.3
病医院	1108 100.0	690 62.3	174 15.7	41 3.7	15 1.4	6 0.5	182 16.4
区別不明	165 100.0	107 64.8	24 14.5	13 7.9	0 0.0	2 1.2	19 11.5
保健所-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	678 100.0	413 60.9	131 19.3	20 2.9	7 1.0	3 0.4	104 15.3
病医院-Young(40歳未満)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior(40歳以上)	1108 100.0	690 62.3	174 15.7	41 3.7	15 1.4	6 0.5	182 16.4
不明-Young	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
-Senior	165 100.0	107 64.8	24 14.5	13 7.9	0 0.0	2 1.2	19 11.5

	合計	Q22-2 最後のキャリアを積む時期					
		とてもそう思う	ややそう思う	どちらともいえない	そう思わない	全くそう思わない	不明
全体	1951	562	448	395	155	45	348
	100.0	28.8	22.9	20.2	7.9	2.3	17.8
分析軸 保健所	678	186	173	136	47	16	120
	100.0	27.4	25.5	20.1	6.9	2.4	17.7
病医院	1108	324	241	217	100	20	206
	100.0	29.2	21.8	19.6	9.0	1.8	18.6
区別不明	165	52	32	42	8	9	22
	100.0	31.5	19.4	25.5	4.8	5.5	13.3
保健所-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	186	173	136	47	16	120
	100.0	27.4	25.5	20.1	6.9	2.4	17.7
病医院-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	324	241	217	100	20	206
	100.0	29.2	21.8	19.6	9.0	1.8	18.6
不明-Young	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior	165	52	32	42	8	9	22
	100.0	31.5	19.4	25.5	4.8	5.5	13.3

	合計	Q22-3 新しいことに挑戦したい					
		とてもそう思う	ややそう思う	どちらともいえない	そう思わない	全くそう思わない	不明
全体	1951	339	586	440	201	56	329
	100.0	17.4	30.0	22.6	10.3	2.9	16.9
分析軸 保健所	678	130	216	140	64	12	116
	100.0	19.2	31.9	20.6	9.4	1.8	17.1
病医院	1108	174	323	253	127	36	195
	100.0	15.7	29.2	22.8	11.5	3.2	17.6
区別不明	165	35	47	47	10	8	18
	100.0	21.2	28.5	28.5	6.1	4.8	10.9
保健所-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	130	216	140	64	12	116
	100.0	19.2	31.9	20.6	9.4	1.8	17.1
病医院-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	174	323	253	127	36	195
	100.0	15.7	29.2	22.8	11.5	3.2	17.6
不明-Young	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior	165	35	47	47	10	8	18
	100.0	21.2	28.5	28.5	6.1	4.8	10.9

	合計	Q22-4 自分の時間を充実させたい					
		とてもそう思う	ややそう思う	どちらともいえない	そう思わない	全くそう思わない	不明
全体	1951	984	439	142	65	22	299
	100.0	50.4	22.5	7.3	3.3	1.1	15.3
分析軸 保健所	678	326	179	38	22	7	106
	100.0	48.1	26.4	5.6	3.2	1.0	15.6
病医院	1108	567	229	89	38	13	172
	100.0	51.2	20.7	8.0	3.4	1.2	15.5
区別不明	165	91	31	15	5	2	21
	100.0	55.2	18.8	9.1	3.0	1.2	12.7
保健所-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	326	179	38	22	7	106
	100.0	48.1	26.4	5.6	3.2	1.0	15.6
病医院-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	567	229	89	38	13	172
	100.0	51.2	20.7	8.0	3.4	1.2	15.5
不明-Young	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior	165	91	31	15	5	2	21
	100.0	55.2	18.8	9.1	3.0	1.2	12.7

	合計	Q22-5 夫婦の関係を考え直したい					
		とてもそう思う	ややそう思う	どちらともいえない	そう思わない	全くそう思わない	不明
全体	1951	516	465	323	109	79	459
	100.0	26.4	23.8	16.6	5.6	4.0	23.5
分析軸 保健所	678	184	175	107	32	17	163
	100.0	27.1	25.8	15.6	4.7	2.5	24.0
病医院	1108	288	254	181	70	54	261
	100.0	26.0	22.9	16.3	6.3	4.9	23.6
区別不明	165	44	36	35	7	8	35
	100.0	26.7	21.8	21.2	4.2	4.8	21.2
保健所-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	184	175	107	32	17	163
	100.0	27.1	25.8	15.6	4.7	2.5	24.0
病医院-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	288	254	181	70	54	261
	100.0	26.0	22.9	16.3	6.3	4.9	23.6
不明-Young	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior	165	44	36	35	7	8	35
	100.0	26.7	21.8	21.2	4.2	4.8	21.2

	合計	Q22-6 女の人生の分かれ道					
		とてもそう思う	ややそう思う	どちらともいえない	そう思わない	全くそう思わない	不明
全体	1951	497	470	384	225	48	325
	100.0	25.5	24.1	19.7	11.5	2.5	16.7
分析軸	保健所	678	175	164	125	87	111
	100.0	25.8	24.2	18.4	12.8	2.4	16.4
病医院	1108	270	266	226	125	28	193
	100.0	24.4	24.0	20.4	11.3	2.5	17.4
区別不明	185	52	40	33	14	5	21
	100.0	31.5	24.2	20.0	8.5	3.0	12.7
保健所-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	175	164	125	87	16	111
	100.0	25.8	24.2	18.4	12.8	2.4	16.4
病医院-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	270	266	226	125	28	193
	100.0	24.4	24.0	20.4	11.3	2.5	17.4
不明-Young	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior	185	52	40	33	14	5	21
	100.0	31.5	24.2	20.0	8.5	3.0	12.7

	合計	Q22-7 女性らしさを保つよう努力					
		とてもそう思う	ややそう思う	どちらともいえない	そう思わない	全くそう思わない	不明
全体	1951	629	585	171	48	11	307
	100.0	42.5	30.0	8.8	2.5	0.8	15.7
分析軸	保健所	678	268	222	62	13	108
	100.0	39.5	32.7	9.1	1.9	0.7	15.9
病医院	1108	484	315	94	31	4	180
	100.0	43.7	28.4	8.5	2.8	0.4	16.2
区別不明	185	77	48	15	4	2	19
	100.0	46.7	29.1	9.1	2.4	1.2	11.5
保健所-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	678	268	222	62	13	5	108
	100.0	39.5	32.7	9.1	1.9	0.7	15.9
病医院-Young(40歳未満)	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior(40歳以上)	1108	484	315	94	31	4	180
	100.0	43.7	28.4	8.5	2.8	0.4	16.2
不明-Young	0	0	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-Senior	185	77	48	15	4	2	19
	100.0	46.7	29.1	9.1	2.4	1.2	11.5

	合計	F1 生年月(月)												不明
		1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	
全体	2934	272	256	246	214	160	198	236	237	253	254	233	192	183
	100.0	9.3	8.7	8.4	7.3	5.5	6.7	8.0	8.1	8.6	8.7	7.9	6.5	6.2
分析軸	保健所	1136	113	108	92	88	65	83	89	80	93	90	97	78
	100.0	9.9	9.5	8.1	7.7	5.7	7.3	7.8	7.0	8.2	7.9	8.5	6.7	5.5
病医院	1583	142	126	140	111	78	104	127	136	142	142	115	109	111
	100.0	9.0	8.0	8.8	7.0	4.9	6.6	8.0	8.6	9.0	9.0	7.3	6.9	7.0
区別不明	215	17	22	14	15	17	11	20	21	18	22	21	7	10
	100.0	7.9	10.2	6.5	7.0	7.9	5.1	9.3	9.8	8.4	10.2	9.8	3.3	4.7
保健所-Young(40歳未満)	458	42	41	39	38	25	29	40	38	38	40	44	30	14
	100.0	9.2	9.0	8.5	8.3	5.5	6.3	8.7	8.3	8.3	8.7	9.6	6.6	3.1
-Senior(40歳以上)	678	71	67	53	50	40	54	49	42	55	50	53	46	48
	100.0	10.5	9.9	7.8	7.4	5.9	8.0	7.2	6.2	8.1	7.4	7.8	6.8	7.1
病医院-Young(40歳未満)	475	42	32	37	30	32	38	39	40	46	47	39	39	12
	100.0	8.8	6.7	7.8	6.3	6.7	8.0	8.2	8.4	10.1	9.9	8.2	8.2	2.5
-Senior(40歳以上)	1108	100	94	103	81	46	66	88	96	94	95	76	70	99
	100.0	9.0	8.5	9.3	7.3	4.2	6.0	7.9	8.7	8.5	8.6	6.9	6.3	8.9
不明-Young	50	2	5	4	1	7	5	5	4	5	5	4	2	1
	100.0	4.0	10.0	8.0	2.0	14.0	10.0	10.0	8.0	10.0	10.0	10.0	4.0	2.0
-Senior	185	15	17	10	14	10	6	15	17	13	17	17	5	9
	100.0	9.1	10.3	6.1	8.5	6.1	3.6	9.1	10.3	7.9	10.3	10.3	3.0	5.5

	合計	F2-1 妊娠経緯		
		あり	なし	不明
全体	2732	1847	601	284
	100.0	67.6	22.0	10.4
分析軸	保健所	1136	785	262
	100.0	69.1	23.1	7.8
病医院	1582	1052	338	192
	100.0	66.5	21.4	12.1
区別不明	14	10	1	3
	100.0	71.4	7.1	21.4
保健所-Young(40歳未満)	458	223	205	30
	100.0	48.7	44.8	6.6
-Senior(40歳以上)	678	562	57	59
	100.0	82.9	8.4	8.7
病医院-Young(40歳未満)	474	190	241	43
	100.0	40.1	50.8	9.1
-Senior(40歳以上)	1108	862	97	149
	100.0	77.6	8.8	13.4
不明-Young	5	2	0	3
	100.0	40.0	0.0	60.0
-Senior	8	8	1	0
	100.0	88.9	11.1	0.0

	合計	F2-2 出産経緯		
		あり	なし	不明
全体	2934	1921	705	308
	100.0	65.5	24.0	10.5
分析軸	保健所	1136	769	283
	100.0	67.7	24.9	7.4
病医院	1583	1002	370	211
	100.0	63.3	23.4	13.3
区別不明	215	150	52	13
	100.0	69.8	24.2	6.0
保健所-Young(40歳未満)	458	206	213	39
	100.0	45.0	46.5	8.5
-Senior(40歳以上)	678	563	70	45
	100.0	83.0	10.3	6.6
病医院-Young(40歳未満)	475	187	253	55
	100.0	39.6	53.3	11.6
-Senior(40歳以上)	1108	835	117	156
	100.0	75.4	10.6	14.1
不明-Young	50	17	28	5
	100.0	34.0	56.0	10.0
-Senior	185	133	24	8
	100.0	80.6	14.5	4.8

	合計	F3 喫煙状況		
		喫煙している	喫煙していない	不明
全体	2732	289	2197	246
	100.0	10.6	80.4	9.0
分析軸				
保健所	1136	87	962	87
	100.0	7.7	84.7	7.7
病医院	1582	198	1226	158
	100.0	12.5	77.5	10.0
区別不明	14	4	9	1
	100.0	28.8	64.3	7.1
保健所-Young(40歳未満)	458	50	386	22
	100.0	10.9	84.3	4.8
-Senior(40歳以上)	678	37	576	65
	100.0	5.5	85.0	9.6
病医院-Young(40歳未満)	474	87	386	21
	100.0	18.4	77.2	4.4
-Senior(40歳以上)	1108	111	860	137
	100.0	10.0	77.6	12.4
不明-Young	5	1	3	1
	100.0	20.0	60.0	20.0
-Senior	9	3	6	0
	100.0	33.3	66.7	0.0

	合計	F3-3 喫煙習慣		
		いる	いない	不明
全体	2732	1189	1194	349
	100.0	43.5	43.7	12.8
分析軸				
保健所	1136	491	527	118
	100.0	43.2	46.4	10.4
病医院	1582	692	660	230
	100.0	43.7	41.7	14.5
区別不明	14	6	7	1
	100.0	42.9	50.0	7.1
保健所-Young(40歳未満)	458	221	207	30
	100.0	48.3	45.2	6.6
-Senior(40歳以上)	678	270	320	88
	100.0	39.8	47.2	13.0
病医院-Young(40歳未満)	474	246	193	35
	100.0	51.9	40.7	7.4
-Senior(40歳以上)	1108	448	467	195
	100.0	40.3	42.1	17.8
不明-Young	5	2	2	1
	100.0	40.0	40.0	20.0
-Senior	9	4	5	0
	100.0	44.4	55.6	0.0

	合計	F4 職業													
		フルタイム勤務(事務職)	フルタイム勤務(営業職)	フルタイム(その他)	パートタイム勤務(事務職)	パートタイム勤務(営業職)	パートタイム(その他)	自営業勤務(事務職)	自営業勤務(営業職)	自営業(その他)	農業	漁業	専業主婦	学生	無色
全体	2904	261	98	86	136	233	145	60	42	87	51	4	1124	78	207
	100.0	8.9	3.3	2.9	4.6	7.9	4.9	2.0	1.4	3.0	1.7	0.1	38.3	2.8	7.1
分析軸															
保健所	1136	78	28	20	63	93	59	17	12	22	19	0	518	37	80
	100.0	6.9	2.5	1.8	5.5	8.2	5.2	1.5	1.1	1.9	1.7	0.0	45.6	3.3	7.0
病医院	1583	165	62	62	66	129	76	43	25	61	30	4	522	32	91
	100.0	10.4	3.9	3.9	4.2	8.1	4.8	2.7	1.8	3.9	1.9	0.3	33.0	2.0	5.7
区別不明	215	18	8	4	7	11	10	0	5	4	2	0	84	7	36
	100.0	8.4	3.7	1.9	3.3	5.1	4.7	0.0	2.3	1.9	0.9	0.0	39.1	3.3	16.7
保健所-Young(40歳未満)	458	50	13	11	24	29	19	8	3	8	0	0	202	35	35
	100.0	10.9	2.8	2.4	5.2	6.3	4.1	1.7	0.7	1.7	0.0	0.0	44.1	7.6	7.8
-Senior(40歳以上)	678	28	15	9	39	64	40	9	9	14	19	0	316	2	45
	100.0	4.1	2.2	1.3	5.8	9.4	5.9	1.3	1.3	2.1	2.8	0.0	46.6	0.3	6.6
病医院-Young(40歳未満)	475	83	25	18	23	43	20	11	5	11	4	0	125	32	41
	100.0	17.5	5.3	3.8	4.8	9.1	4.2	2.3	1.1	2.3	0.8	0.0	26.3	6.7	8.6
-Senior(40歳以上)	1108	82	37	44	43	86	56	32	20	50	26	4	397	0	50
	100.0	7.4	3.3	4.0	3.9	7.8	5.1	2.8	1.8	4.5	2.3	0.4	35.8	0.0	4.5
不明-Young	50	8	1	0	4	1	2	0	1	2	0	0	14	7	7
	100.0	16.0	2.0	0.0	8.0	2.0	4.0	0.0	2.0	4.0	0.0	0.0	28.0	14.0	14.0
-Senior	165	10	7	4	3	10	8	0	4	2	2	0	70	0	29
	100.0	6.1	4.2	2.4	1.8	6.1	4.8	0.0	2.4	1.2	1.2	0.0	42.4	0.0	17.6

	合計	F4 職業	
		その他	不明
全体	2934	103	221
	100.0	3.5	7.5
分析軸			
保健所	1136	35	55
	100.0	3.1	4.8
病医院	1583	68	147
	100.0	4.3	9.3
区別不明	215	0	19
	100.0	0.0	8.8
保健所-Young(40歳未満)	458	7	14
	100.0	1.5	3.1
-Senior(40歳以上)	678	28	41
	100.0	4.1	6.0
病医院-Young(40歳未満)	475	17	17
	100.0	3.6	3.6
-Senior(40歳以上)	1108	51	130
	100.0	4.6	11.7
不明-Young	50	0	3
	100.0	0.0	6.0
-Senior	165	0	16
	100.0	0.0	9.7

	合計	F5 婚姻状況				
		未婚	既婚	離別	死別	不明
全体	2934	438	2047	123	109	217
	100.0	14.9	69.8	4.2	3.7	7.4
分析軸						
保健所	1136	157	832	40	41	66
	100.0	13.8	73.2	3.5	3.6	5.8
病医院	1583	248	1065	73	55	142
	100.0	15.7	67.3	4.6	3.5	9.0
区別不明	215	33	150	10	13	9
	100.0	15.3	69.8	4.7	6.0	4.2
保健所-Young(40歳未満)	458	132	300	9	1	16
	100.0	28.8	65.5	2.0	0.2	3.5
-Senior(40歳以上)	678	25	532	31	40	50
	100.0	3.7	78.5	4.6	5.9	7.4
病医院-Young(40歳未満)	475	207	234	15	2	17
	100.0	43.6	49.3	3.2	0.4	3.6
-Senior(40歳以上)	1108	41	831	58	53	125
	100.0	3.7	75.0	5.2	4.8	11.3
不明-Young	50	18	28	2	0	2
	100.0	36.0	56.0	4.0	0.0	4.0
-Senior	165	15	122	8	13	7
	100.0	9.1	73.9	4.8	7.9	4.2

	合計	Q8-1 基礎体温			
		はい	いいえ	月経がない	不明
全体	983 100.0	212 21.6	681 69.3	55 5.8	35 3.6
分析軸					
保健所	458 100.0	122 26.6	299 65.3	20 4.4	17 3.7
病医院	475 100.0	70 14.7	352 74.1	35 7.4	18 3.8
区別不明	50 100.0	20 40.0	30 60.0	0 0.0	0 0.0
保健所-Young(40歳未満)	458 100.0	122 26.6	299 65.3	20 4.4	17 3.7
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	70 14.7	352 74.1	35 7.4	18 3.8
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	20 40.0	30 60.0	0 0.0	0 0.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-3 手足がむくむ			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	148 15.1	166 16.9	545 55.4	124 12.6
分析軸					
保健所	458 100.0	48 10.5	65 14.2	285 62.2	60 13.1
病医院	475 100.0	88 18.5	94 19.8	234 49.3	59 12.4
区別不明	50 100.0	12 24.0	7 14.0	28 56.0	5 10.0
保健所-Young(40歳未満)	458 100.0	48 10.5	65 14.2	285 62.2	60 13.1
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	88 18.5	94 19.8	234 49.3	59 12.4
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	12 24.0	7 14.0	28 56.0	5 10.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-2 月経前後の記録		
		はい	いいえ	不明
全体	983 100.0	162 16.5	757 77.0	64 6.5
分析軸				
保健所	458 100.0	84 18.3	351 76.6	23 5.0
病医院	475 100.0	65 13.7	370 77.9	40 8.4
区別不明	50 100.0	13 26.0	36 72.0	1 2.0
保健所-Young(40歳未満)	458 100.0	84 18.3	351 76.6	23 5.0
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	65 13.7	370 77.9	40 8.4
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	13 26.0	36 72.0	1 2.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4 手足が冷える			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	254 25.8	210 21.4	402 40.9	117 11.9
分析軸					
保健所	458 100.0	95 20.7	93 20.3	215 46.9	55 12.0
病医院	475 100.0	145 30.5	103 21.7	169 35.6	58 12.2
区別不明	50 100.0	14 28.0	14 28.0	18 36.0	4 8.0
保健所-Young(40歳未満)	458 100.0	95 20.7	93 20.3	215 46.9	55 12.0
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	145 30.5	103 21.7	169 35.6	58 12.2
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	14 28.0	14 28.0	18 36.0	4 8.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4-1 下腹部が痛む			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	252 25.6	336 34.2	278 28.3	117 11.9
分析軸					
保健所	458 100.0	106 23.1	157 34.3	141 30.8	54 11.8
病医院	475 100.0	134 28.2	164 34.5	119 25.1	58 12.2
区別不明	50 100.0	12 24.0	15 30.0	18 36.0	5 10.0
保健所-Young(40歳未満)	458 100.0	106 23.1	157 34.3	141 30.8	54 11.8
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	134 28.2	164 34.5	119 25.1	58 12.2
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	12 24.0	15 30.0	18 36.0	5 10.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4-5 頭痛			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	259 26.3	242 24.6	370 37.6	112 11.4
分析軸					
保健所	458 100.0	116 25.3	103 22.5	187 40.8	52 11.4
病医院	475 100.0	133 28.0	129 27.2	157 33.1	56 11.8
区別不明	50 100.0	10 20.0	10 20.0	26 52.0	4 8.0
保健所-Young(40歳未満)	458 100.0	116 25.3	103 22.5	187 40.8	52 11.4
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	133 28.0	129 27.2	157 33.1	56 11.8
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	10 20.0	10 20.0	26 52.0	4 8.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4-2 下腹部が痛い			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	394 40.1	335 34.1	160 16.3	94 9.6
分析軸					
保健所	458 100.0	166 36.2	167 36.5	81 17.7	44 9.6
病医院	475 100.0	210 44.2	149 31.4	70 14.7	46 9.7
区別不明	50 100.0	18 36.0	19 38.0	9 18.0	4 8.0
保健所-Young(40歳未満)	458 100.0	166 36.2	167 36.5	81 17.7	44 9.6
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	210 44.2	149 31.4	70 14.7	46 9.7
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	18 36.0	19 38.0	9 18.0	4 8.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4-8 肩こり			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	266 27.1	219 22.3	380 38.7	118 12.0
分析軸					
保健所	458 100.0	110 24.0	96 21.0	196 42.8	56 12.2
病医院	475 100.0	149 31.4	109 22.9	160 33.7	57 12.0
区別不明	50 100.0	7 14.0	14 28.0	24 48.0	5 10.0
保健所-Young(40歳未満)	458 100.0	110 24.0	96 21.0	196 42.8	56 12.2
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	149 31.4	109 22.9	160 33.7	57 12.0
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	7 14.0	14 28.0	24 48.0	5 10.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4-7 腰痛			
		強く感じる	強く感じる	なし	不明
全体	983	356	341	179	107
	100.0	36.2	34.7	18.2	10.9
分析軸					
保健所	458	152	159	94	53
	100.0	33.2	34.7	20.5	11.6
病医院	475	191	157	77	50
	100.0	40.2	33.1	16.2	10.5
区別不明	50	13	25	8	4
	100.0	26.0	50.0	16.0	8.0
保健所-Young(40歳未満)	458	152	159	94	53
	100.0	33.2	34.7	20.5	11.6
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	191	157	77	50
	100.0	40.2	33.1	16.2	10.5
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	13	25	8	4
	100.0	26.0	50.0	16.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-11 のどが渾く			
		強く感じる	強く感じる	なし	不明
全体	983	84	124	657	118
	100.0	8.5	12.6	66.8	12.0
分析軸					
保健所	458	37	53	312	56
	100.0	8.1	11.6	68.1	12.2
病医院	475	43	62	312	58
	100.0	9.1	13.1	65.7	12.2
区別不明	50	4	9	33	4
	100.0	8.0	18.0	66.0	8.0
保健所-Young(40歳未満)	458	37	53	312	56
	100.0	8.1	11.6	68.1	12.2
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	43	62	312	58
	100.0	9.1	13.1	65.7	12.2
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	4	9	33	4
	100.0	8.0	18.0	66.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-8 めまい			
		強く感じる	強く感じる	なし	不明
全体	983	151	256	461	115
	100.0	15.4	26.0	46.9	11.7
分析軸					
保健所	458	50	120	229	59
	100.0	10.9	26.2	50.0	12.9
病医院	475	91	130	202	52
	100.0	19.2	27.4	42.5	10.9
区別不明	50	10	6	30	4
	100.0	20.0	12.0	60.0	8.0
保健所-Young(40歳未満)	458	50	120	229	59
	100.0	10.9	26.2	50.0	12.9
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	91	130	202	52
	100.0	19.2	27.4	42.5	10.9
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	10	6	30	4
	100.0	20.0	12.0	60.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-12 便秘			
		強く感じる	強く感じる	なし	不明
全体	983	181	176	509	117
	100.0	18.4	17.9	51.8	11.9
分析軸					
保健所	458	69	84	250	55
	100.0	15.1	18.3	54.6	12.0
病医院	475	104	80	233	58
	100.0	21.9	16.8	49.1	12.2
区別不明	50	8	12	28	4
	100.0	16.0	24.0	52.0	8.0
保健所-Young(40歳未満)	458	69	84	250	55
	100.0	15.1	18.3	54.6	12.0
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	104	80	233	58
	100.0	21.9	16.8	49.1	12.2
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	8	12	28	4
	100.0	16.0	24.0	52.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-9 食欲が増す			
		強く感じる	強く感じる	なし	不明
全体	983	226	168	475	114
	100.0	23.0	17.1	48.3	11.6
分析軸					
保健所	458	102	84	219	53
	100.0	22.3	18.3	47.8	11.6
病医院	475	115	74	229	57
	100.0	24.2	15.6	48.2	12.0
区別不明	50	9	10	27	4
	100.0	18.0	20.0	54.0	8.0
保健所-Young(40歳未満)	458	102	84	219	53
	100.0	22.3	18.3	47.8	11.6
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	115	74	229	57
	100.0	24.2	15.6	48.2	12.0
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	9	10	27	4
	100.0	18.0	20.0	54.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-13 下痢			
		強く感じる	強く感じる	なし	不明
全体	983	154	254	464	111
	100.0	15.7	25.8	47.2	11.3
分析軸					
保健所	458	58	106	240	54
	100.0	12.7	23.1	52.4	11.8
病医院	475	91	127	204	53
	100.0	19.2	26.7	42.9	11.2
区別不明	50	5	21	20	4
	100.0	10.0	42.0	40.0	8.0
保健所-Young(40歳未満)	458	58	106	240	54
	100.0	12.7	23.1	52.4	11.8
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	91	127	204	53
	100.0	19.2	26.7	42.9	11.2
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	5	21	20	4
	100.0	10.0	42.0	40.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-10 食欲がなくなる			
		強く感じる	強く感じる	なし	不明
全体	983	77	142	640	124
	100.0	7.8	14.4	65.1	12.8
分析軸					
保健所	458	25	57	315	61
	100.0	5.5	12.4	68.8	13.3
病医院	475	49	79	288	59
	100.0	10.3	16.6	60.6	12.4
区別不明	50	3	6	37	4
	100.0	6.0	12.0	74.0	8.0
保健所-Young(40歳未満)	458	25	57	315	61
	100.0	5.5	12.4	68.8	13.3
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	49	79	288	59
	100.0	10.3	16.6	60.6	12.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	3	6	37	4
	100.0	6.0	12.0	74.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-14 おりものが増える			
		強く感じる	強く感じる	なし	不明
全体	983	253	313	297	120
	100.0	25.7	31.8	30.2	12.2
分析軸					
保健所	458	108	149	144	57
	100.0	23.6	32.5	31.4	12.4
病医院	475	132	146	138	59
	100.0	27.8	30.7	29.1	12.4
区別不明	50	13	18	15	4
	100.0	26.0	36.0	30.0	8.0
保健所-Young(40歳未満)	458	108	149	144	57
	100.0	23.6	32.5	31.4	12.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	132	146	138	59
	100.0	27.8	30.7	29.1	12.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	13	18	15	4
	100.0	26.0	36.0	30.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-15 乳房が硬る			
		強く感じる	強く感じる	なし	不明
全体	983	300	280	297	106
	100.0	30.5	28.5	30.2	10.8
分析軸					
保健所	458	122	136	148	52
	100.0	26.6	29.7	32.3	11.4
病医院	475	166	131	127	51
	100.0	34.9	27.6	26.7	10.7
区別不明	50	12	13	22	3
	100.0	24.0	26.0	44.0	6.0
保健所-Young(40歳未満)	458	122	136	148	52
	100.0	26.6	29.7	32.3	11.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	166	131	127	51
	100.0	34.9	27.6	26.7	10.7
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	12	13	22	3
	100.0	24.0	26.0	44.0	6.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-19 ニキビがしやすい			
		強く感じる	強く感じる	なし	不明
全体	983	289	220	367	107
	100.0	29.4	22.4	37.3	10.9
分析軸					
保健所	458	120	104	182	52
	100.0	26.2	22.7	39.7	11.4
病医院	475	155	102	166	52
	100.0	32.6	21.5	34.9	10.9
区別不明	50	14	14	19	3
	100.0	28.0	28.0	38.0	6.0
保健所-Young(40歳未満)	458	120	104	182	52
	100.0	26.2	22.7	39.7	11.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	155	102	166	52
	100.0	32.6	21.5	34.9	10.9
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	14	14	19	3
	100.0	28.0	28.0	38.0	6.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-16 乳房が痛い			
		強く感じる	強く感じる	なし	不明
全体	983	215	220	433	115
	100.0	21.9	22.4	44.0	11.7
分析軸					
保健所	458	91	95	213	59
	100.0	19.9	20.7	46.5	12.9
病医院	475	116	113	193	53
	100.0	24.4	23.8	40.6	11.2
区別不明	50	8	12	27	3
	100.0	16.0	24.0	54.0	6.0
保健所-Young(40歳未満)	458	91	95	213	59
	100.0	19.9	20.7	46.5	12.9
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	116	113	193	53
	100.0	24.4	23.8	40.6	11.2
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	8	12	27	3
	100.0	16.0	24.0	54.0	6.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-20 メイクののりが悪い			
		強く感じる	強く感じる	なし	不明
全体	983	208	266	389	120
	100.0	21.2	27.1	39.6	12.2
分析軸					
保健所	458	87	119	193	59
	100.0	19.0	26.0	42.1	12.9
病医院	475	110	136	172	57
	100.0	23.2	28.6	36.2	12.0
区別不明	50	11	11	24	4
	100.0	22.0	22.0	48.0	8.0
保健所-Young(40歳未満)	458	87	119	193	59
	100.0	19.0	26.0	42.1	12.9
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	110	136	172	57
	100.0	23.2	28.6	36.2	12.0
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	11	11	24	4
	100.0	22.0	22.0	48.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-17 脈くなる			
		強く感じる	強く感じる	なし	不明
全体	983	374	218	287	104
	100.0	38.0	22.2	29.2	10.6
分析軸					
保健所	458	159	102	146	51
	100.0	34.7	22.3	31.9	11.1
病医院	475	197	105	124	49
	100.0	41.5	22.1	26.1	10.3
区別不明	50	18	11	17	4
	100.0	36.0	22.0	34.0	8.0
保健所-Young(40歳未満)	458	159	102	146	51
	100.0	34.7	22.3	31.9	11.1
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	197	105	124	49
	100.0	41.5	22.1	26.1	10.3
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	18	11	17	4
	100.0	36.0	22.0	34.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-21 濡れやすい			
		強く感じる	強く感じる	なし	不明
全体	983	435	284	163	101
	100.0	44.3	28.9	16.6	10.3
分析軸					
保健所	458	192	127	90	49
	100.0	41.9	27.7	19.7	10.7
病医院	475	221	143	64	47
	100.0	46.5	30.1	13.5	9.9
区別不明	50	22	14	9	5
	100.0	44.0	28.0	18.0	10.0
保健所-Young(40歳未満)	458	192	127	90	49
	100.0	41.9	27.7	19.7	10.7
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	221	143	64	47
	100.0	46.5	30.1	13.5	9.9
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	22	14	9	5
	100.0	44.0	28.0	18.0	10.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-18 肌が荒れる			
		強く感じる	強く感じる	なし	不明
全体	983	287	268	317	111
	100.0	29.2	27.3	32.2	11.3
分析軸					
保健所	458	118	122	164	54
	100.0	25.8	26.6	35.8	11.8
病医院	475	156	128	137	54
	100.0	32.8	26.9	28.6	11.4
区別不明	50	13	18	16	3
	100.0	26.0	36.0	32.0	6.0
保健所-Young(40歳未満)	458	118	122	164	54
	100.0	25.8	26.6	35.8	11.8
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	156	128	137	54
	100.0	32.8	26.9	28.6	11.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	13	18	16	3
	100.0	26.0	36.0	32.0	6.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-22 身体がスムーズに動かない			
		強く感じる	強く感じる	なし	不明
全体	983	341	283	241	118
	100.0	34.7	28.8	24.5	12.0
分析軸					
保健所	458	149	123	126	60
	100.0	32.5	26.9	27.5	13.1
病医院	475	176	144	103	52
	100.0	37.1	30.3	21.7	10.9
区別不明	50	16	16	12	6
	100.0	32.0	32.0	24.0	12.0
保健所-Young(40歳未満)	458	149	123	126	60
	100.0	32.5	26.9	27.5	13.1
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	176	144	103	52
	100.0	37.1	30.3	21.7	10.9
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	16	16	12	6
	100.0	32.0	32.0	24.0	12.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-23 イライラする			
		強く感じる	強く感じる	なし	不明
全体	983	450	279	182	92
	100.0	45.8	28.4	18.5	9.4
分析軸 保健所	458	205	133	78	42
病医院	475	226	131	72	46
区別不明	50	19	15	12	4
保健所-Young(40歳未満)	100.0	38.0	30.0	24.0	8.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	226	131	72	46
-Senior(40歳以上)	100.0	47.6	27.6	15.2	9.7
不明-Young	50	19	15	12	4
-Senior	100.0	38.0	30.0	24.0	8.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-27 喜観になる			
		強く感じる	強く感じる	なし	不明
全体	983	342	270	268	103
	100.0	34.8	27.5	27.3	10.5
分析軸 保健所	458	151	125	133	49
病医院	475	177	132	115	51
区別不明	50	14	13	20	3
保健所-Young(40歳未満)	100.0	28.0	26.0	40.0	6.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	177	132	115	51
-Senior(40歳以上)	100.0	37.3	27.8	24.2	10.7
不明-Young	50	14	13	20	3
-Senior	100.0	28.0	26.0	40.0	6.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-24 形ややすい			
		強く感じる	強く感じる	なし	不明
全体	983	410	249	223	101
	100.0	41.7	25.3	22.7	10.3
分析軸 保健所	458	185	118	107	48
病医院	475	209	117	100	49
区別不明	50	18	14	16	4
保健所-Young(40歳未満)	100.0	32.0	28.0	32.0	8.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	209	117	100	49
-Senior(40歳以上)	100.0	44.0	24.6	21.1	10.3
不明-Young	50	18	14	16	4
-Senior	100.0	32.0	28.0	32.0	8.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-28 勇気になる			
		強く感じる	強く感じる	なし	不明
全体	983	235	208	426	114
	100.0	23.9	21.2	43.3	11.6
分析軸 保健所	458	109	80	212	57
病医院	475	114	119	189	53
区別不明	50	12	9	25	4
保健所-Young(40歳未満)	100.0	24.0	18.0	50.0	8.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	114	119	189	53
-Senior(40歳以上)	100.0	24.0	25.1	39.6	11.2
不明-Young	50	12	9	25	4
-Senior	100.0	24.0	18.0	50.0	8.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-25 攻撃的になる			
		強く感じる	強く感じる	なし	不明
全体	983	277	225	371	110
	100.0	28.2	22.9	37.7	11.2
分析軸 保健所	458	126	98	179	55
病医院	475	143	116	167	49
区別不明	50	8	11	25	6
保健所-Young(40歳未満)	100.0	16.0	22.0	50.0	12.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	143	116	167	49
-Senior(40歳以上)	100.0	30.1	24.4	35.2	10.3
不明-Young	50	8	11	25	6
-Senior	100.0	16.0	22.0	50.0	12.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-29 無気力			
		強く感じる	強く感じる	なし	不明
全体	983	266	261	344	112
	100.0	27.1	26.6	35.0	11.4
分析軸 保健所	458	119	115	171	53
病医院	475	136	134	150	55
区別不明	50	11	12	23	4
保健所-Young(40歳未満)	100.0	22.0	24.0	46.0	8.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	136	134	150	55
-Senior(40歳以上)	100.0	28.6	28.2	31.6	11.6
不明-Young	50	11	12	23	4
-Senior	100.0	22.0	24.0	46.0	8.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-26 興奮しやすい			
		強く感じる	強く感じる	なし	不明
全体	983	178	215	471	119
	100.0	18.1	21.9	47.9	12.1
分析軸 保健所	458	79	92	230	57
病医院	475	92	112	214	57
区別不明	50	7	11	27	5
保健所-Young(40歳未満)	100.0	14.0	22.0	54.0	10.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	92	112	214	57
-Senior(40歳以上)	100.0	19.4	23.6	45.1	12.0
不明-Young	50	7	11	27	5
-Senior	100.0	14.0	22.0	54.0	10.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-30 自信がなくなる			
		強く感じる	強く感じる	なし	不明
全体	983	214	214	444	111
	100.0	21.8	21.8	45.2	11.3
分析軸 保健所	458	91	89	223	55
病医院	475	114	111	197	53
区別不明	50	9	14	24	3
保健所-Young(40歳未満)	100.0	18.0	28.0	48.0	6.0
-Senior(40歳以上)	0	0	0	0	0
病医院-Young(40歳未満)	475	114	111	197	53
-Senior(40歳以上)	100.0	24.0	23.4	41.5	11.2
不明-Young	50	9	14	24	3
-Senior	100.0	18.0	28.0	48.0	6.0
	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-31 不安感が高まる			
		強く感じる	強く感じる	なし	不明
全体	983	271	198	404	110
	100.0	27.6	20.1	41.1	11.2
分析軸					
保健所	458	116	85	204	53
	100.0	25.3	18.8	44.5	11.8
病医院	475	142	104	175	54
	100.0	29.9	21.9	36.8	11.4
区別不明	50	13	9	25	3
	100.0	26.0	18.0	50.0	6.0
保健所-Young(40歳未満)	458	116	85	204	53
	100.0	25.3	18.8	44.5	11.6
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	142	104	175	54
	100.0	29.9	21.9	36.8	11.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	13	9	25	3
	100.0	26.0	18.0	50.0	6.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-35 性欲が高まる			
		強く感じる	強く感じる	なし	不明
全体	983	32	102	728	121
	100.0	3.3	10.4	74.1	12.3
分析軸					
保健所	458	18	47	336	57
	100.0	3.9	10.3	73.4	12.4
病医院	475	13	51	353	58
	100.0	2.7	10.7	74.3	12.2
区別不明	50	1	4	39	6
	100.0	2.0	8.0	78.0	12.0
保健所-Young(40歳未満)	458	18	47	336	57
	100.0	3.9	10.3	73.4	12.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	13	51	353	58
	100.0	2.7	10.7	74.3	12.2
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	1	4	39	6
	100.0	2.0	8.0	78.0	12.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-32 涙もろくなる			
		強く感じる	強く感じる	なし	不明
全体	983	181	159	525	118
	100.0	18.4	16.2	53.4	12.0
分析軸					
保健所	458	73	70	258	57
	100.0	15.9	15.3	56.3	12.4
病医院	475	99	81	238	57
	100.0	20.8	17.1	50.1	12.0
区別不明	50	9	8	29	4
	100.0	18.0	16.0	58.0	8.0
保健所-Young(40歳未満)	458	73	70	258	57
	100.0	15.9	15.3	56.3	12.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	99	81	238	57
	100.0	20.8	17.1	50.1	12.0
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	9	8	29	4
	100.0	18.0	16.0	58.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-36 性欲がなくなる			
		強く感じる	強く感じる	なし	不明
全体	983	93	123	637	130
	100.0	9.5	12.5	64.8	13.2
分析軸					
保健所	458	40	48	309	61
	100.0	8.7	10.5	67.5	13.3
病医院	475	49	70	292	64
	100.0	10.3	14.7	61.5	13.5
区別不明	50	4	5	38	5
	100.0	8.0	10.0	72.0	10.0
保健所-Young(40歳未満)	458	40	48	309	61
	100.0	8.7	10.5	67.5	13.3
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	49	70	292	64
	100.0	10.3	14.7	61.5	13.5
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	4	5	38	5
	100.0	8.0	10.0	72.0	10.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-33 集中できない			
		強く感じる	強く感じる	なし	不明
全体	983	232	265	377	109
	100.0	23.6	27.0	38.4	11.1
分析軸					
保健所	458	99	108	200	51
	100.0	21.6	23.6	43.7	11.1
病医院	475	123	144	154	54
	100.0	25.9	30.3	32.4	11.4
区別不明	50	10	13	23	4
	100.0	20.0	26.0	46.0	8.0
保健所-Young(40歳未満)	458	99	108	200	51
	100.0	21.6	23.6	43.7	11.1
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	123	144	154	54
	100.0	25.9	30.3	32.4	11.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	10	13	23	4
	100.0	20.0	26.0	46.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-37 記憶力が低下する			
		強く感じる	強く感じる	なし	不明
全体	983	100	182	579	122
	100.0	10.2	18.5	58.9	12.4
分析軸					
保健所	458	41	74	285	58
	100.0	9.0	16.2	62.2	12.7
病医院	475	54	101	262	58
	100.0	11.4	21.3	55.2	12.2
区別不明	50	5	7	32	6
	100.0	10.0	14.0	64.0	12.0
保健所-Young(40歳未満)	458	41	74	285	58
	100.0	9.0	16.2	62.2	12.7
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	54	101	262	58
	100.0	11.4	21.3	55.2	12.2
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	5	7	32	6
	100.0	10.0	14.0	64.0	12.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-34 能率が低下する			
		強く感じる	強く感じる	なし	不明
全体	983	237	280	354	112
	100.0	24.1	28.5	36.0	11.4
分析軸					
保健所	458	99	118	187	54
	100.0	21.6	25.8	40.8	11.8
病医院	475	127	150	144	54
	100.0	26.7	31.6	30.3	11.4
区別不明	50	11	12	23	4
	100.0	22.0	24.0	46.0	8.0
保健所-Young(40歳未満)	458	99	118	187	54
	100.0	21.6	25.8	40.8	11.8
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	127	150	144	54
	100.0	26.7	31.6	30.3	11.4
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	11	12	23	4
	100.0	22.0	24.0	46.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-38 自分をコントロールできない			
		強く感じる	強く感じる	なし	不明
全体	983	202	194	481	106
	100.0	20.5	19.7	48.9	10.8
分析軸					
保健所	458	85	76	248	51
	100.0	18.6	16.6	53.7	11.1
病医院	475	109	104	211	51
	100.0	22.9	21.9	44.4	10.7
区別不明	50	8	14	24	4
	100.0	16.0	28.0	48.0	8.0
保健所-Young(40歳未満)	458	85	76	248	51
	100.0	18.6	16.6	53.7	11.1
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
病医院-Young(40歳未満)	475	109	104	211	51
	100.0	22.9	21.9	44.4	10.7
-Senior(40歳以上)	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0
不明-Young	50	8	14	24	4
	100.0	16.0	28.0	48.0	8.0
-Senior	0	0	0	0	0
	0.0	0.0	0.0	0.0	0.0

	合計	Q8-4-39 いつもおりに仕事ができない			
		強く感じる	感じる	なし	不明
全体	983	196	262	410	115
100.0	19.9	26.7	41.7	11.7	
分析軸					
介護所	458	82	106	215	55
100.0	17.9	23.1	46.9	12.0	
病医院	475	103	145	171	56
100.0	21.7	30.5	36.0	11.8	
区別不明	50	11	11	24	4
100.0	22.0	22.0	48.0	8.0	
介護所-Young(40歳未満)	458	82	106	215	55
100.0	17.9	23.1	46.9	12.0	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	103	145	171	56
100.0	21.7	30.5	36.0	11.8	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	11	11	24	4
100.0	22.0	22.0	48.0	8.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-43 月給が値になる			
		強く感じる	感じる	なし	不明
全体	983	212	240	419	112
100.0	21.6	24.4	42.6	11.4	
分析軸					
介護所	458	86	105	213	54
100.0	18.8	22.9	46.5	11.8	
病医院	475	115	126	181	53
100.0	24.2	26.5	38.1	11.2	
区別不明	50	11	9	25	5
100.0	22.0	18.0	50.0	10.0	
介護所-Young(40歳未満)	458	86	105	213	54
100.0	18.8	22.9	46.5	11.8	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	115	126	181	53
100.0	24.2	26.5	38.1	11.2	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	11	9	25	5
100.0	22.0	18.0	50.0	10.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-40 生理整理したくなる			
		強く感じる	感じる	なし	不明
全体	983	80	112	675	116
100.0	8.1	11.4	69.7	11.8	
分析軸					
介護所	458	41	47	314	56
100.0	9.0	10.3	68.8	12.2	
病医院	475	35	80	325	55
100.0	7.4	12.6	68.4	11.6	
区別不明	50	4	5	36	5
100.0	8.0	10.0	72.0	10.0	
介護所-Young(40歳未満)	458	41	47	314	56
100.0	9.0	10.3	68.8	12.2	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	35	80	325	55
100.0	7.4	12.6	68.4	11.6	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	4	5	36	5
100.0	8.0	10.0	72.0	10.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-44 他人と口論になる			
		強く感じる	感じる	なし	不明
全体	983	113	141	610	119
100.0	11.5	14.3	62.1	12.1	
分析軸					
介護所	458	52	66	282	58
100.0	11.4	14.4	61.6	12.7	
病医院	475	58	70	291	56
100.0	12.2	14.7	61.3	11.8	
区別不明	50	3	5	37	5
100.0	6.0	10.0	74.0	10.0	
介護所-Young(40歳未満)	458	52	66	282	58
100.0	11.4	14.4	61.6	12.7	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	58	70	291	56
100.0	12.2	14.7	61.3	11.8	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	3	5	37	5
100.0	6.0	10.0	74.0	10.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-41 物事が面倒くさくなる			
		強く感じる	感じる	なし	不明
全体	983	255	292	327	109
100.0	25.9	29.7	33.3	11.1	
分析軸					
介護所	458	115	124	189	50
100.0	25.1	27.1	36.9	10.9	
病医院	475	132	151	137	55
100.0	27.8	31.8	28.8	11.6	
区別不明	50	8	17	21	4
100.0	16.0	34.0	42.0	8.0	
介護所-Young(40歳未満)	458	115	124	189	50
100.0	25.1	27.1	36.9	10.9	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	132	151	137	55
100.0	27.8	31.8	28.8	11.6	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	8	17	21	4
100.0	16.0	34.0	42.0	8.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-45 変に引きこもる			
		強く感じる	感じる	なし	不明
全体	983	131	178	555	119
100.0	13.3	18.1	56.5	12.1	
分析軸					
介護所	458	61	85	274	58
100.0	13.3	14.2	59.8	12.7	
病医院	475	61	106	251	57
100.0	12.8	22.3	52.8	12.0	
区別不明	50	9	7	30	4
100.0	18.0	14.0	60.0	8.0	
介護所-Young(40歳未満)	458	61	85	274	58
100.0	13.3	14.2	59.8	12.7	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	61	106	251	57
100.0	12.8	22.3	52.8	12.0	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	9	7	30	4
100.0	18.0	14.0	60.0	8.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-42 女性であることが嫌になる			
		強く感じる	感じる	なし	不明
全体	983	128	153	585	117
100.0	13.0	15.6	59.5	11.9	
分析軸					
介護所	458	56	64	281	57
100.0	12.2	14.0	61.4	12.4	
病医院	475	65	82	272	56
100.0	13.7	17.3	57.3	11.8	
区別不明	50	7	7	32	4
100.0	14.0	14.0	64.0	8.0	
介護所-Young(40歳未満)	458	56	64	281	57
100.0	12.2	14.0	61.4	12.4	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	65	82	272	56
100.0	13.7	17.3	57.3	11.8	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	7	7	32	4
100.0	14.0	14.0	64.0	8.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-46 ひどく嫌む			
		強く感じる	感じる	なし	不明
全体	983	189	185	495	114
100.0	19.2	18.8	50.4	11.6	
分析軸					
介護所	458	86	72	245	55
100.0	18.8	15.7	53.5	12.0	
病医院	475	97	103	221	54
100.0	20.4	21.7	46.5	11.4	
区別不明	50	6	10	29	5
100.0	12.0	20.0	58.0	10.0	
介護所-Young(40歳未満)	458	86	72	245	55
100.0	18.8	15.7	53.5	12.0	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
病医院-Young(40歳未満)	475	97	103	221	54
100.0	20.4	21.7	46.5	11.4	
-Senior(40歳以上)	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	
不明-Young	50	6	10	29	5
100.0	12.0	20.0	58.0	10.0	
-Senior	0	0	0	0	0
0.0	0.0	0.0	0.0	0.0	

	合計	Q8-4-47 誰も理解してくれないと思う			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	138 13.8	140 14.2	589 59.9	118 12.0
分析軸					
保健所	458 100.0	69 15.1	57 12.4	278 60.3	56 12.2
病医院	475 100.0	62 13.1	77 16.2	278 58.5	58 12.2
区別不明	50 100.0	5 10.0	6 12.0	35 70.0	4 8.0
保健所-Young(40歳未満)	458 100.0	69 15.1	57 12.4	276 60.3	56 12.2
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	62 13.1	77 16.2	278 58.5	58 12.2
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	5 10.0	6 12.0	35 70.0	4 8.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4-49 人付き合いが悪くなる			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	140 14.2	197 20.0	528 53.7	118 12.0
分析軸					
保健所	458 100.0	63 13.8	77 16.8	259 56.6	59 12.9
病医院	475 100.0	69 14.5	114 24.0	237 49.9	55 11.6
区別不明	50 100.0	8 16.0	6 12.0	32 64.0	4 8.0
保健所-Young(40歳未満)	458 100.0	63 13.8	77 16.8	259 56.6	59 12.9
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	69 14.5	114 24.0	237 49.9	55 11.6
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	8 16.0	6 12.0	32 64.0	4 8.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q8-4-48 家族や友人に悪意をほく			
		強く感じる	強く感じる	なし	不明
全体	983 100.0	122 12.4	157 16.0	587 59.7	117 11.9
分析軸					
保健所	458 100.0	58 12.7	67 14.6	278 60.3	57 12.4
病医院	475 100.0	81 12.8	81 17.1	277 58.3	56 11.8
区別不明	50 100.0	3 6.0	9 18.0	34 68.0	4 8.0
保健所-Young(40歳未満)	458 100.0	58 12.7	67 14.6	276 60.3	57 12.4
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	81 12.8	81 17.1	277 58.3	56 11.8
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	3 6.0	9 18.0	34 68.0	4 8.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q10 ビルについて知識を持っている			
		はい	いいえ	わからない	不明
全体	983 100.0	168 17.1	476 48.4	302 30.7	37 3.8
分析軸					
保健所	458 100.0	88 19.2	217 47.4	135 29.5	18 3.9
病医院	475 100.0	71 14.9	222 46.7	165 34.7	17 3.6
区別不明	50 100.0	9 18.0	37 74.0	2 4.0	2 4.0
保健所-Young(40歳未満)	458 100.0	88 19.2	217 47.4	135 29.5	18 3.9
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	71 14.9	222 46.7	165 34.7	17 3.6
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	9 18.0	37 74.0	2 4.0	2 4.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q10-1 知識を身につけた方法										
		中学の授業	高校の授業	大学・専門学校 の授業	テレビ	新聞	講演会	雑誌	書籍	インター ネット	その他	不明
全体	983 100.0	14 1.4	40 4.1	16 1.6	28 2.8	30 3.1	2 0.2	60 6.1	28 2.8	19 1.9	44 4.5	799 81.3
分析軸												
保健所	458 100.0	8 1.7	23 5.0	9 2.0	16 3.5	14 3.1	2 0.4	36 7.9	13 2.8	5 1.1	25 5.5	364 79.5
病医院	475 100.0	5 1.1	14 2.9	7 1.5	12 2.5	14 2.9	0 0.0	23 4.8	14 2.9	10 2.1	19 4.0	395 83.2
区別不明	50 100.0	1 2.0	3 6.0	0 0.0	0 0.0	2 4.0	0 0.0	1 2.0	1 2.0	4 8.0	0 0.0	40 80.0
保健所-Young(40歳未満)	458 100.0	8 1.7	23 5.0	9 2.0	16 3.5	14 3.1	2 0.4	36 7.9	13 2.8	5 1.1	25 5.5	364 79.5
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	5 1.1	14 2.9	7 1.5	12 2.5	14 2.9	0 0.0	23 4.8	14 2.9	10 2.1	19 4.0	395 83.2
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	1 2.0	3 6.0	0 0.0	0 0.0	2 4.0	0 0.0	1 2.0	1 2.0	4 8.0	0 0.0	40 80.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q10-2 ビルについての調査の受講		
		はい	いいえ	不明
全体	937 100.0	223 23.8	323 34.5	391 41.7
分析軸				
保健所	458 100.0	115 25.1	155 33.8	188 41.0
病医院	474 100.0	108 22.8	168 35.4	198 41.8
区別不明	5 100.0	0 0.0	0 0.0	5 100.0
保健所-Young(40歳未満)	458 100.0	115 25.1	155 33.8	188 41.0
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	474 100.0	108 22.8	168 35.4	198 41.8
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	5 100.0	0 0.0	0 0.0	5 100.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0

	合計	Q11 性病についての知識			
		はい	いいえ	わからない	不明
全体	983 100.0	440 44.8	258 26.2	239 24.3	46 4.7
分析軸					
保健所	458 100.0	192 41.9	124 27.1	118 25.8	24 5.2
病医院	475 100.0	224 47.2	111 23.4	121 25.5	19 4.0
区別不明	50 100.0	24 48.0	23 46.0	0 0.0	3 6.0
保健所-Young(40歳未満)	458 100.0	192 41.9	124 27.1	118 25.8	24 5.2
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
病医院-Young(40歳未満)	475 100.0	224 47.2	111 23.4	121 25.5	19 4.0
-Senior(40歳以上)	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
不明-Young	50 100.0	24 48.0	23 46.0	0 0.0	3 6.0
-Senior	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0