大原直也 Protective ability of anti-HIV recombinant BCG on guinea pig pulmonary tuberculosis, and safety and stability.  大原直也 分子遺伝学的性状、「非結核性(非定型)抗 Cooperative Medical Science Program.  大原直也 粉音型の表現と臨床」、斎藤肇、大泉耕太 結核予防会 in press.  大原直也 別毒型ステリアをキャリアとした抗結核菌DNAワクチンの研究Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  大原直也 別毒型ステリアをキャリアとした抗結核菌DNAワクチンの研究Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  吉田栄人 Protection and synergism by recombinant fowl pox vaccines protection and synergism by recombinant fowl pox vaccines and leprosy vaccines Avian Dis. 47 549-58 2003						
大原直也 Protective ability of anti-HIV recombinant BCG on guinea pig pulmonary tuberculosis, and safety and stability.  大原直也 分子遺伝学的性状、「非結核性(非定型)抗 酸菌症の基礎と臨床」、斎藤肇、大泉耕太 結核予防会 郎、阿部千代治監修  大原直也 別毒リステリアをキャリアとした抗結核菌DNAワ カチンの研究Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  大原直也 The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.    **Tuber			Thirty-			
大原直也 Protective ability of anti-HIV recombinant BCG on guinea pig pulmonary tuberculosis, and safety and stability.  大原直也 分子遺伝学的性状、「非結核性(非定型)抗 酸菌症の基礎と臨床」、斎藤肇、大泉耕太 郎、阿部千代治監修  大原直也 別書りステリアをキャリアとした抗結核菌DNAワクチンの研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  古田栄人 The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  本田学人 Protective ability of anti-HIV Tuberculosis sind Tuberculosis sind safety and Tuberculosis sind safety and United State-Japan Cooperative e Medical Science Program.  本田学人 The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  本田学人 Protection and synergism by recombinant fowl pox vaccines Avian Dis. Avian Dis. 47 549-58 2003			eighth Joint			
大原直也 Protective ability of anti-HIV recombinant BCG on guinea pig pulmonary tuberculosis, and safety and stability.  大原直也 分子遺伝学的性状、「非結核性(非定型)抗 酸菌症の基礎と臨床」、斎藤肇、大泉耕太 郎、阿部千代治監修  大原直也 引力タナンの研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  大原直也 打印		1	Research			
大原直也 Protective ability of anti-HIV recombinant BCG on guinea pig pulmonary tuberculosis, and safety and stability.  大原直也 分子遺伝学的性状、「非結核性(非定型)抗酸菌症の基礎と臨床」、斎藤肇、大泉耕太郎、阿部千代治監修  大原直也 別毒リステリアをキャリアとした抗結核菌DNAワクチンの研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  大原直也 The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  中 Protection and synergism by recombinant fowl pox vaccines Procedules and B haplotype.  コード 中では Avian Dis. 47 549-58 2003			Conference			
大原直也 Protective ability of anti-HIV recombinant BCG on guinea pig pulmonary tuberculosis, and safety and stability.  大原直也 か子遺伝学的性状、「非結核性(非定型)抗 酸菌症の基礎と臨床」、斎藤肇、大泉耕太 郎、阿部千代治監修  大原直也 弱毒リステリアをキャリアとした抗結核菌DNAワ クチンの研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  古田栄人  Tuberculosi S:The United State - Japan Cooperative Medical Science Program.  2004  中球人14年度 日米医学協力計画 結核 力計画 結核 小ン・セン病 専門部会年 次報告書  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  中で15年間 大阪15年間 大			on Leprosy			
大原直也 recombinant BCG on guinea pig pulmonary tuberculosis, and safety and stability.		Protective obility of anti-UIV	and			
大原直也 pulmonary tuberculosis, and safety and stability. United State-Japan Cooperative Medical Science Program.		·	Tuberculosi			ļ
stability. State- Japan Cooperativ e Medical Science Program.  大原直也 参方達伝学的性状、「非結核性(非定型)抗 酸菌症の基礎と臨床」、斎藤擎、大泉耕太 郎、阿部千代治監修  本原語・ 大原直也 が表別の研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  The combinant fowl pox vaccines Avian Dis. 47 549-58 2003	大原直也	-	s:The		180	2003
大原直也 分子遺伝学的性状、「非結核性(非定型)抗 総菌症の基礎と臨床」、斎藤肇、大泉耕太 結核予防会 in press. 2004 郎、阿部千代治監修 平成14年度 日米医学協 カチンの研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel. The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype. Protection and synergism by recombinant fowl pox vaccines Protection and synergism by recombinant fowl pox vaccines Avian Dis. 47 549-58 2003			United			
大原直也 分子遺伝学的性状、「非結核性(非定型)抗 酸菌症の基礎と臨床」、斎藤肇、大泉耕太 結核予防会 in press. 2004 郎、阿部千代治監修 平成14年度 日米医学協 クチンの研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel. 専門部会年 次報告書 The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype. Protection and synergism by recombinant fowl pox vaccines Avian Dis. 47 549-58 2003		stability.	State-			
e Medical Science Program.		·	Japan			:
Science Program.  大原直也			Cooperativ			
大原直也			e Medical			
大原直也 放歯症の基礎と臨床」、斎藤肇、大泉耕太 結核予防会 in press. 2004 数			Science			
大原直也 酸菌症の基礎と臨床」、斎藤肇、大泉耕太 結核予防会 in press. 2004 郎、阿部千代治監修			Program.			
郎、阿部千代治監修  中成14年度 日米医学協力チンの研究 Annual report 2002 U.S. Japan cooperative medical science program tuberculosis and leprosy panel.  古田栄人  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines  Protection and synergism by recombinant fowl pox vaccines  Avian Dis. 47 549-58 2003		分子遺伝学的性状、「非結核性(非定型)抗				
大原直也	大原直也	酸菌症の基礎と臨床」、斎藤肇、 大泉耕太	結核予防会	in press.		2004
大原直也		郎、阿部千代治監修				
大原直也 クチンの研究 Annual report 2002 U.S. 力計画 結核 Japan cooperative medical science program tuberculosis and leprosy panel. 専門部会年 次報告書  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines Avian Dis. 47 549-58 2003			平成14年度			
大原直也 Japan cooperative medical science program tuberculosis and leprosy panel. 専門部会年 次報告書  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines Avian Dis. 47 549-58 2003		弱毒リステリアをキャリアとした抗結核菌DNAワ	日米医学協			
Japan cooperative medical science ・ハンセン病 program tuberculosis and leprosy panel. 専門部会年 次報告書  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines Avian Dis. 47 549-58 2003	1 555	クチンの研究Annual report 2002 U.S.	力計画 結核		100.0	2002
下田学人  The efficacy of recombinant fowlpox vaccine protection against Marek's disease. its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines Avian Dis. 48 129-37 2004	大原直也 	Japan cooperative medical science	・ハンセン病	!	193-6	2003
The efficacy of recombinant fowlpox vaccine protection against Marek's disease, its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines  Avian Dis. 48 129-37 2004		program tuberculosis and leprosy panel.	専門部会年		}	
吉田栄人 vaccine protection against Marek's disease, its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines  Avian Dis. 48 129-37 2004	!		次報告書			
吉田栄人 disease. its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines Avian Dis. 48 129-37 2004		The efficacy of recombinant fowlpox				
disease. its dependence on chicken line and B haplotype.  Protection and synergism by recombinant fowl pox vaccines  Avian Dis 47 549-58 2003		vaccine protection against Marek's	A D'.	40	100 27	2004
and B haplotype.  Protection and synergism by recombinant fowl pox vaccines Avian Dis 47 549-58 2003	吉田宋人	disease, its dependence on chicken line	Avian Dis.	48	129-37	2004
recombinant fowl pox vaccines Avian Dis 47 549-58 2003	]					
「古田笠 L L   Avian Dis 147   1549-58   2003		Protection and synergism by				
台田宋人     Avian Dis.  47    549-58   2003	吉田栄人	recombinant fowl pox vaccines	A :	1,7	540-59	2002
expressing multiple genes from Marek's		expressing multiple genes from Marek's	Avian Dis.	47	549-58	2003
disease virus.		disease virus.				
Five different glucose-6-phophate		Five different glucose-6-phophate				
dehydrogenase (G6PD) variants found J Hum	<u> </u>	dehydrogenase (G6PD) variants found	J Hum	10	E 41 - 4	2002
吉田栄人 among 11 G6PD-deficient persons in Genet. 48 541-4 2003	吉田栄人 	among 11 G6PD-deficient persons in	Genet.	48	341-4	2003
Flores Island, Indonesia.		Flores Island, Indonesia.				

122					
吉田栄人	T cell activation and cytokine production via a bispecific single-chain antibody fragment targeted to bloodstage malaria parasites.	ì	101		2003
吉田栄人	A mouse model of the atopic eczema/dermatitis syndrome by repeated application of a crude extract of house-dust mite, Dermatophagoides farimnae.	Allergy	58	139-45	2003
吉田栄人	Two cases of glucose-6-phosphate dehydrogenase-deficient Nepalese belonging to the G6PD Mediterranean-type, not India-Pakistan sub-type but Mediterranean-Middle East sub-type.	J Hum Genet.	48	275-7	2003
吉田栄人	A rapid single-step screening method for glucose-6-phosphate dehydrogenase deficiency in field application.	Jpn J Trop	31		2003
吉田栄人	Predominant cell-mediated immunity in the oral mucosa: gene gun-based vaccination against infectious diseases.	IJ Dermatol	3	203-10	2003
吉田栄人	Tcell activation and cytokine production via a bispecific single-chain antibody fragment targeted to blood-stage malaria parasites.	Blood	101		2003
吉田栄人	A mouse model of the atopic eczema/dermatitis syndrome by repeated application of a crude extract of house-dust mite, Dermatophagoides farimnae.	_	58	139-45	2003
吉田栄人	Comparison of malaria parasite gametocyte activating factor in the salivary glands of five species of mosquito (Diptera: Culicidae).	Med Entomol	51	13-20	2002

新川清子  M-CSF-induced-human monocyte-derived macrophages and IL-10-treated GM-CSF-induced-human monocyte-derived macrophages inhibit bacterial growth and induce the activation of MAP kinase and the expression of NRAMP1 protein after infection with M.tuberculosis H37Rv.  CSF-induced and HIV-1-mediated distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including the security of the
赤川清子monocyte-derived macrophages inhibit bacterial growth and induce the activation of MAP kinase and the expression of NRAMP1 protein after infection with M.tuberculosis H37Rv.20赤川清子CSF-induced and HIV-1-mediated distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.J. Exp. Med.198443-45320全島第行Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy includingKekkaku.78(4)339-4620
**     bacterial growth and induce the activation of MAP kinase and the expression of NRAMP1 protein after infection with M.tuberculosis H37Rv.  CSF-induced and HIV-1-mediated distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including  ABS  Rekkaku.  Preparation  1020  108  108  108  108  108  108  10
bacterial growth and induce the activation of MAP kinase and the expression of NRAMP1 protein after infection with M.tuberculosis H37Rv.  CSF-induced and HIV-1-mediated distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku.  78(4) 339-46 20
expression of NRAMP1 protein after infection with M.tuberculosis H37Rv.  CSF-induced and HIV-1-mediated distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku.  Rekkaku. 78(4) 339-46 20
infection with M.tuberculosis H37Rv.  CSF-induced and HIV-1-mediated distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku.  [198] 443-453 20
The state of drug-induced hepatitis due to antituberculosis chemotherapy including and HIV-1-mediated distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived Med.  198  443-453  443-453  20  443-453  20  Kekkaku.  78(4)
distinct regulation of Hck and C/EBP represent a heterogeneous susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku.  78(4) 339-46
represent a heterogeneous J. Exp. susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including  Kekkaku.  78(4)  339-46
新川清子 susceptibility of monocyte-derived macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku. 78(4) 339-46 20
susceptibility of monocyte-derived Med.  macrophages to M-tropic HIV-1 infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku. 78(4) 339-46 20
infections.  Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku. 78(4) 339-46 20
Secular increase in the incidence rate of drug-induced hepatitis due to antituberculosis chemotherapy including Kekkaku. 78(4) 339-46 20
of drug-induced hepatitis due to anti- tuberculosis chemotherapy including Kekkaku. 78(4) 339-46 20
舒島篤行   tuberculosis chemotherapy including   Kekkaku.   78(4)   339-46   20
tuberculosis chemotherapy including
l line in the second of the se
isoniazid and rifampicin.
Comparative evaluation of the
isothermal and chimeric primer-
initiated amplification of nucleic acids
介島篤行 (ICAN) and Roche Amplicor PCR and Kekkaku   78(8)   533-9   20
culture for detecting Mycobacterium
tuberculosis complex in sputum
samples.
Characteristics and treatment outcomes
介島篤行   of INH-resistant or RFP-resistant   Kekkaku   78(10)   611-7   20
tuberculosis.
Agranulocytosis due to anti-
和 tuberculosis drugs including isoniazid Kekkaku 78(11) 683-9 20
(INH) and rifampicin (RFP)—a report of
four cases and review of the literature.
全身部では一番である。  全身に対する活性化T細胞輪   19   19   19   19   19   19   19   1
(注療法の試み.
クリニカルプ   1067-   23   107-   20   20   107-   20
ラクティス 1070
国内での感染症で問題視すべきもの 多剤耐 医 学 の あ ゆ   208   38-41   20
性結核.   み   200   100   11   200   100   11   12   12

倉島篤行	等温キメラプライマー核酸増幅(ICAN)法を用いた結核菌群検出キットの従来法との比較検討	結核	78	533-539	2003
倉島篤行	BCG接種の考え方	臨床医	26	1857-59	2003
倉島篤行	サルコイドーシスと抗酸菌感染症。	呼吸器科	3	45-48	2003
倉島篤行	Mycobacterium abscessusの感染を合併した外因性リポイド肺炎の1例。	日本呼吸器 学会雑誌	41	14-18	2003
倉島篤行	手術前、急速に肺野に浸潤影が進展した肺真 菌症。	日本医真菌 学会雑誌	43	65	2003
倉島篤行	非定型抗酸菌症治療におけるニューキノロン 剤投与の現状と問題点について	結核	78	226	2003
倉島篤行	肺非結核性抗酸菌症診断に関する見解ー 2003年	結核	78(8)	569-572	2003
倉島篤行	1980-83年と1997-99年における結核患者 および非結核患者の結核既往率.	結核	77	503-512	2002
倉島篤行	高齢者の抗酸菌感染症の問題点	化学療法の 領域	18	217-221	2002
土肥義胤	Distinctive bacteria-binding property of cloth materials.	Am J Infect Control	32	27-30	2004
土肥義胤	Growth of Pseudomonas aeruginosa in peripheral blood polymorph nuclear leukocytes of elderly persons.	J. Clin. Microbiol.	in press		2004
土肥義胤	Human peripheral blood polymorphonuclear leukocytes at the ovulatory period are in an activated state.	Mol Cell	196(1-2)	21-8.	2002
土肥義胤	活動性肺結核患者の末梢血単球のIFN-γに 対する応答性の低下 第76回日本細菌学会 総会	日本細菌学 雑誌	58(1)	301	2003
土肥義胤	活動性肺結核症患者の末梢血単球の殺菌能 が低下している原因 第29回日本看護研究学 会学術集会	日本看護研 究学会雑誌	26(3)	139	2003
土肥義胤	末梢血好中球の活性酸素生産能からみた高齢者の易感染症の原因について	日本看護研 究学会	25(4)	53-59	2002

		-			
土肥義胤	MRSAと黄色ブドウ球菌の衣服繊維への接着 性について		25(3)	153	2002
菅原勇	The effects of inhalation of diesel exhausts on murine mycobacterial infection.	Exp. Lung Res	31	1-11.	2005
菅原勇	Pulmonary tuberculosis in various gene knockout mice with special emphasis on roles of cytokines and transcription factors.	Respiratory	1	7-13.	2005
菅原勇	A reliable and reproducible method for evaluating cytokine and iNOS mRNA expression in guinea pig lung tissues by RT-PCR using newly designed primer sets.	Experiment al Animals	in press		2005
菅原勇	Pathological and immunological profiles of rat tuberculosis.	Int. J. Exp. Pathol.	85	125-134	2004
菅原勇	Mycobacterial infection in spontaneously diabetic Goto Kakizaki rats. Tohoku	J. Exp. Med.	204	135-145	2004
菅原勇	Recent advances on multidrug-resistant tuberculosis testing and identification among various Mycobacteria. Rsearch Global Network, India.	In	4	1-15.	2004
菅原勇	Shinshuense isolated from cutaneous ulcer lesion of right lower extremity in a 37-year-old woman.	i	79	437-441	2004
菅原 勇	Vaccination of guinea pigs with DNA encoding Ag85A by gene gun bombardment.	Tuberculosi	83	331-337	2003
菅原 勇	Mycobacterial infection in MyD88-deficient mice.	Microbiol. Immunol.	47	841-847	2003
菅原 勇	WR mice are highly susceptible to lmonary infection with M.berculosis.	Infect. Immun.	71	66-72	2003
菅原 勇	Mycobacterial infection in TLR2 and TLR6 knockout mice.	Microbiol. Immunol.	47	327-336	2003
菅原 勇	Relative importance of STAT4 in murine tuberculosis.	J.Med Microbiol.	52(1)	29-34	2003

菅原 勇	Mycobacterial infection in TLR2 and TLR6 KO mice.	Microbiol. Immunol	in press		2003
菅原 勇	Relative importance of STAT4 in murine tuberculosis.	J. Med. Microbiol.	52	29-34	2003
菅原 勇	Mycobacterial infection in natural killer T celll knockout mice.	Tuberculosi s	82	97-104	2002
菅原 勇	Interferon regulatory 1 in mycobacterial infection.	Microbiol. Immunol.	46	751-760	2002
菅原 勇	A case of cervical and mediastinal lymphadenopathy with endobronchial nodules in an immuno- competent adult caused by Mycobacterium avium.	<b>;</b>	9	204-208	2002
菅原 勇	結核免疫―サイトカインの役割	Molecular Medicine	39	1376-80	2002
原寿郎	T-cell-depleted CD34+ cell transplantation from an HLA-mismatched donor in a low birth weight infant with X-linked severe combined immunodeficiency.	J Pediatric Hematol	in press		2005
原寿郎	Differential mRNA expression of glucocorticoid receptor alpha and beta is responsible for glucocorticoid sensitivity of acute lymphoblastic leukemia in children.	Pediatr Blood	in press		2005
原寿郎	Thrombocytosis in preterm infants: A possible involvement of thrombopoietin receptor gene expression.	i	in press		2005
原寿郎	Successful unrelated cord blood transplantation for Epstein-Barr virus-associated lymphoproliferative disease with hemophagocytic syndrome.		in press	-	2005
原寿郎	Moyamoya syndrome in a splenectomized patient with $\beta$ -thalassemia intermedia	J Child Neurol	in press		2005
原寿郎	Bronchiolitis obliterans organizing pneumonia as an initial manifestation in a girl with systemic lupus erythematosus.	Pediatric Pulmonolog y	in press.		2005

原寿郎	Improved diabetes control by using 'close adjustment algorithms'.	Pediatr Int	in press		2005
原寿郎	Asthma-like attacks resulting from isolated congenital left pulmonary artery agenesis with right main bronchus stenosis.	Review Series Pediarics	in press		2005
原寿郎	Female agammaglobulinemia due to the Bruton tyrosine kinase deficiency caused by extremely skewed X-chromosome inactivation.	Blood	103	185-187	2004
原寿郎	Increased IL-16 levels in hemophagocytic lymphohistiocytosis.	J Pediatr Hematol Oncol	26	567-573	2004
原寿郎	Dominant expression of interleukin-10 and transforming growth factor- $\beta$ genes in activated T-cells of chronic active Epstein-Barr virus infection.	J Med Virol	74	449-458	2004
原寿郎	Diamond-Blackfan anemia in Japan: Outcomes of prednisolone therapy and hematopoietic stem cell transplantation.	Int J Hematol	79	22-30	2004
原寿郎	Identification of novel MUNC13-4 mutations in familial haemophagocytic lymphohistiocytosis and functional analysis of MUNC13-4-deficient cytotoxic T lymphocytes.	J Med Genet	41	763-767	2004
原寿郎	Microarray analysis of human milk cells: persistent high expression of osteopontin during the lactation period.	IClin Exp	138	47-53	2004
原寿郎	CD25+CD4+ regulatory T cells in patients with Kawasaki disease.	J Pediatr	145	385-390	2004
原寿郎	Th1 and Th2 cytokine production is suppressed at the level of transcriptional regulation in Kawasaki disease.	Clin Exp	137	444-449	2004
原寿郎	Human cord blood CD25+CD4+ T cells: a novel immunoregulatory population with naive phenotype.	Exp Hematol	32	622-629	2004

	Neutrophil-derived TNF-related				
原寿郎	apoptosis-inducing ligand (TRAIL): a	ICancer Res	64	1037-	2004
	novel mechanism of anti-tumor effect by neutrophils.			1043	
<u> </u>	Functional MxA promoter polymorphism			<del>                                     </del>	
原寿郎	associated with subacute sclerosing	1	62	457-60	2004
	panencephalitis in Japan.				
原寿郎	Identification of a novel type 1 diabetes susceptibility gene, T-bet.	Hum Genet	115	177-84	2004
	Clinical significance of a highly				
ाह्य चंद केल	sensitive analysis for gene dosage and		20	60.60	000:
原寿郎	the expression level of MYCN in	Surg	39	63-68	2004
	neuroblastoma.				
	Characteristic expression of aryl				
	hydrocarbon receptor repressor gene in	Life Sci	<b>.</b> .	1039- 1049	000
原寿郎 	human tissues: organ-specific		74		2004
	distribution and variable induction patterns in mononuclear cells.				
<u></u>	Association of Vascular Endothelial			-	
:	Growth Factor (VEGF) and VEGF	i			
原寿郎	receptor gene polymorphisms with			in press	2004
	Coronary Artery Lesions of Kawasaki	1			
	Disease.				
	Improved survival outocome for				
	hepatoblasma based on an optimal	J Pediatric			[ 
原寿郎	chemotherapeutic regimen-A report	surgery	39(2)	195-198	2004
	from the study group for pediatric solid				
	malignant tumors in the kyushu area.  Tumour necrosis factor receptor-		1		
原寿郎	associated periodic syndrome with a	Eur J			
	novel mutation in the TNFRSF1A gene		163	Feb-30	2004
	in a Japanese family.				
	Association study of human Mut T				
原寿郎	homologue 1 gene polymorphisms with	Endocr J	51(5)	493-8	2004
	type 1 diabetes mellitus.				

<u></u>					
原寿郎	mRNA expression of apoptosis- associated genes in infant acute lymphoblastic leukemia: low Fas expression is an independent predictor for poor prognosis.	Leukemia	18	365-368	2004
原寿郎	Increased serum levels of interferon- $\gamma$ -inducible protein 10 and monokine induced by gamma interferon in patients with hemophagocytic lymphohistiocytosis.	Clin Exp Immunol	133	448-453	2003
原寿郎	Association study between interleukin- 12 receptor beta1/beta2 genes and type 1 diabetes or asthma in the Japanese population.	Immunogen	55(3)	189-92	2003
原 寿郎	Recombinant Sendai virus provides a highly efficient gene transfer into human cord blood-derived hematopoietic stem cells.	Gene	10	272-7	2003
原寿郎	Detection of interferon-gamma-inducible chemokines in human milk.	Acta Paediatr.	92	659-665	2003
原寿郎	Th1 and Th1-inducing cytokines in Salmonella infection.	Clin Exp Immunol	131	111-117	2003
原寿郎	Cytokine imbalance in hyper-IgE syndrome: reduced expression of transforming growth factor- $\beta$ and interferon- $\gamma$ genes in circulating activated T cells.	Br J Haematol	121	324-331	2003
原寿郎	Dominant $\beta$ -thalassemia with Hb Hradec Kralove: enhanced hemolysis in the spleen.	IInt J	78(4)	329-34	2003
原寿郎	Quantification of circulating varicella zoster virus-DNA for the early diagnosis of visceral varicella.	J Infect	47	133-138	2003
原 寿郎	The lipocalin 24p3, which is an essential molecule in IL-3 withdrawal-induced apoptosis, is not involved in the G-CSF withdrawal-induced apoptosis.		71	412-417	2003

原	寿郎	Asthma-like Attacks Resulting from the Isolated Congenital Left Pulmonary Artery Agenesis with Right Main Bronchus Stenosis.	Pediatr	24	507-509	2003
原	寿郎	Reversible posterior leukoencephalopathy syndromein children with cancers.	J Pediatr Hematol Oncol	25	236-9	2003
原	寿郎	Founder effect of the C9 R95X mutation in Orientals.	Hum Genet	112	244-8	2003
原	寿郎	Inducible and endothelial constitutive nitric oxide synthase gene polymorphisms in Kawasaki disease.	Pediatr Int	45(2)	130-4	2003
原	寿郎	Perforin defects of primary hemophagocytic lymphohistiocytosis in Japan.	Br J Haematol	116	346-349	2002
原	寿郎	Phenotype of autoimmune polyglandular syndrome type I and genotype of AIRE gene in a Japanese family.	Clin Immunol	103	277-283	2002
原	寿郎	Epstein-Barr virus associated diseases in childhoodImmunological aspects of Epstein-Barr virus infection.	1	44	203-15	2002
原	寿郎	Genetic basis of patients with Bacille Calmette-Guerinosteomyelitis in Japan:identification of dominant partial interferon- $\gamma$ receptor 1 deficiency as a predominant type.	ĺ	185	706-709	2002
原	寿郎	A functional polymorphism in fas (CD95/APO-1) gene promoter associated with systemic lupus erythematosus.	J Rheumatol	29	1183-88	2002
原		Association study between CD30 and CD30 ligand genes and type 1 diabetes in the Japanese population.	Genes and Immunity	3	96-101	2002
原	寿郎	Association study between the promoter polymorphism of NRAMP1 gene and early onset type 1 diabetes.	Immunogen etics	54	282-285	2002

					[	1
原	寿郎	Contribution of the Interleukin 4 Gene to Susceptibility to Subacute Sclerosing Panencephalitis.	Arch Neurol	59	822-7	2002
原	寿郎	Five novel SLC7A7 variants and y+L gene-expression pattern in cultured lymphoblasts from Japanese patients with lysinuric protein intolerance.	Hum Mutat	20	375-81	2002
原	寿郎	Central Nervous System vasculopathy associated with neonatal lupus.	Pediar Neurol	26	68-70	2002
原	寿郎	Neurotrophin-4 and glial cell line- derived neurotrophic factor in cerebrospinal fluid from meningitis/encephalitis patients.	Pediatric Neurology	27	102-105	2002
原	寿郎	Expansion of trisomy 8 and Sweet syndrome in a prolonged course of childhood aplastic anemia.		24	64-68	2002
原	寿郎	Polymorphisms of transforming growth factor-beta 1 and transforming growth factor-beta*1 type II receptor genes are associated with acute graft-versus-host disease in children with HLA-matched sibling bone marrow transplantation.	Bone Marrow Transplant	30	665-671	2002
原	寿郎	Antithrombin III supplementation in childhood acute lymphoblastic Oncol leukemia treated with L-asparaginase.	Pediatr	19	601-603	2002
原	寿郎	Immunotherapy with autologous dendritic cells and tumor-specific synthetic peptides for synovial sarcoma.	J Pediatr Hematol Oncol	24	220-223	2002
原	寿郎	Human fetal infection with parvovirus B19: maternal infection time in gestation, viral persistence and fetal prognosis.	Pediatr Infect Dis J	21	1133-6	2002
原	寿郎	Serum hepatocyte growth factor combined with vascular endothelial growth factor as a predictive indicator for the occurrence of coronary artery lesions in Kawasaki disease.	Eur J Pediatr	161	105-11	2002

原寿郎	高IgE症候群.	日本臨床免 疫学会会誌	in press		2005
原寿郎	原発性免疫不全症とは.	小児内科	36	1686- 1690	2004
原寿郎	中枢神経系における感染防御機構。	小児内科	36	1007- 1012	2004
原寿郎	免疫異常症の臨床. 2.免疫異常あるいは免疫 不均衡が基盤にある疾患. SIRS (systemic inflammatory response syndrome), ARDS (acute respiratory distress syndrome).	アレルギー・ 免疫		11(12)	2004
原寿郎	Non-random X inactivationにより女児に発生したBTK欠損無ガンマグロブリン血症.	臨床免疫	42	36-42	2004
原寿郎	IPEX ( immune dysregulation, polyendocrinopathy, enteropathy, X-linked)症候群.	アレルギー・ 免疫	11	36-40	2004
原寿郎	IPEX症候群.	小児内科	36	1817- 1820	2004
原寿郎	SSPEにおける宿主側遺伝要因の解析.	Neuroinfect ion	9(1)	66-71	2004
原寿郎	L-12レセプター欠損と免疫不全症.	臨床免疫	42	43-5.	2004
原寿郎	悪性リンパ腫の全て、原発性免疫不全症.	血液腫瘍科	49	123-128	2004
原寿郎	川崎病. 日本臨牀「免疫症候群(下)」			in press	2005
原寿郎	α β型T細胞レセプター欠損による複合免疫 不全症	臨床免疫	40		2003
原寿郎	リンパ球の活性化制御とパーフォリン -家族性 血球貪食リンパ組織球症の成因-	臨床免疫	40	110-116	2003
原 寿郎	細胞内寄生菌に対する易感染性を示す免疫不全症 Impaired interferon gamma-mediated immunity and susceptibility to intracellular pathogen.	小児内科	34		2003
原寿郎	新しくみつかった遺伝子異常による免疫不全症 分子機能解明への意義 αβ型 T 細胞レセプター欠損による複合免疫不全症	臨床免疫	40(1)	24-28	2003

原寿郎	Th1- and Th1-inducing cytokine responses in Salmonella infection.	Clin Exp Immunol	131	111-117	2003
原寿郎	Recombinant Sendai virus provides a highly efficient gene transfer into human cord blood-derived hematopoietic stem cells.		10	272-7	2003
原寿郎	急性散在性脳脊髄炎症	小児内科2			2003
原 寿郎	Th1経路による感染防御機構とその破綻	小児感染免 疫	14	101	2002
原寿郎	グルココルチコイド受容体遺伝子多型	アレルギー科			2002
原 寿郎	補体異常症:小児疾患の診断・治療基準	小児内科特 集			2002
原寿郎	高IgE症候群	  小児内科 	34		2002
原寿郎	血小板減少症とc-mpl遺伝子異常	日本小児血 液学会雑誌	16	335-339	2002
原 寿郎	細胞内寄生菌に対する易感染性を示す免疫 不全症	小児内科	34		2002
竹田潔	The kinase domain of death-associated protein kinase is inhibitory for tubulointerstitial fibrosis in chronic obstructive nephropathy.	Int. J. Mol.	15	73-78	2005
竹田潔	Toll-like receptors in innate immunity.	Int. Immunol.	17	1-14.	2005
竹田潔	Stat-3 is required for pulmonary homeostasis during hyperoxia.	J. Clin. Invest.	113	28-37.	2004
竹田潔	Stimulation of human Toll-like receptor (TLR) 2 and TLR6 with membrane lipoproteins of Mycoplasma fermentans induces apoptotic cell death after NF-kB activation.	Cell.	6	187-199.	2004
竹田潔	Adjuvant-mediated tumor regression and tumor-specific cytotoxic response are impaired in MyD88-deficient mice.	lCancer	64	757-764.	2004

· · · · · · · · · · · · · · · · · · ·	I		T	1	<del></del>
竹田潔	Toll-like receptor 9 signaling mediates the anti-inflammatory effects of probiotics in murine experimental colitis.	Gastroenter	126	520-528.	2004
竹田潔	Role of Stat3 in regulation of hepatic gluconeogenic genes and carbohydrate metabolism in vivo.		10	168-174	2004
竹田潔	Interleukin-18 improves the early defence system against influenza virus infection by augmenting natural killer cell-mediated cytotoxicity.	J. Gen.	85	423-428	2004
竹田潔	Production of IL-12 by macrophages infected with Toxoplasma gondii depends on the parasite genotype.		172	3686- 3694	2004
竹田潔	Deletion of the kinase domain in death- associated protein kinase attenuates renal tubular cell apoptosis in chronic obstructive uropathy.		13	515-520	2004
竹田潔	Toll-like receptors are temporally involved in host defense.	J. Immunol.	172	4463- 4469	2004
竹田潔	IL-18 gene therapy develops Th1-type immune responses in Leishmania major-infected BALB/c mice: is the effect mediated by the CpG signaling TLR9?	Gene Ther.	11	941-948	2004
竹田潔	Expression of Toll-like receptors 2 and 4 is down-regulated after operation.	Surgery	135	376-385	2004
竹田潔	Interferon-g production and host protective response against Mycobacterium tuberculosis in mice lacking both IL-12p40 and IL-18.	Microbes.	6	339-349.	2004
竹田潔	Insulin secretory defects and impaired islet architecture in pancreatic betacell-specific STAT3 knockout mice.	Biochem. Biophys. Res. Commun.	319	1159- 1170.	2004
竹田潔	The roles of two IkB kinase-related kinases in lipopolysaccharide and double stranded RNA signaling and viral infection.	J. Exp.	199	1641- 1650.	2004

竹田潔	Deletion of the kinase domain in death- associated protein kinase attenuates tubular cell apoptosis in renal ischemia- reperfusion injury.		15	1826- 1834.	2004
竹田潔	Regulation of Toll/IL-1 receptor-mediated gene expression by the inducible nuclear protein IkBz.	Nature	430	218-222.	2004
竹田潔	Expression of Toll-like receptor 4 on dendritic cells is significant for anticancer effect of dendritic cell-based immunotherapy in combination with an active component of OK-432, a Streptococcal preparation.		64	5461- 5470.	2004
竹田潔	Human papillomavirus type-16 virus- like particles activate complementary defense responses in key dendritic cell subpopulations.	J. Immunol.	173	2624- 2631.	2004
竹田潔	MyD88 but not TRIF is essential for osteoclastogenesis induced by lipopolysaccharide, diacyl lipopeptide, and IL-1a.		200	601-611.	2004
竹田潔	Limited role for interleukin-18 in the host protection response against pulmonary infection with Pseudomonas aeruginosa in mice.		72	6176- 6180.	2004
竹田潔	Papillomavirus-like particles stimulate murine bone marrow-derived dendritic cells to produce alpha interferon and Th1 immune responses via MyD88.	J. Virol.	78	11152- 1160	2004
竹田潔	Both IL-12 and IL-18 contribute to small intestinal Th1-type immunopathology following oral infection with Toxoplasma gondii but IL-12 is dominant over IL-18 in parasite control.	Eur. J. Immunol.	34	3197- 3207	2004

		1		1	
竹田潔	In vivo transfection of a cis element 'decoy' against signal transducers and activators of transcription 6 (STAT6)-binding site ameliorates IgE-mediated late-phase reaction in an atopic dermatitis mouse model.	Gene Ther.	11	1753- 1762	2004
竹田潔	In vivo transfection of a cis element 'decoy' against signal transducers and activators of the transcription 6 (STAT6) binding site ameliorates the response of contact hypersensitivity.	Gene Ther.	11	1763- 1771	2004
竹田潔	TIR domain-containing adaptors define the specificity of TLR signaling.	Mol. Immunol.	40	861-868	2004
竹田潔	TLR signaling pathway.	Seminar Immunol.	16	5-9.	2004
竹田潔	Microbial recognition by Toll-like receptors.	J. Dermatol. Sci.	34	73-82	2004
竹田潔	Toll-like receptor signaling.	Nat. Rev. Immunol.	4	499-511	2004
竹田潔	Toll-like receptors: ligands and signaling.	Innate Immune Response to Infection		257-270	2004
竹田潔	Biological roles of the STAT family in cytokine signaling.	Handbook of Experiment al Pharmacolo gy	166	97-121	2004
竹田潔	Functions of Toll-like receptors: lessons from KO mice.	C. R. Biol.	327	581-589	2004
竹田 潔	IL-10-inducible Bcl-3 negatively regulates LPS-induced TNF- $\gamma$ production in macrophages.	Blood	102(12)	23-9.	2003
竹田 潔	Aberrant inflammation and lethality to septic peritonitis in mice lacking Stat3 in macrophages and neutrophils.	J. Immunol.	171(11)	6198- 205	2003

竹田 潔	Toll-like receptor 2 pathway drives Streptococal cell wall induced joint inflammation: Critical role of MyD88.	J. Immunol.	171(11)	6145-53	2003
竹田 潔	TAB2 is essential for prevention of apoptosis in fetal liver but not for IL-1 signaling.	Mol. Cell. Biol.	23	1231- 1238	2003
竹田 潔	Prion pathogenesis in the absence of Toll-like receptor signaling.	EMBO Rep.	4	195-199	2003
竹田 潔	Toll-like receptor-mediated tyrosine phosphorylation of paxillin via MyD88-dependent and -independent pathways.	Eur. J. Immunol.	33	740-747	2003
竹田 潔	The roles of Toll-like receptor 9, MyD88, and DNA-PKcs in the effects of two distinct CpG DNAs on dendritic cell subsets.	J. Immunol.	170	3059- 3064	2003
竹田 潔	Interleukin-18 impairs the pulmonary host response to Pseudomonas aeruginosa.	Infect. Immun.	71	1630- 1634	2003
竹田 潔	No role for interleukin-18 in acute murine stroke-induced brain injury.	J. Cereb. Blood Flow and Metab.		531-535	2003
竹田 潔	Toll-like receptor-dependent IL-12p40 production causes chronic enterocolitis in myeloid cell-specific Stat3-deficient mice.	J. Clin.	111	1297- 1308	2003
竹田 潔	Interleukin-18 gene-deficient mice show enhanced defense and reduced inflammation during pneumococcal meningitis.	J.  Neuroimmu	138	31-37	2003
竹田 潔	IL-6 induces an anti-inflammatory response in the absence of SOCS3 in macrophages.	INat.	4	551-556	2003
竹田 潔	Th2 cytokines, IgE and mast cells play a crucial role in the induction of paraphenylenediamine-induced contact hypersensitivity in mice.		132	385-392	2003
竹田潔	Reduced atherosclerosis in interleukin- 18 deficient apolipoprotein E-knockout mice.	icardiovasc.	59	234-240	2003

竹田 潔 Toll-like receptor RP105 signaling in B Blood 102 1374-80 2003 lymphocytes.  The function of GADD34 is a recovery from a shut-off of protein synthesis induced by ER stress; elucidation by GADD34-deficient mice.  村田 潔 「中田 潔 「中田 潔」 「日本
The function of GADD34 is a recovery from a shut-off of protein synthesis induced by ER stress; elucidation by GADD34-deficient mice.    The function of GADD34 is a recovery from a shut-off of protein synthesis induced by ER stress; elucidation by GADD34-deficient mice.    The function of GADD34 is a recovery from a shut-off of protein synthesis induced by ER stress; elucidation by GADD34-deficient mice.    Analysis of cytokine regulators inducing interferon production by mouse uterine natural killer cells.    Role of adaptor TRIF in the MyD88-independent   Toll-like   receptor signaling pathway.    Contrasting action of IL-12 and IL-18   Scand.   J. in the development of dextran sodium sulphate colitis in mice.   Gastroenter ol.     The   The   The protection of the prote
The function of GADD34 is a recovery from a shut-off of protein synthesis induced by ER stress; elucidation by GADD34-deficient mice.  Analysis of cytokine regulators inducing interferon production by mouse uterine natural killer cells.  Role of adaptor TRIF in the MyD88-independent Toll-like receptor signaling pathway.  Contrasting action of IL-12 and IL-18 Scand. J. fin the development of dextran sodium sulphate colitis in mice.  竹田 潔 A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early
作田 潔 from a shut-off of protein synthesis induced by ER stress; elucidation by GADD34-deficient mice.
竹田   探
が田 潔 induced by ER stress; elucidation by GADD34-deficient mice.  Analysis of cytokine regulators inducing interferon production by mouse uterine natural killer cells.  Role of adaptor TRIF in the MyD88-independent Toll-like receptor signaling pathway.  Contrasting action of IL-12 and IL-18 Scand. J. Gastroenter 38 837-844 2003 sulphate colitis in mice.  竹田 潔 A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early induced by ER stress; elucidation by GADD34-deficient mice.  Biol. Reprod.  69 404-411 2003 640-643 2003 640-643 2003
竹田 潔 Analysis of cytokine regulators inducing interferon production by mouse uterine natural killer cells.  Role of adaptor TRIF in the MyD88- independent Toll-like receptor signaling pathway.  Contrasting action of IL-12 and IL-18 in the development of dextran sodium sulphate colitis in mice.  竹田 潔 A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early
竹田 潔 interferon production by mouse uterine natural killer cells.  Role of adaptor TRIF in the MyD88- independent Toll-like receptor signaling pathway.  Contrasting action of IL-12 and IL-18 Scand. J. Gastroenter sulphate colitis in mice.  竹田 潔 A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early
竹田 潔 interferon production by mouse uterine natural killer cells.  Role of adaptor TRIF in the MyD88-independent Toll-like receptor signaling pathway.  Contrasting action of IL-12 and IL-18 Scand. J. in the development of dextran sodium sulphate colitis in mice.  竹田 潔 A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early interleukin-18
Role of adaptor TRIF in the MyD88- independent Toll-like receptor Science   301   640-643   2003
竹田 潔 independent Toll-like receptor Science 301 640-643 2003 signaling pathway.  Contrasting action of IL-12 and IL-18 Scand. J. in the development of dextran sodium sulphate colitis in mice.  が田 潔 A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early 19 425-436 2003
signaling pathway.  Contrasting action of IL-12 and IL-18 Scand. J. in the development of dextran sodium sulphate colitis in mice.  竹田 潔  A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early
では、
竹田 潔 in the development of dextran sodium Gastroenter 38 837-844 2003 sulphate colitis in mice.  竹田 潔 A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early
sulphate colitis in mice.  Ol.  竹田 潔  A critical role for STAT3 signaling in immune tolerance.  Interleukin-18 facilitates the early
外田 潔 A critical role for STAT3 signaling in immune tolerance. Interleukin-18 facilitates the early
Interleukin-18 facilitates the early   Immunity   19   425-436   2003
immune tolerance.  Interleukin-18 facilitates the early
Interleukin-18 facilitates the early
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
竹田 潔 antimicrobial host response to Infect. 71 5488-97 2003
Escherichia coli peritonitis.
Immunogenicity of peptide-25 of Ag85B Int.
竹田 潔 in Th1 development: role of IFN-γ. Immunol. 15 1183-94 2003
Stat3 protects against Fas-induced
竹田 潔 liver injury by redox-dependent and - J. Clin. 112 989-998 2003
independent mechanisms.
Toll/IL-1 receptor domain-containing
adaptor inducing IFN- γ (TRIF)
associates with TNF receptor
associated factor 6 and TANK-binding
竹田 潔 kinase 1, and activates two distinct J. Immunol. 171 4-10. 2003
transcription factors, NF-k B and IFN-
regulatory factor-3, in the Toll-like
receptor signaling.
MyD88 primes macrophages for full-
scale activation by interferon- γ yet J. Exp.
竹田 潔 mediates few responses to Med.
Mycobacterium tuberculosis.

竹田 潔	The Toll-like receptor 7 (TLR7)-specific stimulus loxoribine uncovers a strong relationship within the TLR7, 8 and 9 subfamily.	i	33	2987-97	2003
竹田 潔	TRAM is specifically involved in the TLR4-mediated MyD88-independent signaling pathway.	Nat. Immunol.	4	1144-50	2003
竹田 潔	Development of colitis in STAT6-deficient TCR $\alpha$ -/- mice: a potential role of STAT6-independent IL-4 signaling for the generation of Th2-biased pathologic CD4+ $\beta$ T cells.	Am. J. Pathol.	162	263-271	2003
竹田潔	TAB2 is essential for prevention of apoptosis in fetal liver but not for IL-1 signaling.	Mol. Cell. Biol.	23	1231-38.	2003
竹田潔	Prion pathogenesis in the absence of Toll-like receptor signaling.	EMBO Rep.	4	195-199	2003
竹田潔	Prion pathogenesis in the absence of Toll-like receptor signaling.	EMBO Rep.	4	195-199	2003
竹田潔	LPS-dependent prostaglandin $E_2$ production is regulated by the glutathione-dependent prostaglandin $E_2$ synthase gene induced by the TLR4/MyD88/NF-IL6 pathway.		168	5811-16	2002
竹田潔	Role of TLR1 in mediating immune response to microbial lipoproteins.	J. Immunol	169	10-14.	2002
竹田潔	A variety of microbial components induce tolerance to lipopolysaccharide by differentially affecting MyD88-dependent and -independent pathways.	Int.	14	783-791	2002
竹田潔	Proteolytic processing of Stat6 signaling in mast cells as a negative regulatory mechanism.	l.J. Exp.	196	27-38	2002
竹田潔	Rapid chromatin remodeling of Toll-like receptor 2 promoter during infection of macrophages with Mycobacterium avium.	J. Immunol.	169	795-801.	2002

		,			
竹田潔	SOCS-1 participates in negative regulation of LPS responses	Immunity	17	677-687	2002
竹田潔	Recognition of lipopeptides by Toll-like receptors.	J.Endotoxin Res.	8	459-463	2002
竹田潔	Essential role for TIRAP in activation of the signaling cascade shared by TLR2 and TLR4.		420	324-329	2002
竹田潔	A novel Toll/IL-1 receptor domain-containing adaptor that preferentially activates the IFN- γ promoter in the Toll-like receptor signaling.	J. Immunol.	169	6668-72	2002
竹田潔	LPS-dependent prostaglandin $E_2$ production is regulated by the glutathione-dependent prostaglandin $E_2$ synthase gene induced by the TLR4/MyD88/NF-IL6 pathway.	J. Immunol.	168	5811-16	2002
竹田潔	A variety of microbial components induce tolerance to lipopolysaccharide by differentially affecting MyD88-dependent and -independent pathways.	Int.	14	783-791	2002
竹田潔	Proteolytic processing of Stat6 signaling in mast cells as a negative regulatory mechanism.	I.J. Exp.	196	27-38	2002
竹田潔	Rapid chromatin remodeling of Toll-like receptor 2 promoter during infection of macrophages with Mycobacterium avium.		169	795-801.	2002
竹田潔	SOCS-1 participates in negative regulation of LPS responses	Immunity	17	677-687	2002
竹田潔	Recognition of lipopeptides by Toll-like receptors.	J.Endotoxin Res.	8	459-463	2002
竹田潔	Essential role for TIRAP in activation of the signaling cascade shared by TLR2 and TLR4.		420	324-329	2002