

Wen, X., Zhang, D., Kikuchi, Y., Jiang, Y., Nakamura, K., Xiu, Y., Tsurui, H., Takahashi, K., Abe, M., Ohtsuji, M., Nishimura, H., Takatsu, K., Shirai, T., Hirose, S.	Transgene-mediated hyper-expression of IL-5 inhibits autoimmune disease, but increases the risk of B-cell chronic lymphocytic leukemia in a model of murine lupus.	Eur. J. Immunol.	34	2740-2749	2004
Zhang, D., Fujio, K., Jiang, Y., Zhao, J., Tada, N., Sudo, K., Tsurui, H., Nakamura, K., Yamamoto, K., Nishimura, H., Shirai, T., Hirose, S.	Dissection of the role of MHC class II A and E genes in autoimmune susceptibility in murine lupus models with intragenic recombination.	Proc. Natl. Acad. Sci. USA	101	3838-138	2004
Nishimura, Y., Chen, Y-Z., Uemura, Y., Tanaka, Y., Tsukamoto, H., Kanai, T., Yokomizo, H., Yun, C., Matsuoka, T., Irie, A., and Matsushita, S.	Degenerate recognition and response of human CD4+ Th cell clones: Implications for basic and applied immunology.	Mol. Immunol.	40	1089-1094	2004
Ohyama, H., Kato, N., Takeuchi, K., Uemura, Y., Nishimura, F. and Matsushita, S.	Monocytes of distinct clinical types of leprosy are differentially activated by crosslinking class II HLA molecules to secrete IL-12.	APMIS	112	271-274	2004
Matsushita, S., Ohyama, H., Kudo, H., Tabata, H. and Matsuoka, T.	HLA-mediated signaling via HLA-peptide-TCR complex determines immune responses of antigen-presenting cells.	Current Topics in Peptide & Protein Research.	6	1-20	2004
Nishio J., Suzuki M., Nanki T., Miyasaka N., Kohsaka H.	Development of TCRB CDR3 length repertoire of human lymphocytes.	Int. Immunol.	16	423-431	2004
Fujibayashi T., Sugai S., Miyasaka N., Hayashi Y., Tsubota K.	Revised Japanese criteria for Sjogren's syndrome(1999): its availability and validity.	Mod. Rheumatol.	14	425-434	2004
Takada K., Nagasaka K., Miyasaka N.	Polymyositis/Dermatomyositis and interstitial lung disease; a new therapeutic approach with T cell-specific immunosuppressants.	Autoimmunity			in press
Oda K., Matsushima E., Okubo Y., Ohta K., Murata Y., Koike R., Miyasaka N., Kato M.	Abnormal regional cerebral blood flow in systemic Lupus Erythematosus patients with psychiatric symptoms.	J. Clin. Psych.			in press
Ogawa J., Harigai M., Nagasaka K., Nakamura T., Miyasaka N.	Prediction of and prophylaxis against Pneumocystis pneumonia in patients with connective tissue diseases undergoing medium- or high-dose corticosteroids therapy.	Mod. Rheumatol.			in press
Emori A., Matsushima E., Aihara O., Ohta K., Koike R., Miyasaka N., Katoh M.	Cognitive dysfunction in systemic lupus erythematosus.	J. Clin. Psych.			in press
Hayase H., Ishizu A., Ikeda H., Miyatake Y., Baba T., Higuchi M., Abe A., Tomaru U., Yoshiki T.	Aberrant gene expression by CD25+CD4+ immunoregulatory T cells in autoimmune-prone rats carrying the human T cell leukemia virus type-I gene.	Int Immunol (in press)			
Abe A., Ishizu A., Ikeda H., Hayase H., Tsuji T., Miyatake Y., Tsuji M., Fugo K., Sugaya T., Higuchi M., Matsuno T., Yoshiki T.	Bone marrow cells carrying the env-pX transgene play a role in the severity but not prolongation of arthritis in human T-cell leukemia virus type-I transgenic rats.	Int J Exp Pathol	85	191-200	2004

Tsuchikawa T, Ikeda H, Kikuchi K, Tsuji T, Baba T, Ishizu A, Tanaka Y, Katoh H, Yoshiki T.	Hematopoietic progenitor cells as possible origins of epithelial thymoma in a human T lymphocyte virus type I pX gene transgenic rat model.	Lab Invest	84	245- 252	2004
Yamamoto Y, Ishizu A, Ikeda H, Otsuka N, Yoshiki T.	Dexamethasone increased plasminogen activator inhibitor- 1 expression on human umbilical vein endothelial cells: an additive effect to tumor necrosis factor- α .	Pathobiology	71	295- 301	2004
Miyatake Y, Ikeda H, Michimata R, Koizumi S, Ishizu A, Nishimura N, Yoshiki T.	Differential modulation of gene expression among rat tissues with warm ischemia.	Exp Mol Pathol	77	222- 230	2004
Takahashi R, Tsutsumi A, Ohtani K, Goto D, Matsumoto I, Ito S, Wakamiya N, Sumida T.	Anti- mannose binding lectin antibodies in sera of Japanese patients with systemic lupus erythematosus.	Clin Exp Immunol	136	585- 590	2004
Yoko W, Ito S, Mitsuhiro U, Nakano M, Arakawa M, Gejyo F.	Renal outcome and predictors of clinical renal involvement in patients with silent lupus nephritis.	Nephron	98	105- 111	2004
Asatsuma M, Ito S, Watanabe M, Takeishi H, Momura S, Wada Y, Nakano M, Gejyo F, Igarashi A.	Increase in the ratio of matrix metalloprotease- 9 to tissue inhibitor of metalloproteinase- 1 in saliva from patients with Primary Sjogren's syndrome.	Clin Chim Acta	345	99- 104	2004
Muraki Y, Matsumoto I, Chino Y, Hayashi T, Suzuki E, Goto D., Ito S, Murata H, Tsutsumi A, Sumida T.	Glucose- 6- phosphate isomerase variants play a key role in the generation of anti- GPI antibodies.Possible mechanism of autoantibody production.	Biochem Biophys Research Commun	323	518- 522	2004
Ito S, Sumida T.	Interstitial lung disease associated with leflunomide.	Intern Med	43	1103- 1104,	2004
Naito Y, Matsumoto I, Wakamatsu E, Goto D, Sugiyama T, Matsumura R, Ito S, Tsutsumi A, Sumida T.	Muscarinic acetylcholine receptor auto antibodies in patients with Sjogren's Syndrome.	Acta Rheum Dis	64	510- 511	2005
Tomoo T, Tsutsumi A, Yasukochi T, Ikeda T, Ochiai N, Ozawa K, Shibanaka Y, Ito S, Matsumoto I, Goto D, Sumida T.	Analysis of abnormally expressed genes in synovium from patients with rheumatoid arthritis using a column gel electrophoresis- coupled subtractive hybridization technique.	Int J Mol Med	15	453- 457	2005
Tanaka F, Eguchi K	INF- γ /JAK/STAY pathway-induced inhibition of DR4 and DR5 expression on endothelial cells is cancelled by cycloheximide- sensitive mechanism: Noble finding of cycloheximide to regulate death receptor expression.	Int J Mol Med			in press
Miyashita, T., Kawakami,A., Nakashima,T., Yamasaki,S., Tamai,M., F. Tanaka1, M. Kamachi, H. Ida, Migita, K., Origuchi, T., Nakao,K., Eguchi ,K .	Osteoprotegerin (OPG) acts as an endogenous decoy receptor in tumour necrosis factor- related apoptosis- inducing ligand (TRAIL)- mediated apoptosis of fibroblast- like synovial cells.	Clin Exp Immunol	137	430- 436	2004

Migita, T., Miyashita,T., Ishibashi, H., Maeda,Y., Nakamura, M., Yatsuhashi,H., Ida, H., Kawakami,A., Aoyagi, T.,Y. Kawabe, Y.,Eguchi, K.	Suppressive effect of leflunomide metabolite (A77 1726) on metalloproteinase production in IL- 1beta stimulated rheumatoid synovial fibroblasts.	Clin Exp Immunol	137	612- 616	2004
Hida, A., Kawakami,A., Miyashita, T., Yamasaki,S., Nakashima, K., Tanaka, F., Izumi,Y., Tamai, M., Huang, M. Ida,H., Nakamura, H.,Origuchi,T., Ueki, Y., Eguchi ,K .	Nitric oxide acts on the mitochondria and protects human endothelial cells from apoptosis.	J Lab Clin Med	144	148- 155	2004
Ida, H., Kawasaki1, E., Miyashita,T., Tanaka, F., Kamachi, M., Izumi,Y., Huang, M., Tamai, M., Origuchi,T., Kawakami, A., Migita, M. Motomura, T. Yoshimura, K., Eguchi, K .	A novel mutation (T61I) in the gene encoding tumour necrosis factor receptor superfamily 1A (TNFRSF1A) in a japanese patient with tumor necrosis factor receptor- associated periodic syndrome (TRAPS) associated with systemic lupus erythematosus.	Rheumatology	43	1292- 1299	2004
Ishida ,Y., Migia,K., Izumi,Y., Nakao,K., Ida, H., Kawakami,A., Abiru,S., Ishibashi,H., Eguchi,K., Eguchi, K .	The role of IL- 18 in the modulation of matrix metalloproteinases and migration of human natural killer (NK) cells.	FEBS Lett	569	156- 160	2004
Tanaka,F., Migita, K.,Kawabe,Y., Aoyagi,T.,Ida,H., Kawakami,A.,Eguchi ,K.,	Interleukin- 18 induces serum amyloid A (SAA) protein production from rheumatoid synovial fibblasts.	Life Sci	74	1671- 1679	2004
Yamasaki ,S., Nakashima, T., Kawakami,A., Miyashita,T., Tanaka, F., Ida,H., Migita,K., Origuchi,T.,Eguchi, K.	Cytokines regulate fibrolastlike synovial cell differentiation to adipocyte- like cells.	Rheumatology	43	448- 452	2004
Kawakami, A.Urayama,S., Yamasaki,S., Hida,A., Miyashita, T., Kamati, M., Nakamura,K., Tanaka,F., Ida,H., Kawabe,Y., Aoyagi,T., Furuichi,I., Migita,K., Origuchi,T.,Eguchi, K.	Anti- apoptogenic function of TGFbeta 1 for human synovial cells: TGFbeta 1 protects cultured synovial cells from mitochondrial perturbation induced by several apoptogenic stimuli.	Ann Rheum Dis	63	95- 97	2004
Probst, H.C., McCoy, K., Okazaki, T., Honjo, T., van den Brock, M.	Resting dendritic cells induce peripheral CD8(+) T cell tolerance through PD- 1 and CTLA- 4.	Nat Immunol.	6(3)	280- 286	2005
GH Yuan, M Tanaka, K Masuko-Hongo, A Shibakawa, T Kato, K Nishioka, H Nakamura.	Characterization of Cells from Pannus- like Tissue over Articular Cartilage of Advanced Osteoarthritis.	Osteoarthritis Cartilage.	12 (1)	38- 45	2004
Yao Z, Nakamura H, Masuko- hongo K, Suzuki- Kurokawa M, Nishioka K, Kato T.	Characterization of Cartilage intermediate layer protein (CILP)- induced arthropathy in mice.	Ann Rheum Dis.	63 (3)	252- 8	2004
Xiang Y, Sekine T, Nakamura H, Ohmi S, Fukuda H, Nishioka K, Kato T.	Proteomic surveillance of autoimmunity in osteoarthritis: Identification of triose phosphate isomerase as an autoantigen in patients with osteoarthritis.	Arthritis & Rheum.	50	1511- 1521	2004

Kato T, Asahara H, Suzuki- Kurokawa M, Fujisawa K, Hasunuma T, Inoue H, Tsuda M, Takahashi S, Motokawa S, Sumida T, Nishioka K.	HTLV- I env protein acts as a major antigen in patients with HTLV- I- associated arthropathy.	Clin Rheumatol.	23 (5)	400- 9	2004
Kato T, Xiang Y, Nakamura H, Nishioka K.	Neo- antigens in osteoarthritic cartilage.	Curr Opinion Rheumatol.	16	604- 608	2004
Nakamura H, Shibakawa A, Tanaka M, Kato T, Nishioka K.	Effects of glucosamine hydrochloride on the production of prostaglandin E2, nitric oxide and metalloproteases by chondrocytes and synoviocytes in osteoarthritis.	Clin Exp Rheumatol.	22	293- 299	2004
Shan ZZ, Masuko- Hongo K, Dai SM, Nakamura H, Kato T, Nishioka K.	A Potential Role of 15- Deoxy- Δ 12,14- prostaglandin J2 for Induction of Human Synovial Chondrocyte Apoptosis in Arthritis.	JBC	279 (36)	37939- 37950	2004
Karasawa R, Ozaki S, Nishioka K, Kato T.	Autoantibodies to Peroxiredoxin I and IV in patients with systemic autoimmune diseases.	Microbiol. Immunol.	49 (1)	57- 65	2005
Yudoh K, Trieu NV, Nakamura H, Masuko- Hongo K, Kato T, Nishioka K.	Potential involvement of oxidative stress in cartilage senescence and development of osteoarthritis: oxidative stress induces chondrocyte telomere instability and downregulation of chondrocyte function.	Arthritis Res Ther.	7	R380- R391	2005
Fukuda Y, Yotsuyanagi H, Ooka S, Sekine T, Koike J, Takano T, Suzuki M, Itoh F, Nishioka K, Kato T.	Identification of a new autoantibody in patients with chronic hepatitis.	Human Immunol.			in press
Kuwana,M.,Okazaki,Y., Yasuoka,H.,Kawakami,Y.,Ikeda,Y.	Defective vasculogenesis in systemic sclerosis.	Lancet	364	603- 610	2004
Kuwana,M.	β_2 - glycoprotein I: antiphospholipid syndrome and T- cell reactivity.	Tromb. Res.	114	347- 355	2004
Yasuoka,H.,Okazaki,Y.,Kawakami,Y., Hirakata,M.,Inoko,H.,Ikeda,Y.,Kuwana ,M.	Autoreactive CD8 ⁺ cytotoxic T lymphocytes to major histocompatibility complex class I chain-related molecule A in patients with Behcet's disease.	Arthritis Rheum.	50	3658-3661	2004
Ioannidis,J.P.A.,Vlachoyiannopoulos,P. G.,Haidich,A.B.,Medsger,T.A.Jr.,Lucas ,M.,Michet,C.J.,Kuwana,M.,Yasuoka,H .,vandenHoogen,F.,teBoome,L.,vanLaa r,J.M.,Verbeet,N.L.,Cerinic,M.M.,Georgountzos ,A.,Moutsopoulos,H.M.	Mortality in systemic sclerosis: an international meta- analysis of individual patient data.	Am. J. Med.	118	2- 10	2005
Satoh,T.,Kimura,K.,Okano,Y., Hirakata,M.,Kawakami,Y.,Kuwana,M.	Lack of circulating autoantibodies to bone morphogenetic protein receptor- II or activin receptor- like kinase 1 in mixed connective tissue disease patients with pulmonary arterial hypertension.	Rheumatology	44	192- 196	2005

Kuwana,M.,Matsuura,E.,Kobayashi,K., Okazaki,Y.,Kaburaki,J.,Ikeda,Y.,Kawakami,Y.	Binding of β_2 - glycoprotein I to anionic phospholipids facilitates processing and presentation of a cryptic epitope that activates pathogenic autoreactive T cells.	Blood	105	552-155	2005
Fujiwara,T. Yamada,T. Miyamura,K. Tomiya,Y. Ishizawa,T. Harigae,H. Kameoka,J. Minegishi,T. Tsuchiya,S. Sasaki,T.	Fludarabine- and cyclophosphamide- based nonmyeloablative conditioning regimen for transplantation of chronic granulomatous disease:possible correlation with prolonged pure red cell aplasia.	Int.J.Hematol.	79	293-297	2004
Takahashi,S. Harigae,H. Kaku,M. Sasaki,T. Licht,J.D.	Flt3 mutation ativates p21 ^{WAF1/CIP1} expression through the action of STAT5.	Biochemical and Biophysical Resarch Communications.	316	85- 92	2004
Hoshino,A. Funato,T. Munakata,Y. Ishii,T. Abe,S. Ishizawa, K. Ichinohasama,R. Kameoka,J. Meguro,K. Sasaki,T.	Detection of clone- specific Immunoglobulin heavy chain genes in the bone marrow of B- cell- lineage lymphoma after treatment.	Tohoku.j.Exp.Med.	203	155- 164	2004
Tohmiya,Y. Koide,Y. Fujimaki S. Harigae,H. Funato,T. Kaku,M. Ishii,T. Munakata,Y. Kameoka,J. Sasaki,T.	Staniokalcin- 1 as a novel marker to detect minimal residual disease of human leukemia.	Tohoku.J.Exp.Med.	204	125- 133	2004
Takasawa,N. Munakata,Y. Ishii,K.K. Takahashi,Y. Takahashi,M. Fu,Y. Ishii,T. Fujii,H. Saito,T. Noda,T. Suzuki,M. Nose,M. Z- Patzner,S. Sasaki,T.	Human parvovirus B19 transgenic mice become susceptible to polyarthritis.	J.Immunol.	173	4635- 4683	2004
Hirabayashi,Y. Tada,M. Fujii,H. Kodera,T. Ishii,T. Munakata,Y. Sasaki,T.	Is Endopalsmic Reticulum Stress the Trigger of Human Anti- DNA Antibody Production?	Arthritis&Rheumatism	50	S205	2004
Ogawa, N., Kawanami, T., Shimoyama, K., Ping, L., Sugai, S.	Expression of I- TAC (interferon- inducible T cell a chemoattractant, CXCL11) in the salivary glands of patients with Sjoren's syndrome.	Clin. Immunol.	112	235- 238	2004
S.Sugai	Interstitial cystitis and Sjogren's syndrome	Int. Medicine	43	174- 176	2004
Y.Masaki, S.Sugai	Lymphoproliferative disorders in Sjogren's syndrome	Autoimmun. Rev.	3	175- 182	2004
N.Ogawa, L.Ping, S.Sugai	Reply to the letter by Sfriso et al	Arthritis Rheum	48	2391- 2392	2004
Ping L, Ogawa N, Sugai S.	Novel role of CD40 in Fas- dependent apoptosis of cultured salivary epithelial cells from patients with Sjogren's syndrome.	Arthritis Rheum	52	573- 581	2005
Nakayamada S, Okada S, Saito K, Tanaka Y.	Etidronate prevents high- dose glucocorticoid- induced bone loss in premenopausal individuals with systemic autoimmune diseases.	J Rheumatol	31	163- 166	2004

Saito K, Nakayamada S, Nakano K, Tokunaga M, Tsujimura S, Nakatsuka K, Adachi T, Tanaka Y.	Detection of <i>Pneumocystis carinii</i> by DNA amplification in patients with connective tissue diseases: Reevaluation of clinical features of <i>P. carinii</i> pneumonia in rheumatic diseases.	Rheumatology	43	479- 485	2004
Okada Y, Tsukada J, Nakano K, Tonai S, Mine S, Tanaka Y.	Macrophage inflammatory protein-1 induces hypercalcemia in adult T- cell leukemia.	J Bone Miner Res	19	1105- 1111	2004
Nakano K, Okada Y, Saito K, Tanaka Y.	Fibroblast growth factor- 2 induces receptor activator of nuclear factor kappa B ligand expression and osteoclast maturation by binding to heparan sulfate proteoglycan on rheumatoid synovial fibroblasts.	Arthritis Rheum	50	2450- 2458	2004
Tsujimura S, Saito K, Nakayamada S, Nakano K, Tsukada J, Kohno K, Tanaka Y.	Transcriptional regulation of multidrug resistance-1 gene by interleukin- 2 in lymphocytes.	Genes Cells	9	1265- 1273	2004
Kato N, Fujimoto H, Yoda A, Oishi I, Matsuura N, Kondo T, Tsukada J, Tanaka Y, Imamura M, Minami Y.	Regulation of Chk2 gene expression in lymphoid malignancies: involvement of epigenetic mechanisms in Hodgkin's lymphoma cell lines.	Cell Death Differ	11	S153- S161	2004
Tanikawa T, Okada Y, Azuma T, Fukushima A, Kawahara C, Tanaka Y.	Adult- onset idiopathic progressive acro- osteolysis with proximal symphalangism.	J Bone Miner Res	19	165- 167	2004
Tokunaga M, Fujii K, Saito K, Nakayamada S, Tsujimura S, Nawata M, Tanaka Y.	Down- regulation of CD40 and CD80 on B cells in patients with life- threatening systemic lupus erythematosus after successful treatment with rituximab.	Rheumatology			in press
Tsujimura S, Saito K, Tokunaga M, Nakatsuka K, Nakayamada S, Nakano K, Tanaka Y.	Overcoming treatment unresponsiveness mediated by P- glycoprotein overexpression on lymphocytes in refractory active systemic lupus erythematosus.	Mod Rheumatol			in press
Tsujimura S, Saito K, Nakayamada S, Nakano K, Tanaka Y.	Clinical relevance of expression of P- glycoprotein on peripheral lymphocytes to steroid resistance in systemic lupus erythematosus.	Arthritis Rheum			in press
Hase H, Kanno Y, Kojima M, Hasegawa K, Sakurai D, Kojima H, Tsuchiya N, Tokunaga K, Masawa N, Azuma M, Okumura K, Kobata T	BAFF/BLyS can potentiate B- cell selection with the B- cell co- receptor complex.	Blood	103	2257- 2265	2004
Sakurai D, Tsuchiya N, Yamaguchi A, Okaji Y, Tsuno NH, Kobata T, Takahashi K, Tokunaga K	Crucial role of inhibitor of DNA binding/differentiation in the vascular endothelial growth factor- induced activation and angiogenic processes of human endothelial cells.	J Immunol	173	5801- 5809	2004
Hitomi Y, Tsuchiya N, Kawasaki A, Kyogoku C, Ohashi J, Suzuki T, Fukazawa T, Bejrahchandra S, Siriboonrit U, Chandanayong D, Suthipinittharm P, Tsao BP, Hashimoto H, Honda Z, Tokunaga K.	CD72 polymorphisms associated with alternative splicing modify susceptibility to human systemic lupus erythematosus through epistatic interaction with FCGR2B .	Hum Mol Genet	13	2907- 2917	2004
Tsuchiya N, Kuroki K, Fujimoto M, Murakami Y, Tedder TF, Tokunaga K, Takehara K, Sato S	Association of functional CD19 polymorphism with susceptibility to systemic sclerosis.	Arthritis Rheum	50	4002- 4007	2004

EHARA Y., SAKURAI D., TSUCHIYA N., NAKANO K., TANAKA Y., YAMAGUCHI A., TOKUNAGA K.	Follistatin-related protein gene (<i>FRP</i>) is expressed in the synovial tissues of rheumatoid arthritis, but its polymorphisms are not associated with genetic susceptibility.	Clin Exp Rheumatol	22	707-712	2004
OKAJI Y., TSUNO NH., KITAYAMA J., SAITO S., TAKAHASHI T., KAWAI K., YAZAWA K., ASAKAGE M., TSUCHIYA T., SAKURAI D., TSUCHIYA N., TOKUNAGA K., TAKAHASHI K., NAGAWA H.	A novel method for isolation of endothelial cells and macrophages from murine tumors based on Ac-LDL uptake and CD16 expression.	J Immunological Methods	295	183-193	2004
TSUCHIYA N., KYOGOKU C.	Role of Fc γ Receptor IIb polymorphism in the genetic background of systemic lupus erythematosus: Insights from Asia.	Autoimmunity	in press		
KIJIMA, M., SAIJO, M., OYANG, G. F., SUWA, T., MIYAUCHI, R., KOJIMA, Y., IMAI, H., NAKAGAWA, J., NONAKA, K., UMEMURA, N., NISHIMURA, T., TAKAMI, T.	Natural killer cells play a role in MHC class I in vivo induction in tumor cells that are MHC negative in vitro.	International Journal of Oncology	26	679-684	2005
SUZUKI, Y., WAKITA, D., CHAMOTO, K., NARITA, Y., TSUJI, T., TAKESHIMA, T., GYOBU, H., KAWARADA, Y., KONDO, S., AKIRA, S., KATOH, H., IKEDA, H., NISHIMURA, T.	Liposome-encapsulated CpG oligodeoxynucleotides as a potent adjuvant for inducing type 1 innate immunity.	Cancer Reserch	64	8754-8760	2004
TSUJI, T., CHAMOTO, K., GYOBU, H., IKEDA, H., NISHIMURA, T.	Application of genetically engineered tumor-specific Th1 cells to adoptive tumor immunotherapy.	Annals of Cancer Research and Therapy	in press		2004
MATSUZAKI, J., TSUJI, T., IMAZEKI, I., IKEDA, H., NISHIMURA, T.	Immunosteroid as a regulator for Th1/Th2 balance: Its possible role in autoimmune diseases.	Autoimmunity	in press		2004
IKEDA, H., CHAMOTO, K., TSUJI, T., SUZUKI, Y., WAKITA, D., TAKESHIMA, T., NISHIMURA, T.	The critical role of type-1 innate and acquired immunity in tumor immunotherapy.	Cancer Science	95	697-703	2004
HOSHINO, A., TSUJI, T., MATSUZAKI, J., JINUSHI, T., ASHINO, S., TERAMURA, T., CHAMOTO, K., TANAKA, Y., ASAKURA, Y., SAKURAI, T., MITA, Y., TAKAOKA, A., NAKAIKE, S., TAKESHIMA, T., IKEDA, H., NISHIMURA, T.	STAT6-mediated signaling in Th2-dependent allergic asthma: critical role for the development of eosinophilia, airway hyper-responsiveness and mucus hypersecretion, distinct from its role in Th2 differentiation.	International Immunology	16	1497-1505	2004
MURASHIMA, A., FUKAZAWA, T., HIRASHIMA, M., TAKASAKI, Y., OONISHI, M., NIJJIMA, S., YAMASHIRO, Y., YAMATAKA, A., MIYANO, T., HASHIMOTO, H.	Long term prognosis of children born to lupus patients.	Ann rheum dis.	63	50-53	2004
HIRASHIMA, M., FUKAZAWA, T., ABE, K., MORITA, Y., KUSAOI, M., HASHIMOTO, H.	Expression and activity analyses of CTLA4 in peripheral blood lymphocytes in systemic lupus erythematosus.	Lupus	13	24-31	2004
HITOMI, Y., TSUCHIYA, N., KAWASAKI, A., Ohashi, J., SUZUKI, T., KYOGOKU, C., FUKAZAWA, T., BEJRACHANDRA, S., SIRIBOONRIT, U., CHANDANAYINGYONG, D., SUTHIPINITTHARM, P., BETTY, P., TSAO, H., HASHIMOTO, H., HONDA, Z., TOKUNAGA, K.	CD72 polymorphisms associated with alternative splicing modify susceptibility to human systemic lupus erythematosus through epistatic interaction with FCGR2B.	Hum. Mol. Genet.	13	2907-2917	2004

Miyashita,R.,Tsuchiya,N.,Hikami,K.,Kuroki,K.,Fukazawa,T.,Bijl,M.,Kallenberg,G,M,C.,Hashimoto,H.,Yabe,T.,Tokunaga,K.	Molecular genetic analyses of human NKG2C(KLRC2) gene deletion.	Internal Immunol.	16	163- 168	2004
H.Okamoto, M.Soejima, M.Takeuchi, M.Tateishi, C.Terai, M.Hara, T.Saito, N.Kamatani	Dermatomyositis associated with autoimmune idiopathic thrombocytopenia and anti- Ku antibody	Modern Rheumatology	14(2)	187- 190	2004
Miyachi K., Hirano Y., Horigome T., Mimori T., Miyakawa H., Onozuka Y., Shibata M., Hirakata M., Suwa A., Hosaka H., Matsushima S., Komatsu T., Matsushima H., Hankins RW.	Autoantibodies from primary biliary cirrhosis patients with anti- p95c antibodies bind to recombinant p97/vcp and inhibit in vitro nuclear envelope assembly.	Clin. Exp. Immunol.	136(3)	568- 573	2004
Kaneko Y., Hirakata M., Suwa A., Satoh S., Nojima T., Ikeda Y., Mimori T.	Systemic lupus erythematosus associated with recurrent lupus enteritis and peritoniti.	Clin. Rheumatol.	23(4)	351- 354	2004
Yasuoka H., Okazaki Y., Kawakami Y., Hirakata M., Inoko H., Ikeda Y., Kuwana M.	Autoreactive CD8+ cytotoxic T lymphocytes to major histocompatibility complex class I chain-related gene A in patients with Behcet's disease.	Arthritis. Rheum.	50(11)	3658- 3662	2004
Satoh T., Kimura K., Okano Y., Hirakata M., Kawakami Y., Kuwana M.	Lack of circulating autoantibodies to bone morphogenetic protein receptor- II or activin receptor- like kinase 1 in mixed connective tissue disease patients with pulmonary arterial hypertension.	Rheumatology	44(2)	192- 196	2005
Mizutani A., Shaheen VM., Yoshida H., Akaogi J., Kuroda Y., Nacionales DC., Yamasaki Y., Hirakata M., Ono N., Reeves WH., Satoh M.	Pristane- induced autoimmunity in germ- free mice.	Clinical. Immunol.	114(2)	110- 118	2005
Hirakata M., Suwa A., Kuwana M., Sato S., Mimori T., Hardin JA.	Association between autoantibodies to the Ku protein and DPB1*.	Arthritis. Rheum.	52(2)	668- 669	2005
Sato S., Hirakata M., Kuwana M., Suwa A., Inada S., Mimori T., Nishikawa T., Oddis CV., Ikeda Y.	Autoantibodies to a 140kDa polypeptide (anti-CADM- 140 autoantibodies) in Japanese patients with clinically amyopathic dermatomyositis.	Arthritis. Rheum.			(in press)
Lopez D, Garcia- Valladares I, Palafox-Sanchez CA, De La Torre IG, Kobayashi K, Matsuura E, Lopez LR	Oxidized low-density lipoprotein/ β 2-glycoprotein I complexes and autoantibodies to oxLig-1/ β 2-glycoprotein I in patients with systemic lupus erythematosus and antiphospholipid syndrome	Am J Clin Pathol	121	426- 436	2004
Yasuda S, Atsumi T, Ieko M, Matsuura E, Inagaki J, Hisao H, Tanaka H, Yamakado M, Akino M, Saito H, Amasaki Y, Jodo S, Amengual O, Koike T	Nicked β 2-glycoprotein I: A marker of cerebral infarct and a novel role in the negative feedback pathway of extrinsic fibrinolysis	Blood	103	3766- 3772	2004
Kasahara J, Kobayashi K, Maeshima Y, Yamasaki Y, Yasuda T, Matsuura E, Makino H	Clinical significance of serum oxidized low-density lipoprotein/ β 2-glycoprotein I complexes in patients with chronic renal diseases	Nephron Clin Practice	98	c15- 24	2004
Matsuura E, Lopez LR	Are oxidized LDL/ β 2-glycoprotein I complexes pathogenic antigens in autoimmune- mediated atherosclerosis?	Clin Dev Immunol	11	103- 111	2004

Shoenfeld Y, Wu R, Dearing LD, Matsuura E	Are anti- oxidized low- density lipoprotein antibodies pathogenic or protective?	Circulation	110	2552- 2558	2004
Yasuda S, Atsumi T, Matsuura E, Kaihara K, Yamamoto D, Ichikawa K, Koike T	Significance of valine/leucine247 polymorphysm of β 2-glycoprotein I in antiphospholipid syndrome: increased reactivity of anti- β 2-glycoprotein I autoantibodies to the valine247 β 2-glycoprotein I variant	Arthritis Rheum	52	212- 218	2005
Kondo A, Inagaki J, Kobayashi K, Tsukamoto H, Yamamoto D, Nakatsuka M, Suzuki N, Nomizu M, Amano M, Matsabayashi M, Yasuda T, Lopez LR, Shoenfeld Y, Makino T, Matsuura E	Characterization of a murine anti- laminin- 1 monoclonal antibody (AK8) produced by immunization with mouse- derived laminin- 1	Clin Dev Immunol	12	67- 73	2005
Kuwana M, Matsuura E, Kobayashi K, Okazaki Y, Kaburaki J, Ikeda Y, Kawakami Y	Binding of β 2-glycoprotein I to anionic phospholipids facilitates processing and presentation of a cryptic epitope that activates pathogenic autoreactive T cells	Blood	105	1552- 1557	2005
Amano K, Leung PSC, Rieger R, Quan C, Wang X, Marik J, Suen YF, Kurth MJ, Nantz MH, Ansari AA, Lam KS, Zeniya M, Matsuura E, Coppel RL, Gershwin ME	Chemical xenobiotics and mitochondrial autoantigens in primary biliary cirrhosis: identification of antibodies against a common environmental, cosmetic and food additive, 2-octynoic acid	J Immunol			(in press)
Kobayashi K, Lopez LR, Shoenfeld Y, Matsuura E	The Role of Innate and adaptive immunity to oxidized low- density lipoprotein in the Development of Atherosclerosis	Ann NY Acad Sci (in press)			(in press)
Kageyama,A.,Torikoe,K.,Iwamoto,M., Masuyama,J.,Shibuya,Y.,Okazaki,H.,Y azawa,K.,Minota,S.	Nocardia arthritidis sp.nov.,a New Pathogen Isolated from a Patient with Rheumatoid Arthritis in Japan.	J Clin Microbiol	42	2366- 2371	2004
Kamimura,T.,Hatakeyama,M.,Okazaki, H.,Minota,S.	Acute Gout Attack in the Wrist Joint.	Intern Med	43	641- 642	2004
Kimura,H.,Komatsuda,A.,Sawada,K., Mimori,A.,Baba,S.,Minota,S.	Rapidly Progressed Secondary Amyloidosis in a Patient with Mixed Connective Tissue Disease.	Intern Med	43	878- 882	2004
Kamimura,T.,Hatakeyama,M.,Okazaki, H.,Minota,S.	Kikuchi's disease involving the supraclavicular lymph nodes and associated with transient eruption.	Rheumatol Int (online)			2004
Kamimura,T.,Hatakeyama,M.,Torigoe, K.,Nara,H.,Kaneko,N.,Satou,H.,Yoshio ,T.,Okazaki,H.,Minota,S.	Muscular polyarteritis nodosa as a cause of fever of undetermined origin: a case report and review of the literature.	Rheumatol Int (online)			2004
Kamata,Y.,Nara,H.,Kamimura,T.,Hane da,K.,Iwamoto,M.,Masuyama,J.,Okaza ki,H.,Minota,S.	Rheumatoid Arthritis Complicated with Acute Interstitial Pneumonia Induced by Leflunomide as an Adverse Reaction.	Intern Med	43	1201- 1204	2004

Okubo,H.,Iwamoto,M.,Yoshio,T.,Okazaki,H.,Kato,T.,Bandoh,M.,Minota,S.	Rapidly aggravated <i>Mycobacterium avium</i> infection in a patient with rheumatoid arthritis treated with infliximab.	Mod Rheumatol			2005
Minota,S	Fundamentals of Treatment for Autoimmune Diseases.	JMAJ	47	407- 411	2004
Kanda, H., Kubo, K., Tateishi, S., Sato, K., Yonezumi, A., Yamamoto, K., and Mimura, T.	Antiproteinuric effect of ARB in lupus nephritis patients with persistent proteinuria despite immunosuppressive therapy.	Lupus			in press
Satoh, K., Satoh, U., Tateishi, S., Kubo, K., Horikawa, R., Mimura, T., Yamamoto, K., and Kanda, H.	Aire downregulates multiple molecules that have contradicting immune- enhancing and immune-suppressive functions.	Biochem. Biophys. Res. Commun.	318	935- 940	2004
Satoh, K., Tateishi, S., Kubo, K., Mimura, T., Yamamoto, K., and Kanda, H.	Downregulation of IL- 12 and a Novel Negative Feedback system Mediated by Cd25+CD4+T cells.	Biochem. Biophys. Res. Commun.			in press
Hasegawa M, Sato S, Yanaba K, Komura K, Hayakawa I, Hamaguchi Y, Yamazaki M, Takehara K.	Autoantibodies against phosphatidylserine-prothrombin complex ion patients with systemic sclerosis.	Ann Rheum Dis	63	1514- 1517	2004
Asakura H, Sano Y, Yoshida T, Omote M, Ontachi Y, Mizutani T, Kaneda M, Yamazaki M, Morishita E, Takami A, Miyamoto KI, Nakao S.	Beneficial effect of low- molecular- weight heparin against LPS- induced DIC in rats is abolished by co- administration of tranexamic acid.	Intensive Care Med	30	1950- 1955	2004
Asakura H, Sano Y, Yamazaki M, Morishita E, Miyamoto KI, Nakao S.	Role of fibrinolysis in tissue- factor- induced DIC in rats: an effect of tranexamic acid on this model.	Haematologica	89	757- 758	2004
Asakura H, Sano Y, Omote M, Yoshida T, Ontachi Y, Mizutani T, Kaneda M, Yamazaki M, Morishita E, Takami A, Miyamoto KI, Nakao S.	Significance of decreased plasma D- dimer levels following lipopolysaccharide- induced DIC in rats.	Int J Hematol 79	79	394- 399	2004
Suga Y, Asakura H, Yoshida T, Omote M, Ontachi Y, Mizutani T, Yamazaki M, Morishita E, Nakao S, Miyamoto Ken- ichi.	Relationship between endothelin and the pathophysiology of tissue factor- induced and lipopolysaccharide- induced disseminated intravascular coagulation in rats: a study examining the effect of an endothelin receptor antagonist.	Blood Coagulat Fibrinol.	15	593- 598	2004

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
Atsumi T, Matsuura E and Koike T.	Immunology of anti-phospholipid antibodies and cofactors.	RB Lahita ed	Elsevier Academic Press	1081- 1105
		Systemic Lupus Erythematosus	SanDiego U.S.A.	2004
Atsumi T, Matsuura E, Koike T	Immunology of antiphospholipid antibodies and cofactors	Lahita RG	Elsevier Science BV	2004
		Systemic Lupus Erythematosus (Fourth Edition)	Amsterdam, The Netherlands	1081- 1105
Matsuura E, Lopez LR	Oxidized low-density lipoprotein complexed with β 2-glycoprotein I as a common metabolic form in atherogenesis and autoimmune-mediated atherosclerosis. Roles of antibodies on atherosclerosis	Clark LV ed	Nova Science Publishers	2004
		Focus on Atherosclerosis Research	New York, USA	91- 113
Lopez LR, Matsuura E	Autoimmune-mediated atherosclerosis: pathogenic role of oxLDL/ β 2GPI complexes	Fort PO ed	Transworld Research Network	23- 47
		Recent Research of Developments in Lipids (Vol 7)	Kerala, India	2004
Inagaki J, Kondo A, Lopez LR, Shoenfeld Y, Matsuura E	Anti-laminin-1 autoantibodies in reproductive failure: animal and human studies	Conrad K, Bachmann MP, Chan EKL, Fritzler MJ, Humbel RL, Sack U, Shoenfeld Y eds	Pabst Science Publisher	243- 252
		Autoantigens, Autoantibodies, Autoimmunity (Vol 4)	Lengerich, Germany	2004
Matsuura E, Kobayashi K, Shoenfeld Y, Lopez LR	Atheorogenic role of protein-modified oxidized low-density lipoproteins and their autantibodies	Conrad K, Bachmann MP, Chan EKL, Fritzler MJ, Humbel RL, Sack U, Shoenfeld Y eds	Pabst Science Publisher,	388- 405
		Autoantigens, Autoantibodies, Autoimmunity (Vol 4)	Lengerich, Germany	2004
Matsuura E, Kobayashi K, Lopez LR	Atherogenesis and antiphospholipid antibodies	Khamashita MA	Springer	(in press)
		Hughes Syndrome: Antiphospholipid Syndrome (2nd Edition)	London, UK	