

Xiang Y, Sekine T, Nakamura H, Ohmi S, Fukuda H, Nishioka K, Kato T.	Proteomic surveillance of autoimmunity in osteoarthritis: Identification of triose phosphate isomerase as an autoantigen in patients with osteoarthritis.	Arthritis & Rheum.	50 (5)	1511-1521	2004
Nakamura M, Tsutsumi M, Ooka S, Sekine T, Koizuka I, Nishioka K, <u>Kato T.</u>	Identification of β -tubulin isoform V as an autoantigen in allergic rhinitis by a proteomic approach.	Microbiol. Immunol.	48 (5)	427- 434	2004
<u>Kato T.</u> , Xiang Y, Nakamura H, Nishioka K.	Neo- antigens in oateoarthritic cartilage.	Curr Opinion Rheumatol.	16	604- 608	2004
Yoshida,K.,Arai,T.,Kaburaki,J.,Ikeda,Y.,Kawakami,Y., <u>Kuwana,M.</u>	T cell receptor β - chain usage by T cells autoreactive to β 2- glycoprotein I in patients with antiphospholipid syndrome.	Blood	99	2499-2504	2002
<u>Kuwana,M.</u> ,Kawakami,Y.,Ikeda,Y.	Suppression of autoreactive T- cell response to glycoprotein IIb/IIIa by blockade of CD40/CD154 interaction: implications for treatment of immune thrombocytopenic purpura .	Blood	101	621- 623	2003
<u>Kuwana,M.</u> ,Nomura,S.,Fujimura,K.,Nagasawa,T.,Muto,Y.,Kurata,Y.,Tanaka,S.,Ikeda,Y.	Effect of a single injection of humanized anti- CD154 monoclonal antibody on the platelet- specific autoimmune response in patients with immune thrombocytopenic purpura.	Blood	103	1229-1236	2004
Kuwana,M.	β 2- glycoprotein I: antiphospholipid syndrome and T- cell reactivity .	Thromb. Res.	114	347- 355	2004
<u>Kuwana,M.</u> ,Matsuura,E.,Kobayashi,K.,Okazaki,Y.,Kaburaki,J.,Ikeda,Y.,Kawakami,Y.	Binding of β 2- glycoprotein I to anionic phospholipids facilitates processing and presentation of a cryptic epitope that activates pathogenic autoreactive T cells.	Blood	105	1552-1557	2005
Hirabayashi,Y. Saito,S. Takeshita,M. Kodera,T. Munakata,Y. Ishii,T. Fujii,H. Shimamura,M. <u>Sasaki,T.</u>	Mononeuritis multiplex, protein- losing gastroenteropathy and chroidopathy seen together in a case systemic lupus erythematosus.	Mod Rheumatol	13	265- 269	2003
Suzuki,T. Saito,S. Hirabayashi,Y. Harigae,H. Ishii,T. Kodera,T. Fujii,H. Munakata,Y. <u>Sasaki,T.</u>	Human parvovirus B19 infection during the inactive stage of systemic lupus erythematosus.	Intern Med	42	538- 540	2003
Hirabayashi,Y. Ishii,T. Kodera,T. Fujii,H. Munakata,Y. <u>Sasaki,T.</u>	Acute cytomegalovirus infection and transient carotid intimal- medial thickening in a young, otherwise healthy woman.	J Clin Microbiol	41	3978-3980	2003
Takasawa,N. Munakata,Y. Ishii,K,K. Takahashi,Y. Takahashi,M. Fu, Y. Ishii,T. Fujii,H. Saito,T. Takano,H. Noda,T. Suzuki,M. Nose,M. Z- Patzner,S. <u>Sasaki,T.</u>	Human parvovirus B19 transgenic mice become susceptible to polyarthritis.	J.Immunol	173	4635-4683	2004

Ogawa, N., Ping, L., Zhenjun, L., Takada, Y., <u>Sugai, S.</u>	Involvement of IFN γ - induced T cell-attracting chemokines, IFN γ - inducible protein of 10kDa; IP- 10 (CXCL10) and monokine induced by IFN γ ; Mig (CXCL9) in the salivary gland lesions of Sjogren's syndrome.	Arthritis & Rheumatism	46 : 10	2730-2741.	2002
Ogawa, N., Ping, L., <u>Sugai, S.</u>	Reply to the letter by Sfriso et al.	Arthritis Rheum	48 : 8	2391-2392	2003
Y.Masaki, <u>S.Sugai</u>	Lymphoproliferative disorders in Sjogren's syndrome	Autoimmun. Rev.	3	175-182	2004
Ogawa, N., Kawanami, T., Shimoyama, K., Ping, L., <u>Sugai, S.</u>	Expression of I- TAC (interferon-inducible T cell a chemoattractant, CXCL11) in the salivary glands of patients with Sjoren's syndrome.	Clin. Immunol.	112	235-238	2004
Ping L, Ogawa N, <u>Sugai S.</u>	Novel role of CD40 in Fas- dependent apoptosis of cultured salivary epithelial cells from patients with Sjogren 1s syndrome.	Arthritis Rheum	52	573-581	2005
Tsujimura S, Saito K, Nakayamada S, Nakano K, Tsukada J, Kohno K, <u>Tanaka Y.</u>	Transcriptional regulation of multidrug resistance- 1 gene by interleukin- 2 in lymphocytes.	Genes Cells	9	1265-1273	2004
Tokunaga M, Fujii K, Saito K, Nakayamada S, Tsujimura S, Nawata M, <u>Tanaka Y.</u>	Down- regulation of CD40 and CD80 on B cells in patients with life- threatening systemic lupus erythematosus after successful treatment with rituximab.	Rheumatology			in press
Tsujimura S, Saito K, Tokunaga M, Nakatsuka K, Nakayamada S, Nakano K, <u>Tanaka Y.</u>	Overcoming treatment unresponsiveness mediated by P- glycoprotein overexpression on lymphocytes in refractory active systemic lupus erythematosus.	Mod Rheumatol			in press
Tsujimura S, Saito K, Nakayamada S, Nakano K, <u>Tanaka Y.</u>	Clinical relevance of expression of P- glycoprotein on peripheral lymphocytes to steroid resistance in systemic lupus erythematosus.	Arthritis Rheum			in press
Hase H, Kanno Y, Kojima M, Hasegawa K, Sakurai D, Kojima H, <u>Tsuchiya N.</u> Tokunaga K, Masawa N, Azuma M, Okumura K, Kobata T	BAFF/BLyS can potentiate B- cell selection with the B- cell co- receptor complex.	Blood	103	2257-2265	2004
Sakurai D, <u>Tsuchiya N.</u> , Yamaguchi A, Okaji Y, Tsuno NH, Kobata T, Takahashi K, Tokunaga K	Crucial role of inhibitor of DNA binding/differentiation in the vascular endothelial growth factor- induced activation and angiogenic processes of human endothelial cells.	J Immunol	173	5801-5809	2004
Hitomi Y, <u>Tsuchiya N.</u> , Kawasaki A, Kyogoku C, Ohashi J, Suzuki T, Fukazawa T, Bejrachandra S, Siriboonrit U, Chandanayingyong D, Suthipinittharm P, Tsao BP, Hashimoto H, Honda Z, Tokunaga K.	CD72 polymorphisms associated with alternative splicing modify susceptibility to human systemic lupus erythematosus through epistatic interaction with FCGR2B.	Hum Mol Genet	13	2907-2917	2004

Tsuchiya N, Kuroki K, Fujimoto M, Murakami Y, Tedder TF, Tokunaga K, Takehara K, Sato S	Association of functional CD19 polymorphism with susceptibility to systemic sclerosis.	Arthritis Rheum	50	4002-4007	2004
Ehara Y, Sakurai D, Tsuchiya N, Nakano K, Tanaka Y, Yamaguchi A, Tokunaga K	Follistatin- related protein gene (<i>FRP</i>) is expressed in the synovial tissues of rheumatoid arthritis, but its polymorphisms are not associated with genetic susceptibility.	Clin Exp Rheumatol	22	707- 712	2004
Okaji Y, Tsuno NH, Kitayama J, Saito S, Takahashi T, Kawai K, Yazawa K, Asakage M, Tsuchiya T, Sakurai D, Tsuchiya N, Tokunaga K, Takahashi K, Nagawa H.	A novel method for isolation of endothelial cells and macrophages from murine tumors based on Ac- LDL uptake and CD16 expression.	J Immunological Methods	295	183- 193	2004
Tsuchiya N, Kyogoku C	Role of Fcγ Receptor IIb polymorphism in the genetic background of systemic lupus erythematosus: Insights from Asia.	Autoimmunity	in press		
Suzuki, Y., Wakita, D., Chamoto, K., Narita, Y., Tsuji, T., Takeshima, T., Gyobu, H., Kawarada, Y., Kondo, S., Akira, S., Katoh, H., Ikeda, H., Nishimura, T.	Liposome- encapsulated CpG oligodeoxynucleotides as a potent adjuvant for inducing type 1 innate immunity.	Cancer Reserch	64	8754- 8760	2004
Yamamoto, S., Tsuji, T., Matsuzaki, J., Zhange, Y., Chamoto, K., Kosaka, A., Togashi, Y., Sekikawa, K., Sawada, K. I., Takeshima, T., Koike, T., Nishimura, T.	Unexpected role of TNF- alpha in graft versus host reaction (GVHR): donor- derived TNF- alpha suppresses GVHR via inhibition of IFN- gamma - dependent donor type- 1 immunity.	International Immunology	16	811- 817	2004
Sato, T., Saito, R., Jinushi, T., Tsuji, T., Matsuzaki, J., Koda, T., Nishimura, S., Takeshima, H., Nishimura, T.	IFN- gamma- induced SOCS- 1 regulates STAT6- dependent eotaxin production triggered by IL- 4 and TNF- alpha.	Biochemical and Biophysical Reserch Communications	314	468- 475	2004
Hoshino, A., Tsuji, T., Matsuzaki, J., Jinushi, T., Ashino, S., Teramura, T., Chamoto, K., Tanaka, Y., Asakura, Y., Sakurai, T., Mita, Y., Takaoka, A., Nakaïke, S., Takeshima, T., Ikeda, H., Nishimura, T.	STAT6- mediated signaling in Th2- dependent allergic asthma: critical role for the development of eosinophilia, airway hyper- responsiveness and mucus hypersecretion, distinct from its role in Th2 differentiation.	International Immunology	16	1497- 1505	2004
Gyobu, H., Tsuji, T., Suzuki, Y., Ohkuri, T., Chamoto, K., Kuroki, M., Miyoshi, H., Kawarada, Y., Katoh, H., Takeshima, T., Nishimura, T.	Generation and targeting of human tumor- specific Tc1 and Th1 cells transduced with a lentivirus containing a chimeric immunoglobulin T- cell receptor.	Cancer Reserch	64	1490- 1495	2004
Yamada, M., Yagita, H., Inoue, H., Takahashi, T., Matsuda, H., Munechika, E., Kanamaru, Y., Shirato, I., Tomino, Y., Matsumura, K., Okumura, K., Hashimoto, H.	Selective accumulation of CCR4+ T lymphocytes into renal tissue of patients with lupus nephritis.	Arthritis Rheum.	46	735- 740	2003
Tokano, Y., Ogasawara, H., Ando, S., Fujii, T., Kaneko, H., Tamura, N., Yano, T., Hirokawa, K., Fukazawa, T., Murashima, A., Kobayashi, S., Sekigawa, I., Takasaki, Y., Iida, N., Hashimoto, H.	Cyclosporin A therapy for interstitial pneumonitis associated with rheumatic disease.	Mod Rheumatol.	12	305- 310	2003
Sugimoto, K., Morimoto, S., Kaneko, H., Nozawa, K., Tokano, Y., Takasaki, Y., Hashimoto, H.	Decreased IL- 4 producing CD4+ T cells in patients with active systemic lupus erythematosus- relation to IL- 12R expression.	Autoimmunity.	35	381- 387	2002

T.Sugiura, M.Harigai, Y.Kawaguchi, K.Takagi, C.Fukasawa, S.Ohsako- Higami, S.Ohta, M.Tanaka, <u>M.Hara</u> , N.Kamatani	Increased IL- 15 production of muscle cells in polymyositis and dermatomyositis	International Immunology	14(8)	917- 924	2002
H.Okamoto, M.Soejima, M.Takeuchi, M.Tateishi, C.Terai, <u>M.Hara</u> , T.Saito, N.Kamatani	Dermatomyositis associated with autoimmune idiopathic thrombocytopenia and anti- Ku antibody	Modern Rheumatology	14(2)	187- 190	2004
Satoh M., Mizutani A., Behney KM., Kuroda Y., Akaogi J., Yoshida H., Nacionales DC., <u>Hirakata M.</u> , Ono N., Reeves WH.	X- linked immunodeficient mice spontaneously produce lupus- related anti- RNA helicase A autoantibodies, but are resistant to pristane- induced lupus.	Int. Immunol.	15(9)	1117- 1124	2003
Yasuoka H., Ihn H., Medsger TA., <u>Hirakata M.</u> , Kawakami Y., Ikeda Y., Kuwana M.	A novel testicular protein highly expressed in testis is overexpressed in systemic sclerosis fibroblasts and targeted by autoantibodies.	J. Immunol.	171 (12)	6883- 6890	2003
Mizutani A., Shaheen VM., Yoshida H., Akaogi J., Kuroda Y., Nacionales DC., Yamasaki Y., <u>Hirakata M.</u> , Ono N., Reeves WH., Satoh M.	Pristane- induced autoimmunity in germ- free mice.	Clinical. Immunol.	114(2)	110- 118	2005
<u>Hirakata M.</u> , Suwa A., Kuwana M., Sato S., Mimori T., Hardin JA.	Association between autoantibodies to the Ku protein and DPB1.	Arthritis. Rheum.	52(2)	668- 669	2005
Sato S., <u>Hirakata M.</u> , Kuwana M., Suwa A., Inada S., Mimori T., Nishikawa T., Oddis CV., Ikeda Y.	Autoantibodies to a 140kDa polypeptide (anti- CADM- 140 autoantibodies) in Japanese patients with clinically amyopathic dermatomyositis.	Arthritis. Rheum			(in press)
Liu Q, Kobayashi K, Furukawa J, Inagaki J, Sakairi N, Iwado A, Yasuda T, Koike T, Voelker DR, <u>Matsuura E</u>	ω -Carboxyl variants of 7- ketocholesteryl esters are ligands for β 2- glycoprotein I and mediate antibody- dependent uptake of oxidized LDL by macrophages	J Lipid Res	43	1486- 1495	2002
Ambrozic A, Avicin T, Ichikawa K, Kveder T, <u>Matsuura E</u> , Hojnik M, Atsumi T, Rozman B, Koike T	Anti- β 2-glycoprotein I antibodies in children with atopic dermatitis	Int Immunol	14	823- 830	2002
Wu R, Shoenfeld Y, Sherer Y, Patnaik M, <u>Matsuura E</u> , Gilburd B, Koike T, Peter JB	Anti- idiotypes to oxidized LDL antibodies in intravenous immunoglobulin preparations- possible immunomodulation of atherosclerosis	Autoimmun	36	91- 97	2003
Kobayashi K, Kishi M, Atsumi T, Bertolaccini ML, Makino H, Sakairi N, Yamamoto I, Yasuda T, Khamashta MA, Hughes GRV, Koike T, Voelker DR, <u>Matsuura E</u>	Circulating oxidized low density lipoprotein forms complexes with β 2- glycoprotein I: implication as an atherogenic autoantigen	J Lipid Res	44	716- 726	2003
Born WK, Vollmer M, Reardon C, <u>Matsuura E</u> , Voelker DR, Giclas PC, O'Brien RL	Hybridomas expressing $\gamma\delta$ T-cell receptors respond to cardiolipin and β 2- glycoprotein I (Apolipoprotein H)	Scand J Immunol	58	374- 381	2003

Lopez D, Garcia- Valladares I, Palafox-Sanchez CA, De La Torre IG, Kobayashi K, <u>Matsuura E</u> , Lopez LR	Oxidized low-density lipoprotein/ β 2-glycoprotein I complexes and autoantibodies to oxLig-1/ β 2-glycoprotein I in patients with systemic lupus erythematosus and antiphospholipid syndrome	Am J Clin Pathol	121	426- 436	2004
Yasuda S, Atsumi T, Ieko M, <u>Matsuura E</u> , Inagaki J, Hisao H, Tanaka H, Yamakado M, Akino M, Saito H, Amasaki Y, Jodo S, Amengual O, Koike T	Nicked β 2-glycoprotein I: A marker of cerebral infarct and a novel role in the negative feedback pathway of extrinsic fibrinolysis	Blood	103	3766-3772	2004
Kasahara J, Kobayashi K, Maeshima Y, Yamasaki Y, Yasuda T, <u>Matsuura E</u> , Makino H	Clinical significance of serum oxidized low-density lipoprotein/ β 2-glycoprotein I complexes in patients with chronic renal diseases	Nephron Clin Practice	98	15- 24	2004
Shoenfeld Y, Wu R, Dearing LD, <u>Matsuura E</u>	Are anti- oxidized low- density lipoprotein antibodies pathogenic or protective?	Circulation	110	2552-2558	2004
Yasuda S, Atsumi T, <u>Matsuura E</u> , Kaihara K, Yamamoto D, Ichikawa K, Koike T	Significance of valine/leucine247 polymorphysm of β 2-glycoprotein I in antiphospholipid syndrome: increased reactivity of anti- β 2-glycoprotein I autoantibodies to the valine247 β 2-glycoprotein I variant	Arthritis Rheum	52	212- 218	2005
Iwamoto,M.,Nara,H.,Hirata,D., <u>Minota,S</u> ,Nishimoto,N.,Yoshizaki,K.	Humanized monoclonal anti-interleukin- 6 receptor antibody for treatment of intractable adult- onset Still's disease.	Arth & Rheum	46	3388-3389	2002
Masuyama,J.,Kaga,S.,Kano,S. <u>Minota,S</u> .	A novel costimulation pathway via the 4C8 antigen for the induction of CD4+ regulatory T cells.	J Immunol	169	3710-3716	2002
Kaneko,N., Masuyama,J., Nara, H.,Hirata,D., Iwamoto,M., Okazaki,H., <u>Minota,S</u> , Yoshio,T.	Production of thromboxane A2 and prostaglandin I2 affected by interaction of heat aggregated IgG, endothelial cells, and platelets in lupus nephritis.	J Rheumatol	29	2106-2113	2002
Okazaki,H., Hirata,D., Kamimura,T., Sato,H., Iwamoto,M., Yoshio,T., Masuyama,J., Fujimoto,A., Kobayashi,E., Kano,S., <u>Minota, S</u> .	Effects of FTY720 in MRL- lpr/lpr Mice: Therapeutic Potential in Systemic Lupus Erythematosus.	J Rheumatol	29	707- 716	2002
Kageyama,A., Torikoe,K.,Iwamoto,M., Masuyama,J., Shibuya,Y., Okazaki,H., Yazawa,K., <u>Minota,S</u> .	Nocardia arthritidis sp.nov.,a New Pathogen Isolated from a Patient with Rheumatoid Arthritis in Japan.	J Clin Microbiol	42	2366-2371	2004
Kanda, H., Kubo, K., Tateishi, S., Sato, K., Yonezumi, A., Yamamoto, K., and <u>Mimura, T.</u>	Antiproteinuric effect of ARB in lupus nephritis patients with persistent proteinuria despite immunosuppressive therapy.	Lupus			in press
Satoh, K., Satoh, U., Tateishi, S., Kubo, K., Horikawa, R., <u>Mimura, T.</u> , Yamamoto, K., and Kanda, H.	Aire downregulates multiple molecules that have contradicting immune-enhancing and immune- suppressive functions.	Biochem. Biophys. Res. Commun.	318	935- 940	2004

Satoh, K., Tateishi, S., Kubo, K., <u>Mimura, T.</u> , Yamamoto, K., and Kanda, H.	Downregulation of IL- 12 and a Novel Negative Feedback system Mediated by Cd25+CD4+T cells.	Biochem. Biophys. Res. Commun.			in press
Hamasaki, K., <u>Mimura, T.</u> , Kanda, H., Kubo, K., Setoguchi, K., Satou, T., Misaki, Y., and Yamamoto, K.	Systemic lupus erythematosus and thrombocytopenic purpura: a case report and literature review.	Clinical Rheumatol.	22	355- 358	2003
Takeishi, M., Mimori, A., Nakajima, K., <u>Mimura, T.</u> , and Suzuki, T.	Reduction of factor XII in antiphospholipid antibody- positive patients with thrombotic events in the rheumatology clinic.	Clinical Rheumatol.	22	40- 44	2003
Hasegawa M, Sato S, Yanaba K, Komura K, Hayakawa I, Hamaguchi Y, <u>Yamazaki M</u> , Takehara K.	Autoantibodies against phosphatidylserine- prothrombin complex ion patients with systemic sclerosis.	Ann Rheum Dis	63	1514- 1517	2004
Asakura H, Okudaira M, Yoshita T, Ontachi Y, <u>Yamazaki M</u> , Morishita E, Miyamoto SI, Nakao S.	Induction of Vasoactive Substances Differs in LPS- Induced and TF- Induced DIC Models in Rats.	Thromb Haemost	88	663- 667	2002
Asakura H, Okudaira M, Ontachi Y, Mizutani T, Omote M, Yoshida T, Kaneda M, <u>Yamazaki M</u> , Morishita E, Takami A, Miyamoto SI, Nakao S.	Antithrombotic role of nitric oxide in rats under physiological conditions.	Thromb Haemost	91	71- 75	2004
Asakura H, Sano Y, Yoshida T, Omote M, Ontachi Y, Mizutani T, Kaneda M, <u>Yamazaki M</u> , Morishita E, Takami A, Miyamoto KI, Nakao S.	Beneficial effect of low- molecular- weight heparin against LPS- induced DIC in rats is abolished by co- administration of tranexamic acid.	Intensive Care Med	30	1950- 1955	2004
Asakura H, Sano Y, <u>Yamazaki M</u> , Morishita E, Miyamoto KI, Nakao S.	Role of fibrinolysis in tissue- factor- induced DIC in rats: an effect of tranexamic acid on this model.	Haematologica	89	757- 758	2004

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
Atsumi T, Matsuura E and Koike T.	Immunology of anti- phospholipid antibodies and cofactors.	RB Lahita ed	Elsevier Academic Press	1081- 1105
		Systemic Lupus Erythematosus	SanDiego U.S.A.	2004
Nishimoto N, Yoshizaki K, Kishimoto T.	Interleukin- 6.	Smolen J, Lipsky P, <i>et al.</i>	Martin Dunitz	2003
		Targeted Therapy in Rheumatology.	London	231- 241
Nishimoto N, Kishimoto T.	Is IL- 6 a therapeutic target?	Van den Berg W.B, Miossec P, eds.	Birkhäuser Verlag	2004
		Progress in Inflammation Research.	Basel	89- 106
Atsumi T, Matsuura E, Koike T	Immunology of antiphospholipid antibodies and cofactors	Lahita RG	Elsevier Science BV	2004
		Systemic Lupus Erythematosus (Fourth Edition)	Amsterdam, The Netherlands	1081- 1105
Matsuura E, Lopez LR	Oxidized low- density lipoprotein complexed with β 2-glycoprotein I as a common metabolic form in atherogenesis and autoimmune-mediated atherosclerosis. Roles of antibodies on atherosclerosis	Clark LV ed	Nova Science Publishers	2004
		Focus on Atherosclerosis Research	New York, USA	91- 113
Lopez LR, Matsuura E	Autoimmune- mediated atherosclerosis: pathogenic role of oxLDL/ β 2GPI complexes	Fort PO ed	Transworld Research Network	23- 47
		Recent Research of Developments in Lipids (Vol	Kerala, India	2004
Inagaki J, Kondo A, Lopez LR, Shoenfeld Y, Matsuura E	Anti- laminin- 1 autoantibodies in reproductive failure: animal and human studies	Conrad K, Bachmann MP, Chan EKL, Fritzler MJ,	Pabst Science Publisher	243- 252
		Autoantigens, Autoantibodies,	Lengerich, Germany	2004
Matsuura E, Kobayashi K, Shoenfeld Y, Lopez LR	Atherogenic role of protein- modified oxidized low- density lipoproteins and their aut antibodies	Conrad K, Bachmann MP, Chan EKL, Fritzler MJ,	Pabst Science Publisher,	388- 405
		Autoantigens, Autoantibodies,	Lengerich, Germany	2004
Matsuura E, Kobayashi K, Lopez LR	Atherogenesis and antiphospholipid antibodies	Khamashta MA	Springer	(in press)
		Hughes Syndrome: Antiphospholipid Syndrome	London, UK	