

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
The CREB coactivator TORC2 functions as a calcium- and cAMP-sensitive coincidence detector <i>Cell.</i> 119: 61-74	2004		Screaton RA, Conkright MD, Katoh Y, Best JL, Canettieri G, Jeffries S, Guzman E, Niessen S, Yates JR 3rd, Takemori H, Okamoto M, Montminy M.
Salt-inducible kinase-1 represses cAMP response element-binding protein activity both in the nucleus and in the cytoplasm. <i>Eur J Biochem.</i> 271: 4307-4319	2004		Katoh Y, Takemori H, Min L, Muraoka M, Doi J, Horike N, Okamoto M.
副腎皮質の stimulus-secretion coupling 内分泌・糖尿病科 18: 453-456	2004		岡本光弘・竹森洋
Ubc9 interacts with chicken ovalbumin upstream promoter-transcription factor I and represses receptor-dependent transcription. <i>J Mol. Endocrinol</i> 32: 69-86	2004		S. Kobayashi, H. Shibata, I. Kurihara, K. Yokota, N. Suda, I. Saito, T. Saruta
COUP-TF and transcriptional co-regulators in adrenal steroidogenesis. <i>Endocr Res</i> 30: 795-801	2004		H. Shibata, I. Kurihara, S. Kobayashi, N. Suda, K. Yokota, Y. Ikeda, A. Murai, I. Saito, W. E. Rainey, T. Saruta
Proteasome-mediated mineralocorticoid receptor degradation attenuates transcriptional response to aldosterone. <i>Endocr Res</i> 30: 611-616	2004		K. Yokota, H. Shibata, S. Kobayashi, N. Suda, A. Murai, I. Kurihara, I. Saito, T. Saruta
FHL2, Ubc9 and PIAS1 are novel estrogen receptor α -interacting proteins. <i>Endocr Res</i> 30: 617-621	2004		S. Kobayashi, H. Shibata, K. Yokota, N. Suda, A. Murai, I. Kurihara, I. Saito, T. Saruta
Adrenal nuclear receptors and co-regulators. International Proceedings of 12 th International Congress of Endocrinology, p. 377-381	2004		H. Shibata, I. Kurihara, S. Kobayashi, N. Suda, K. Yokota, A. Murai, Y. Ikeda, W. E. Rainey, T. Saruta
Ubc9 and PIAS1 activate COUP-TFI-mediated human CYP11B2 gene transcription. <i>J Biol Chem</i> 280: 6721-6730	2005		I. Kurihara, H. Shibata, S. Kobayashi, N. Suda, Y. Ikeda, K. Yokota, A. Murai, I. Saito, W. E. Rainey, T. Saruta
COUP-TF and novel transcriptional coregulators in adrenal cortical steroidogenesis. ホルモンと臨床 52(増刊): 150-157	2004		柴田洋孝、栗原 真、小林佐紀子、横田健一、須田徳子、齊藤郁夫、猿田享男
副腎皮質腫瘍におけるホルモン産生異常と情報伝達系。 内分泌・糖尿病科 18(2): 112-119	2004		柴田洋孝
アルドステロン合成酵素遺伝子の転写調節 ホルモンと臨床、52: 15-24	2004		柴田洋孝、栗原 真、小林佐紀子、須田徳子、横田健一、村井彩乃、池田やよい、齊藤郁夫、猿田享男
副腎皮質性高血圧におけるステロイド合成異常(生化学的見地から) 最新医学、59: 50-57	2004		柴田洋孝、猿田享男

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Mutations of ARX are associated with striking pleiotropy and consistent genotype-phenotype correlation. Human Mutation 23, 147-159	2004		M. Kato, S. Das, K. Petras, K. Kitamura, K. Morohashi, D. N. Abuelo, M. Barr, D. Bonneau, A. Brady, N. J. Carpenter, F. Frisone, T. Fukuda, R. Guerrini, E. Iida, M. Itoh, A. F. Lewanda, Y. Nanba, A. Oka, V. K. Proud, K. L. Russel, P. Saugier-Veber, S. L. Schelley, A. Selicorni, R. Shaner, M. Silengo, F. Stewart, N. Sugiyama, J. Toyama, A. Toutain, A. Lí a Vargas, M. Yanazawa, E. H. Zackai, W. B. Dobyns
SUMO-1 Modification of the Synergy Control Motif of Ad4BP/SF-1 Regulates Synergistic Transcription between Ad4BP/SF-1 and Sox9. Mol. Endocrinol. 18, 2451-2462	2004		T. Komatsu, H. Mizusaki, T. Mukai, H. Ogawa, D. Baba, M. Shirakawa, S. Hatakeyama, K. Nakayama, H. Yamamoto, A. Kikuchi, and K. Morohashi
Novel Isoform of Vinexin, Vinexin γ Regulates Sox9 Gene Expression through activating MAPK Cascade in Mouse Fetal Gonad Genes to Cells,	in press		M. Matsuyama, H. Mizusaki, A. Shimono, T. Mukai, K. Okumura, K. Abe, K. Shimada, and K. Morohashi
Mesonephric Fgf9 as the signal that stimulates gonad formation. Dev. Biol.,	in press		H. Yoshioka, Y. Ishimaru, N. Sugiyama, N. Tsunekawa, T. Noce, M. Kasahara, and K. Morohashi
Transrepression by a liganded nuclear receptor via a bHLH activator through co-regulator switching. EMBO J., 23, 1598-1608	2004		Murayama, A., Kim, M., Yanagisawa, J., Takeyama, K., Kato, S.
Brain masculinization requires androgen receptor function. Proc. Natl. Acad. Sci. USA, 101, 1673-1678	2004		Sato, T., Matsumoto, T., Kawano, H., Watanabe, T., Uematsu, Y., Sekine, K., Fukuda, T., Aihara, K., Krust, A., Yamada, T., Nakamichi, Y., Yamamoto, Y., Nakamura, T., Yoshimura, K., Yoshizawa, T., Metzger, D., Chambon, P., Kato, S.
Wnt/beta-catenin and estrogen signaling converge in vivo. J. Biol. Chem., 279, 40255-40258	2004		Kouzmenko, A. P., Takeyama, K., Ito, S., Furutani, T., Sawatsubashi, S., Maki, A., Suzuki, E., Kawasaki, Y., Akiyama, T., Tabata, T., Kato, S.
Juvenile hormones antagonize ecdysone actions through co-repressor recruitment to EcR/USP heterodimers. Biochem. Biophys. Res. Commun., 320, 262-267	2004		Maki, A., Sawatsubashi, S., Ito, S., Shirode, Y., Suzuki, E., Zhao, Y., Yamagata, K., Kouzmenko, A., Takeyama, K., Kato, S.
Ecdysone receptor-dependent gene regulation mediates histone poly (ADP-ribosyl)ation. Biochem. Biophys. Res. Commun., 320, 268-272	2004		Sawatsubashi, S., Maki, A., Ito, S., Shirode, Y., Suzuki, E., Zhao, Y., Yamagata, K., Kouzmenko, A., Takeyama, K., Kato, S.

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
A novel genetic system for analysis of co-activators for the N-terminal transactivation function domain of the human androgen receptor. <i>Biosci. Biotechnol. Biochem.</i> , 68, 1209-1215	2004		Takeyama, K., Ito, S., Sawatsubashi, S., Shirode, Y., Yamamoto, A., Suzuki, E., Maki, A., Yamagata, K., Zhao, Y., Kouzmenko, A., Tabata, T., Kato, S.
BRCA1 function mediates a TRAP/DRIP complex through direct interaction with TRAP220. <i>Oncogene</i> , 23, 6000-6005	2004		Wada, O., Oishi, H., Takada, I., Yanagisawa, J., Yano, T., Kato, S.
In vivo potentiation of human oestrogen receptor α by Cdk7-mediated phosphorylation. <i>Genes to Cells</i> , 9, 983-992	2004		Ito, S., Takeyama, K., Yamamoto, A., Sawatsubashi, S., Shirode, Y., Kouzmenko, A., Tabata, T., Kato, S.
Vitamin D receptor (VDR) promoter targeting through a novel chromatin remodeling complex. <i>J. Steroid Biochem. & Mol. Biol.</i> , 89-90, 173-178	2004		Kato, S., Fujiki, R., Kitagawa, H.
Function of androgen receptor in gene regulations. <i>J. Steroid Biochem. & Mol. Biol.</i> , 89-90, 627-633	2004		Kato, S., Matsumoto, T., Kawano, H., Sato, T., Takeyama, K.
TRRAP as a hepatic coactivator of LXR and FXR function. <i>Biochem. Biophys. Res. Commun.</i>	2004 (in press)		Unno, A., Takada, I., Takezawa, S., Oishi, H., Baba, A., Shimizu, T., Tokita, A., Yanagisawa, J., Kato, S.
Ligand-dependent switching of ubiquitin-proteasome pathways for estrogen receptor. <i>EMBO J.</i> , 23, 4813-4823	2004		Tateishi, Y., Kawabe, Y., Chiba, T., Murata, S., Ichikawa, K., Murayama, A., Tanaka, K., Baba, T., Kato, S., Yanagisawa, J.
Vitamin D receptor ablation alters skin architecture and homeostasis of dendritic epidermal T cells. <i>British J. Dermatology</i>	2004 (in press)		Meindl, S., Rot, A., Hoetzenegger, W., Kato, S., Cross, S., Elbe-Burger, A.
Protein phosphatase 5 is a negative regulator of estrogen receptor-mediated transcription. <i>Mol. Endocrinol.</i> , 18, 1131-1143	2004		Ikeda, K., Ogawa, S., Tsukui, T., Horie-Inoue, K., Ouchi, Y., Kato, S., Muramatsu, M., Inoue, S.
Regulation of transforming growth factor- β and bone morphogenetic protein signalling by transcriptional coactivator GCN5. <i>Genes to Cells</i> , 9, 143-151	2004		Kahata, K., Hayashi, M., Asaka, M., Hellman, W., Kitagawa, H., Yanagisawa, J., Kato, S., Imamura, T., Miyazono, K.
Disruption of nuclear vitamin D receptor gene causes enhanced thrombogenicity in mice. <i>J. Biol. Chem.</i> , 279, 35798-35802	2004		Aihara, K. I., Azuma, H., Akaike, M., Ikeda, Y., Yamashita, M., Sudo, T., Hayashi, H., Yamada, Y., Endoh, F., Fujimura, M., Yoshida, T., Yamaguchi, H., Hashizume, S., Kato, M., Yoshimura, K., Yamamoto, Y., Kato, S., Matsumoto, T.
SRC-1 is necessary for skeletal responses to sex hormones in both males and females. <i>J. Bone Miner. Res.</i> , 19, 1452-1461	2004		Yamada, T., Kawano, H., Sekine, K., Matsumoto, T., Fukuda, T., Azuma, Y., Itaka, K., Chung, U. I., Chambon, P., Nakamura, K., Kato, S., Kawaguchi, H.

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Targeted introduction of V642I mutation in amyloid precursor protein gene causes functional abnormality resembling early stage of Alzheimer's disease in aged mice. Eur. J. Neurosci., 19, 2826-2838	2004		Kawasumi, M., Okada, T., Yamada, M., Miyamae-Kaneko, M., Matsuoka, M., Nakahara, J., Tomita, T., Iwatubo, T., Kato, S., Aiso, S., Nishimoto, I., Kouyama, K.
Intestinal Na-Pi cotransporter adaptation to dietary Pi content in vitamin D receptor null mice. Am. J. Physiol. Renal. Physiol., 287, F39-F47	2004		Segawa, H., Kaneko, I., Yamanaka, S., Ito, M., Kuwahata, M., Inoue, Y., Kato, S., Miyamoto K.
Intestinal and renal adaptation to a low Pi-diet of type II Na-Pi-cotransporters in VDR and 1 α -OHase deficient mice. AJP/Cell	2004 (in press)		Capuano, P., Wagner, C.A., Radanovic, T., Bacic, D., Kato, S., St-Arnoud, R., Murer, H., Biber, J.
The United States-Japan workshop on: the role of nuclear receptors in carcinogenesis. Mol. Carcinogenesis, 41, 77-84	2004		Peters, J. M., Kato, S., Gonzalez, F.
Purification and characterization of mouse CYP27B1 overproduced by an Escherichia coli system coexpressing molecular chaperonins GroEL/ES. Biochem. Biophys. Res. Commun., 323, 505-511	2004		Uchida, E., Kagawa, N., Sasaki T., Urushino, N., Sawada, N., Kamakura, M., Ohta, M., Kato, S., Inouye, K.
Protein kinase A potentiates Ad4BP/SF-1 transactivation by re-integrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, GCN5/TRRAP, and suppressor, DAX-1: a laser confocal imaging study in living KGN cells. Mol. Endocrinol., 18, 127-141	2004		Fan, W., Yanase, T., Wu, Y., Kawate, H., Saitoh, M., Oba, K., Nomura, M., Okabe, T., Goto, K., Yanagisawa, J., Kato, S., Takayanagi, R., Nawata, H.
1 α , 25-Dihydroxyvitamin D ₃ is a preventive factor in the metastasis of lung cancer. Carcinogenesis, 26, 429-440	2005		Nakagawa, K., Kawaura, A., Kato, S., Takeda, E., Okano, T.
Mutant P450 oxidoreductase causes disordered steroidogenesis with and without Antley-Bixler syndrome. Nat Genet. 36: 228-230	2004		Fluck CE, Tajima T, Pandey AV, Arlt W, Okuhara K, Verge CF, Jabs EW, Mendonca BB, Fujieda K, Miller WL
P450 oxidoreductase deficiency: a new disorder of steroidogenesis affecting all microsomal P450 enzymes. Endocr Res. 30: 881-888	2004		Pandey AV, Fluck CE, Huang N, Tajima T, Fujieda K, Miller WL
Results of Long-Term Follow-Up After Treatment of Central Precocious Puberty with Leuprorelin Acetate: Evaluation of Effectiveness of Treatment and Recovery of Gonadal Function. The TAP-144-SR Japanese Study Group on Central Precocious Puberty. J Clin Endocrinol Metab.	2004 in press.		Tanaka T, Niimi H, Matsuo N, Fujieda K, Tachibana K, Ohyama K, Satoh M, Kugu K
Impact of margin for target volume in low-dose involved field radiotherapy after induction chemotherapy for intracranial germinoma. Int J Radiat Oncol Biol Phys. 60: 214-217	2004		Shirato H, Aoyama H, Ikeda J, Fujieda K, Kato N, Ishi N, Miyasaka K, Iwasaki Y, Sawamura Y

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
New reference values for thyroid volume by ultrasound in iodine-sufficient schoolchildren: a World Health Organization/Nutrition for Health and Development Iodine Deficiency Study Group Report. Am J Clin Nutr. 79: 231-237	2004		Zimmermann MB, Hess SY, Molinari L, De Benoist B, Delange F, Braverman LE, Fujieda K, Ito Y, Jooste PL, Moosa K, Pearce EN, Pretell EA, Shishiba Y
3 β -Hydroxysteroid dehydrogenase deficiency. Encyclopedia of Endocrine Diseases. Vol. 2, Academic Press, Elsevier Inc., San Diego, CA, pp. 498-503	2004		Kenji Fujieda, Jun Nakae, Tokuo Mukai
生物学的不活性型成長ホルモンによる低身長症の1例：ホルモンと臨床、52巻10号：997-1001	2004		藤根美穂、古賀康嗣、田中敏章、田島敏広、藤枝憲二
日本人集団においてStAR遺伝子変異Q258Xに創始者効果が存在するか？：ホルモンと臨床、52巻10号：977-979	2004		蒔田芳男、岡本年男、藤枝憲二、田島敏広
Lipodystrophy の遺伝子診断：Adiposceince、1巻2号：180-186	2004		藤枝憲二
性腺疾患 性腺機能低下症：小児科診療、67巻10号：1651-1659	2004		藤枝憲二
副腎疾患 先天性副腎低形成症：小児科診療、67巻10号：1623-1629	2004		向井徳男、藤枝憲二
副腎疾患 先天性副腎過形成症：小児科診療、67巻10号：1617-1622	2004		田島敏広、藤枝憲二
GPR54 と性腺機能低下症：内分泌・糖尿病科、19巻1号：89-97	2004		藤枝憲二
ジェンダーと医学・医療 性を決定する分子メカニズム：医学のあゆみ 208巻11号：955-961	2004		藤枝憲二
副腎、生殖腺の発生・分化 先天性副腎リポイド過形成症及び先天性副腎低形成症の分子病態：ホルモンと臨床、52巻冬季増刊：120-125	2004		藤枝憲二、向井徳男
第二次性決定機構の異常症 内性器、外性器の分化異常 女性仮性半陰陽 先天性副腎過形成症：日本臨床、62巻2号：361-367	2004		藤枝憲二、向井徳男
TCR-engagement increases HIF-1 α protein synthesis via rapamycin-sensitive pathway under hypoxic conditions in human peripheral T cells J. Immunol.	(印刷中)		Hiroshi Nakamura, Yuichi Makino, Kensaku Okamoto, Lorenz Poellinger, Kei Ohnuma, Chikao Morimoto, and Hirotoshi Tanaka
CD26 up-regulates expression of CD86 on antigen-presenting cells by means of caveolin-1 Proc Natl Acad Sci USA 101: 14186-14191	2004		Kei Ohnuma, Tadanori Yamochi, Masahiko Uchiyama, Kunika Nishibashi, Noritada Yoshikawa, Noriaki Shimizu, Satoshi Iwata, Hirotoshi Tanaka, Nam H. Dang, and Chikao Morimoto
A biological role of HIF-1 in the Renal Medulla Kidney International	(印刷中)		Manotham K, Tanaka T, Ohse T, Kojima I, Miyata T, Inagi R, Tanaka H, Sassa R, Fujita T, Nangaku M
Glucocorticoid ligands differentially regulate the interdomain communication in the glucocorticoid receptor Mol. Endocrinol.	(印刷中)		Noritada Yoshikawa, Keiko Yamamoto, Noriaki Shimizu, Sachiko Yamada, Chikao Morimoto, and Hirotoshi Tanaka

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
The Orphan Nuclear Receptors NURRI and NGFIB Regulate Adrenal Aldosterone Production. <i>Molecular Endocrinology</i> 18:279-290.	2004		Bassett MH, Suzuki T, Sasano H, White PC, Rainey WE.
Vasopressin responsiveness of subclinical Cushing's syndrome due to ACTH-independent macronodular adrenocortical hyperplasia. <i>Clinical Endocrinology (Oxf)</i> . 60:192-200.	2004		Tatsuno I, Uchida D, Tanaka T, Koide H, Shigeta A, Ichikawa T, Sasano H, Saito Y.
Adrenal cortical adenoma with excess black pigment deposition, combined with myelolipoma and clinical Cushing's syndrome. <i>International journal of surgical pathology</i> . 12:57-61.	2004		Armand R, Cappola AR, Horenstein RB, Drachenberg CB, Sasano H, Papadimitriou JC.
Possible effects of progesterone on human central nervous system and neurogenic tumors. <i>Journal of Endocrinological Investigation</i> . 27:76-79.	2004		Inoue T, Sasano H.
Expression of urocortin III/stresscopin in human heart and kidney. <i>Journal of Clinical Endocrinology and Metabolism</i> . 89:1897-1903.	2004		Takahashi K, Totsune K, Murakami O, Saruta M, Nakabayashi M, Suzuki T, Sasano H, Shibahara S.
Organization of the human aromatase p450 (CYP19) gene. <i>Seminars in Reproductive Medicine</i> . 22:5-9.	2004		Bulun SE, Takayama K, Suzuki T, Sasano H, Yilmaz B, Sebastian S.
Systemic distribution of estrogen-responsive finger protein (Efp) in human tissues. <i>Molecular and Cellular Endocrinology</i> . 218:147-153.	2004		Shimada N, Suzuki T, Inoue S, Kato K, Imatani A, Sekine H, Ohara S, Shimosegawa T, Sasano H.
Estrogen receptors in atherosclerotic human aorta: inhibition of human vascular smooth muscle cell proliferation by estrogens. <i>Molecular and Cellular Endocrinology</i> . 219:17-26.	2004		Nakamura Y, Suzuki T, Miki Y, Tazawa C, Senzaki K, Moriya T, Saito H, Ishibashi T, Takahashi S, Yamada S, Sasano H.
The orphan nuclear receptor NGFIB regulates transcription of 3beta-hydroxysteroid dehydrogenase:Implications for the control of adrenal functional zonation. <i>The Journal of Biological Chemistry</i> . 279:37622-37630.	2004		Bassett MH, Suzuki T, Sasano H, De Vries CJ, Jimenez PT, Carr BR, Rainey WE.
Preclinical Cushing's Syndrome Resulting from Black Adrenal Adenoma. A Case Report. <i>Hormone Research</i> . 62:60-66.	2004		Tokunaga H, Miyamura N, Sasaki K, Yoshizato K, Itasaka M, Nakamaru K, Suefuji M, Kawashima J, Matsumoto K, Sasano H, Araki E.
Estrogen-Related Receptor {alpha} in Human Breast Carcinoma as a Potent Prognostic Factor. <i>Cancer Research</i> . 64:4670-4676.	2004		Suzuki T, Miki Y, Moriya T, Shimada N, Ishida T, Hirakawa H, Ohuchi N, Sasano H.
Estrogen regulates expression of tumor necrosis factor receptors in breast adipose fibroblasts. <i>Journal of Clinical Endocrinology and Metabolism</i> 89:4018-4024.	2004		Deb S, Amin S, Imir AG, Yilmaz MB, Suzuki T, Sasano H, Bulun SE.

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Nur-related factor 1 and nerve growth factor-induced clone B in human adrenal cortex and its disorders. <i>Journal of Clinical Endocrinology and Metabolism</i> 89:4113-4118.	2004		LuL, Suzuki T, Yoshikawa Y, Murakami O, Miki Y, Moriya T, Bassett MH, Rainey WE, Hayashi Y, Sasano H.
Steroid sulfatase and estrogen sulfotransferase in human endometrial carcinoma. <i>Clinical Cancer Research</i> . 10:5850-5856.	2004		Utsunomiya H, Ito K, Suzuki T, Kitamura T, Kaneko C, Nakata T, Niikura H, Okamura K, Yaegashi N, Sasano H.
Steroid sulfotransferase (SULT2A1) gene transcription is regulated by steroidogenic factor 1 (SF1) and GATA-6 in the human adrenal. <i>Molecular Endocrinology</i> . 19:184-197.	2004		Saner KJ, Suzuki T, Sasano H, Pizzey J, Ho C, Strauss JF 3rd, Carr BR, Rainey WE.
Localization and physiological roles of urocortin. <i>Peptides</i> . 25:1745-1749.	2004		Oki Y, Sasano H.
Urocortin 1 in colonic mucosa in patients with ulcerative colitis. <i>Journal of Clinical Endocrinology and Metabolism</i> . 89:5352-5361.	2004		Saruta M, Takahashi K, Suzuki T, Torii A, Kawakami M, Sasano H.
E4F1, a Novel Estrogen-Responsive Gene in Possible Atheroprotection, Revealed by Microarray Analysis. <i>American Journal of Pathology</i> . 165:2019-2031.	2004		Nakamura Y, Igarashi K, Suzuki T, Kanno J, Inoue T, Tazawa C, Saruta M, Ando T, Moriyama N, Furukawa T, Ono M, Moriya T, Ito K, Saito H, Ishibashi T, Takahashi S, Yamada S, Sasano H.
Induction of 11beta-hydroxysteroid dehydrogenase type 2 and hyperaldosteronism are essential for enhanced sodium absorption after total colectomy in rats. <i>Surgery</i> . 137:75-84.	2005		Sato S, Fukushima K, Naito H, Funayama Y, Suzuki T, Sasano H, Krozowski Z, Shibata C, Sasaki I.
生活習慣病とステロイドホルモン・核内受容体 糖尿病 DHEAの生理作用 抗糖尿病作用を中心と臨床 (0045-7167) 52巻冬季増刊 Page30-33	2004. 03		青木一孝、大澤映美、中島淳、関原久彦
Marked Attenuation of Production of Collagen Type I from Cardiac Fibroblasts by Dehydroepiandrosterone. <i>Am J Physiol Endocrinol Metab</i> .	in press		Iwasaki T, Mukasa K, Yoneda M, Ito S, Yamada Y, Mori Y, Fujisawa N, Fujisawa T, Wada K, Sekihara H, Nakajima A.
A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis. <i>Biochem Pharmacol</i> . 1; 68 (11) : 2283-9.	2004 Dec		Blumberg RS, Sekihara H, Nakajima A, Yoneda M, Wada K, Katayama K, Nakajima N, Iwasaki T, Osawa E, Mukasa K, Yamada Y
Overexpression of mineralocorticoid receptor in patients with congestive heart failure. <i>Congest Heart Fail</i> 11:12-16	2005		Yoshida M, et al.
クッシング症候群と原発性アルドステロン症の心血管障害 ホルモンと臨床 42 (5) :439-446	2004		宮森勇他
心血管とアルドステロンに関する基礎研究のUpdate. <i>循環器専門医</i> 12 (1) : 3-8	2004		宮森勇他

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Streptozotocin-induced diabetes in the pregnant rat reduces 11beta-hydroxysteroid dehydrogenase type 2 expression in placenta and fetal kidney. Life Sci 75 : 2797-805	2004		Fujisawa Y, Nakagawa Y, Li R-S, Ohzeki T
Different responsiveness in body weight and hepatic 11beta-hydroxysteroid dehydrogenase (11beta-HSD) type 1 mRNA to 11beta-HSD inhibition by glycyrrhetic acid treatment in obese and lean Zucker rats. Metabolism 53: 600-6	2004		Li RS, Nakagawa Y, Nakanishi T, Fujisawa Y, Ohzeki T
Effects of leptin and dexamethasone on long and short leptin receptor mRNA. Pediatr Int 46: 561-4	2004		Liu ZJ, Endoh A, Li R, Ohzeki T
Factors improving the propagation of Simkania negevensis strain Z in cell culture. Jpn J Infect Dis 57: 103-6	2004		Yamaguchi T, Yamazaki T, Inoue M, Ogawa M, Shiga S, Nakagawa Y, Kishimoto T, Ouchi K, Ohzeki T
A novel mutation in the renal V2 receptor gene in a boy with trisomy 21. Pediatr Nephrol 19: 609-11	2004		Fujisawa Y, Miyamoto T, Furuhashi K, Sano S, Nakagawa Y, Ohzeki T
Prevalence of antibodies against Simkania negevensis in a healthy Japanese population determined by the Japanese population determined by the microimmunofluorescence test. FEMS Immunol Med Microbiol 43: 21-27	2005		Yamaguchi T, Yamazaki T, Inoue M, Mashida C, Kawagoe K, Ogawa M, Shiga S, Nakagawa Y, Kishimoto T, Kurane I, Ouchi K, Ohzeki T
The Orphan Nuclear Receptors NURR1 and NGFIB Regulate Adrenal Aldosterone Production. Molecular Endocrinology 18: 279-290.	2004		Bassett MH, Suzuki T, Sasano H, White PC, Rainey WE.
Vasopressin responsiveness of subclinical Cushing's syndrome due to ACTH-independent macronodular adrenocortical hyperplasia. Clinical Endocrinology (Oxf). 60: 192-200.	2004		Tatsuno I, Uchida D, Tanaka T, Koide H, Shigeta A, Ichikawa T, Sasano H, Saito Y.
Adrenal cortical adenoma with excess black pigment deposition, combined with myelolipoma and clinical Cushing's syndrome. International journal of surgical pathology. 12: 57-61.	2004		Armand R, Cappola AR, Horenstein RB, Drachenberg CB, Sasano H, Papadimitriou JC.
Possible effects of progesterone on human central nervous system and neurogenic tumors. Journal of Endocrinological Investigation. 27: 76-79.	2004		Inoue T, Sasano H.
Expression of urocortin III/stresscopin in human heart and kidney. Journal of Clinical Endocrinology and Metabolism. 89: 1897-1903.	2004		Takahashi K, Totsume K, Murakami O, Saruta M, Nakabayashi M, Suzuki T, Sasano H, Shibahara S.
Organization of the human aromatase p450 (CYP19) gene. Seminars in Reproductive Medicine. 22: 5-9.	2004		Bulun SE, Takayama K, Suzuki T, Sasano H, Yilmaz B, Sebastian S.
Systemic distribution of estrogen-responsive finger protein (Efp) in human tissues. Molecular and Cellular Endocrinology. 218: 147-153.	2004		Shimada N, Suzuki T, Inoue S, Kato K, Imatani A, Sekine H, Ohara S, Shimosegawa T, Sasano H.

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Estrogen receptors in atherosclerotic human aorta: inhibition of human vascular smooth muscle cell proliferation by estrogens. <i>Molecular and Cellular Endocrinology.</i> 219: 17-26.	2004		Nakamura Y, Suzuki T, Miki Y, Tazawa C, Senzaki K, Moriya T, Saito H, Ishibashi T, Takahashi S, Yamada S, Sasano H.
The orphan nuclear receptor NGFIB regulates transcription of 3beta-hydroxysteroid dehydrogenase: Implications for the control of adrenal functional zonation. <i>The Journal of Biological Chemistry.</i> 279: 37622-37630.	2004		Bassett MH, Suzuki T, Sasano H, De Vries CJ, Jimenez PT, Carr BR, Rainey WE.
Preclinical Cushing's Syndrome Resulting from Black Adrenal Adenoma. A Case Report. <i>Hormone Research.</i> 62: 60-66.	2004		Tokunagaa H, Miyamura N, Sasaki K, Yoshizato K, Itasaka M, Nakamaru K, Suefuji M, Kawashima J, Matsumoto K, Sasano H, Araki E.
Estrogen-Related Receptor {alpha} in Human Breast Carcinoma as a Potent Prognostic Factor. <i>Cancer Research.</i> 64: 4670-4676.	2004		Suzuki T, Miki Y, Moriya T, Shimada N, Ishida T, Hirakawa H, Ohuchi N, Sasano H.
Estrogen regulates expression of tumor necrosis factor receptors in breast adipose fibroblasts. <i>Journal of Clinical Endocrinology and Metabolism</i> 89: 4018-4024.	2004		Deb S, Amin S, Imir AG, Yilmaz MB, Suzuki T, Sasano H, Bulun SE.
Nur-related factor 1 and nerve growth factor-induced clone B in human adrenal cortex and its disorders. <i>Journal of Clinical Endocrinology and Metabolism</i> 89: 4113-4118.	2004		Lu L, Suzuki T, Yoshikawa Y, Murakami O, Miki Y, Moriya T, Bassett MH, Rainey WE, Hayashi Y, Sasano H.
Steroid sulfatase and estrogen sulfotransferase in human endometrial carcinoma. <i>Clinical Cancer Research.</i> 10: 5850-5856.	2004		Utsunomiya H, Ito K, Suzuki T, Kitamura T, Kaneko C, Nakata T, Niikura H, Okamura K, Yaegashi N, Sasano H.
Steroid sulfotransferase (SULT2A1) gene transcription is regulated by steroidogenic factor 1 (SF1) and GATA-6 in the human adrenal. <i>Molecular Endocrinology.</i> 19: 184-197.	2004		1Saner KJ, Suzuki T, Sasano H, Pizzey J, Ho C, Strauss JF 3rd, Carr BR, Rainey WE.
Localization and physiological roles of urocortin. <i>Peptides.</i> 25: 1745-1749.	2004		Oki Y, Sasano H.
Urocortin 1 in colonic mucosa in patients with ulcerative colitis. <i>Journal of Clinical Endocrinology and Metabolism.</i> 89: 5352-5361.	2004		Saruta M, Takahashi K, Suzuki T, Torii A, Kawakami M, Sasano H.
E4F1, a Novel Estrogen-Responsive Gene in Possible Atheroprotection, Revealed by Microarray Analysis. <i>American Journal of Pathology.</i> 165: 2019-2031.	2004		Nakamura Y, Igarashi K, Suzuki T, Kanno J, Inoue T, Tazawa C, Saruta M, Ando T, Moriyama N, Furukawa T, Ono M, Moriya T, Ito K, Saito H, Ishibashi T, Takahashi S, Yamada S, Sasano H.

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Induction of 11beta-hydroxysteroid dehydrogenase type 2 and hyperaldosteronism are essential for enhanced sodium absorption after total colectomy in rats. <i>Surgery.</i> 137: 75-84.	2005		Sato S, Fukushima K, Naito H, Funayama Y, Suzuki T, Sasano H, Krozowski Z, Shibata C, Sasaki I.
STAT3 and MITF cooperatively induce cellular transformation through upregulation of c-fos expression. <i>Oncogene.</i> 23: 726-734	2004		Joo, A., Aburatani, H., Morii, E., Iba, H. and Yoshimura, A.
Bruton's tyrosine kinase (Btk) enhances transcriptional co-activation activity of BAM11, a Btk-associated molecule of a subunit of SWI/SNF complexes. <i>International Immunology</i> 16: 747-757	2004		Hirano, M., Kikuchi, Y., Nisitani, S., Yamaguchi, A., Satoh, A., Ito, T., Iba, H. and Takatsu, K.
Robotic Surgery 一腹腔鏡下副腎摘出術 <i>内分泌外科</i> 21、99-105	2004		三宅修、木内寛、吉村一宏、奥山明彦
Insulin like growth factor-I Regulation of hepatic scavenger receptor class BI <i>Endocrinology</i> 145: 5540-7	2004		Cao WM, Murao K, Imachi H, Yu X, Dobashi H, Yoshida K, Muraoka T, Kotsuna N, Nagao S, Wong CW, Ishida T.
Lipid-Altering Drugs: Decreasing Cardiovascular Disease at the Expense of Increasing Cancer ? <i>Cancer Res.</i> 64: 6831-6832	2004		Murao K, Imachi H, Ishida T, Wong NC.
A Mutant HDL Receptor Inhibits Proliferation of Human Breast Cancer Cells. <i>Cancer Res.</i> 64: 1515-1521	2004		Cao WM, Murao K, Imachi H, Yu X, Abe H, Yamauchi A, Niimi M, Miyauchi A, Wong NCW, Ishida T.
Phosphatidylserine Receptor in Apoptotic Function of Nursing Thymic Epithelial Cells <i>J Mol Endocrinol.</i> 32: 497-505	2004		Cao WM, Murao K, Imachi H, Hiramine C, Yu X, Abe H, Wong NCW, Ishida T
Role of calcium-calmodulin dependent protein kinase cascade in TRH upregulation of TSH and PRL gene expression. <i>Endocrinology</i> 145: 4846-4852	2004		Murao K, Imachi H, Yu X, Cao WM, Tokumitsu H, Inuzuka H, Wong NCW, Shupnik MA, Kobayashi R, Ishida T.
The role of calcium/calmodulin-dependent protein kinase cascade in glucose upregulation of insulin gene expression. <i>Diabetes.</i> 53: 1475-1481	2004		Yu X, Murao K, Sayo Y, Imachi H, Cao WM, Ohtsuka S, Niimi M, Tokumitsu H, Inuzuka H, Wong NC, Kobayashi R, Ishida T.
異所性下垂体腺腫による Cushing's 病の 1 例 ホルモンと臨床 44 : 15-18	2004		村尾孝児、井町仁美、吉田和矢、忽那則子、村岡都美江、永尾幸、阿部博、曹聞銘、郁暁、石田俊彦
Prospective study on the prevalence of secondary hypertension among hypertensive patients visiting a general outpatient clinic in Japan. <i>Hypertens Res</i> 27: 193-202	2004		Omura M, Saito J, Yamaguchi K, Kakuta Y, Nishikawa T
Prospective study on the incidence of endocrine hypertension among hypertensive patients in Japan. International Proceedings of 12th International Congress of Endocrinology (Lisbon, Aug. 31 ~ Sept. 4, 2004) p.1439-p.1446	2004		Nishikawa T, Omura M, Saito J, Soyama A, Nagata M, Ito H, Yamaguchi K

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Protein kinase A potentiates Adrenal 4 binding protein/Steroidogenic factor 1 transactivation by reintergrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, General control nonderepressed-5/Transformation/transcription domain-associated protein, and suppressor, Dosage-sensitive sex reversal-1: a laser confocal imaging study in living KGN cells. Mol. Endocrinol. 18: 127-141	2004		Fan WQ, Yanase T, Wu Y, Kawate H, Saitoh M, Oba K, Nomura M, Okabe T, Goto K, Yanagisawa J, Kato S, Takayanagi R, Nawata H.
Glucocorticoid enhances the expression of dickkopf-1 in human osteoblasts: novel mechanism of glucocorticoid-induced osteoporosis. Biochem Biophys Res Commun., 318: 259-64	2004		Ohnaka K, Taniguchi H, Kawate H, Nawata H, Takayanagi R.
Tob proteins suppress steroid hormone receptor-mediated transcriptional activation. Mol. Cell. Endocrinol., 230: 77-86	2005		Kawate H, Wu Y, Ohnaka K, Nawata H, Takayanagi R.
Glucocorticoid suppresses the canonical Wnt signal in human osteoblasts. Biochem Biophys Res Commun, 329: 177-181	2005		Ohnaka K, Tanabe M, Kawate H, Nawata H, Takayanagi R.
Guidelines on the management and treatment of glucocorticoid-induced osteoporosis of The Japanese Society for Bone and Mineral Research (2004 edition). J Bone Miner Metab, 23: 105-109.	2004		Nawata H, Soen S, Takayanagi R, Tanaka I, Takaoka K, Fukunaga M, Matsumoto T, Suzuki Y, Tanaka H, Fujiwara S, Miki T, Sagawa A, Nishizawa Y, Seino Y.
Functional cooperation between interleukin-17 and TNF α is mediated by C/EBP family members. J. Biol. Chem., 279: 2559-2567	2004		Ruddy, M.J., Wong, G.C., Liu, X.K., Yamamoto, H., Kasayama, S., Kirkwood, K.L., and Gaffen, S.L.
Peroxisome proliferators-activated receptor α agonists increase nitric oxide synthase expression in vascular endothelial cells. Arterioscler. Thromb. Vasc. Biol., 24: 658-663	2004		Goya, K., Sumitani, S., Xu, X., Kitamura, T., Yamamoto, H., Kurebayashi, S., Saito, H., Kouhara, H., Kasayama, S. and Kawase, I.
Pioglitazone induces plasma platelet activating factor-acetylhydrolase and inhibits platelet activating factor-mediated cytoskeletal reorganization in macrophage. Biochim. Biophys. Acta, 1673: 115-121	2004		Sumita, C., Maeda, M., Fujio, Y., Kim, J., Fujitsu, J., Kasayama, S., Yamamoto, I. and Azuma, J.
Marked hyperglycemia after androgen deprivation therapy for prostate cancer and usefulness of pioglitazone for its treatment. Metabolism, 54: 55-59	2005		Inaba, M., Otani, Y., Nishimura, K., Takaha, N., Okuyama, A., Koga, M., Azuma, J., Kawase, I. and Kasayama, S.
Effects of alendronate on bone mineral density and bone metabolic markers in postmenopausal asthmatic women treated with inhaled corticosteroids. Metabolism, 54: 85-93	2005		Kasayama, S., Fujita, M., Goya, K., Yamamoto, H., Fujita, K., Morimoto, Y., Kawase, I. and Miyatake, A.
Improvement of reduced bone mineral density by intermittent cyclical etidronate in postmenopausal asthmatic patients receiving inhaled corticosteroids. Allergol. Int.,	2005 in press		Yamamoto, H., Kasayama, S., Fujita, M., Fujita, K., Kawase, I. and Miyatake, A.

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
Suppressor of cytokine signaling 1 suppresses muscle differentiation through modulation of IGF-I receptor signal transduction. Biochem. Biophys. Res. Commun.	2005 in press		Inaba, M., Saito, H., Fujimoto, M., Sumitani, S., Ohkawara, T., Tanaka, T., Kouhara, H., Kasayama, S., Kawase, I., Kishimoto, T. and Naka, T.
A Novel Thiazolidinedione MCC-555 Down-regulates Tumor Necrosis Factor- α -Induced Expression of Vascular Cell Adhesion Molecule-1 in Vascular Endothelial Cells. Atherosclerosis,	2005 in press		Kurebayashi, S., Xu, X., Ishii, S., Shiraishi, M., Kouhara, H. and Kasayama, S.
Transrepression of Estrogen Receptor β Signaling by Nuclear Factor- κ B in Ovarian Granulosa Cells Molecular Endocrinology 18 : 1919-1928	2004		Chu, S., Nishi, Y., Yanase, T., Nawata, H., Fuller, PJ.
Hedgehog signaling pathway is a new therapeutic target for patients with breast cancer Cancer Research 64:6071-6074	2004		Kubo, M., Nakamura, M., Tasaki, A., Yamanaka, N., Nakashima, H., Nomura, M., Kuroki, S., Katano, M.
SF-1/Ad4BP Transforms primary long-term cultured bone marrow cells into ACTH-responsive steroidogenic cells. Genes Cells 9 : 1239-1247	2004		Gondo, S., Yanase, T., Okabe, T., Tanaka, T., Morinaga, H., Nomura, M., Goto, K., Nawata, H.
A Benzimidazole fungicide, benomyl, and its metabolite, carbendazim, induce aromatase activity in a human ovarian granulose-like tumor cell line(KGN). Endocrinology 145 : 1860-1869	2004		Morinaga, H., Yanase, T., Nomura, M., Okabe, T., Goto, K., Harada, N., Nawata, H.
Transformation products of bisphenol A by a recombinant Trametes villosa laccase and their estrogenic activity J Chem Technol Biotechnol 79 : 1212-1218	2004		Fukuda, T., Uchida, H., Suzuki, M., Miyamoto, H., Morinaga, H., Nawata, H., Uwajima, T.
A novel nonradioactive method for measuring aromatase activity using a human ovarian granulosa-like tumor cell line and an estrone ELISA Toxicol Sci. 82 : 443-450	2004		Ohno, K., Araki, N., Yanase, T., Nawata, H., Iida, M.
Protein kinase a potentiates adrenal 4 binding protein/steroidogenic factor 1 Transactivation by reintegrating the subcellular dynamic interactions of the nuclear receptor with its cofactors, general control nonderepressed-5/transformation/transcription domain-associated protein, and suppressor, dosage-sensitive sex reversal-1:a laser confocal imaning study in living KGN cells. Molecular Endocrinology 18:127-141	2004		Fan, W., Yanase, T., Wu, Y., Kawate, H., Saitoh, M., Oba, K., Nomura, M., Okabe, T., Goto, K., Yanagisawa, J., Kato, S., Takayanagi, R., Nawata, H.
Activation of protein kinase A alters subnuclear distribution pattern of human steroidogenic factor 1 in living cells. Chin Med J (Engl) 117 : 1017-1022	2004		Liu, W., Fan, WQ., Yanase, T., Saitoh, M., Wu, Y.
急性副腎不全 救急マニュアル 2004 総合臨床 (増刊号) 53 : 1187-1189	2004		柳瀬敏彦、名和田 新

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
副腎インシデンタローマ 今日の治療指針 2004 P544	2004		柳瀬敏彦
特集 どう読むか臨床検査値 内分泌検査一副腎皮質・性腺ホルモン 臨床と研究 81 : 612-618	2004		柳瀬敏彦
副腎低形成 (アジソン病) 特定疾患ハンドブック P131	2004		柳瀬敏彦
副腎酵素欠損症 特定疾患ハンドブック P130	2004		柳瀬敏彦
11.1 副腎皮質ホルモンコルチゾール ホルモンの事典 416-424	2004		柳瀬敏彦
プレクリニックカルクッシング症候群って何? 一副腎インシデンタローマの考え方 内分泌疾患のとらえかた 眼でみるベッドサイドの病態生理 163-167	2004		柳瀬敏彦
二次性高血圧 副腎酵素欠損症 日本臨床増刊号 高血圧と高血圧性臓器障害— 臓器障害の予防と管理— 62 : 531-535	2004		柳瀬敏彦
副腎アンドロゲンと骨代謝 Osteoporosis 12 : 15-19	2004		後藤公宣
Addison 病、急性副腎不全 今日の治療と看護 590-593	2004		岡部泰二郎、名和田 新
Subtle 17 α -hydroxylase/17, 20-lyase deficiency with homozygous Y201N mutation in an infertile women J. Clin. Endocrinol. Metab. 90 : 2508-2511	2005		Taniyama, M., Tanabe, M., Saito, H., Ban, Y., Nawata, H., Yanase, T.
The orphan nuclear receptors NURR1 and NGFIB modulate aromatase gene expression in ovarian granulose cells: A possible mechanism for repression of aromatase expression upon luteinizing hormone surge. Endocrinology 146 : 237-246	2005		Wu, Y., Ghosh, S., Nishi, Y., Yanase, T., Nawat, H., Hu, Y.
Ingested medium-chain fatty acids are directly utilized for the acyl modification of ghrelin Endocrinology 146 : 2255-2264	2005		Nishi, Y., Hosoda, H., Mori, K., Kaiya, H., Sato, T., Fukue, Y., Fukushima, N., Yanase, T., Nawata, H., Kangawa, K., Kojima, M.
Dehydroepiandrosterone negatively regulates the p38 mitogen-activated protein kinase pathway by a novel mitogen-activated protein kinase phosphatase. Biochem. Biophys. Acta 1728 : 84-94	2005		Ashida, K., Goto, K., Zhao, Y., Okabe, T., Yanase, T., Takayanagi, R., Nomura, M., Nawata, H.
Activation of peroxisome proliferator activated receptor γ and retinoid X receptor inhibits aromatase transcription via nuclear factor- κ B Endocrinology 146 : 85-92	2005		Fan, W., Yanase, T., Wei, L., Nomura, M., Okabe, T., Goto, K., Harada, N., Nawata, H.
Androgen receptor null male mice develop late-onset obesity caused by decreased energy expenditure and lipolytic activity but show normal insulin sensitivity with high adiponectin secretion. Diabetes 54 : 1000-1008	2005		Fan, W., Yanase, T., Nomura, M., Okabe, T., Goto, K., Sato, T., Kawano, H., Kato, S., Nawata, H.

論文名 (書名又は誌名・巻・頁・年)	刊行 年月日	刊行 書店名	執筆者氏名
知つておくべき高血圧の知識 7. 私の処方箋 副腎酵素異常高血圧 腎と透析 57 : 337-338	2005		柳瀬敏彦、名和田 新
副腎性器症候群 今日の治療指針 2005 P548	2005		柳瀬敏彦
内分泌疾患 Update 副腎の発生分化と再生 医学のあゆみ 213 : 397-400	2005		柳瀬敏彦
特集:内科疾患の診断基準 14. 副腎皮質機能不全の診断基準、病型分類 内科 95 : 1826-1830	2005		渡辺哲博、柳瀬敏彦

研究班構成員名簿

班員名簿

区分	氏名	所属等	職名
主任研究者	名和田 新	九州大学医学研究院病態制御内科（第三内科）	教授
分担研究者	岡本 光弘	大阪大学大学院生命機能研究科	教授
	猿田 享男	慶應義塾大学医学部内科	教授
	諸橋憲一郎	岡崎国立共同研究機構基礎生物学研究所	教授
	加藤 茂明	東京大学分子細胞生物学研究所核内情報研究分野	教授
	藤枝 憲二	旭川医科大学小児科	教授
	田中 廣壽	東京大学医科学研究所先端医療研究センター免疫病態分野	助教授
研究協力者	武田 純	岐阜大学医学部第三内科	教授
	中島 淳	横浜市立大学医学部第三内科	教授
	宮森 勇	福井医科大学第三内科	教授
	大関 武彦	浜松医科大学小児科	教授
	笹野 公伸	東北大学大学院医学系研究科病理診断学分野	教授
	藤田 敏郎	東京大学大学院医学研究科内科(腎臓内分泌内科)	教授
	伊庭 英夫	東京大学医科学研究所感染・免疫大部門宿主寄生体学分野	教授
	奥山 明彦	大阪大学医学部泌尿器科	教授
	村尾 孝児	香川医科大学第一内科	助手
	伊藤 裕	京都大学大学院医学研究科内分泌代謝内科	助教授
	西川 哲男	横浜労災病院（内科）	副院長
	高柳 涼一	九州大学医学研究院老年医学	教授
	笠山 宗正	大阪大学大学院医学系研究科C4分子病態内科 (3内科)	講師
	上芝 元	東邦大学医学部内科学糖尿病・代謝・内分泌科	講師
事務局	岡部泰二郎	九州大学医学研究院病態制御内科（第三内科） 〒812-8582 福岡市東区馬出3-1-1 TEL (092) 642-5280 FAX (092) 642-5287 e-mail : tokabe@intmed3.med.kyushu-u.ac.jp	助手
經理事務担当者	同 上	同 上	

編集後記

平成16年度で本研究班も最終年度となりましたが、すばらしい成果とともに無事終了することができまして安堵しております。これもひとえに研究班員の皆様方のご協力があってこそと深く感謝申し上げます。

また、経理、事務を一手に引き受けてくださった秘書の三小田玲子女史に深謝致します。

平成17年4月

副腎ホルモン產生異常に關する研究班
事務局 岡部泰二郎

**厚生労働省科学研究費補助金
(難治性疾患克服研究事業)**

**副腎ホルモン産生異常に関する研究
平成 16 年度研究報告書**

平成 17 年 4 月 10 日発行

**発行 厚生労働省科学研究費補助金
(難治性疾患克服研究事業)
副腎ホルモン産生異常に関する研究班**

〒 812-8582 福岡県福岡市東区馬出 3-1-1
九州大学大学院医学研究院病態制御内科
電話 092-642-5280