

Hasegawa K, Ono K, Yamada M, Naiki H	Kinetic modeling and determination of reaction constants of Alzheimer's $\beta$ -amyloid fibril extension and dissociation using surface plasmon resonance.	Biochemistry	41	13489-13498	2002
Yamamoto A, Shin RW, Hasegawa K, Naiki H, Sato H, Yoshimasu F, Kitamoto T	Iron (III) induces aggregation of hyperphosphorylated tau and its reduction to iron (II) reverses the aggregation: implications in the formation of neurofibrillary tangles of Alzheimer's disease.	J Neurochem	82	1137-1147	2002

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ikeda S, Takei Y, Hashikura Y	Liver transplamtation as treatment for neurological disorders	Expert Rev Neurotherapeutics	3	547-555	2003
Hattori T, Takei Y, Koyama J, Nakazato M, Ikeda S	Clinical and pathological studies of cardiac amyloidosis in transthyretin type familial amyloid polyneuropathy	Amyloid : J Protein Folding Disord	10	229-239	2003
Kojima A, hno-Matsui K, Mitsuhashi T, Ichinose S, Nemoto T, Akashi T, Eishi Y, Ikeda S, Hirose A, Mochizuki M	Choroidal vascular lesions identified by ICG angiography in a case of familial amyloid tic Polyneuropathy	Jpn J Ophthalmol	47	97-101	2003
Gono T, Matsuda M, Dohi N, Hoshi K, Tada T, Sakashita K, Koike K, Aizawa M, Ikeda S	Nephrotic syndrome due to primary AL Amyloidosis, successfully treated with VAD and subsequent high-dose melphalan followed by autologous peripheral blood stem cell transplantation.	Int Med	42	72-77	2003
Ishikawa K, Imai Y, Tokuda Y, Ikeda S	Influence of prednisolone on $\beta$ -secretase enzyme activity <i>in vitro</i>	Neuroscience Research Communications	32	83-87	2003
Matsuda M, Nishikawa N, Okano T, Hoshi K, Suzuki A, Ikeda S	Spontaneous pneumoperitoneum : an unusual complication of systemic reactive AA amyloidosis secondary to rheumatoid arthritis	Amyloid : J Protein Folding Disord	10	42-46	2003
Takei Y, Hattori T, Yazaki M, Tokuda T, Urasawa N, Kanai S, Ikeda S	Transthyretin Tyr69-to-Ile mutation (double-nucleotide substitution in codon 69) in a Japanese familial amyloidosis patient with cardiomyopathy and carpal tunnel syndrome	Amyloid : J Protein Folding Disord	10	25-28	2003
Kobayashi S, Morita H, Asawa T, Takei Y, Hashimoto T, Ikegami T, Hashikura Y, Kawasaki S, Ikeda S	Peripheral nerve function in patients with familial amyloid polyneuropathy after liver transplantation	Amyloid : J Protein Folding Disord	10	17-24	2003
Ishii W, Matsuda M, Nakamura A, Katsumata S, Toriumi H, Suzuki A, Ikeda S	Phenol Congo red staining enhances the diagnostic value of abdominal fat aspiration biopsy in reactive AA amyloidosis secondary to rheumatoid arthritis	Internal Med	42	400-405	2003
Matsuda M, Sakurai S, Suzuki A, Kadoya M, Ikeda S	Fatal acute pancreatitis with cystic formation in reactive systemic AA amyloidosis secondary to rheumatoid arthritis	Internal Med	42	888-892	2003
Ishii W, Matsuda M, Nakamura A, Nakamura N, Suzuki A, Ikeda S	Abdominal fat aspiration biopsy and genotyping of serum amyloid a contribute to early diagnosis of reactive AA amyloidosis secondary to rheumatoid arthritis	Internal Med	42	800-805	2003
Takei Y, Hattori T, Tokuda T, Matsuda M, Saitoh S, Hoshii Y, Ikeda S	Senile systemic amyloidosis starting as bilateral carpal and left ulnar tunnel syndrome	Internal Med	42	1050-1051	2003

Oide T, Takahashi H, Yutani C, Ishikawa T, Ikeda S	Relationship between lobar intracerebral hemorrhage and leukoencephalopathy associated with cerebral amyloid angiopathy: clinicopathological study of 64 Japanese patients	Amyloid : J Protein Folding Disord	10	136-143	2003
池田修一	脳アミロイド・アンギオパチー	分子脳血管病	2	61-67	2003
Yasui H, Adachi M, Imai K	Combination of tumor necrosis factor- $\alpha$ with sulindac augments its apoptotic potential and suppresses tumor growth of human carcinoma cells in nude mice.	Cancer	97	1412-1420	2003
Yamashita K, Arimura Y, Shimizu H, Takahashi H, Endo T, Imai K, Yamano H	Increased cyclooxygenase-2 expression in large flat colorectal tumors (laterally spreading tumors).	J Gastroenterol	38	69-73	2003
Shen L, Toyota M, Kondo Y, Obata T, Daniel S, Pierce S, Imai K, Guillerm GM	Aberrant DNA methylation of p57KIP2 identifies a cell-cycle regulatory pathway with prognostic impact in adult acute lymphocytic leukemia.	Blood	101	4131-4136	2003
Saito A, Nagai R, Tanuma A, Hama H, Cho K, Takeda T, Yoshida Y, Toda T, Shimizu F, Horiuchi S, Gejyo F	Role of megalin in endocytosis of advanced glycation end products: Implications for a novel protein binding to both megalin and advanced glycation end products.	Journal of the American Society of Nephrology	14	1123-1131	2003
Gejyo F, Narita I	Current clinical and pathogenetic understanding of $\beta_2$ -m amyloidosis in long-term haemodialysis patients.	Nephrology	8	38-42	2003
Saito A, Kazama JJ, Iino N, Cho K, Sato N, Yamazaki H, Oyama Y, Takeda T, Robert A. Orlando, Shimizu F, Tabata Y, Gejyo F	Bioengineered Implantation of Megalin-Expressing Cells: A Potential Intracorporeal Therapeutic Model for Uremic Toxin Protein Clearance in Renal Failure.	Journal of American Society Nephrology	14	2025-2032	2003
Yamaguchi I, Suda H, Tsuzuike N, Seto K, Seki M, Yamaguchi Y, Hasegawa K, Takahashi N, Yamamoto S, Gejyo F, Naiki H	Glycosaminoglycan and proteoglycan inhibit the depolymerization of $\beta_2$ -microglobulin amyloid fibrils in vitro.	Kidney International	64	1080-1088	2003
下条文武、天野泉、中澤了一、安齊勉、伊丹儀友、井上聖士、大林誠一、大平整爾、大藪靖彦、小野利彦、加藤禎一、神應裕、金昌雄、小林武、近藤守寛、佐藤元美、申曾洙、鈴木正司、勢納八郎、高橋進、田熊淑男、武本佳昭、筒井修一、中山晋二、原茂子、日台英雄、	$\beta_2$ -ミクログロブリン吸着器リクセル S-15 および S-35 の臨床検討 (多施設共同研究)	日本透析医学会雑誌			2003

兵藤透、松嶋哲哉、 本宮善恢、森田弘之、 古矢邦彦、 $\beta_2$ -吸着除 去療法懇話会					
黒田 毅、伊藤 聡、 中野正明、下条文武	アミロイドーシス合併関節リウマチ症例の予後	中部リウマチ	34	1-4	2003
中野正明、村上修一、 黒田 毅、伊藤 聡、 下条文武	シクロホスファミド併用などにより長期間安定 しているアミロイドーシス合併関節リウマチの 一例	中部リウマチ	34	30-31	2003
黒田 毅、原田 隆、 村上修一、伊藤 聡、 下条文武、中野正明	アミロイドーシス合併例の予後の対策.	新潟医学会雑誌	117	502-508	2003
Sekijima Y, Hammarström P, Matsumura M, Shimizu Y, Iwata M, Tokuda T, Ikeda S, Kelly JW	Energetic Characteristics of the New Transthyretin Variant A25T May Explain Its Atypical Central Nervous System Pathology.	Lab Invest	83	409-417	2003
Oide T, Tokuda T, Momose M, Oguchi K, Nakamura A, Ohara S, Ikeda S	Usefulness of [ $^{123}$ I]MIBG myocardial scintigraphy for differentiation between Alzheimer's disease and dementia with Lewy bodies.	Int Med	42	686-690	2003
Ikeda S, Takei Y, Tokuda T, Nakazato M, Ando Y	Clinical and pathological findings of non-Val30Met TTR type familial amyloid polyneuropathy in Japan.	Amyloid: J Protein Folding Disord	10, Suppl.1	39-47	2003
Uneda S, Hata H, Matsuno F, Nagasaki A, Harada N, Mitsuya Y, Matsuzaki H, Mitsuya H	A nitric oxide synthase inhibitor, NG-nitro-L-arginine-methyl-ester, exerts potent antiangiogenic effects on plasmacytome in a newly established multiple myeloma sever combined immunodeficient mouse model.	Br J Haematol	120	396-404	2003
Uneda S, Hata H, matsumo F, Harada N, Mitsuya Y, Kawano F, Mitsuya H	Macrophage inflammatory protein-1 alpha is produced by human multiple myeloma (MM) cells and its expression correlates with bone lesions in patients with MM.	Br J Haematol	120	53-55	2003
Ishii K, Tokuda T, Matsushima T, Miya F, Shoji S, Ikeda S, Tamaoka A	Pravastatin at 10 mg/day does not decrease plasma levels of either amyloid- $\beta$ (A $\beta$ ) 40 or A $\beta$ 42 in humans.	Neurosci Lett	350	161-164	2003
Guo Z, Mori M, Fu X, Yao J, Xing Y, Korenaga T, Li G, Matsushita T, Hosokawa M, Higuchi K.	Amyloidosis modifier genes in less amyloidogenic A/J mouse strain.	Lab Invest	83	1605-161 3	2003
Kitagawa K, Wang J, Matsushita T, Kogishi K, Hosokawa M, Fu X, Guo Z, Mori M, Higuchi K.	Polymorphisms of mouse apolipoprotein A-II: seven alleles found among 41 inbred strains of mice.	Amyloid	10	207-214	2003
Umezawa M, Tatematsu K, Korenaga T, Fu X,	Dietary fat modulation of apoA-II metabolism and prevention of senile amyloidosis in the Senescence- Accelerated mouse.	J Lipid Res	44	762-769	2003

Matushita T, Okuyama H, Hosokawa M, Takeda T, Higuchi K.					
Kalaria RN, Thomas A, Oakley A, Ince P, Tamaoka A, Mori H, Kenny RA and Ballard C	Cerebrovascular amyloidosis and dementia	Curr Med Che – Immun Endoc & Metab Agents	3	317-327	2003
Ishii K, Tamaoka A, Matsuno S, Shoji	Isolated peroneal nerve palsy complicating weight loss due to anterior pituitary hypofunction	Eur J Neurol	10	187-188	2003
Ishii K, Tokuda T, Matsushima T, Miya F, Shoji S, Ikeda S, Tamaoka A	Pravastatin at 10 mg/day does not decrease plasma levels of either amyloid-beta (Abeta) 40 or Abeta 42 in humans	Neurosci Lett	350	161-164	2003
Shoji M, Fukushima K, Wakayama M, Shizuka-Ikeda M, Ikeda Y, Kawakami A, Sakazume Y, Ikeda M, Harigaya Y, Matsubara E, Kawarabayashi T, Murakami T, Nagano I, Manabe Y, Abe K.	Intellectual faculties in patients with Alzheimer's disease regress to the level of a 4-5-year old child.	Geriatrics and Gerontology International.	02	143-147	2003
Kamada H, Sato K, Iwai M, Zhang WR, Nagano I, Manabe Y, Shoji M, Abe K.	Temporal and spatial changes of free cholesterol and neutral lipids in rat brain after transient middle cerebral artery occlusion.	Neurosci Res.	45	91-100	2003
Akira Tamaoka	Paramyotonia congenital and skeletal sodium channelopathy	Intern Med	42	769-770	2003
玉岡 晃、古庄健太郎、石井一弘、渡邊雅彦、庄司進一	重症筋無力症に伴った筋萎縮と運動ニューロン疾患との鑑別が困難であった症例	こころの臨床 a・la・carte	22(増号)	98-100	2003
玉岡 晃	アルツハイマー病治療薬	薬事日報	9820	20	2003
石井一弘、玉岡 晃、庄司進一	Down 症候群	日本臨床 (別冊) 領域別症候群シリーズ	39	427-430	2003
玉岡 晃	知の螺旋	茨城県医師会報	589	47-48	2003
玉岡 晃	痴呆症状	CLINICAL NEUROSCIENCE	21	382-387	2003
玉岡 晃	脳脊髄への転移	Modern Physician	23	353-355	2003
玉岡 晃	Insulin-degrading enzyme (IDE)	日本臨床	61 増刊号 9	54-61	2003
原 茂子	Primer Nephrology—10 透析導入と主要合併症.	日本腎臓学会誌	45(2)	65-75	2003
Maeda S	Use of genetically altered mice to study the role of serum amyloid P component in amyloid deposition.	Amyloid: J. Protein Folding Disord.	10 (Suppl 1)	17-20	2003

Kato G, Maeda S	Production of mouse ES cells homozygous for Cdk5-phosphorylated site mutation in c-src alleles.	J. Biochem.	133	563-9	2003
前田 秀一郎	家族性アミロイドポリニューロパチー	医学のあゆみ	204	468-472	2003
Satoh M, Takeda K, Nagata K, Hatazawa J, Kuzuhara S	The anterior portion of the bilateral temporal lobes participates in music perception: a positron emission tomography study.	Am J Neuroradiol	24	1843-1848	2003
Kokubo Y, Kuzuhara S	Neuroradiological study on amyotrophic lateral sclerosis and parkinsonism-dementia complex in the Kii peninsula of Japan.	Arch Neurol	60 (9)	1257-1261	2003
Machii K, Ugawa Y, Kokubo Y, Sasaki R, Kuzuhara S	Somatosensory evoked potential recovery in Kii amyotrophic lateral sclerosis/parkinsonism dementia complex (Kii ALS/PDC).	Clin Neurophysiol	114	564-568	2003
Itoh N, Ishiguro K, Arai H, Kokubo Y, Sasaki R, Narita Y, Kuzuhara S	Biochemical and ultrastructural study of neurofibrillary tangles in amyotrophic lateral sclerosis/parkinsonism-dementia complex in the Kii peninsula of Japan	J Neuropathol Exp Neurol	62 (7)	791-798	2003
Kokubo Y, Ito K, Kuzuhara S	Ophthalmomyiasis-like pigmentary retinopathy in ALS/PDC in the Kii peninsula of Japan	Neurology	60	1725-1726	2003
Takahashi T, Aoki M, Tateyama M, Kondo E, Mizuno T, Onodera Y, Takano R, Kawai H, Kamakura K, Mochizuki H, Shizuka-Ikeda M, Nakagawa M, Yoshida Y, Akanuma J, Hoshino K, Saito H, Nishizawa M, Kato S, Saito K, Miyachi T, Yamashita H, Kawai M, Matsumura T,	Dysferlin mutations in Japanese Miyoshi myopathy : Relationship to phenotype.	Neurology	60	1799-1804	2003
葛原茂樹	パーキンソン病 (特集 老人によくみられる疾患と薬物療法)	医薬ジャーナル	39(4)	1251-1257	2003
葛原茂樹 佐藤正之 武田克彦	脳の機能解析-局在と病態. 音楽認知の機能解析	最新医学	58	438-443	2003
葛原茂樹	人為的原因による神経疾患の予防と対策 : 感染性 Creutzfeldt-Jakob 病から学ぶもの	神経治療学	20(1)	5-8	2003
葛原茂樹 内藤 寛	運動ニューロン疾患の治療の進歩	神経治療学	20(4)	409-412	2003
葛原茂樹	「パーキンソン病治療ガイドライン 2002」の刊行-EBM時代の tailor-made 医療への活用-	日本内科学会雑誌	92(8)	1391-1393	2003
葛原茂樹	パーキンソン病と痴呆の最近の知見 (特集 非アルツハイマー型変性痴呆の最近の知見)	老年精神医誌	14(3)	304-312	2003
葛原茂樹	痴呆の診断. 概論 (痴呆症学-高齢社会と脳科学の進歩-)	日本臨牀	61(増刊号 9)	393-398	2003

Katsume A, Saito H, Yamada Y, Yorozu K, Ueda O, Akamatsu K, Nishimoto N, Kishimoto T, Yoshizaki K, Ohsugi Y	Anti-Interleukin 6 (IL-6) Receptor Antibody Suppresses Castleman's Disease Like Symptoms Emerged in IL-6 Transgenic Mice.	Cytokine				2003
Gejima R, Tanaka K, Nakashima T, Hashiguchi S, Ito Y, Yoshizaki K, Sugimura K	Human single-chain Fv (scFv) antibody specific to human IL-6 with the inhibitory activity on IL-6-signaling.	Human Antibody				2003
Goya S, Matsuoka H, Mori M, Morishita H, Kida H, Kobashi Y, Kato T, Taguchi Y, Osaki T, Tachibana I, Nishimoto N, Yoshizaki K, Kawase I, Hayashi S	Sustained interleukin-6 signaling leads to the development of lymphoid organ-like structures in the lung.	J. Pathol.				2003
Nakahara H, Song J, Sugimoto M, Hagihara K, Kishimoto T, Yoshizaki K, Nishimoto N.	Anti-interleukin-6 receptor antibody therapy reduces vascular endothelial growth factor (VEGF) production in rheumatoid arthritis.	Arthritis Rheum.	48	1521-1529		2003
Nishimoto N, Yoshizaki K, Maeda, K. Kuritani T, Deguchi H, Sato B, Imai N, Kakehi T, Takagi N, Suemura M, Kishimoto T.	Toxicity, pharmacokinetics, and dose finding study of repetitive treatment with humanized anti-interleukin 6 receptor antibody, MRA, in rheumatoid arthritis -a phase I/II clinical study of MRA for rheumatoid arthritis in Japan-.	J. Rheum.	30	1426-1435		2003
北野将康, 緒方篤, 吉崎和幸	サイトカインシグナル伝達の制御-IL-6 をモデルとして	リウマチ科	29	8-13		2003
吉崎和幸	ヒト化抗 IL-6 受容体抗体 ; MRA.	Mebio	20	36-41		2003
西川哲平, 萩原圭祐, 吉崎和幸	抗 IL-6 レセプター抗体	Molecular Medicine	40	1188-1192		2003
吉崎和幸, 杉本正道, 宋健, 萩原圭祐, 西川哲平, 磯部智康	抗 IL-6 レセプター抗体	関節外科	22	67-72		2003
Yamada M, Sodeyama N, Itoh Y, Takahashi A, Otomo E, Matsushita M, Mizusawa H.	Association of neprilysin polymorphism with cerebral amyloid angiopathy.	J Neurol Neurosurg Psychiatry	74	749-751		2003
Ono K, Yoshiike Y, Takashima A, Hasegawa K, Naiki H, Yamada M	Potent anti-amyloidogenic and fibril-destabilizing effects of polyphenols in vitro: Implications for the prevention and therapeutics of Alzheimer's disease.	J Neurochem	87	172-181		2003
Yamada M	Senile dementia of the neurofibrillary tangle type (tangle-only dementia): neuropathological criteria and clinical guidelines for diagnosis.	Neuropathology	23	311-317		2003

山田正仁	脳アミロイドアンギオパチー	神経内科	58 Suppl.3	551-564	2003
山田正仁	脳アミロイドアンギオパチーとシスタチン C	臨床検査	47	899-902	2003
山田正仁	脳の老化と神経変性疾患—アルツハイマー型痴呆を中心に—	老年精神医学	14	999-1007	2003
小野 賢二郎、山田正仁	エンドセリン変換酵素 (ECE)	日本臨床(増刊号/痴呆症学)	62 [増刊]	46-48	2003
山田正仁	アルツハイマー病の臨床診断の問題点と治療法の開発	Geriatric Medicine	41	1684-1692	2003
Ban T, Hamada D, Hasegawa K, Naiki H, Goto Y	Direct observation of amyloid fibril growth monitored by thioflavin T fluorescence.	J Biol Chem	278	16462-16465	2003
Hasegawa K, Ohhashi Y, Yamaguchi I, Takahashi N, Tsutsumi S, Goto Y, Gejyo F, Naiki H	Amyloidogenic synthetic peptides of $\beta$ 2-microglobulin: a role of the disulfide bond.	Biochem Biophys Res Commun	304	101-106	2003
Yamaguchi I, Suda H, Tsuzuike N, Seto K, Seki M, Yamaguchi Y, Hasegawa K, Takahashi N, Yamamoto S, Gejyo F, Naiki H.	Glycosaminoglycan and proteoglycan inhibit the depolymerization of $\beta$ 2-microglobulin amyloid fibrils in vitro.	Kidney Int	64	1080-1088	2003
Ono K, Yoshiike Y, Takashima A, Hasegawa K, Naiki H, Yamada M	Potent anti-amyloidogenic and fibril-destabilizing effects of polyphenols in vitro: Implications for the prevention and therapeutics of Alzheimer's disease.	J Neurochem	87	172-181	2003
Gozu M, Lee YH, Ohhashi Y, Hoshino M, Naiki H, Goto Y	Conformational dynamics of $\beta$ 2-microglobulin analyzed by reduction and reoxidation of the disulfide bond.	J Biochem (Tokyo)	133	731-736	2003
Chiba T, Hagihara Y, Higurashi T, Hasegawa K, Naiki H, Goto Y	Amyloid fibril formation in the context of full-length protein: effects of proline mutations on the amyloid fibril formation of $\beta$ 2-microglobulin.	J Biol Chem	278	47016-47024	2003
Hirota-Nakaoka N, Hasegawa K, Naiki H, Goto Y	Dissolution of $\beta$ 2-microglobulin amyloid fibrils by dimethylsulfoxide	J Biochem (Tokyo)	134	159-164	2003
長谷川 一浩, 内木 宏延	痴呆床学 (1) : A $\beta$ の化学構造	日本臨床	61 増刊号 9	37-41	2003
麻奥英毅	多発性骨髄腫と AL アミロイドーシス	血液・腫瘍科	47	5-11	2003
Ueno T, Hoshii Y, Cui D, Kawano H, Gondo T, Takahashi M, Ishihara T.	Immunohistochemical study of cytokeratins in amyloid deposits associated with squamous cell carcinoma and dysplasia in the oral cavity, pharynx and larynx.	Pathol Int	53	265-269	2003



Oide T, Takahashi H, Yutani C, Ishihara T, Ikeda S.	Relationship between lobar intracerebral hemorrhage and leukoencephalopathy associated with cerebral amyloid angiopathy: clinicopathological study of 64 Japanese patients.	Amyloid	10	136-143	2003
柿沼進、田坂一平、根来清、森松光紀、星井嘉信、石原得博、大庭幸生	家族性アミロイドポリニューロパチーの1例 山口県における第一例目の報告	山口医学	52	135-139	2003
石原得博、星井嘉信、崔丹	アミロイドーシスなどの沈着物質による組織構築障害	病理と臨床	21	1241-1244	2003
Tsuyama N, Ishikawa H, Abroun S, Liu S, Li F, Otsuyama K, Zheng X, Obata M, Kawano MM	The regulatory mechanism of IL-6-dependent proliferation of human myeloma cells.	Hematology	8	409-411	2003
河野道生	骨髄腫の高カルシウム血症の発症機序	内科診療 Q&A	36	1084-1087	2003
Imai Y, Soda M, Murakami T, Shoji M, Abe K, Takahashi R.	A product of the human gene adjacent to parkin is a component of Lewy bodies and suppresses Pael receptor-induced cell death.	J Biol Chem	278	51901-910	2003
Matsubara E, Bryant-Thomas T, Pacheco J, Henry TL, Poeggeler B, Manjon M, Herbert D, Cruz-Sanchez F, Chyan Y-J, Shoji M, Abe K, Leone A, Grundke-Ikbal I, Wilson G, Ghiso J, Williams C, Refolo LM, Pappolla MA.	Melatonin increases survival and inhibits oxidative and amyloid pathology in a transgenic model of Alzheimer's disease.	J Neurochem	85	1101-1108	2003
Kamada H, Sato K, Zhang WR, Omori N, Nagano I, Shoji M, Abe K.	Spatiotemporal changes of apolipoprotein E immunoreactivity and apolipoprotein E mRNA expression after transient middle cerebral artery occlusion in rat brain.	J Neurosci Res	73	545-56	2003
Ilieva H, Nagano I, Murakami T, Shiote M, Shoji M, Abe K.	Sustained induction of survival p-AKT and p-ERK signals after transient hypoxia in mice spinal cord with G93A mutant human SOD1 protein.	J Neurol Sci	215	57-62	2003
Wang SJ, Omori N, Li F, Jin G, Hamakawa Y, Sato K, Nagano I, Shoji M, Abe K.	Functional improvement by electro-acupuncture after transient middle cerebral artery occlusion in rats.	Neurol Res.	25	516-521	2003
Murakami T, Ilieva H, Shiote M, Nagata T, Nagano I, Shoji M, Abe K.	Hypoxic induction of vascular endothelial growth factor is selectively impaired in mice carrying the mutant SOD1 gene.	Brain Res.	989	231-237	2003
Manabe Y, Wang JM, Shiote M, Murakami T, Nagano I, Shoji M, Abe K.	Glutamate enhances caspase-3 immunoreactivity in cultured spinal cord neurons of newborn rats.	Neurol Res.	25	195-200	2003

Omori N, Maruyama K, Jin G, Li F, Wang SJ, Hamakawa Y, Sato K, Nagano I, Shoji M, Abe K.	Targeting of post-ischemic cerebral endothelium in rat by liposomes bearing polyethylene glycol-coupled transferring.	Neurol Res.	25	275-279	2003
Jin G, Omori N, Li F, Nagano I, Manabe Y, Shoji M, Abe K.	Protection against ischemic brain damage by GDNF affecting cell survival and death signals	Neurol Res.	25	249-253	2003
Manabe Y, Nagano I, Gazi MS, Murakami T, Shiote M, Shoji M, Kitagawa H, Abe K.	Glial cell line-derived neurotrophic factor protein prevents motor neuron loss of transgenic model mice for amyotrophic lateral sclerosis.	Neurol Res.	25	195-200	2003
Iwai M, Sato K, Kamada H, Omori N, Nagano I, Shoji M, Abe K.	Temporal profile of stem cell division, migration, and differentiation from subventricular zone to olfactory bulb after transient forebrain ischemia in gerbils.	J Cereb Blood Flow Met	23	331-341	2003
Sato K, Iwai M, Nagano I, Shoji M, Abe K.	Temporal and spatial changes of highly polysialylated neural cell adhesion molecule immunoreactivity in amygdala kindling development.	Neurol Res.	25	79-82	2003
Li F, Omori N, Jin G, Wang SJ, Sato K, Nagano I, Shoji M, Abe K.	Cooperative expression of survival p-ERK and p-Akt signals in rat brain neurons after transient MCAO.	Brain Res.	962	21-26	2003
Ohta K, Iwai M, Sato K, Omori N, Nagano I, Shoji M, Abe K.	Dissociative increase of oligodendrocyte progenitor cells between young and aged rats after transient cerebral ischemia.	Neurosci Lett.	335	159-162	2003
Kamada H, Sato K, Iwai M, Zhang WR, Nagano I, Manabe Y, Shoji M, Abe K.	Temporal and spatial changes of free cholesterol and neutral lipids in rat brain after transient middle cerebral artery occlusion.	Neurosci Res.	45	91-100	2003
東海林幹夫	アルツハイマー病の治療法開発.	日本老年医学会雑誌	40	473-475	2003
東海林幹夫	アルツハイマー病研究の進歩：動物実験モデルの開発と治療法の開発	日本老年医学会雑誌	40	27-29	2003
塩手美冬, 城戸由紀子, 林健, 真邊泰宏, 柏原健一, 永野功, 東海林幹夫, 阿部康二	胸随病変のみを反復した神経 Behçet 病の 1 例	脳と神経	55	521-525	2003
足立絵美, 松原悦朗, 塩手冬美, 東海林幹夫, 阿部康二	パーキンソンニズムで発症し SPECT で視床, 基底核脳血流変化を評価した神経梅毒の 1 例.	神経内科	60	105-107	2003
東海林幹夫, 阿部康二	Alzheimer 病の診断と治療	Mebio	20	56-62	2003
東海林幹夫	AB アミロイド除去のメカニズム：AB 免疫療法からの新知見	医学の歩み	206	202-205	2003
東海林幹夫	アルツハイマー病とアリセプト	Medical Practice	20	1233	2003
瓦林毅, 東海林幹夫	アルツハイマー病の生化学的検査－アミロイド β 蛋白－	診断と治療	91	273-276	2003

T Yamada, Y Okuda, K Takasugi, L Wang, D Marks, MD Benson, B Kluge-Beckerman	An allele of serum amyloid A1 associated with amyloidosis in both Japanese and Caucasians. Amyloid.	Amyloid. :J Protein Folding Disord	10	7-11	2003
Uneda S, Hata H, Matsuno F, Nagasaki A, Harada N, Mitsuya Y, Matsuzaki H, Mitsuya H	A nitric oxide synthase inhibitor, NG-nitro-l-arginine-methyl-ester, exerts potent antiangiogenic effects on plasmacytome in a newly established multiple myeloma sever combined immunodeficient mouse model.	Br J Haematol	120	396-404	2003
Uneda S, Hata H, Matsuno F, Harada N, Mitsuya Y, Kawano F, Mitsuya H	Macrophage inflammatory protein-1 alpha is produced by human multiple myeloma (MM) cells and its expression correlates with bone lesions in patients with MM.	Br J Haematol	120	53-55	2003
Koga, T., Ando, E., Hirata, A., Fukushima, M., Kimura, A., Ando, Y., Negi, A., and Tanihara, H.	Vitreous opacities and outcome of vitreous surgery in patients with familial amyloidotic polyneuropathy.	Am J Ophthalmol	121	188-193	2003
Kimura, A., Ando, E., Fukushima, M., Koga, T., Hirata, A., Arimura, K., Ando, Y., Negi, A., Tanihara, H	Secondary glaucoma in patients with familial amyloidotic polyneuropathy.	Arch Ophthalmol	121	351-356	2003
Cuajungco, M.P., Ando, Y., Axelrod, F.B., Biaggioni, I., Goldstein, D.S., Guttmacher, A.E., Gwinn-Hardy, K., Hahn, M.K., Hilz, M.J., Jacob, G., Jens, J., Kennedy, W.R., Liggett, S.B., O'Connor, D., Peltzer, S.R., Robertson, D., Rubin, B. Y., Scudder, Q., Smith, L.J., Sonenshein, G.E., Svejstrup, J.Q., Xu, Y., Slangenaupt, A.	Hereditary dysautonomia: Current knowledge and collaborations for the future.	Clin Auton Res	13	180-195	2003
Ando, Y.	New therapeutic approaches for familial amyloidotic polyneuropathy (FAP).	Amyloid	10	S55-S67	2003
Sobue G, Koike H, Mitsu K, Hattori N, Yomamoto M, Ikeda S, Ando Y, Nakazato M, Inukai A	Clinicopathologic and genetic features of early- and late-onset FAP type I (FAP ATTR Val30Met) in Japan.	Amyloid	10	S32-S39	2003
Ikeda S, Takei Y, Tokuda T, Nakazato M, Ando Y.	Clinical and pathological findings of non-Val30Met TTR type familial amyloidotic polyneuropathy in Japan.	Amyloid	10	S39-S48	2003
Motomiya Y, Ando Y, Haraoka K, Sun X, Iwamoto H, Uchimura T, Maruyama I.	Circulating level of $\alpha_2$ -macroglobulin- $\beta_2$ -microglobulin complex in hemodialysis patients.	Kidney Int	64	2244-2252	2003

Sun X, Ando Y, Haraoka K, Katsuragi S, Yamashita T, Yamashita S, Okajima M, Terazaki H, Okabe H.	Role of VLDL/chylomicron in amyloid formation in familial amyloidotic polyneuropathy.	Biochem Biophys Res Commun.	311	344-350	2003
Ando Y, Haraoka K, Terazaki H, Tanoue Y, Ishikawa K, Katsuragi S, Nakamura M, Sun X, Nakagawa K, Sasamoto K, Takesako K, Ishizaki T, Sasaki Y, Doh-ura K.	A novel tool for detecting amyloid deposits in systemic amyloidosis in vitro and in vivo.	Lab Invest.	83	1751-1759	2003
中村政明、本宮善恢、笹田景子、原岡克樹、山下太郎、大林光念、安東由喜雄	維持透析患者における Extracellular supeoxide dismutase (EC-SOD)遺伝子多型の検討	奈良透析学会誌	8	43-47	2003
安東由喜雄	遺伝性アミロイドーシスの病態解析と治療	臨床病理	51	530-535	2003
山本景一、広瀬智子、山下昭一郎、森邦子、永田四郎、安東由喜雄、岡部絃明	髄液トランスサイレチン測定の汎用機への応用と基礎的検討	日本臨床化学九州支部会誌	13	28-33	2003
広瀬智子、山下昭一郎、山本景一、森邦子、永田四郎、中村政明、安東由喜雄、植田光晴、植川和利、今村重洋、岡部絃明	各種神経疾患における髄液トランスサイレチンの動態	日本臨床化学九州支部会誌	13	34-37	2003
奥田聡哉、松本光希、安東由喜雄、宮嶋聖也	睫毛乱生に続発したラクトフェリンによる角膜アミロイドーシスの1例	日本眼科学会誌	107	105-108	2003
原岡克樹、安東由喜雄、大林光念、佐々木裕	全身性アミロイドーシスの消化器症状と消化管自律神経機能評価	自律神経	40	122-128	2003
安東由喜雄、甲斐広文	FAP 創薬のターゲット分子—FAP の病態解析と治療	医学のあゆみ	207	78-82	2003
Sawabe M, Hamamatsu A, Ito T, Arai T, Ishikawa K, Chida K, Izumiyama N, Honma N, Takubo K, Nakazato M	Early pathogenesis of cardiac amyloid deposition in senile systemic amyloidosis: Close relationship between amyloid deposits and basement membranes of myocardial cells..	Virchows Arch	442	252-257	2003
Gen S, Koike H, Misu K, Hattori N, Yamamoto M, Ikeda S, Ando Y, Nakazato M, Inukai A	Clinicopathologic and genetic features of early- and late-onset FAP type I (FAP ATTR Val30Met) in Japan.	Amyloid:	10	32-38	2003
Imamura T, Nakazato M, Date Y, Komatsu H, Ashizuka S, Aoyama F, Sumi M,	Cardiac amyloidosis associated with a novel transthyretin aspartic acid-18 glutamic acid de novo mutation.	Circ J	67	965-968	2003

Tsuruda T, Ishikawa T, Hirayama N, Matsuo T, Eto T					
Jin K, Sato S, Takahashi T, Nakazaki H, Date Y, Nakazato M, Tominaga T, Itoyama Y, Ikeda S	Familial leptomeningeal amyloidosis with a transthyretin variant Asp 18 Gly representing repeated subarachnoid hemorrhages with superficial siderosis.	J Neurol Neurosurg Psychiatry, in press			
草場哲朗、中原祥文、松室明義、中村隆志、澤田昌平、中里雅光	運動負荷時の循環動態指標を連続モニターしえた家族性アミロイドポリニューロパチー (FAP type I) の孤発例	呼吸と循環	51	1263-1266	2003
山田俊幸、奥田恭章	二次性アミロイドーシスの検出.	リウマチ科	29	261-265	2003
山田俊幸	全身性アミロイドーシス overview.	血液腫瘍科	47	1-4	2003
山田俊幸	全身性アミロイドーシス (1) 総論.	医学検査	52	1247-1254	2003
山田俊幸	全身性アミロイドーシス (2) 各論.	医学検査	52	1311-1319	2003
Kume H, Sekijima Y, Maruyama K, Kametani F	gamma-Secretase can cleave amyloid precursor protein fragments independent of alpha- and beta-secretase pre-cutting	Int J Mol Med	12	57-60	2003

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ikeda S	Cardiac amyloidosis: heterogenous pathogenic backgrounds	Intern Med	43	1107-1114	2004
Gono T, Matsuda M, Shimojima Y, Ishii W, Koyama J, Sakashita K, Koike K, Hoshii Y, Ikeda S	VAD with or without subsequent high-dose melphalan followed by autologous stem cell support in AL amyloidosis: Japanese experience and criteria for patient selection	Amyloid: J Protein Folding Disord	11	245-256	2004
Fushimi T, Takei Y, Touma T, Kudoh S, Yamamoto K, Hoshii Y, Ishihara T, Ikeda S	Bilateral localized amyloidosis of the ureters: clinicopathology and therapeutic approaches in two cases	Amyloid: J Protein Folding Disord	11	260-264	2004
Mitsuhashi S, Yazaki M, Tokuda T, Yamamoto K, Ikeda S	MRI analysis on a patient with the V30M mutation is characteristic of leptomenigeal amyloid	Amyloid: J Protein Folding Disord	11	265-267	2004
Jin K, Takahashi T, Nakazaki H, Date Y, Nakazato M, Tominaga T, Itoyama Y, Ikeda S	Familial leptomenigeal amyloidosis with a transthyretin variant Asp18Gly representing repeated subarachnoid haemorrhages with superficial siderosis	J Neurol Neurosurg Psychiatry	75	1463-1466	2004
Yazaki M, Fushimi T, Tokuda T, Kametani F, Yamamoto K, Matsuda M, Shimojo H, Hoshii Y, Higuchi K, Ikeda S	A patient with severe renal amyloidosis associated with an immunoglobulin $\gamma$ -heavy chain fragment	Am J Kidney Dis	43	e23-e28	2004
Yoshinaga T, Takei Y, Katayanagi K, Ikeda S	Postmortem findings in a familial amyloid polyneuropathy patient with homozygosity of the mutant Val30Met transthyretin gene	Amyloid: J Protein Folding Disord	11	56-60	2004
Koike H, Misu K, Sugiura M, Iijima M, Mori K, Yamamoto M, Hattori N, Mukai E, Ando Y, Ikeda S, Sobue G	Pathology of early- vs late-onset TTR Met30 familial amyloid polyneuropathy	Neurology	63	129-138	2004
Iijima-Dohi N, Shinji A, Shimizu T, Ishikawa S, Mukawa K, Nakamura T, Maruyama K, Hoshii Y, Ikeda S	Recurrent gastric hemorrhaging with large submucosal hematomas in a patient with primary AL systemic amyloidosis: endoscopic and histopathological findings	Intern Med	43	468-472	2004
Matsubara E, Sekijima Y, Tokuda T, Urakami K, Amari M, Shizuka-Ikeda M, Tomidokoro Y, Ikeda M, Kawarabayashi T, Harigaya Y, Ikeda S, Murakami T, Abe K, Otomo E, Hirai S, Frangione B, Ghiso J, Shoji M	Soluble A $\beta$ homeostasis in AD and DS: impairment of anti-amyloidogenic protection by lipoproteins	Neurobiol Aging	25	833-841	2004

Fu X, Korenaga T, Fu Li, Xing Y, Guo Z, Matsushita T, Hosokawa M, Naiki H, Baba S, Kawata Y, Ikeda S, Ishihara T, Mori M, Higuchi K	Induction of AApoAII amyloidosis by various heterogenous amyloid fibrils	FEBS Lett	563	179-184	2004
Okano K, Fukui M, Suehiro Y, Hamanaka Y, Imai K, Hinoda Y	Evaluation of a mRNA lipofection procedure for human dendritic cells and induction of cytotoxic T lymphocytes against enhanced green fluorescence protein.	Tumor Biol		In press	2004
Horimoto Y, Toyota M, Satoh A, Murai M, Mita H, Suzuki H, Takamura Y, Ikeda H, Ishida T, Sato N, Tokino T, Imai K.	Inactivation of class II transactivator by DNA methylation and histone deacetylation associated with absence of HLA-DR induction by interferon-gamma in haematopoietic tumour cells.	Br J Cancer.	90	844-852	2004
Satoh A, Toyota M, Ikeda H, Morimoto Y, Akino K, Mita H, Suzuki H, Sasaki Y, Kanaseki T, Takamura Y, Soejima H, Urano T, Yanagihara K, Endo T, Hinoda Y, Fujita M, Hosokawa M, Sato N, Tokino T, Imai K.	Epigenetic inactivation of class II transactivator (CIITA) is associated with the absence of interferon-gamma-induced HLA-DR expression in colorectal and gastric cancer cells.	Oncogene.	23	8876-8886	2004
Ueno M, Toyota M, Akino K, Suzuki H, Kusano M, Satoh A, Mita H, Sasaki Y, Nojima M, Yanagihara K, Hinoda Y, Tokino T, Imai K.	Aberrant methylation and histone deacetylation associated with silencing of SLC5A8 in gastric cancer.	Tumour Biol	25	134-140	2004
Moreira MC, Klur S, Watanabe M, Nemeth AH, Ber IL, Moniz JC, Tranchant C, Aubourg P, Tazir M, Schols L, Pandolfo M, Schulz JB, Pouget J, Calvas P, Shizuka-Ikeda M, Shoji M, Tanaka M, Izatt L, Shaw CE, MZahem A, Dunne E, Bomont P, Benhassine T, Bouslam N, Stevanin G, Brice A, Guimaraes J, Mendonca P, Barbot C, Coutinho P, Sequeiros J, Durr A, Warter JM, Koenig M	Senataxin, the ortholog of a yeast RNA helicase, is mutant in ataxia-ocular apraxia 2.	Nature Genetics	69	225-227	2004
Murakami T, Shoji M, Imai Y, Inoue H, Kawarabayashi T, Matsubara E, Harigaya Y, Sasaki A, Takahashi R, Abe K	Pael-R is accumulated in Lewy bodies of Parkinson's disease.	Ann Neurol	55	439-442	2004

Kawarabayashi T, Shoji M, Younkin L, Wen-Lang L, Dickson DW, Murakami T, Matsubara E, Abe K, Ashe KH, Younkin SG	Dimeric A $\beta$ rapidly accumulates in lipid rafts followed by ApoE and phosphorylated tau as memory is impaired in the Tg2576 mouse model of Alzheimer's disease.	J Neurosci	24	3801-3809	2004
Matsubara E, Sekijima Y, Tokuda T, Urakami K, Amari M, Shizuka-Ikeda M, Tomidokoro Y, Ikeda M, Kawarabayashi T, Harigaya Y, Ikeda S, Murakami T, Abe K, Otomo E, Hirai S, Frangione B, Ghiso J, Shoji M	Soluble A $\beta$ homeostasis in AD and DS: impairment of anti-amyloidogenic protection by lipoproteins.	Neurobiol Aging	25	833-841	2004
Ikarashi Y, Harigaya Y, Tomidokoro Y, Kanai M, Ikeda M, Matsubara E, Kawarabayashi T, Kuribara H, Younkin SG, Shoji M	Decreased level of brain acetylcholine and memory disturbance in APPsw mice.	Neurobiol Aging	25	483-490	2004
Ohyagi Y, Asahara H, Chui DH, Tsuruta Y, Sakae N, Miyoshi K, Yamada T, Kikuchi H, Taniwaki T, Murai H, Ikezoe K, Furuya H, Kawarabayashi T, Shoji M, Checler F, Iwaki T, Makifuchi T, Takeda K, Kira J, Tabira T	Intracellular A $\beta$ 42 activates p53 promoter: a pathway to neurodegeneration in Alzheimer's disease.	The FASEB Journal		Epub ahead of print	2004
Morimoto N, Nagano I, Deguchi K, Murakami T, Fushimi S, Shoji M, Abe K	Leber hereditary optic neuropathy with chorea and dementia resembling Huntington disease.	Neurology	63	2451-2452	2004
Kurata T, Matsubara E, Yokoyama M, Nagano I, Shoji M, Abe K	Improvement of SSPE by intrathecal infusion of $\alpha$ -IFN.	Neurology	63	398-399	2004
Yamashita T, Matsubara E, Nagano I, Shoji M, Abe K	Bilateral extraocular muscle atrophy in myotonic dystrophy type 1.	Neurology	63	759-760	2004
Li F, Omori N, Hayashi T, Jin G, Sato K, Nagano I, Shoji M, Abe K	Protection against ischemic brain damage in rats by immunophilin ligand GPI-1046.	Journal of Neuroscience Research	76	383-389	2004
Ohta Y, Nagano I, Niiya D, Fujioka H, Kishimoto T, Shoji M, Abe K	Nonparaneoplastic limbic encephalitis with relapsing polychondritis.	Journal of Neurological Science	220	85-88	2004
Hamakawa Y, Omori N, Ouchida M, Nagase M, Sato K, Nagano I, Shoji M, Fujita T, Abe K	Severity dependent up-regulations of LOX-1 and MCP-1 in early sclerotic changes of common carotid arteries in spontaneously hypertensive rats.	Neurological Research	26	767-773	2004
Saido TC, Takeda M, Urakami K, Shoji M, Ito N, Iwatsubo T, Tamaoka A, Kanemaru K	Discussion on role of neprilysin and degrading system.	Psychogeriatrics	4	13-18	2004



Matsuda K, Takeda M, Urakami K, Hasegawa M, Ishiguro K, Saido TC, Shoji M, Kanemaru-K, Tamaoka A, Iwatsubo T, Okamura N, Ito N	Discussion on laminin as possible biomarkers for neurodegenerative dementia.	Psychogeriatrics	4	39-44	2004
Urakami K, Ishiguro K, Saido TC, Iwatsubo T, Okamura N, Ito N, Kanemaru-K, Tamaoka A, Matsuda K, Hasegawa M, Shoji M, Takashima A, Iwatsubo T, Hamamoto M, Matsuda K, Arai H, Takeda M	Discussion on phosphorylated tau and other biochemical Markers.	Psychogeriatrics	4	45-50	2004
東海林幹夫	アルツハイマー病の biomarker	臨床神経学	44	771-773	2004
砂田典子, 出口健太郎, 永野功, 幡中邦彦, 山脇均, 藤木茂篤, 東海林幹夫, 阿部康二	片側顔面神経麻痺と舌下神経麻痺のみを呈した皮質梗塞の1例	脳と神経	56	801-804	2004
足立絵美, 松原悦朗, 塩手冬美, 東海林幹夫, 阿部康二	パーキンソンニズムで発症し SPECT で視床, 基底核脳血流変化を評価した神経梅毒の1例	神経内科	60	105-107	2004
東海林幹夫, 阿部康二	アルツハイマー病と血管性痴呆	成人病と生活習慣病	34	383-385	2004
東海林幹夫	新たな診断マーカー: 脳アミロイド蓄積の定量	Medical Briefs in Brain & Nerve	13	38354	2004
東海林幹夫	体液診断-脳脊髄液 Aβ と tau-	カレントセラピー	22	35-45	2004
東海林幹夫	Aβ ワクチン	Molecular Medicine	41	438-443	2004
東海林幹夫	アルツハイマー病の診断マーカー	ドクターサロン	48	73-76	2004
瓦林毅, 東海林幹夫	痴呆と血管病変 痴呆症 (AD と VD) の治療	分子脳血管病	3	403-410	2004
Yamamoto S, Hasegawa K, Yamaguchi I, Tsutsumi S, Kardos J, Goto Y, Gejyo F, Naiki H	Low concentrations of sodium dodecyl sulfate induce the extension of beta2-microglobulin-related amyloid fibrils at a neutral pH.	Biochemistry	43	11075-11082	2004
Gejyo F, Kawaguchi Y, Hara S, Nakazawa R, Azuma N, Ogawa H, Koda Y, Suzuki M, Kaneda H, Kishimoto H, Oda M, Ei K, Miyazaki R, Maruyama H, Arakawa M, Hara M	Arresting dialysis-related amyloidosis: a prospective multicenter controlled trial of direct hemoperfusion with a b2-microglobulin adsorption column.	Artificial Organs	28	371-380	2004
Yamamoto S, Yamaguchi I, Hasegawa K, Tsutsumi S, Goto Y, Gejyo F, Naiki H	Glycosaminoglycans enhance the trifluoroethano 1-induced extension of b2-microglobulin-related amyloid fibrils at a neutral PH.	Journal of the American Society of Nephrology	15	126-133	2004
Kawabe S, Abe T, Kawamura H, Gejyo F, Abo T	Generation of B220low B cells and production of autoantibodies in mice with experimental amyloidosis: association of primordial T cell with this phenomenon.	Clinical and Experimental Immunology	135	200-208	2004

Osawa Y, Kawamura K, Kondo D, Imai N, Ueno N, Nishi S, Iino N, Okada M, Suzuki Y, Hoshino S, Yamazaki H, Kishimoto H, Yamazaki H, Yamagishi T, Ishiyama T, Narita I, Gejyo F	Renal function at the time of renal biopsy as a predictor of prognosis in patients with primary AL-type amyloidosis.	Clinical and Experimental Nephrology	8	127-133	2004
Nishi S, Imai N, Ueno M, Iguchi S, Takahashi N, Yamamoto S, Arakawa M, Gejyo F	Ultrastructural and immunohistochemical studies on b2-microglobulin amyloidosis -A comparison to amyloidosis associated with AL and AA types-	8 <sup>th</sup> Asia-Pacific Conference on Election Microscopy (8APEM), in conjunction with the Japanese Society of Microscopy -Program and Abstract		30-31	2004
山本 卓、下条文武	合併症のケアまるわかり講座第1回 透析アミロイドーシス	透析ケア	10	49-53	2004
高橋直生、殷 熙安、下条文武	推薦処方とその解説 透析アミロイドーシス	今月の治療	12	104-106	2004
高橋直生、殷 熙安、下条文武	透析とアミロイドーシス	中部リウマチ	35	18-19	2004
本間則行、下条文武	血液浄化療法（下）ー基礎理論と最新臨床応用ー V.維持血液透析療法合併症とその対策 透析アミロイドーシス診断と治療	日本臨床	62	348-351	2004
下条文武	長期透析とアミロイド症の治療戦略	東北腎不全研究会誌	15	38355	2004
高橋直生、丸山弘樹、鈴木芳樹、下条文武	透析アミロイドーシス	腎と透析	56	699-704	2004
中野正明、長谷川尚、黒田毅、下条文武	続発性透析アミロイドーシス	リウマチ科	31	264-271	2004
高橋直生、殷 熙安、下条文武	透析アミロイド症とは	臨床透析	20	38672	2004
Korenaga T, Fu X, Xing Y, Matsusita T, Kuramoto K, Syumiya S, Hasegawa Z, Naiki H, Ueno M, Ishihara T, Hosokawa M, Mori M, Higuchi K.	Tissue Distribution, Biochemical Properties and Transmission of Mouse Type A AApoAII Amyloid Fibrils.	Am J Pathol	164	1597-1606	2004
Yazaki M, Fushimi T, Tokuda T, Kametani F, Yamamoto K, Matsuda M, Shimojo H, Hoshii Y, Higuchi K, Ikeda S.	A patient with severe renal amyloidosis associated with an immunoglobulin gamma-heavy chain fragment.	Am J Kidney Dis.	43	e23-28	2004
Wei L, Kawano H, Fu X, Cui D, Ito S, Yamamura K, Ishihara T, Tokuda T, Higuchi K, Maeda S.	Deposition of transthyretin amyloid is not accelerated by the same amyloid in vivo.	Amyloid	11	113-120	2004
樋口京一	アミロイドーシスと老化	日本アフェレシス学会雑誌	23(2)	143-150	2004
樋口京一、付笑影	老化アミロイドーシス	基礎老化研究	28(4)	38546	2004

Wei L, Kawano H, Fu X, Cui D, Ito S, Yamamura K, Ishihara T, Tokuda T, Higuchi K, Maeda S	Deposition of transthyretin amyloid is not accelerated by the same amyloid <i>in vivo</i> .	Amyloid	11	113-120	2004
Nakamura M, Ando Y, Nagahara S, Sano A, Ochiya T, Maeda S, Kawaji T, Ogawa M, Hirata A, Terazaki H, Haraoka K, Tanihara H, Ueda M, Uchino M, Yamamura K	Targeted conversion of the transthyretin gene <i>in vitro</i> and <i>in vivo</i> .	Gene Therapy	11	838-846	2004
伊藤ゆり子、金澤順子、堀内正、岡輝明、梶井嘉信、石原得博、日野治子	全身性アミロイドーシス(AL)の剖検例	皮膚科の病理	46	1129-1135	2004
Wei L, Kawano H, Cui D, Ishihara T, Tokuda T, Maeda S	Deposition of transthyretin amyloid is not accelerated by the same amyloid <i>in vivo</i> .	Amyloid:J Protein Folding Disord	11	113-120	2004
Ohmori H, Ando Y, Makita Y, Onouchi Y, Nakajima T, Saraiva M J M, Terazaki H, Suhr O, Sobue G, Nakamura M, Yamaizumi M, Munar-Ques M, Inoue I, Uchino M, and Hata A	Common origin of the Val30Met mutation responsible for the amyloidogenic transthyretin type of familial amyloidotic polyneuropathy	J Med Genet	41	e51-e55	2004
Obayashi K, Ando Y, Nakamura M, Yamashita T, Ueda M, Haraoka K, Terazaki H, and Uchino M	Near-infrared spectrophotometry in assessment of autonomic dysfunction. -As a useful marker of autonomic dysfunction-	Neurology	63	164-166	2004
Ando Y, Terazaki H, Nakamura M, Ando E, Haraoka K, Yamashita T, Ueda M, Okabe H, Sasaki Y, Tanihara H, Uchino M, and Inomata Y	A different amyloid formation mechanism: De novo oculoleptomeningeal amyloid deposits after liver transplantation	Transplantation	77	345-349	2004
Ishikawa K, Doh-ura K, Kudo Y, Nishida N, Murakami-Kubo I, Ando Y, Sawada T, and Iwaki T	Amyloid imaging probes are useful for detection of prion plaques and treatment of transmissible spongiform encephalopathies.	J Gen Virol	85	1785-1790	2004
Yamashita T, Ando Y, Nakamura M, Obayashi K, Terazaki H, Haraoka K, Sun X, Ueda M, Uchino M	Inhibitory effect of $\alpha$ -tocopherol on methylmercury-induced oxidative stress.	Environ Health Prev Med	9	111-117	2004
Kitajima M, Horogi Y, Yamura K, Ikushima I, Hayashida Y, Ando Y, Uchino M, Yamashita Y.	Familial amyloid polyneuropathy: Hypertrophy of ligaments supporting the spinal cord.	Am J Neuroradiol	25	1599-1602	2004
Yamashita T, Ando Y, Katsuragi S, Nakamura M, Obayashi K, Haraoka K, Ueda M, Uchino M	Familial amyloid angiopathy with muscular amyloid angiopathy.	Muscle Nerve	31	41-45	2004

Kawaji T, Ando Y, Ando E, Nakamura M, Hirata K, and Tanihara H	A case of vitreous amyloidosis without systemic symptoms in familial amyloidotic Polyneuropathy	Amyloid	11	257-259	2004
Nakamura M, and Ando Y	Application of gene therapy for FAP.	Expert Opin Ther Pat	10	1621-1627	2004
本宮善恢、原岡克樹、森田弘之、天野泉、孫統国、安東由喜雄	腎透析部門の新しい分子マーカー - 見えてきたβ2-microglobulin の misfolding -	日臨床病理	52	362-367	2004
中村政明、安東由喜雄	Single-stranded oligonucleotides (SSOs) による家族性アミロイドポリニューロパチーの遺伝子治療	臨床病理	52	804-812	2004
奥田聡哉、松本光希、安東由喜雄、宮嶋聖也	睫毛乱生に続発したラクトフェリンによる角膜アミロイドーシスの1例	日本眼科学会誌	107	105-108	2004
安東由喜雄	アミロイドーシス	検査と技術	32	600-608	2004
安東由喜雄、大林光念	新しい自律神経検査法による病態解析	臨床病理	52	587-594	2004
安東由喜雄	新しい自律神経検査法による病態解析の実際	日本臨床化学会、九州支部会誌	14	17	2004
Ono K, Hasegawa K, Naiki H, Yamada M	Curcumin has potent anti-amyloidogenic effects for Alzheimer's beta-amyloid fibrils in vitro.	J Neurosci Res	75	742-750	2004
Ono K, Yoshiike Y, Takashima A, Hasegawa K, Naiki H, Yamada M	Vitamin A exhibits potent anti-amyloidogenic and fibril-destabilizing effects in vitro.	Exp Neurol	189	380-392	2004
Ono K, Hasegawa K, Naiki H, Yamada M	Anti-amyloidogenic activity of tannic acid and its activity to destabilize Alzheimer's beta-amyloid fibrils in vitro.	Biochim Biophys Acta (Molecular Basis of Disease)	1690	193-202	2004
Yamada M	Cerebral amyloid angiopathy and gene polymorphisms.	J Neurol Sci	226	41-44	2004
Nicoll JA, Yamada M, Frackowiak J, Mazur-Kolecka B, Weller RO	Cerebral amyloid angiopathy plays a direct role in the pathogenesis of Alzheimer's disease.	Neurobiol Aging	25	589-597	2004
小野賢二郎、山田正仁	アルツハイマー病βアミロイドに対する赤ワイン関連ポリフェノールの効果	Medical Technology	32	121-122	2004
浜口 毅、山田正仁	脳アミロイドアンギオパチーと遺伝子	分子脳血管病	3	155-162	2004
山田正仁	痴呆症学(3)。脳アミロイドアンギオパチー。	日本臨床 増刊号 4	62	167-173	2004
Jin K, Sato S, Takahashi T, Nakazaki H, Date Y, Nakazato M, Tominaga T, Itoyama Y, Ikeda S	Familial leptomeningeal amyloidosis with a transthyretin variant Asp18Gly representing repeated subarachnoid haemorrhages with superficial siderosis.	J Neurol Neurosurg Psychiatry	75	1463-1466	2004
伊藤伸朗、葛原茂樹	臨床編 VIII. 痴呆の診断 脳脊髄液検査 生物学的マーカー検査 —タウ+アミロイドβペプチド40/42 (痴呆症学(1)—高齢社会と脳科学の進歩)	日本臨床 増刊号 9	61	503-507	2004
葛原茂樹	脳血管性痴呆 分類と病理像。(痴呆症学-高齢社会と脳科学の進歩-)	日本臨床 増刊号 1	62	28-33	2004