

三方崇嗣、村田美穂、清水 潤、 宇川義一、藤田敏郎、辻 省次 清水 潤	I 例 多発筋炎/皮膚筋炎と筋 MRI	神経内科	60	240-249	2004
Banno M, Mizuno T, Kato H, Zhang G, Kawanokuchi J, Wang J, Kuno R, Jin S, Takeuchi H, Suzumura A.	The radical scavenger edaravone prevents oxidative neurotoxicity induced by peroxynitrite and activated microglia.	Neuropharmacology	48	283-90	2005
Kawanokuchi J, Mizuno T, Kato H, Mitsuma N, Suzumura A.	Effects of interferon-beta on microglial functions as inflammatory and antigen presenting cells in the central nervous system.	Neuropharmacology	46	734-42	2004
Mizuno T, Kurotani T, Komatsu Y, Kawanokuchi J, Kato H, Mitsuma N, Suzumura A.	Neuroprotective role of phosphodiesterase inhibitor ibudilast on neuronal cell death induced by activated microglia.	Neuropharmacology	46	404-11	2004
Okada K, Kuroda E, Yoshida Y, Yamashita U, Suzumura A, Tsuji S.	Effects of interferon-beta on the cytokine production of astrocytes.	J Neuroimmunol	159	48-54	2005
Adachi H, Katsuno M, Minamiyama M, Waza M, Sang C, Nakagomi Y, Kobayashi Y, Tanaka F, Doyu M, Inukai A, Yoshida M, I Hashizume Y, Sobue G.	Widespread nuclear and cytoplasmic accumulation of mutant androgen receptor in SBMA patients.	Brain		in press	2005
Jiang YM, Yamamoto M, Kobayashi Y, Yoshihara T, Liang Y, Terao S, Takeuchi H, Ishigaki S, Katsuno M, Adachi H, Niwa J, Tanaka F, Doyu M, Yoshida M, Hashizume Y, Sobue G.	Gene expression profile of motor neurons in sporadic amyotrophic lateral sclerosis.	Ann Neurol	57	236-251	2005
Katsuno M, Adachi H, Sobue G.	Sweet relief for Huntington disease.	Nature Med	10	123-124	2004
Katsuno M, Sobue G.	Polyglutamine diminishes VEGF: Passage to motor neuron death?	Neuron	41	677-679	2004
Takeuchi H, Niwa J, Hishikawa N, Ishigaki S, Tanaka F, Doyu M, Sobue G.	Dorfin prevents cell death by reducing mitochondrial localizing mutant superoxide dismutase 1 in a neuronal cell model of familial amyotrophic lateral sclerosis.	J Neurochem	89	64-72	2004
Minamiyama M, Katsuno M, Adachi H, Waza M, Sang C, Kobayashi Y, Tanaka F, Doyu M, Inukai A, Sobue G.	Sodium butyrate ameliorates phenotypic expression in a transgenic mouse model of spinal and bulbar muscular atrophy.	Hum Mol Genet	13	1183-1192	2004

Katsuno M, Adachi H, Tanaka F, Sobue G.	Spinal and bulbar muscular atrophy: ligand-dependent pathogenesis and therapeutic perspectives.	J Mol Med	82	298-307	2004
Ishigaki S, Hishikawa N, Niwa J, Iemura S, Natsume T, Hori S, Kakizuka A, Tanaka K, Sobue G.	Physical and functional interaction between Dofrin and Valosin-containing protein that are colocalized in ubiquitylated inclusions in neurodegenerative disorders.	J Biol Chem	279	51376-1385	2004
Adachi H, Katsuno M, Minamiyama M, Waza M, Sang C, Nakagomi Y, Kobayashi Y, Tanaka F, Doyu M, Inukai A, Yoshida M, Hashizume Y, Sobue G.	Widespread nuclear and cytoplasmic accumulation of mutant androgen receptor in SBMA patients.	Brain		in press	2005
Okada Y, Shimazaki T, Sobue G, Okano H.	Retinoic-acid-concentration-dependent acquisition of neural cell identity during in vitro differentiation of mouse embryonic stem cells.	Dev Biol	275	124-142	2004
Tanaka K, Ding X, Tanaka M.	Effects of antineuronal antibodies from patients with paraneoplastic neurological syndrome on primary cultured neurons.	J Neurol Sci	217	25-30	2004
Ishihara N, Yamada K, Yamada Y, Mitura K, Kato J, Kuwabara N, Hara Y, Kobayashi Y, Hoshino K, Nomura Y, Mimaki M, Ohya K, Matsushima M, Niita H, Tanaka K, Segawa M, Ohki T, Ezoe T, Kurnagai T, Oruma A, Kurada T, Yoneda M, Yamanaka T, saeki M, Segawa M, Saji T, Nagaya M, Wakamatsu N.	Clinical and molecular analysis of Mowat-Wilson syndrome associated with <i>ZFX1B</i> mutations and deletions at 2q22-q24.1.	J Med Genet	41	387-39	2004
Ohtake H, Shimohata T, Terajima K, Kimura T, Jo R, Kaseda R, Iizuka O, Takano H, Akaiwa Y, Goto H, Kobayashi H, Sugai T, Muratake T, Hosoki T, Shioiri T, Okamoto K, Onodera O, Tanaka K, Someya T, Nakada T, Tsuji S.	Adult-onset leukoencephalopathy with vanishing white matter with a missense mutation in <i>EIF2B5</i> .	Neurology	62	1601-1603	2004
Tanaka K, Nishizawa M, Tanaka M, Motomura M.	Anti-neuronal antibodies in paraneoplastic encephalitis.	J Neuroimmunol	154	198	2004
Matsui M, Tanaka K, Nagumo F, Kuroda Y.	Central nervous system immunity associated with clinical outcome in acute	J Neurol Sci	227	139-147	2004

encephalitis.							
田中正美、出塚次郎、谷 卓、田中恵子	多発性硬化症の新しいMcDonald 診断基準の曖昧さ					113-115	2004
春日健作、佐藤 晶、金澤雅人、小林 央、田中恵子、西澤正豊	無症候性原発性胆汁性肝硬変を合併し、著明な呼吸筋障害を特徴とした慢性筋炎の1例					280-285	2004
荒瀬友子、近藤 彰、谷田典子、富永恵美子、土井大介、加藤修司、川井尚臣、栗飯原賢一、大蔵雅夫、桜井えつ、田中恵子	「ホスピス徳島」における末期癌患者の傍腫瘍性神経症候群の発症頻度とその臨床的意義					94-98	2004
他田真理、成瀬 聡、新井亜希、佐藤 晶、田中恵子、朴 月善、柿田明美、高橋 均、西澤正豊、辻 省次	重篤な多発性単ニューロパチーを呈し、C型肝炎ウイルス感染に関連した混合型クリオグロブリン血症をみとめた全身性血管炎の1部検例					686-690	2004
田中恵子	神経疾患における自己抗体の診断的意義					935-937	2004
下畑享良、松澤陽子、田中孔明、小野寺理、田中恵子、西澤正豊	Spinocerebellar ataxia type 2 (SCA 2)における前頭葉機能障害と3D-SSP SPECT 所見					22-26	2005
出塚次郎、谷 卓、小川克彦、田中恵子、田中正美	多発性硬化症の新しいMcDonald 診断基準について					245-252	2004
田中恵子	神経・筋疾患 重症筋無力症 血液浄化療法(上) --基礎理論と最新臨床応用					580-585 (Suppl 5)	2004
田中恵子	多発性硬化症の画像診断学					1837-1840	2004
田中恵子、田中正美	傍腫瘍性辺縁系脳炎					81-83	2005
Kanazawa M, Shimohata T, Terashima K, Onodera O, Tanaka K, Tsuji S, Okamoto K, Nishizawa M.	Quantitative evaluation of brainstem involvement in multiple system atrophy by diffusion-weighted MR imaging.					1121-1124	2004
Nishiura Y, Nakamura T, Fukushima N, Moriuchi R, Katamine S, Eguchi K.	Increased mRNA expression of Th1-cytokine signaling molecules in patients with HTLV-I-associated myelopathy/tropical spastic paraparesis.					289-298	2004
Fukushima N, Nishiura Y, Nakamura T, Yamada Y, Kohno S, Eguchi K.	Involvement of p38 MAPK signaling pathway in IFN- $\gamma$ and HTLV-I expression in patients with HTLV-I-associated myelopathy/ tropical spastic paraparesis.					196-202	2005
野村恭二	多発性硬化症とアフェレンシス					227-233	2004
野村恭二	血液浄化療法 多発性硬化症：最新の基礎、臨床研究					1388-1395	2003

Torisu H, Kusuohara K, Kira R, Bassuny WM, Sakai Y, Sanefuji M, Takemoto M, Hara T.	Functional MxA promoter polymorphism associated with subacute sclerosing panencephalitis in Japan.	Neurol	62	457-460	2004
Kimura J, Takada H, Nomura A, Ohno T, Mizuno Y, Saito M, Kusuohara K, Hara T.	Th1 and Th2 cytokine production is suppressed at the level of transcriptional regulation in Kawasaki disease.	Clin Exp Immunol	137	444-449	2004
Koga Y, Matsuzaki A, Suminoe A, Hattoni H, Hara T.	Neutrophil-derived TNF-related apoptosis-inducing ligand (TRAIL): a novel mechanism of anti-tumor effect by neutrophils.	Cancer Res	64	1037-1043	2004
Furuno K, Yuge T, Kusuohara K, Takada H, Nishio H, Khajoo V, Ohno T, Hara T.	CD25+CD4+ regulatory T cells in patients with Kawasaki disease.	J Pediatr	145	385-390	2004
Sasaki Y, Ihara K, Matsuura N, Kohno H, Nagafuchi S, Kuromaru R, Kusuohara K, Takeya R, Hoey T, Sumitomo H, Hara T.	Identification of a novel type 1 diabetes susceptibility gene, T-bet.	Hum Genet	115	177-184	2004
Ohga S, Nomura A, Takada H, Tanaka T, Furuno K, Takahata Y, Kinukawa N, Imai S, Hara T.	Dominant expression of interleukin-10 and transforming growth factor genes in activated T cells of chronic active Epstein-Barr virus infection.	J Med Virol	74	449-458	2004
原 寿郎	中枢神経系における感染防御機構	小児内科	36	1007-1012	2004
楠原浩一、吉良龍太郎、原 寿郎	SSPE における宿主側遺伝要因の解析	Neuroinfection	9	66-71	2004
Hara H, Monsonego A, Yuasa K, Adachi K, Xiao X, Takeda S, Takahashi K, Weiner HL, Tabira T.	Development of a safe oral A beta vaccine using recombinant adeno-associated virus vector for Alzheimer's disease.	J Alzheimers Dis	6	483-8	2004
Hisanaga K, Iwasaki Y, Itoyama Y, Neuro-Sweet Disease Study Group.	Neuro-Sweet disease: clinical manifestations and criteria for the diagnosis.	Neurology		in press	
久永欣哉	多発性硬化症—revisited 多発性硬化症に似て非なる疾患 神経 Sweet 病	Clinical Neuroscience	22	830-831	2004
久永欣哉	神経 Sweet 病の診断・治療	日本醫事新報	4192	89	2004
Sasaki H, Ide N, Yukiue H, Kobayashi Y, Fukai I, Yamakawa Y, Fujii Y.	Arg and DAP3 expression was correlated with human thymoma stage.	Clin Exp Metastas	21	507-513	2004
Sasaki H, Yukiue H, Sekimura A, Mizuno K, Konishi A, Yano M, Fukai I, Fujii Y.	Elevated serum epidermal growth factor receptor level in stage IV thymoma.	Surg Today	34	477-479	2004
Masaoka A, Fukai I, Fujii Y.	Extended transsternal thymectomy.	Osp Ital Chir	10	45-52	2004
Ichiyama T, Ueno Y, Isumi H, Niimi A, Matsubara T, Furukawa S.	Intravenous immunoglobulin inhibits NF-κB activation and affects Fc receptor expression in monocytes/macrophages.	Nauryn-Schmiedeberg's Arch Pharmacol	369	428-433	2004

Ichihyama T, Ueno Y, Isumi H, Niimi A, Matsubara T, Furukawa S.	An immunoglobulin agent (IVIg) inhibits NF- $\kappa$ B activation in cultured endothelial cells of coronary arteries in vitro.	Inflamm Res	53	253-256	2004
Ayukawa H, Matsubara T, Kaneko M, Hasegawa M, Ichihyama T, Furukawa S.	Expression of CTLA-4 (CD152) in peripheral blood T cells of children with influenza virus infection including encephalopathy in comparison with respiratory syncytial virus infection.	Clin Exp Immunol	137	151-155	2004
Ichihyama T, Morishima T, Isumi H, Matsufuji H, Matsubara T, Furukawa S.	Analysis of cytokine levels and NF- $\kappa$ B activation in peripheral blood mononuclear cells in influenza virus-associated encephalopathy.	Cytokine	27	31-37	2004
Matsui M, Tanaka K, Nagumo F, Kuroda Y.	Central nervous system immunity associated with clinical outcome in acute encephalitis.	J Neurol Sci	227	139-147	2004
Matsumoto MY, Matsuo H, Oka T, Fukudome T, Hayashi K, Shiraishi H, Motomura M, Shibuya N, Ayabe H.	Thymic myoid cells as a myasthenogenic antigen and antigen-presenting cells.	J Neuroimmunol	150	80-87	2004
Matsuo H, Goto H, Kambara C, Fukudome T, Mizota T, Onodera H, Yoshida M, Shibuya N. 松尾秀徳	Selective adsorption of human CD4 <sup>+</sup> T cells. 多発性硬化症の治療の進め方 急性増悪期の治療の進め方 血漿交換療法・その他	Ther Apher Dial	8	194-196	2004
Chiba S, Sugiyama T, Yonekura K, Tanaka S, Matsumoto H, Fujii N, Yokota S, Hirayama T.	An antibody to VacA of <i>Helicobacter pylori</i> in the CSF of patients with Miller-Fisher syndrome.	Modern Physician	24	1889-1891	2004
Yonekura K, Yokota S, Tanaka S, Kubota H, Fujii N, Matsumoto H, Chiba S.	Prevalence of anti-heat shock protein in cerebrospinal fluids of patients with Guillain-Barre syndrome.	Neurology	63	2184-2187	2004
Nakanishi K, Kamiguchi K, Torigoe T, Nabeta C, Hirohashi Y, Asanuma H, Tobioka H, Koge N, Harad IO, Ichimiya S, Noagno H, Yano S, Chiba S, Matsumoto H, Sato N.	Localization and function in ER stress tolerance of Erdj3, a new member of HSP40 family protein.	J Neuroimmunol	156	204-209	2004
Uchiyama A, Shimizu S, Murai H, Ohshima A, Konomi H, Ogura Y, Ishikawa N, Yamashita H, Matsumoto S, Kuroki S, Tanaka M.	Infrasternal mediastinoscopic surgery for anterior mediastinal masses.	Cell Stress Chaperones	9	253-264	2004
		Surg Endosc	18	843-6	2004

村井弘之	わが国における多発性硬化症特定疾患治療研究事業と当事者団体・患者会	モダンフィジシャン	24	1914-1917	2004
村井弘之	アトピー性脊髄炎 - 病態と治療 -	小児科 (別冊)	45	975-980	2004
Satoh J, Yamamura T, Arima K.	The 14-3-3 protein epsilon isoform expressed in reactive astrocytes in demyelinating lesions of multiple sclerosis binds to vimentin and glial fibrillary acidic protein in cultured human astrocytes.	Am J Pathol	165	577-592	2004
Satoh J, Yamamura T.	Gene expression profile following stable expression of the cellular prion protein.	Cell Mol Neurobiol	24	793-814	2004
Satoh J, Nakanishi M, Koike F, Miyake S, Yamamoto T, Kawai M, Kikuchi S, Nomura K, Yokoyama K, Ota K, Kanda T, Fukazawa T, Yamamura T.	Microarray analysis identifies an aberrant expression of apoptosis and DNA damage-regulatory genes in multiple sclerosis.	Neurobiol Dis		in press	2004
Satoh J, Ohoue H, Arima K, Yamamura T.	Nogo-A and Nogo receptor expression in demyelinating lesions of multiple sclerosis.	J Neuropathol Exp Neurol		in press	2004
Godschalk PCR, Heikema AP, Gilbert M, Komagamine T, Ang CW, Glerum J, Brochu D, Li J, Yuki N, Jacobs BC, van Belkum A, Endtz HPh.	The crucial role of <i>Campylobacter jejuni</i> genes in anti-ganglioside antibody induction in the Guillain-Barré syndrome.	J Clin Invest	114	1659-1665	2004
Galassi G, Susuki K, Quaglini D, Yuki N.	Post-infectious acute ataxia and facial diplegia associated with anti-GD1a IgG antibody.	Eur J Neurol	11	790-791	2004
Odaka M, Koga M, Yuki N, Susuki K, Hirata K.	Longitudinal changes of anti-ganglioside antibodies before and after Guillain-Barré syndrome onset subsequent to <i>Campylobacter jejuni</i> enteritis	Review Series Pediatrics	2	22-23	2004
Susuki K, Nishimoto Y, Koga M, Nagashima T, Mori I, Hirata K, Yuki N.	Various immunization protocols for an acute motor axonal neuropathy rabbit model compared.	Neurosci Lett	368	63-67	2004
Nishimoto Y, Koga M, Kamijo M, Hirata K, Yuki N.	Immunoglobulin improves a model of acute motor axonal neuropathy by preventing axonal degeneration.	Neurology	62	1939-1944	2004
Yuki N, Susuki K, Koga M, Nishimoto Y, Odaka M, Hirata K, Taguchi K, Miyatake T, Furukawa K, Kobata T, Yamada M.	Carbohydrate mimicry between human ganglioside GM1 and <i>Campylobacter jejuni</i> lipooligosaccharide causes Guillain-Barré syndrome.	Proc Natl Acad Sci USA	101	11404-11409	2004
Nagashima T, Koga M, Odaka M, Hirata K, Yuki N.	Clinical correlates of serum anti-GT1a IgG antibodies.	J Neurol Sci	219	139-145	2004
Susuki K, Yuki N.	Effect of methylprednisolone in patients with Guillain-Barré syndrome.	Lancet	363	1236-1237	2004

Susuki K, Odaka M, Mori M, Hirata K, Yuki N.	Acute motor axonal neuropathy after <i>Mycoplasma</i> infection: evidence of molecular mimicry.	Neurology	62	949-956	2004
Susuki K, Atsumi M, Koga M, Hirata K, Yuki N.	Acute facial diplegia and hyperreflexia: a Guillain-Barré syndrome variant.	Neurology	62	825-827	2004
Nishimoto Y, Odaka M, Hirata K, Yuki N.	Usefulness of anti-GQ1b IgG antibody testing in Fisher syndrome compared with cerebrospinal fluid examination.	J Neuroimmunol	148	200-205	2004
Odaka M, Yuki N, Tatsumoto M, Tateno M, Hirata K.	Ataxic Guillain-Barré syndrome associated with anti-GM1b and anti-GaINAc-GD1a antibodies.	J Neurol	251	24-29	2004
Mori I, Koga M, Hirata K, Yuki N.	Hand weakness onset Guillain-Barré syndrome.	J Neurol Neurosurg Psychiatry	75	169-170	2004
Pan CL, Shun CT, Susuki K, Yuki N, Hsieh ST.	Pharyngeal-brachial palsy after cytomegalovirus colitis.	Neurology	62	153-154	2004
Matsuo M, Odaka M, Koga M, Tsuchiya K, Hamasaki Y, Yuki N. 結城伸泰	Bickerstaff's brainstem encephalitis associated with IgM antibodies to GM1b and GaINAc-GD1a. ギラン・バレー症候群の患者を受け持ってから動物モデルを樹立するまで	J Neurol Sci Aging&Health	217 38-40	225-228 36-39	2004 2004
結城伸泰	ギラン・バレー症候群の発症機序解明に向けて: 研究の道のり Functional Glycomics ポストゲノム時代のバイオサイエンス	News Letters	3	36-39	2004
Takamori M, Motomura M, Kawaguchi N, Nemoto Y, Hattori T, Yoshikawa H, Otsuka K.	Anti-ryanodine receptor antibodies and FK506 in myasthenia gravis.	Neurology	62	1894-1896	2004
Yasukawa Y, Yoshikawa H, Iwasa K, Yamada M, Takamori M.	Comparative study of pre-operative thymic imaging and pathology in patients with myasthenia gravis.	J Clin Neurosci	11	610-613	2004
Edahiro S, Yoshikawa H, Iwasa K, Hashii M, Yamada M. 吉川弘明	Cytosolic Ca <sup>2+</sup> alteration mediates both ryanodine receptor and IP <sub>3</sub> receptor in TE671/RD cells. 重症筋無力症における免疫療法の現状と展望 —tacrolimus を中心に—	Biomed Res 神経治療学	25 21	255-261 31-40	2004 2004
吉川弘明	Lambert-Eaton 症候群	脊椎脊髄ジャーナル	17	911-915	2004
河野武幸, 辻 琢巳, 平山かおり, 岩槻留美, 廣瀬道隆, 渡部一仁, 吉川弘明, 藤田哲郎, 林 正俊	重症筋無力症に対する新規免疫抑制剤 FTY720 の薬効・薬理試験: EAMG マウスを用いた検討	神経免疫学	12	59	2004
岩佐和夫, 古川 浩, 吉川弘明,	重症筋無力症における患者年齢層の変遷と胸腺組織について	神経免疫学	12	45	2004