

図3 Bcl-2 と GDNF の遺伝子導入により神経機能が改善する





図4 Bcl-2 と GDNF の遺伝子導入により運動神経伝導速度が改善する



## 研究成果の刊行に関する一覧表

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
Hino O, Kobayashi T, Momose S, Kikuchi Y, Adachi H, Okimoto K.	Renal carcinogenesis: Genotype, phenotype and dramatype.	Tsuruo T, Kitagawa T	Gann Monograph on Cancer Research	Scientific Societies Press.	Japan	2004	55-69

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Wei J, Chiriboga L, Mizuguchi M, Yee H, Mittal K	Expression profile of tuberin and some potential tumorigenic factors in 60 patients with uterine leiomyomata.	Mod Pathol	on line	1-10	2004
水口雅	結節性硬化症	Clinical Neuroscience	23(3)	256-257	2005
五十嵐努、上出良一、新村真人	神経線維腫症の治療方針と取り扱い	MB Derma	81	112-118	2003
五十嵐努、岩屋聖子、福地修、伊藤寿啓、石地尚興、上出良一、新村真人	びまん性神経線維腫内に巨大な血腫を形成した神経線維腫症1の4例	臨床皮膚科	57(6)	495-499	2003
林直美、大原國章	神経節性神経腫 (ganglioneuroma) を合併したレックリングハウゼン病	Visual Dermatology	3(7)	724-726	2004
Ohnishi I, Sato W, Matsuyama J, Yajima H, Haga N, Kamegaya M, Minami A, Sato M, Yoshino S, Oki T, Nakamura K	Treatment of Congenital Pseudoarthrosis of the Tibia-A Multi-Center Study in Japan	J Pediatr Orthop	25(1)	in press	2005
Matsuyama J, Ohnishi I, Kageyama T, Oshida H, Suwabe T, Nakamura K	Osteogenesis and Angiogenesis in the Regenerating Bone during Transverse Distraction-Quantitative Evaluation Using a Canine Model	Clin Orthop Relat Res		in press	
Ohnishi I, Kurokawa T, Sato W, Okazaki H, Nakamura K	Measurement of the tensile forces during bone lengthening.	Clin Biomech		in press	
Ohnishi I, Nakamura K, Kurokawa T	Dynamic performance of the sliding pin-clamp of the external fixator with a linear bearing under multi-directional loading conditions: In vitro mechanical testing using elastic bone models	Med Eng Phys		in press	

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ohashi S, Ohnishi I, Kageyama T, Fukuda S, Tsuchiya A, Imai K, Matsuyama J, Nakamura K.	The Effect of Vascularity on the Canine Distracted Tibial Callus Consolidation.	Clin Orthop Relat Res		in press	
大西五三男	Hifixator使用のコツ	Orthopaedics	17(8)	63-69	2004
大西五三男	レックリングハウゼン病患者にみられる下腿骨の彎曲.	Visual Dermatology	3(7)	720-721	2004
大西五三男	下肢の変形矯正におけるHIFIXATORの適応と有用性.	骨・関節・靭帯	17(6)	695-702	2004
大西五三男	再生医療・組織形成術としての最小侵襲手術イリザロフ法	現代医療	36(1)	251-257	2004
Mizuguchi M, Mori M, Nozaki Y, Momoi M Y, Itoh M, Takashima S. Hino O.	Absence of allelic loss in cytomegalic neurons of cortical tuber in the Eker rat model of tuberous sclerosis.	Acta Neuropathol	107	47-52	2004
Kikuchi Y, Sudo A, Mitani H, Hino O.	Presence of a modifier gene(s) affecting early renal carcinogenesis in the Tsc2 mutant (Eker) rat model.	Int J Oncol	24	75-80	2004
Okimoto K, Sakurai J, Kobayashi T, Mitani H, Hirayama Y, Nickerson ML, Warren MB, Zbar B, Schmidt LS, Hino O	A germline insertion in the Birt-Hogg-Dube' (BHD) gene gives rise to the Nihon Rat model of inherited renal cancer	Proc Natl Acad Sci USA	101	2023-2027	2004
Adachi H, Majima S, Kon S, Kobayashi T, Kajino K, Mitani H, Shiina H, Igawa M, Hino O.	The Niban gene is commonly expressed in renal tumors: A new candidate marker for renal carcinogenesis.	Oncogene	23	3495-3500	2004
Hino O.	Studies of familial tumors using models: genotype, phenotype, and dramatype in carcinogenesis.	Int J Clin Oncol	9	257-261	2004
Hino O.	Multistep renal carcinogenesis in the Eker (Tsc 2 gene mutant) rat model.	Curr Mol Med	4	807-811	2004

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Okimoto K, Kouchi M, Matsumoto I, Sakurai J, Kobayashi T, Hino O.	Natural history of the Nihon rat model of BHD.	Curr Mol Med	4	887-893	2004
Sato T, Seyama K, Kumasaka T, Fujii H, Setoguchi Y, Shirai T, Tomino Y, Hino O, Fukuchi Y.	A patient with TSC1 germline mutation whose clinical phenotype was limited to lymphangioliomyomatosis.	J Int Medicine	256	166-173	2004
Ishii T, Yasuda K, Akatsuka A, Hino O, Hartman PS, Ishii N.	A mutation in the SDHC gene of complex II increases oxidative stress, resulting in apoptosis and tumorigenesis.	Cancer Res	65	203-209	2005
Goss JR, Natsume A, Wolfe D, Mata M, Glorioso JC, Fink DJ	Delivery of herpes simplex virus-based vectors to the nervous system.	Methods Mol Biol	246	309-322	2004
Horiuchi Y, Bae S, Katayama I.	Pro-inflammatory cytokine IL-1alpha potential for tissue repair in chemically and mechanically induced injury in cultured human keratinocytes	J Dermatol Sci	35(3)	224-226	2004
Iwata K, Takamura N, Nakashima M, Alipov G, Mine M, Matsumoto N, Yoshiura K, Prouglo Y, Sekine I, Katayama I, Yamashita S.	Loss of heterozygosity on chromosome 9q22.3 in microdissected basal cell carcinomas around the Semipalatinsk Nuclear Testing Site, Kazakhstan.	Hum Pathol	35(4)	460-464	2004
Feng J-H, Yamamoto T, Nanba E, Ninomiya H, Oka A, Ohno K.	Novel TSC2 mutations and decreased expression of tuberlin in cultured tumor cells with an insertion mutation.	Hum Mutat	#696	Online	2004
Ohara S, Ukita Y, Ninomiya H, Ohno K.	Axonal dystrophy of dorsal root ganglion sensory neurons in a mouse model of Niemann-Pick disease type C.	Exp Neurol	187	289-298	2004

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ohsaki Y, Sugimoto Y, Kaidoh T, Shimada Y, Ohno-Iwashita Y, Joanna P. Davies, Yiannis A. Ioannou, Ohno K Ninomiya H.	Reduced sensitivity of Niemann-Pick C1-deficient cells to $\theta$ -toxin (perfringolysin O): sequestration of toxin to raft-enriched membrane vesicles.	Histochem Cell Biol	121	263- 272	2004
Yamamoto T, Feng J-H, Higaki K, Taniguchi M, Nanba E, Ninomiya H, Ohno	. Increased NPC1 mRNA in skin fibroblasts from Niemann-Pick disease type C patients.	Brain Dev	26	245-250	2004
Ohara S, Ukita Y, Ninomiya H, Ohno K.	Degeneration of cholecystokinin-immunoreactive afferents to the VPL thalamus in a mouse model of Niemann-Pick disease type C.	Brain Res	1022	244-246	2004
古村南夫、中山樹一郎	母斑症（神経線維腫症、結節性硬化症）	MB Derma	93	167-172	2004
古村南夫、中山樹一郎	レックリングハウゼン病色を消すD <sub>3</sub>	Visual Dermatology	4(3)	272-273	2005