

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|------------------------|--------|-----------|------|
| Okimoto K, Sakurai J, Kobayashi T, Mitani H, Hirayama Y, Nickerson ML, Warren MB, Zbar B, Schmidt LS, Hino O | A germline insertion in the Birt-Hogg-Dube' (BHD) gene gives rise to the Nihon Rat model of inherited renal cancer. | Proc Natl Acad Sci USA | 101 | 2023-2027 | 2004 |
| Adachi H, Majima S, Kon S, Kobayashi T, Kajino K, Mitani H, Shiina H, Igawa M, Hino O | The Niban gene is commonly expressed in renal tumors: A new candidate marker for renal carcinogenesis. | Oncogene | 23(19) | 3495-3500 | 2004 |
| Feng J-H, Yamamoto T, Nanba E, Ninomiya H, Oka A, Ohno K | Novel TSC2 mutations and decreased expression of tuberin in cultured tumor cells with an insertion mutation. | Hum Mut | #696 | on line | 2004 |
| Yoshida J, Mizuno M, Yoshida J, Mizuno M, Fujii M, Kajita Y, Nakahara N, Hatano M, Saito R, Nobayashi M, Wakabayashi T | Human gene therapy for malignant gliomas (glioblastoma multiforme and anaplastic astrocytoma) by in vivo transduction with human β -interferon gene using cationic liposomes. | Hum Gene Ther | 15(1) | 77-86 | 2004 |
| Saito R, Mizuno M, Hatano M, Kumabe T, Yoshimoto T, Yoshida J | Two different mechanism of apoptosis resistance observed in Interferon- β induced apoptosis of human glioma cells. | J Neuro-Oncol | 67(3) | 273-280 | 2004 |
| Saito R, Mizuno M, Kumabe T, Yoshimoto T, Tanuma S, Yoshida J. | Apoptotic DNA Endonuclease (DNase- γ) Gene Transfer Induces Cell Death Accompanying DNA Fragmentation in Human Glioma Cells. | J Neuro-Oncol | | in press | |
| Ryuke Y, Mizuno M, Natsume A, Suzuki O, Nobayashi M, Kageshita T, Matsumoto K, Saida T, Yoshida J | Growth inhibition of subcutaneous mouse melanoma and induction of natural killer cells by liposome-mediated interferon-beta gene therapy. | Melanoma Res | 13 | 349-356 | 2003 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|---|------------------|------|-----------|------|
| Nakanishi H, Mizutani Y, Kawauchi A, Ukimura O, Shiraishi T, Hatano M, Mizuno M, Yoshida J, Miki T | Significant antitumoral activity of cationic liposomes containing human interferon- β gene against human renal cell carcinoma. | Clin Cancer Res | 9 | 1129-1135 | 2003 |
| Maeda K, Mizuno M, Wakabayashi T, Takasu S, Nagasaka T, Inagaki M, Yoshida J | Morphological assessment of the development of multinucleated giant cells in glioma by using mitosis-specific phosphorylated antibodies. | J Neurosurg | 98 | 854-859 | 2003 |
| Takasu S, Takahashi T, Okamoto S, Oriuchi N, Nakayshiki N, Okamoto K, Muramatsu H, Hayashi T, Nakahara N, Mizuno M, Wakabayashi T, Higuchi T, Endo K, Kozaki K, Miyaishi O, Saga S, Ueda R, Yoshida J, Yoshikawa K | Radioimmunoscintigraphy of intracranial glioma xenograft with a technetium-99m-labeled mouse monoclonal antibody specifically recognizing type III mutant epidermal growth factor receptor. | J Neuro-Oncol | 63 | 247-256 | 2003 |
| Saito K, Kato M, Susaki N, Nagatani T, Nagasaka T, Yoshida J | Expression of Ki-67 antigen and vascular endothelial growth factor in sporadic and neurofibromatosis type 2-associated schwannomas. | Clin Neuropathol | 22 | 30-34 | 2003 |
| Otsuka G, Saito K, Nagatani T, Yoshida J | Age at symptom onset and long-term survival in patients with neurofibromatosis type 2. | J Neurosurg | 99 | 480-483 | 2003 |
| Nakayama J, Tanaka T, Furumura M, Takahashi A, Yamaguchi T, Shimura H, Ikeda S, Kuroki M. | Inhibition of the proliferation of a malignant peripheral nerve sheath tumor cell line by gamma interferon gene transfection. | J Dermatol | 30 | 879-885 | 2003 |
| 岡崎裕司, 大西五三男, 星川慎弥, 佐藤和強, 中村耕三 | 創外固定器を利用した皮膚延長の現状：【軟部組織再建に対する最小侵襲手術】 | 整形外科最小侵襲手術ジャーナル | 26 | 30-39 | 2003 |
| Natsume A, Wolfe D, Hu J, Huang S, Puskovic V, Glorioso JC, Fink DJ, Mata M | Enhanced functional recovery after proximal nerve root injury by vector-mediated gene transfer. | Exp Neurol | 184 | 878-886 | 2003 |
| Sato W, Ohnishi I, Nishimura N, Nakase T, Tsuchiya H, Hirose M, Matsushita T, Hirasawa Y, Nakamura K | Correction of tibial deformity in adults | J Orthop Sci | 8(3) | 306-312 | 2003 |

研究成果の刊行に関する一覧表

(平成16年度)

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の 編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|---|--|--------------------------|--|-----------------------------------|-------|------|-------|
| Hino O, Kobayashi T, Momose S, Kikuchi Y, Adachi H, Okimoto K. | Renal carcinogenesis: Genotype, phenotype and dramatype. | Tsuruo T , Kitagawa T | Gann Monograph on Cancer Research | Scientific Societies Press. | Japan | 2004 | 55-69 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|-----------------------|---------|----------|------|
| Wei J, Chiriboga L, Mizuguchi M, Yee H, Mittal K | Expression profile of tuberin and some potential tumorigenic factors in 60 patients with uterine leiomyomata. | Mod Pathol | on line | 1-10 | 2004 |
| 水口雅 | 結節性硬化症 | Clinical Neuroscience | 23(3) | 256-257 | 2005 |
| 五十嵐努、上出良一、新村真人 | 神経線維腫症の治療方針と取り扱い | MB Derma | 81 | 112-118 | 2003 |
| 五十嵐努、岩屋聖子、福地修、伊藤寿啓、石地尚興、上出良一、新村真人 | びまん性神経線維腫内に巨大な血腫を形成した神経線維腫症1の4例 | 臨床皮膚科 | 57(6) | 495-499 | 2003 |
| 林直美、大原國章 | 神経節性神経腫 (ganglioneuroma) を合併した レックリングハウゼン病 | Visual Dermatology | 3(7) | 724-726 | 2004 |
| Ohnishi I, Sato W, Matsuyama J, Yajima H, Haga N, Kamegaya M, Minami A, Sato M, Yoshino S, Oki T, Nakamura K | Treatment of Congenital Pseudoarthrosis of the Tibia-A Multi-Center Study in Japan | J Pediatr Orthop | 25(1) | in press | 2005 |
| Matsuyama J, Ohnishi I, Kageyama T, Oshida H, Suwabe T, Nakamura K | Osteogenesis and Angiogenesis in the Regenerating Bone during Transverse Distraction-Quantitative Evaluation Using a Canine Model | Clin Orthop Relat Res | | in press | |
| Ohnishi I, Kurokawa T, Sato W, Okazaki H, Nakamura K | Measurement of the tensile forces during bone lengthening. | Clin Biomech | | in press | |
| Ohnishi I, Nakamura K, Kurokawa T | Dynamic performance of the sliding pin-clamp of the external fixator with a linear bearing under multi-directional loading conditions: In vitro mechanical testing using elastic bone models | Med Eng Phys | | in press | |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|------------------------|-------|-----------|------|
| Ohashi S, Ohnishi I, Kageyama T, Fukuda S, Tsuchiya A, Imai K, Matsuyama J, Nakamura K. | The Effect of Vascularity on the Canine Distracted Tibial Callus Consolidation. | Clin Orthop Relat Res | | in press | |
| 大西五三男 | Hifixator使用のコツ | Orthopaedics | 17(8) | 63-69 | 2004 |
| 大西五三男 | レックリングハウゼン病患者にみられる下腿骨の彎曲. | Visual Dermatology | 3(7) | 720-721 | 2004 |
| 大西五三男 | 下肢の変形矯正におけるHIFIXATORの適応と有用性. | 骨・関節・靭帯 | 17(6) | 695-702 | 2004 |
| 大西五三男 | 再生医療・組織形成術としての最小侵襲手術イリザロフ法 | 現代医療 | 36(1) | 251-257 | 2004 |
| Mizuguchi M, Mori M, Nozaki Y, Momoi M Y, Itoh M, Takashima S. Hino O. | Absence of allelic loss in cytomegalic neurons of cortical tuber in the Eker rat model of tuberous sclerosis. | Acta Neuropathol | 107 | 47-52 | 2004 |
| Kikuchi Y, Sudo A, Mitani H, Hino O. | Presence of a modifier gene(s) affecting early renal carcinogenesis in the Tsc2 mutant (Eker) rat model. | Int J Oncol | 24 | 75-80 | 2004 |
| Okimoto K, Sakurai J, Kobayashi T, Mitani H, Hirayama Y, Nickerson ML, Warren MB, Zbar B, Schmidt LS, Hino O | A germline insertion in the Birt-Hogg-Dube' (BHD) gene gives rise to the Nihon Rat model of inherited renal cancer | Proc Natl Acad Sci USA | 101 | 2023-2027 | 2004 |
| Adachi H, Majima S, Kon S, Kobayashi T, Kajino K, Mitani H, Shiina H, Igawa M, Hino O. | The Niban gene is commonly expressed in renal tumors: A new candidate marker for renal carcinogenesis. | Oncogene | 23 | 3495-3500 | 2004 |
| Hino O. | Studies of familial tumors using models: genotype, phenotype, and dramatype in carcinogenesis. | Int J Clin Oncol | 9 | 257-261 | 2004 |
| Hino O. | Multistep renal carcinogenesis in the Eker (Tsc 2 gene mutant) rat model. | Curr Mol Med | 4 | 807-811 | 2004 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|------------------|-------|---------|------|
| Okimoto K, Kouchi M, Matsumoto I, Sakurai J, Kobayashi T, Hino O. | Natural history of the Nihon rat model of BHD. | Curr Mol Med | 4 | 887-893 | 2004 |
| Sato T, Seyama K, Kumasaka T, Fujii H, Setoguchi Y, Shirai T, Tomino Y, Hino O, Fukuchi Y. | A patient with TSC1 germline mutation whose clinical phenotype was limited to lymphangioliomyomatosis. | J Int Medicine | 256 | 166-173 | 2004 |
| Ishii T, Yasuda K, Akatsuka A, Hino O, Hartman PS, Ishii N. | A mutation in the SDHC gene of complex II increases oxidative stress, resulting in apoptosis and tumorigenesis. | Cancer Res | 65 | 203-209 | 2005 |
| Goss JR, Natsume A, Wolfe D, Mata M, Glorioso JC, Fink DJ | Delivery of herpes simplex virus-based vectors to the nervous system. | Methods Mol Biol | 246 | 309-322 | 2004 |
| Horiuchi Y, Bae S, Katayama I. | Pro-inflammatory cytokine IL-1alpha potential for tissue repair in chemically and mechanically induced injury in cultured human keratinocytes | J Dermatol Sci | 35(3) | 224-226 | 2004 |
| Iwata K, Takamura N, Nakashima M, Alipov G, Mine M, Matsumoto N, Yoshiura K, Prouglo Y, Sekine I, Katayama I, Yamashita S. | Loss of heterozygosity on chromosome 9q22.3 in microdissected basal cell carcinomas around the Semipalatinsk Nuclear Testing Site, Kazakhstan. | Hum Pathol | 35(4) | 460-464 | 2004 |
| Feng J-H, Yamamoto T, Nanba E, Ninomiya H, Oka A, Ohno K. | Novel TSC2 mutations and decreased expression of tuberlin in cultured tumor cells with an insertion mutation. | Hum Mutat | #696 | Online | 2004 |
| Ohara S, Ukita Y, Ninomiya H, Ohno K. | Axonal dystrophy of dorsal root ganglion sensory neurons in a mouse model of Niemann-Pick disease type C. | Exp Neurol | 187 | 289-298 | 2004 |

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|---------------------|------|----------|------|
| Ohsaki Y, Sugimoto Y, Kaidoh T, Shimada Y, Ohno-Iwashita Y, Joanna P. Davies, Yiannis A. Ioannou, Ohno K Ninomiya H. | Reduced sensitivity of Niemann-Pick C1-deficient cells to θ -toxin (perfringolysin O): sequestration of toxin to raft-enriched membrane vesicles. | Histochem Cell Biol | 121 | 263- 272 | 2004 |
| Yamamoto T, Feng J-H, Higaki K, Taniguchi M, Nanba E, Ninomiya H, Ohno | . Increased NPC1 mRNA in skin fibroblasts from Niemann-Pick disease type C patients. | Brain Dev | 26 | 245-250 | 2004 |
| Ohara S, Ukita Y, Ninomiya H, Ohno K. | Degeneration of cholecystokinin-immunoreactive afferents to the VPL thalamus in a mouse model of Niemann-Pick disease type C. | Brain Res | 1022 | 244-246 | 2004 |