

10 特発性血小板減少性紫斑病

表3-10-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	486	100%	132	27.2%	67	13.8%	104	21.4%	108	22.2%	23	4.7%	19	3.9%	33	6.8%
0-4歳	1	100	-	-	-	-	-	-	-	-	-	-	1	100	-	-
5-9	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
10-14	3	100	1	33.3	2	66.7	-	-	-	-	-	-	-	-	-	-
15-19	3	100	-	-	1	33.3	-	-	-	-	-	-	-	-	-	-
20-24	8	100	4	50.0	-	-	1	12.5	-	-	-	-	-	-	3	37.5
25-29	7	100	2	28.6	2	28.6	2	28.6	1	14.3	-	-	-	-	-	-
30-34	12	100	1	8.3	2	16.7	4	33.3	1	8.3	-	-	1	8.3	3	25.0
35-39	9	100	4	44.4	1	11.1	1	11.1	2	22.2	-	-	-	-	1	11.1
40-44	9	100	2	22.2	2	22.2	1	11.1	-	-	-	-	-	-	4	44.4
45-49	22	100	4	18.2	5	22.7	1	4.5	8	36.4	2	9.1	1	4.5	1	4.5
50-54	31	100	3	9.7	4	12.9	6	19.4	12	38.7	2	6.5	2	6.5	2	6.5
55-59	47	100	16	34.0	6	12.8	9	19.1	9	19.1	1	2.1	3	6.4	3	6.4
60-64	54	100	17	31.5	8	14.8	8	14.8	16	29.6	3	5.6	1	1.9	1	1.9
65-69	92	100	23	25.0	13	14.1	29	31.5	13	14.1	5	5.4	5	5.4	4	4.3
70-74	70	100	23	32.9	6	8.6	21	30.0	16	22.9	1	1.4	-	-	3	4.3
75-79	63	100	18	28.6	9	14.3	10	15.9	17	27.0	5	7.9	2	3.2	2	3.2
80-84	29	100	7	24.1	5	17.2	5	17.2	6	20.7	1	3.4	2	6.9	3	10.3
85-	25	100	6	24.0	1	4.0	6	24.0	7	28.0	1	4.0	1	4.0	3	12.0
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-10-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	486	100%	132	27.2%	67	13.8%	104	21.4%	108	22.2%	23	4.7%	19	3.9%	33	6.8%
0-4年	153	100	43	28.1	19	12.4	33	21.6	31	20.3	6	3.9	6	3.9	15	9.8
5-9	121	100	33	27.3	18	14.9	31	25.6	22	18.2	8	6.6	4	3.3	5	4.1
10-14	82	100	20	24.4	10	12.2	15	18.3	20	24.4	5	6.1	6	7.3	6	7.3
15-19	55	100	15	27.3	7	12.7	11	20.0	16	29.1	1	1.8	1	1.8	4	7.3
20-24	18	100	7	38.9	2	11.1	1	5.6	4	22.2	1	5.6	2	11.1	1	5.6
25-29	13	100	5	38.5	3	23.1	2	15.4	2	15.4	-	-	-	-	1	7.7
30-34	5	100	1	20.0	1	20.0	1	20.0	2	40.0	-	-	-	-	-	-
35-39	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-	-	-
40-44	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	34	100	6	17.6	6	17.6	9	26.5	11	32.4	1	2.9	-	-	1	2.9

表3-10-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	337	100%	141	41.8%	55	16.3%	36	10.7%	33	9.8%	39	11.6%	33	9.8%
40-44歳	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	3	100	2	66.7	1	33.3	-	-	-	-	-	-	-	-
55-59	6	100	2	33.3	1	16.7	1	16.7	1	16.7	-	-	1	16.7
60-64	12	100	5	41.7	2	16.7	2	16.7	-	-	3	25.0	-	-
65-69	38	100	8	21.1	8	21.1	6	15.8	4	10.5	6	15.8	6	15.8
70-74	60	100	34	56.7	4	6.7	8	13.3	3	5.0	5	8.3	6	10.0
75-79	81	100	33	40.7	16	19.8	5	6.2	8	9.9	10	12.3	9	11.1
80-84	74	100	38	51.4	12	16.2	6	8.1	5	6.8	6	8.1	7	9.5
85-	61	100	19	31.1	11	18.0	7	11.5	11	18.0	9	14.8	4	6.6

表3-10-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	337	100%	141	41.8%	55	16.3%	36	10.7%	33	9.8%	39	11.6%	33	9.8%
0-4年	117	100	42	35.9	17	14.5	15	12.8	13	11.1	14	12.0	16	13.7
5-9	93	100	34	36.6	21	22.6	9	9.7	6	6.5	13	14.0	10	10.8
10-14	42	100	27	64.3	4	9.5	4	9.5	3	7.1	2	4.8	2	4.8
15-19	25	100	12	48.0	2	8.0	1	4.0	4	16.0	4	16.0	2	8.0
20-24	11	100	5	45.5	2	18.2	1	9.1	1	9.1	2	18.2	-	-
25-29	6	100	2	33.3	1	16.7	2	33.3	-	-	1	16.7	-	-
30-34	5	100	2	40.0	1	20.0	-	-	1	20.0	1	20.0	-	-
35-39	3	100	2	66.7	-	-	-	-	1	33.3	-	-	-	-
40-44	2	100	-	-	-	-	-	-	1	50.0	-	-	1	50.0
45-49	1	100	1	100	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	32	100	14	43.8	7	21.9	4	12.5	3	9.4	2	6.3	2	6.3

11 結節性動脈周囲炎

表3-11-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、11 結節性動脈周囲炎

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	1,869	100%	290	15.5%	1,345	72.0%	234	12.5%
0-4歳	1	100	-	-	1	100	-	-
5-9	2	100	1	50.0	-	-	1	50.0
10-14	4	100	-	-	4	100	-	-
15-19	8	100	-	-	6	75.0	2	25.0
20-24	28	100	-	-	25	89.3	3	10.7
25-29	40	100	3	7.5	33	82.5	4	10.0
30-34	39	100	-	-	33	84.6	6	15.4
35-39	56	100	9	16.1	40	71.4	7	12.5
40-44	64	100	9	14.1	50	78.1	5	7.8
45-49	79	100	10	12.7	60	75.9	9	11.4
50-54	142	100	17	12.0	107	75.4	18	12.7
55-59	208	100	41	19.7	150	72.1	17	8.2
60-64	236	100	43	18.2	162	68.6	31	13.1
65-69	268	100	43	16.0	194	72.4	31	11.6
70-74	301	100	47	15.6	212	70.4	42	14.0
75-79	246	100	50	20.3	158	64.2	38	15.4
80-84	111	100	14	12.6	79	71.2	18	16.2
85-	36	100	3	8.3	31	86.1	2	5.6
不明	-	-	-	-	-	-	-	-

表3-11-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、11 結節性動脈周囲炎

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	1,869	100%	290	15.5%	1,345	72.0%	234	12.5%
0-4年	820	100	101	12.3	602	73.4	117	14.3
5-9	464	100	85	18.3	325	70.0	54	11.6
10-14	251	100	35	13.9	192	76.5	24	9.6
15-19	127	100	26	20.5	87	68.5	14	11.0
20-24	75	100	19	25.3	50	66.7	6	8.0
25-29	31	100	7	22.6	21	67.7	3	9.7
30-34	9	100	3	33.3	6	66.7	-	-
35-39	3	100	-	-	3	100	-	-
40-44	1	100	-	-	1	100	-	-
45-49	2	100	-	-	2	100	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-
70-74	1	100	1	100	-	-	-	-
75-79	1	100	-	-	1	100	-	-
不明	83	100	13	15.7	54	65.1	16	19.3

表3-11-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、11 結節性動脈周囲炎

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	1,691	100%	157	9.3%	34	2.0%	1,275	75.4%	225	13.3%
40-44歳	64	100	-	-	1	1.6	57	89.1	6	9.4
45-49	79	100	-	-	-	-	72	91.1	7	8.9
50-54	142	100	2	1.4	1	0.7	123	86.6	16	11.3
55-59	208	100	2	1.0	1	0.5	188	90.4	17	8.2
60-64	236	100	8	3.4	2	0.8	197	83.5	29	12.3
65-69	268	100	12	4.5	7	2.6	212	79.1	37	13.8
70-74	301	100	47	15.6	5	1.7	205	68.1	44	14.6
75-79	246	100	49	19.9	11	4.5	141	57.3	45	18.3
80-84	111	100	28	25.2	3	2.7	61	55.0	19	17.1
85-	36	100	9	25.0	3	8.3	19	52.8	5	13.9

表3-11-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、11 結節性動脈周囲炎

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	1,691	100%	157	9.3%	34	2.0%	1,275	75.4%	225	13.3%
0-4年	745	100	70	9.4	16	2.1	540	72.5	119	16.0
5-9	418	100	41	9.8	6	1.4	322	77.0	49	11.7
10-14	220	100	16	7.3	8	3.6	178	80.9	18	8.2
15-19	115	100	13	11.3	1	0.9	90	78.3	11	9.6
20-24	70	100	4	5.7	-	-	59	84.3	7	10.0
25-29	30	100	1	3.3	1	3.3	23	76.7	5	16.7
30-34	9	100	2	22.2	-	-	7	77.8	-	-
35-39	3	100	-	-	-	-	3	100	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	2	100	-	-	-	-	2	100	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	1	100	1	100	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	1	100	1	100	-	-	-	-	-	-
75-79	1	100	-	-	-	-	1	100	-	-
不明	75	100	8	10.7	2	2.7	49	65.3	16	21.3

11 結節性動脈周囲炎

表3-11-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)								
			1	2	3	4	5	6	不明		
総数	290	100%	87	56	55	55	15	10	12	4.1%	
0-4歳	-	-	-	-	-	-	-	-	-	-	
5-9	1	100	-	-	1	100	-	-	-	-	
10-14	-	-	-	-	-	-	-	-	-	-	
15-19	-	-	-	-	-	-	-	-	-	-	
20-24	-	-	-	-	-	-	-	-	-	-	
25-29	3	100	-	-	2	66.7	-	-	-	1 33.3	
30-34	-	-	-	-	-	-	-	-	-	-	
35-39	9	100	2	1	-	-	3	2	1	-	
40-44	9	100	4	-	1	11.1	3	1	-	-	
45-49	10	100	3	-	2	20.0	2	1	1	-	
50-54	17	100	6	5	2	11.8	2	1	1	-	
55-59	41	100	17	7	10	24.4	7	-	-	-	
60-64	43	100	10	10	7	16.3	8	4	1	2.3	
65-69	43	100	14	10	7	16.3	7	2	1	2.3	
70-74	47	100	15	10	8	17.0	9	-	2	4.3	
75-79	50	100	11	11	9	18.0	12	3	3	6.0	
80-84	14	100	4	2	5	35.7	1	-	-	2 14.3	
85-	3	100	1	-	1	33.3	1	-	-	-	
不明	-	-	-	-	-	-	-	-	-	-	

表3-11-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)								
			1	2	3	4	5	6	不明		
総数	290	100%	87	56	55	55	15	10	12	4.1%	
0-4年	101	100	32	14	23	22.8	20	5	2	5.0	
5-9	85	100	31	21	12	14.1	4	3	2	2.4	
10-14	35	100	9	5	9	25.7	8	1	2	2.9	
15-19	26	100	4	7	5	19.2	6	1	1	7.7	
20-24	19	100	4	4	3	15.8	4	3	1	-	
25-29	7	100	-	1	2	28.6	3	-	1	-	
30-34	3	100	2	1	-	-	-	-	-	-	
35-39	-	-	-	-	-	-	-	-	-	-	
40-44	-	-	-	-	-	-	-	-	-	-	
45-49	-	-	-	-	-	-	-	-	-	-	
50-54	-	-	-	-	-	-	-	-	-	-	
55-59	-	-	-	-	-	-	-	-	-	-	
60-64	-	-	-	-	-	-	-	-	-	-	
65-69	-	-	-	-	-	-	-	-	-	-	
70-74	1	100	-	-	-	-	1	-	-	-	
75-79	-	-	-	-	-	-	-	-	-	-	
不明	13	100	5	3	1	7.7	1	1	2	15.4	

表3-11-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度						
			1	2	3	4	5	不明	
総数	157	100%	59	35	18	12	8	25	15.9%
40-44歳	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-
50-54	2	100	-	2	-	-	-	-	-
55-59	2	100	1	-	-	1	-	-	-
60-64	8	100	2	4	-	-	1	1	12.5
65-69	12	100	5	2	1	8.3	2	1	8.3
70-74	47	100	18	7	6	12.8	4	11	23.4
75-79	49	100	17	11	6	12.2	3	11	22.4
80-84	28	100	14	7	3	10.7	2	2	-
85-	9	100	2	2	2	22.2	1	1	11.1

表3-11-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度						
			1	2	3	4	5	不明	
総数	157	100%	59	35	18	12	8	25	15.9%
0-4年	70	100	24	13	10	14.3	8	3	12 17.1
5-9	41	100	17	9	2	4.9	3	8	19.5
10-14	16	100	6	4	2	12.5	-	4	25.0
15-19	13	100	5	5	1	7.7	1	1	-
20-24	4	100	1	2	-	-	1	-	-
25-29	1	100	-	-	-	-	1	-	-
30-34	2	100	1	-	1	50.0	-	-	-
35-39	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-
60-64	1	100	1	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-
70-74	1	100	1	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-
不明	8	100	3	2	2	25.0	-	1	12.5

12 潰瘍性大腸炎

表3-12-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、12 潰瘍性大腸炎

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	34,486	100%	1,110	3.2%	29,374	85.2%	4,002	11.6%
0-4歳	7	100	-	-	6	85.7	1	14.3
5-9	28	100	5	17.9	19	67.9	4	14.3
10-14	185	100	2	1.1	168	90.8	15	8.1
15-19	994	100	2	0.2	874	87.9	118	11.9
20-24	2,020	100	19	0.9	1,756	86.9	245	12.1
25-29	3,200	100	35	1.1	2,796	87.4	369	11.5
30-34	4,194	100	62	1.5	3,672	87.6	460	11.0
35-39	3,905	100	66	1.7	3,379	86.5	460	11.8
40-44	3,482	100	73	2.1	3,041	87.3	368	10.6
45-49	3,148	100	88	2.8	2,745	87.2	315	10.0
50-54	3,177	100	121	3.8	2,715	85.5	341	10.7
55-59	2,781	100	118	4.2	2,356	84.7	307	11.0
60-64	2,342	100	131	5.6	1,918	81.9	293	12.5
65-69	2,025	100	124	6.1	1,632	80.6	269	13.3
70-74	1,619	100	118	7.3	1,284	79.3	217	13.4
75-79	925	100	94	10.2	689	74.5	142	15.4
80-84	330	100	45	13.6	236	71.5	49	14.8
85-	123	100	7	5.7	88	71.5	28	22.8
不明	1	100	-	-	-	-	1	100

表3-12-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、12 潰瘍性大腸炎

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	34,486	100%	1,110	3.2%	29,374	85.2%	4,002	11.6%
0-4年	12,370	100	218	1.8	10,652	86.1	1,500	12.1
5-9	9,018	100	259	2.9	7,852	87.1	907	10.1
10-14	5,660	100	193	3.4	4,822	85.2	645	11.4
15-19	3,065	100	177	5.8	2,592	84.6	296	9.7
20-24	1,475	100	94	6.4	1,213	82.2	168	11.4
25-29	672	100	48	7.1	562	83.6	62	9.2
30-34	283	100	34	12.0	213	75.3	36	12.7
35-39	83	100	13	15.7	63	75.9	7	8.4
40-44	36	100	5	13.9	30	83.3	1	2.8
45-49	7	100	-	-	7	100	-	-
50-54	8	100	-	-	8	100	-	-
55-59	4	100	1	25.0	3	75.0	-	-
60-64	1	100	-	-	1	100	-	-
65-69	6	100	-	-	5	83.3	1	16.7
70-74	1	100	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-
不明	1,797	100	68	3.8	1,350	75.1	379	21.1

表3-12-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、12 潰瘍性大腸炎

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	19,952	100%	269	1.3%	127	0.6%	17,501	87.7%	2,055	10.3%
40-44歳	3,482	100	3	0.1	6	0.2	3,141	90.2	332	9.5
45-49	3,148	100	3	0.1	12	0.4	2,835	90.1	298	9.5
50-54	3,177	100	4	0.1	8	0.3	2,866	90.2	299	9.4
55-59	2,781	100	7	0.3	17	0.6	2,501	89.9	256	9.2
60-64	2,342	100	15	0.6	10	0.4	2,075	88.6	242	10.3
65-69	2,025	100	35	1.7	8	0.4	1,755	86.7	227	11.2
70-74	1,619	100	50	3.1	21	1.3	1,350	83.4	198	12.2
75-79	925	100	77	8.3	16	1.7	708	76.5	124	13.4
80-84	330	100	42	12.7	23	7.0	214	64.8	51	15.5
85-	123	100	33	26.8	6	4.9	56	45.5	28	22.8

表3-12-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、12 潰瘍性大腸炎

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	19,952	100%	269	1.3%	127	0.6%	17,501	87.7%	2,055	10.3%
0-4年	5,524	100	85	1.5	29	0.5	4,727	85.6	683	12.4
5-9	4,854	100	53	1.1	34	0.7	4,366	89.9	401	8.3
10-14	3,619	100	39	1.1	16	0.4	3,230	89.3	334	9.2
15-19	2,391	100	29	1.2	17	0.7	2,156	90.2	189	7.9
20-24	1,314	100	23	1.8	9	0.7	1,169	89.0	113	8.6
25-29	645	100	5	0.8	5	0.8	585	90.7	50	7.8
30-34	277	100	6	2.2	2	0.7	239	86.3	30	10.8
35-39	82	100	4	4.9	2	2.4	69	84.1	7	8.5
40-44	36	100	1	2.8	-	-	34	94.4	1	2.8
45-49	7	100	-	-	-	-	6	85.7	1	14.3
50-54	8	100	-	-	-	-	8	100	-	-
55-59	4	100	-	-	-	-	3	75.0	1	25.0
60-64	1	100	-	-	-	-	1	100	-	-
65-69	6	100	-	-	-	-	5	83.3	1	16.7
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	1,183	100	24	2.0	13	1.1	902	76.2	244	20.6

12 潰瘍性大腸炎

表3-12-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,110	100%	137	12.3%	120	10.8%	134	12.1%	559	50.4%	38	3.4%	33	3.0%	89	8.0%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	5	100	1	20.0	1	20.0	-	-	3	60.0	-	-	-	-	-	-
10-14	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	
15-19	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	
20-24	19	100	-	-	2	10.5	3	15.8	11	57.9	-	-	-	-	3	15.8
25-29	35	100	4	11.4	2	5.7	4	11.4	19	54.3	-	-	1	2.9	5	14.3
30-34	62	100	5	8.1	3	4.8	8	12.9	31	50.0	1	1.6	2	3.2	12	19.4
35-39	66	100	5	7.6	6	9.1	12	18.2	36	54.5	3	4.5	1	1.5	3	4.5
40-44	73	100	7	9.6	2	2.7	3	4.1	45	61.6	4	5.5	4	5.5	8	11.0
45-49	88	100	6	6.8	9	10.2	10	11.4	49	55.7	3	3.4	-	-	11	12.5
50-54	121	100	19	15.7	13	10.7	10	8.3	65	53.7	3	2.5	3	2.5	8	6.6
55-59	118	100	13	11.0	11	9.3	9	7.6	68	57.6	4	3.4	4	3.4	9	7.6
60-64	131	100	17	13.0	20	15.3	14	10.7	64	48.9	4	3.1	2	1.5	10	7.6
65-69	124	100	15	12.1	19	15.3	15	12.1	56	45.2	8	6.5	2	1.6	9	7.3
70-74	118	100	18	15.3	10	8.5	17	14.4	59	50.0	4	3.4	4	3.4	6	5.1
75-79	94	100	22	23.4	11	11.7	18	19.1	32	34.0	1	1.1	6	6.4	4	4.3
80-84	45	100	4	8.9	9	20.0	6	13.3	18	40.0	3	6.7	4	8.9	1	2.2
85-	7	100	-	-	-	-	5	71.4	2	28.6	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-12-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,110	100%	137	12.3%	120	10.8%	134	12.1%	559	50.4%	38	3.4%	33	3.0%	89	8.0%
0-4年	218	100	34	15.6	33	15.1	35	16.1	65	29.8	13	6.0	9	4.1	29	13.3
5-9	259	100	41	15.8	30	11.6	31	12.0	122	47.1	7	2.7	10	3.9	18	6.9
10-14	193	100	25	13.0	21	10.9	21	10.9	101	52.3	8	4.1	3	1.6	14	7.3
15-19	177	100	13	7.3	12	6.8	24	13.6	105	59.3	7	4.0	5	2.8	11	6.2
20-24	94	100	5	5.3	17	18.1	10	10.6	56	59.6	-	-	3	3.2	3	3.2
25-29	48	100	4	8.3	-	-	2	4.2	39	81.3	1	2.1	-	-	2	4.2
30-34	34	100	1	2.9	-	-	2	5.9	28	82.4	-	-	-	-	3	8.8
35-39	13	100	2	15.4	3	23.1	1	7.7	6	46.2	-	-	-	-	1	7.7
40-44	5	100	1	20.0	1	20.0	-	-	3	60.0	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	68	100	11	16.2	3	4.4	8	11.8	33	48.5	2	2.9	3	4.4	8	11.8

表3-12-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	269	100%	81	30.1%	64	23.8%	35	13.0%	24	8.9%	27	10.0%	38	14.1%
40-44歳	3	100	-	-	-	-	-	-	-	-	1	33.3	2	66.7
45-49	3	100	-	-	1	33.3	-	-	-	-	1	33.3	1	33.3
50-54	4	100	1	25.0	1	25.0	-	-	-	2	50.0	-	-	-
55-59	7	100	1	14.3	2	28.6	1	14.3	-	-	-	-	3	42.9
60-64	15	100	2	13.3	6	40.0	2	13.3	2	13.3	2	13.3	1	6.7
65-69	35	100	5	14.3	4	11.4	8	22.9	4	11.4	7	20.0	7	20.0
70-74	50	100	15	30.0	16	32.0	4	8.0	7	14.0	1	2.0	7	14.0
75-79	77	100	34	44.2	13	16.9	7	9.1	4	5.2	10	13.0	9	11.7
80-84	42	100	14	33.3	8	19.0	7	16.7	3	7.1	6	14.3	4	9.5
85-	33	100	9	27.3	13	39.4	6	18.2	1	3.0	-	-	4	12.1

表3-12-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	269	100%	81	30.1%	64	23.8%	35	13.0%	24	8.9%	27	10.0%	38	14.1%
0-4年	85	100	24	28.2	19	22.4	15	17.6	8	9.4	6	7.1	13	15.3
5-9	53	100	11	20.8	15	28.3	8	15.1	5	9.4	6	11.3	8	15.1
10-14	39	100	8	20.5	14	35.9	3	7.7	4	10.3	3	7.7	7	17.9
15-19	29	100	15	51.7	6	20.7	1	3.4	2	6.9	3	10.3	2	6.9
20-24	23	100	8	34.8	5	21.7	4	17.4	4	17.4	2	8.7	-	-
25-29	5	100	2	40.0	1	20.0	-	-	-	-	-	-	2	40.0
30-34	6	100	-	-	3	50.0	1	16.7	-	-	1	16.7	1	16.7
35-39	4	100	3	75.0	-	-	-	-	-	-	1	25.0	-	-
40-44	1	100	1	100	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	24	100	9	37.5	1	4.2	3	12.5	1	4.2	5	20.8	5	20.8

13 大動脈炎症候群

表3-13-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、13 大動脈炎症候群

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	2,252	100%	337	15.0%	1,606	71.3%	309	13.7%
0-4歳	1	100	1	100	-	-	-	-
5-9	1	100	-	-	-	-	1	100
10-14	6	100	-	-	6	100	-	-
15-19	26	100	3	11.5	20	76.9	3	11.5
20-24	70	100	2	2.9	62	88.6	6	8.6
25-29	110	100	6	5.5	92	83.6	12	10.9
30-34	166	100	23	13.9	129	77.7	14	8.4
35-39	171	100	22	12.9	124	72.5	25	14.6
40-44	159	100	14	8.8	123	77.4	22	13.8
45-49	191	100	33	17.3	141	73.8	17	8.9
50-54	276	100	34	12.3	195	70.7	47	17.0
55-59	267	100	50	18.7	188	70.4	29	10.9
60-64	282	100	46	16.3	187	66.3	49	17.4
65-69	245	100	55	22.4	161	65.7	29	11.8
70-74	163	100	30	18.4	99	60.7	34	20.9
75-79	88	100	14	15.9	59	67.0	15	17.0
80-84	26	100	3	11.5	18	69.2	5	19.2
85-	4	100	1	25.0	2	50.0	1	25.0
不明	-	-	-	-	-	-	-	-

表3-13-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、13 大動脈炎症候群

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	2,252	100%	337	15.0%	1,606	71.3%	309	13.7%
0-4年	264	100	29	11.0	201	76.1	34	12.9
5-9	279	100	31	11.1	220	78.9	28	10.0
10-14	291	100	37	12.7	226	77.7	28	9.6
15-19	316	100	50	15.8	227	71.8	39	12.3
20-24	289	100	43	14.9	200	69.2	46	15.9
25-29	246	100	44	17.9	163	66.3	39	15.9
30-34	145	100	24	16.6	101	69.7	20	13.8
35-39	82	100	16	19.5	55	67.1	11	13.4
40-44	42	100	12	28.6	24	57.1	6	14.3
45-49	25	100	6	24.0	16	64.0	3	12.0
50-54	3	100	1	33.3	1	33.3	1	33.3
55-59	3	100	2	66.7	1	33.3	-	-
60-64	1	100	-	-	-	-	1	100
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	1	100	1	100	-	-	-	-
不明	265	100	41	15.5	171	64.5	53	20.0

表3-13-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、13 大動脈炎症候群

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	1,701	100%	64	3.8%	22	1.3%	1,397	82.1%	218	12.8%
40-44歳	159	100	1	0.6	1	0.6	135	84.9	22	13.8
45-49	191	100	-	-	1	0.5	175	91.6	15	7.9
50-54	276	100	-	-	3	1.1	236	85.5	37	13.4
55-59	267	100	5	1.9	1	0.4	234	87.6	27	10.1
60-64	282	100	7	2.5	5	1.8	230	81.6	40	14.2
65-69	245	100	10	4.1	3	1.2	198	80.8	34	13.9
70-74	163	100	18	11.0	2	1.2	117	71.8	26	16.0
75-79	88	100	14	15.9	5	5.7	56	63.6	13	14.8
80-84	26	100	8	30.8	-	-	15	57.7	3	11.5
85-	4	100	1	25.0	1	25.0	1	25.0	1	25.0

表3-13-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、13 大動脈炎症候群

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	1,701	100%	64	3.8%	22	1.3%	1,397	82.1%	218	12.8%
0-4年	105	100	2	1.9	4	3.8	90	85.7	9	8.6
5-9	142	100	1	0.7	3	2.1	124	87.3	14	9.9
10-14	183	100	6	3.3	2	1.1	157	85.8	18	9.8
15-19	237	100	5	2.1	1	0.4	206	86.9	25	10.5
20-24	261	100	7	2.7	1	0.4	221	84.7	32	12.3
25-29	238	100	7	2.9	5	2.1	187	78.6	39	16.4
30-34	145	100	10	6.9	-	-	120	82.8	15	10.3
35-39	79	100	7	8.9	2	2.5	56	70.9	14	17.7
40-44	42	100	4	9.5	-	-	32	76.2	6	14.3
45-49	25	100	3	12.0	-	-	16	64.0	6	24.0
50-54	3	100	1	33.3	-	-	1	33.3	1	33.3
55-59	3	100	-	-	1	33.3	2	66.7	-	-
60-64	1	100	1	100	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	1	100	-	-	-	-	1	100	-	-
不明	236	100	10	4.2	3	1.3	184	78.0	39	16.5

13 大動脈炎症候群

表3-13-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	337	100%	177	52.5%	31	9.2%	68	20.2%	35	10.4%	6	1.8%	8	2.4%	12	3.6%
0-4歳	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	3	100	3	100	-	-	-	-	-	-	-	-	-	-	-	-
20-24	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-	-	-
25-29	6	100	2	33.3	-	-	2	33.3	1	16.7	-	-	-	-	1	16.7
30-34	23	100	14	60.9	-	-	4	17.4	2	8.7	1	4.3	2	8.7	-	-
35-39	22	100	9	40.9	4	18.2	7	31.8	1	4.5	-	-	-	-	1	4.5
40-44	14	100	9	64.3	1	7.1	1	7.1	3	21.4	-	-	-	-	-	-
45-49	33	100	23	69.7	2	6.1	5	15.2	-	-	-	-	1	3.0	2	6.1
50-54	34	100	16	47.1	2	5.9	8	23.5	7	20.6	-	-	-	-	1	2.9
55-59	50	100	30	60.0	7	14.0	6	12.0	5	10.0	-	-	1	2.0	1	2.0
60-64	46	100	23	50.0	3	6.5	11	23.9	5	10.9	2	4.3	2	4.3	-	-
65-69	55	100	27	49.1	6	10.9	10	18.2	6	10.9	1	1.8	-	-	5	9.1
70-74	30	100	15	50.0	4	13.3	7	23.3	2	6.7	1	3.3	1	3.3	-	-
75-79	14	100	4	28.6	1	7.1	4	28.6	2	14.3	1	7.1	1	7.1	1	7.1
80-84	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-	-	-
85-	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-13-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	337	100%	177	52.5%	31	9.2%	68	20.2%	35	10.4%	6	1.8%	8	2.4%	12	3.6%
0-4年	29	100	16	55.2	1	3.4	9	31.0	2	6.9	1	3.4	-	-	-	-
5-9	31	100	20	64.5	3	9.7	3	9.7	1	3.2	1	3.2	2	6.5	1	3.2
10-14	37	100	22	59.5	3	8.1	8	21.6	2	5.4	-	-	1	2.7	1	2.7
15-19	50	100	27	54.0	4	8.0	8	16.0	9	18.0	-	-	1	2.0	1	2.0
20-24	43	100	23	53.5	3	7.0	7	16.3	6	14.0	1	2.3	-	-	3	7.0
25-29	44	100	23	52.3	5	11.4	8	18.2	5	11.4	1	2.3	1	2.3	1	2.3
30-34	24	100	12	50.0	4	16.7	3	12.5	2	8.3	1	4.2	1	4.2	1	4.2
35-39	16	100	6	37.5	4	25.0	4	25.0	1	6.3	-	-	-	-	1	6.3
40-44	12	100	2	16.7	-	-	3	25.0	3	25.0	1	8.3	1	8.3	2	16.7
45-49	6	100	1	16.7	-	-	3	50.0	2	33.3	-	-	-	-	-	-
50-54	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
55-59	2	100	-	-	-	-	2	100	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
不明	41	100	23	56.1	4	9.8	10	24.4	2	4.9	-	-	1	2.4	1	2.4

表3-13-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	64	100%	30	46.9%	13	20.3%	4	6.3%	5	7.8%	6	9.4%	6	9.4%
40-44歳	1	100	1	100	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	5	100	1	20.0	1	20.0	1	20.0	-	-	2	40.0	-	-
60-64	7	100	5	71.4	-	-	1	14.3	-	-	-	-	1	14.3
65-69	10	100	7	70.0	3	30.0	-	-	-	-	-	-	-	-
70-74	18	100	7	38.9	6	33.3	1	5.6	1	5.6	2	11.1	1	5.6
75-79	14	100	8	57.1	1	7.1	1	7.1	1	7.1	1	7.1	2	14.3
80-84	8	100	1	12.5	2	25.0	-	-	2	25.0	1	12.5	2	25.0
85-	1	100	-	-	-	-	-	-	1	100	-	-	-	-

表3-13-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	64	100%	30	46.9%	13	20.3%	4	6.3%	5	7.8%	6	9.4%	6	9.4%
0-4年	2	100	2	100	-	-	-	-	-	-	-	-	-	-
5-9	1	100	1	100	-	-	-	-	-	-	-	-	-	-
10-14	6	100	1	16.7	2	33.3	-	-	1	16.7	1	16.7	1	16.7
15-19	5	100	3	60.0	1	20.0	-	-	1	20.0	-	-	-	-
20-24	7	100	3	42.9	-	-	-	-	-	-	2	28.6	2	28.6
25-29	7	100	1	14.3	3	42.9	1	14.3	1	14.3	1	14.3	-	-
30-34	10	100	7	70.0	1	10.0	1	10.0	-	-	1	10.0	-	-
35-39	7	100	4	57.1	2	28.6	-	-	-	-	1	14.3	-	-
40-44	4	100	3	75.0	-	-	-	-	-	-	-	-	1	25.0
45-49	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	1	100	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	10	100	2	20.0	3	30.0	1	10.0	2	20.0	-	-	2	20.0

14 ビュルガー病

表3-14-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、14 ビュルガー病

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	3,722	100%	660	17.7%	2,649	71.2%	413	11.1%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	14	100	-	-	12	85.7	2	14.3
25-29	48	100	4	8.3	38	79.2	6	12.5
30-34	81	100	12	14.8	60	74.1	9	11.1
35-39	129	100	7	5.4	107	82.9	15	11.6
40-44	193	100	24	12.4	138	71.5	31	16.1
45-49	282	100	32	11.3	222	78.7	28	9.9
50-54	483	100	56	11.6	374	77.4	53	11.0
55-59	564	100	79	14.0	414	73.4	71	12.6
60-64	590	100	100	16.9	435	73.7	55	9.3
65-69	514	100	109	21.2	344	66.9	61	11.9
70-74	468	100	122	26.1	307	65.6	39	8.3
75-79	264	100	87	33.0	148	56.1	29	11.0
80-84	70	100	21	30.0	38	54.3	11	15.7
85-	20	100	6	30.0	11	55.0	3	15.0
不明	2	100	1	50.0	1	50.0	-	-

表3-14-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、14 ビュルガー病

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	3,722	100%	660	17.7%	2,649	71.2%	413	11.1%
0-4年	467	100	39	8.4	370	79.2	58	12.4
5-9	595	100	75	12.6	457	76.8	63	10.6
10-14	643	100	81	12.6	489	76.0	73	11.4
15-19	674	100	95	14.1	505	74.9	74	11.0
20-24	529	100	119	22.5	366	69.2	44	8.3
25-29	285	100	89	31.2	163	57.2	33	11.6
30-34	133	100	55	41.4	71	53.4	7	5.3
35-39	77	100	33	42.9	35	45.5	9	11.7
40-44	35	100	15	42.9	14	40.0	6	17.1
45-49	18	100	8	44.4	7	38.9	3	16.7
50-54	11	100	7	63.6	2	18.2	2	18.2
55-59	7	100	3	42.9	2	28.6	2	28.6
60-64	1	100	-	-	-	-	1	100
65-69	2	100	-	-	2	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	245	100	41	16.7	166	67.8	38	15.5

表3-14-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、14 ビュルガー病

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,448	100%	133	3.9%	39	1.1%	2,883	83.6%	393	11.4%
40-44歳	193	100	-	-	2	1.0	169	87.6	22	11.4
45-49	282	100	2	0.7	1	0.4	252	89.4	27	9.6
50-54	483	100	3	0.6	-	-	431	89.2	49	10.1
55-59	564	100	5	0.9	4	0.7	496	87.9	59	10.5
60-64	590	100	5	0.8	2	0.3	519	88.0	64	10.8
65-69	514	100	31	6.0	7	1.4	410	79.8	66	12.8
70-74	468	100	37	7.9	11	2.4	375	80.1	45	9.6
75-79	264	100	31	11.7	9	3.4	181	68.6	43	16.3
80-84	70	100	10	14.3	1	1.4	45	64.3	14	20.0
85-	20	100	9	45.0	2	10.0	5	25.0	4	20.0

表3-14-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、14 ビュルガー病

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,448	100%	133	3.9%	39	1.1%	2,883	83.6%	393	11.4%
0-4年	337	100	6	1.8	3	0.9	283	84.0	45	13.4
5-9	506	100	17	3.4	3	0.6	434	85.8	52	10.3
10-14	611	100	17	2.8	4	0.7	534	87.4	56	9.2
15-19	665	100	25	3.8	3	0.5	571	85.9	66	9.9
20-24	528	100	25	4.7	7	1.3	442	83.7	54	10.2
25-29	284	100	10	3.5	4	1.4	234	82.4	36	12.7
30-34	133	100	10	7.5	4	3.0	110	82.7	9	6.8
35-39	77	100	7	9.1	2	2.6	58	75.3	10	13.0
40-44	35	100	3	8.6	3	8.6	22	62.9	7	20.0
45-49	18	100	1	5.6	-	-	12	66.7	5	27.8
50-54	11	100	2	18.2	2	18.2	3	27.3	4	36.4
55-59	7	100	1	14.3	-	-	4	57.1	2	28.6
60-64	1	100	-	-	-	-	-	-	1	100
65-69	2	100	-	-	-	-	2	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	233	100	9	3.9	4	1.7	174	74.7	46	19.7

14 ビュルガー病

表3-14-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	660	100%	72	117	117	219	35	71	29	4.4%
0-4歳	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	4	100	-	1	1	1	-	1	-	-
30-34	12	100	1	3	1	3	2	2	-	-
35-39	7	100	-	2	-	3	1	1	-	-
40-44	24	100	3	2	5	9	2	1	2	8.3
45-49	32	100	2	4	7	10	1	7	1	3.1
50-54	56	100	4	7	6	26	1	10	2	3.6
55-59	79	100	7	15	13	29	4	8	3	3.8
60-64	100	100	10	16	13	32	6	16	7	7.0
65-69	109	100	14	26	18	33	4	12	2	1.8
70-74	122	100	14	21	27	40	10	4	6	4.9
75-79	87	100	9	15	22	25	2	9	5	5.7
80-84	21	100	6	4	4	5	2	-	-	-
85-	6	100	2	-	-	3	-	-	1	16.7
不明	1	100	-	1	-	-	-	-	-	-

表3-14-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	660	100%	72	117	117	219	35	71	29	4.4%
0-4年	39	100	3	6	6	16	3	3	2	5.1
5-9	75	100	6	17	11	30	3	5	3	4.0
10-14	81	100	9	15	9	31	4	11	2	2.5
15-19	95	100	13	13	17	32	3	11	6	6.3
20-24	119	100	13	17	22	38	8	16	5	4.2
25-29	89	100	7	18	22	25	4	10	3	3.4
30-34	55	100	5	8	12	16	5	7	2	3.6
35-39	33	100	7	10	3	9	2	2	-	-
40-44	15	100	1	2	3	6	1	2	-	-
45-49	8	100	2	1	1	3	-	1	-	-
50-54	7	100	-	2	1	1	1	-	2	28.6
55-59	3	100	-	-	1	1	1	-	1	33.3
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	41	100	6	8	9	11	1	3	3	7.3

表3-14-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度					不明	
			1	2	3	4	5		
総数	133	100%	43	31	18	12	8	21	15.8%
40-44歳	-	-	-	-	-	-	-	-	-
45-49	2	100	1	-	-	-	1	-	-
50-54	3	100	1	-	1	-	-	1	33.3
55-59	5	100	2	2	-	-	-	1	20.0
60-64	5	100	1	-	-	1	1	2	40.0
65-69	31	100	9	6	6	2	1	7	22.6
70-74	37	100	12	10	3	4	2	6	16.2
75-79	31	100	13	7	3	2	3	3	9.7
80-84	10	100	2	5	2	1	-	-	-
85-	9	100	2	1	3	2	-	1	11.1

表3-14-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度					不明	
			1	2	3	4	5		
総数	133	100%	43	31	18	12	8	21	15.8%
0-4年	6	100	2	1	1	-	-	2	33.3
5-9	17	100	8	5	3	-	-	1	5.9
10-14	17	100	5	3	1	3	3	2	11.8
15-19	25	100	10	2	2	3	3	5	20.0
20-24	25	100	6	8	5	3	-	3	12.0
25-29	10	100	1	4	2	1	-	2	20.0
30-34	10	100	4	2	1	-	-	3	30.0
35-39	7	100	2	-	1	1	1	2	28.6
40-44	3	100	2	1	-	-	-	-	-
45-49	1	100	-	1	-	-	-	-	-
50-54	2	100	-	1	1	-	-	-	-
55-59	1	100	-	1	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-
不明	9	100	3	2	1	1	1	1	11.1

15 天疱瘡

表3-15-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、15 天疱瘡

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	1,552	100%	89	5.7%	1,278	82.3%	185	11.9%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	1	100	-	-	1	100	-	-
15-19	4	100	-	-	2	50.0	2	50.0
20-24	9	100	-	-	6	66.7	3	33.3
25-29	16	100	1	6.3	14	87.5	1	6.3
30-34	36	100	1	2.8	32	88.9	3	8.3
35-39	46	100	2	4.3	41	89.1	3	6.5
40-44	62	100	1	1.6	57	91.9	4	6.5
45-49	111	100	1	0.9	100	90.1	10	9.0
50-54	202	100	4	2.0	180	89.1	18	8.9
55-59	192	100	8	4.2	163	84.9	21	10.9
60-64	234	100	9	3.8	193	82.5	32	13.7
65-69	190	100	14	7.4	153	80.5	23	12.1
70-74	184	100	14	7.6	138	75.0	32	17.4
75-79	152	100	19	12.5	118	77.6	15	9.9
80-84	66	100	12	18.2	44	66.7	10	15.2
85-	47	100	3	6.4	36	76.6	8	17.0
不明	-	-	-	-	-	-	-	-

表3-15-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、15 天疱瘡

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	1,552	100%	89	5.7%	1,278	82.3%	185	11.9%
0-4年	575	100	24	4.2	476	82.8	75	13.0
5-9	408	100	26	6.4	343	84.1	39	9.6
10-14	252	100	13	5.2	212	84.1	27	10.7
15-19	141	100	15	10.6	109	77.3	17	12.1
20-24	72	100	6	8.3	61	84.7	5	6.9
25-29	19	100	-	-	18	94.7	1	5.3
30-34	14	100	1	7.1	12	85.7	1	7.1
35-39	5	100	-	-	2	40.0	3	60.0
40-44	1	100	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	2	100	-	-	2	100	-	-
75-79	-	-	-	-	-	-	-	-
不明	63	100	4	6.3	42	66.7	17	27.0

表3-15-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、15 天疱瘡

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	1,440	100%	63	4.4%	10	0.7%	1,193	82.8%	174	12.1%
40-44歳	62	100	-	-	-	-	57	91.9	5	8.1
45-49	111	100	-	-	-	-	102	91.9	9	8.1
50-54	202	100	2	1.0	1	0.5	184	91.1	15	7.4
55-59	192	100	1	0.5	-	-	172	89.6	19	9.9
60-64	234	100	1	0.4	-	-	197	84.2	36	15.4
65-69	190	100	4	2.1	1	0.5	158	83.2	27	14.2
70-74	184	100	12	6.5	3	1.6	137	74.5	32	17.4
75-79	152	100	16	10.5	1	0.7	124	81.6	11	7.2
80-84	66	100	13	19.7	3	4.5	39	59.1	11	16.7
85-	47	100	14	29.8	1	2.1	23	48.9	9	19.1

表3-15-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、15 天疱瘡

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	1,440	100%	63	4.4%	10	0.7%	1,193	82.8%	174	12.1%
0-4年	510	100	19	3.7	3	0.6	422	82.7	66	12.9
5-9	377	100	15	4.0	6	1.6	320	84.9	36	9.5
10-14	244	100	11	4.5	-	-	203	83.2	30	12.3
15-19	137	100	6	4.4	-	-	115	83.9	16	11.7
20-24	72	100	4	5.6	1	1.4	61	84.7	6	8.3
25-29	19	100	1	5.3	-	-	18	94.7	-	-
30-34	14	100	-	-	-	-	13	92.9	1	7.1
35-39	5	100	-	-	-	-	4	80.0	1	20.0
40-44	1	100	-	-	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	2	100	-	-	-	-	2	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	59	100	7	11.9	-	-	34	57.6	18	30.5

15 天疱瘡

表3-15-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	89	100%	14	15.7%	16	18.0%	17	19.1%	25	28.1%	7	7.9%	4	4.5%	6	6.7%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
30-34	1	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
40-44	1	100	-	-	-	-	-	-	-	-	1	100	-	-	-	-
45-49	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
50-54	4	100	1	25.0	-	-	3	75.0	-	-	-	-	-	-	-	-
55-59	8	100	2	25.0	-	-	2	25.0	3	37.5	-	-	1	12.5	-	-
60-64	9	100	-	-	2	22.2	2	22.2	4	44.4	-	-	-	-	1	11.1
65-69	14	100	1	7.1	5	35.7	1	7.1	1	7.1	1	7.1	1	7.1	4	28.6
70-74	14	100	3	21.4	1	7.1	4	28.6	5	35.7	1	7.1	-	-	-	-
75-79	19	100	1	5.3	5	26.3	1	5.3	8	42.1	3	15.8	-	-	1	5.3
80-84	12	100	3	25.0	2	16.7	2	16.7	2	16.7	1	8.3	2	16.7	-	-
85-	3	100	2	66.7	1	33.3	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-15-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	89	100%	14	15.7%	16	18.0%	17	19.1%	25	28.1%	7	7.9%	4	4.5%	6	6.7%
0-4年	24	100	7	29.2	3	12.5	2	8.3	9	37.5	1	4.2	-	-	2	8.3
5-9	26	100	5	19.2	4	15.4	6	23.1	8	30.8	1	3.8	2	7.7	-	-
10-14	13	100	-	-	5	38.5	4	30.8	2	15.4	2	15.4	-	-	-	-
15-19	15	100	-	-	3	20.0	1	6.7	4	26.7	2	13.3	2	13.3	3	20.0
20-24	6	100	-	-	-	-	4	66.7	2	33.3	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	-	-	-	-	-	1	100	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	4	100	2	50.0	1	25.0	-	-	-	-	-	-	-	-	1	25.0

表3-15-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	63	100%	17	27.0%	16	25.4%	8	12.7%	6	9.5%	8	12.7%	8	12.7%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	2	100	-	-	-	-	1	50.0	-	-	1	50.0	-	-
55-59	1	100	-	-	-	-	-	-	-	-	-	-	1	100
60-64	1	100	-	-	-	-	1	100	-	-	-	-	-	-
65-69	4	100	-	-	3	75.0	-	-	-	-	1	25.0	-	-
70-74	12	100	3	25.0	1	8.3	1	8.3	2	16.7	2	16.7	3	25.0
75-79	16	100	4	25.0	6	37.5	-	-	3	18.8	1	6.3	2	12.5
80-84	13	100	5	38.5	3	23.1	2	15.4	-	-	2	15.4	1	7.7
85-	14	100	5	35.7	3	21.4	3	21.4	1	7.1	1	7.1	1	7.1

表3-15-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	63	100%	17	27.0%	16	25.4%	8	12.7%	6	9.5%	8	12.7%	8	12.7%
0-4年	19	100	3	15.8	5	26.3	4	21.1	2	10.5	3	15.8	2	10.5
5-9	15	100	3	20.0	4	26.7	3	20.0	1	6.7	3	20.0	1	6.7
10-14	11	100	4	36.4	2	18.2	1	9.1	1	9.1	1	9.1	2	18.2
15-19	6	100	4	66.7	-	-	-	-	-	-	-	-	2	33.3
20-24	4	100	2	50.0	1	25.0	-	-	-	-	-	-	1	25.0
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	7	100	1	14.3	3	42.9	-	-	2	28.6	1	14.3	-	-

16 脊髄小脳変性症

表3-16-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、16 脊髄小脳変性症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	7,547	100%	4,234	56.1%	2,495	33.1%	818	10.8%
0-4歳	5	100	2	40.0	3	60.0	-	-
5-9	8	100	3	37.5	2	25.0	3	37.5
10-14	12	100	7	58.3	4	33.3	1	8.3
15-19	37	100	25	67.6	11	29.7	1	2.7
20-24	69	100	38	55.1	27	39.1	4	5.8
25-29	134	100	72	53.7	41	30.6	21	15.7
30-34	163	100	98	60.1	49	30.1	16	9.8
35-39	222	100	115	51.8	76	34.2	31	14.0
40-44	283	100	168	59.4	93	32.9	22	7.8
45-49	399	100	225	56.4	130	32.6	44	11.0
50-54	716	100	405	56.6	237	33.1	74	10.3
55-59	843	100	501	59.4	261	31.0	81	9.6
60-64	1,038	100	571	55.0	355	34.2	112	10.8
65-69	1,214	100	639	52.6	435	35.8	140	11.5
70-74	1,111	100	626	56.3	360	32.4	125	11.3
75-79	828	100	479	57.9	253	30.6	96	11.6
80-84	352	100	191	54.3	123	34.9	38	10.8
85-	113	100	69	61.1	35	31.0	9	8.0
不明	-	-	-	-	-	-	-	-

表3-16-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、16 脊髄小脳変性症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	7,547	100%	4,234	56.1%	2,495	33.1%	818	10.8%
0-4年	1,600	100	446	27.9	914	57.1	240	15.0
5-9	2,001	100	1,020	51.0	768	38.4	213	10.6
10-14	1,631	100	1,067	65.4	431	26.4	133	8.2
15-19	817	100	590	72.2	138	16.9	89	10.9
20-24	481	100	379	78.8	65	13.5	37	7.7
25-29	279	100	218	78.1	33	11.8	28	10.0
30-34	139	100	115	82.7	15	10.8	9	6.5
35-39	91	100	72	79.1	9	9.9	10	11.0
40-44	66	100	53	80.3	9	13.6	4	6.1
45-49	34	100	25	73.5	8	23.5	1	2.9
50-54	30	100	25	83.3	2	6.7	3	10.0
55-59	12	100	8	66.7	2	16.7	2	16.7
60-64	10	100	7	70.0	1	10.0	2	20.0
65-69	5	100	1	20.0	3	60.0	1	20.0
70-74	3	100	2	66.7	-	-	1	33.3
75-79	3	100	2	66.7	-	-	1	33.3
不明	345	100	204	59.1	97	28.1	44	12.8

表3-16-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、16 脊髄小脳変性症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	6,897	100%	2,622	38.0%	207	3.0%	3,140	45.5%	928	13.5%
40-44歳	283	100	50	17.7	6	2.1	193	68.2	34	12.0
45-49	399	100	88	22.1	2	0.5	245	61.4	64	16.0
50-54	716	100	184	25.7	19	2.7	407	56.8	106	14.8
55-59	843	100	226	26.8	25	3.0	473	56.1	119	14.1
60-64	1,038	100	319	30.7	26	2.5	557	53.7	136	13.1
65-69	1,214	100	454	37.4	50	4.1	548	45.1	162	13.3
70-74	1,111	100	525	47.3	44	4.0	385	34.7	157	14.1
75-79	828	100	472	57.0	25	3.0	227	27.4	104	12.6
80-84	352	100	225	63.9	7	2.0	85	24.1	35	9.9
85-	113	100	79	69.9	3	2.7	20	17.7	11	9.7

表3-16-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、16 脊髄小脳変性症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	6,897	100%	2,622	38.0%	207	3.0%	3,140	45.5%	928	13.5%
0-4年	1,489	100	352	23.6	37	2.5	834	56.0	266	17.9
5-9	1,817	100	638	35.1	51	2.8	904	49.8	224	12.3
10-14	1,484	100	642	43.3	48	3.2	631	42.5	163	11.0
15-19	721	100	350	48.5	28	3.9	247	34.3	96	13.3
20-24	439	100	232	52.8	10	2.3	151	34.4	46	10.5
25-29	249	100	120	48.2	6	2.4	90	36.1	33	13.3
30-34	131	100	60	45.8	6	4.6	50	38.2	15	11.5
35-39	89	100	45	50.6	1	1.1	31	34.8	12	13.5
40-44	66	100	26	39.4	1	1.5	33	50.0	6	9.1
45-49	34	100	13	38.2	1	2.9	17	50.0	3	8.8
50-54	30	100	9	30.0	1	3.3	18	60.0	2	6.7
55-59	12	100	5	41.7	-	-	4	33.3	3	25.0
60-64	10	100	2	20.0	2	20.0	2	20.0	4	40.0
65-69	5	100	-	-	-	-	4	80.0	1	20.0
70-74	3	100	2	66.7	-	-	-	-	1	33.3
75-79	3	100	3	100	-	-	-	-	-	-
不明	315	100	123	39.0	15	4.8	124	39.4	53	16.8

16 脊髄小脳変性症

表3-16-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	4,234	100%	982	23.2%	2,083	49.2%	777	18.4%	82	1.9%	168	4.0%	15	0.4%	127	3.0%
0-4歳	2	100	-	-	1	50.0	-	-	-	-	1	50.0	-	-	-	-
5-9	3	100	2	66.7	-	-	-	-	-	-	1	33.3	-	-	-	-
10-14	7	100	3	42.9	1	14.3	1	14.3	-	-	-	-	-	-	2	28.6
15-19	25	100	14	56.0	7	28.0	4	16.0	-	-	-	-	-	-	-	-
20-24	38	100	10	26.3	14	36.8	7	18.4	2	5.3	4	10.5	-	-	1	2.6
25-29	72	100	20	27.8	35	48.6	5	6.9	2	2.8	8	11.1	2	2.8	-	-
30-34	98	100	34	34.7	39	39.8	12	12.2	1	1.0	6	6.1	2	2.0	4	4.1
35-39	115	100	30	26.1	47	40.9	20	17.4	4	3.5	9	7.8	2	1.7	3	2.6
40-44	168	100	33	19.6	77	45.8	37	22.0	5	3.0	9	5.4	1	0.6	6	3.6
45-49	225	100	56	24.9	88	39.1	51	22.7	5	2.2	15	6.7	1	0.4	9	4.0
50-54	405	100	87	21.5	184	45.4	81	20.0	12	3.0	27	6.7	-	-	14	3.5
55-59	501	100	110	22.0	238	47.5	101	20.2	12	2.4	22	4.4	2	0.4	16	3.2
60-64	571	100	132	23.1	259	45.4	128	22.4	11	1.9	27	4.7	2	0.4	12	2.1
65-69	639	100	145	22.7	326	51.0	121	18.9	14	2.2	17	2.7	-	-	16	2.5
70-74	626	100	133	21.2	338	54.0	107	17.1	11	1.8	13	2.1	1	0.2	23	3.7
75-79	479	100	100	20.9	286	59.7	73	15.2	1	0.2	7	1.5	-	-	12	2.5
80-84	191	100	51	26.7	108	56.5	20	10.5	2	1.0	2	1.0	2	1.0	6	3.1
85-	69	100	22	31.9	35	50.7	9	13.0	-	-	-	-	-	-	3	4.3
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-16-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	4,234	100%	982	23.2%	2,083	49.2%	777	18.4%	82	1.9%	168	4.0%	15	0.4%	127	3.0%
0-4年	446	100	58	13.0	189	42.4	132	29.6	19	4.3	27	6.1	-	-	21	4.7
5-9	1,020	100	179	17.5	482	47.3	242	23.7	22	2.2	62	6.1	5	0.5	28	2.7
10-14	1,067	100	250	23.4	542	50.8	191	17.9	18	1.7	40	3.7	2	0.2	24	2.2
15-19	590	100	159	26.9	313	53.1	79	13.4	8	1.4	14	2.4	3	0.5	14	2.4
20-24	379	100	108	28.5	205	54.1	41	10.8	5	1.3	6	1.6	3	0.8	11	2.9
25-29	218	100	59	27.1	116	53.2	25	11.5	2	0.9	4	1.8	2	0.9	10	4.6
30-34	115	100	40	34.8	52	45.2	12	10.4	3	2.6	2	1.7	-	-	6	5.2
35-39	72	100	22	30.6	37	51.4	9	12.5	-	-	2	2.8	-	-	2	2.8
40-44	53	100	21	39.6	21	39.6	7	13.2	-	-	1	1.9	-	-	3	5.7
45-49	25	100	9	36.0	9	36.0	3	12.0	-	-	2	8.0	-	-	2	8.0
50-54	25	100	17	68.0	8	32.0	-	-	-	-	-	-	-	-	-	-
55-59	8	100	3	37.5	3	37.5	-	-	1	12.5	-	-	-	-	1	12.5
60-64	7	100	4	57.1	3	42.9	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
70-74	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
75-79	2	100	-	-	1	50.0	-	-	-	-	-	-	-	-	1	50.0
不明	204	100	51	25.0	101	49.5	36	17.6	4	2.0	8	3.9	-	-	4	2.0

表3-16-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	2,622	100%	730	27.8%	606	23.1%	348	13.3%	283	10.8%	392	15.0%	263	10.0%
40-44歳	50	100	13	26.0	15	30.0	4	8.0	5	10.0	9	18.0	4	8.0
45-49	88	100	31	35.2	17	19.3	12	13.6	7	8.0	10	11.4	11	12.5
50-54	184	100	68	37.0	34	18.5	24	13.0	20	10.9	18	9.8	20	10.9
55-59	226	100	55	24.3	49	21.7	31	13.7	19	8.4	41	18.1	31	13.7
60-64	319	100	104	32.6	68	21.3	32	10.0	30	9.4	48	15.0	37	11.6
65-69	454	100	125	27.5	106	23.3	66	14.5	44	9.7	70	15.4	43	9.5
70-74	525	100	124	23.6	130	24.8	74	14.1	54	10.3	88	16.8	55	10.5
75-79	472	100	142	30.1	108	22.9	55	11.7	58	12.3	69	14.6	40	8.5
80-84	225	100	53	23.6	60	26.7	38	16.9	30	13.3	28	12.4	16	7.1
85-	79	100	15	19.0	19	24.1	12	15.2	16	20.3	11	13.9	6	7.6

表3-16-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	2,622	100%	730	27.8%	606	23.1%	348	13.3%	283	10.8%	392	15.0%	263	10.0%
0-4年	352	100	117	33.2	82	23.3	41	11.6	43	12.2	33	9.4	36	10.2
5-9	638	100	179	28.1	130	20.4	78	12.2	76	11.9	118	18.5	57	8.9
10-14	642	100	190	29.6	145	22.6	90	14.0	58	9.0	85	13.2	74	11.5
15-19	350	100	82	23.4	90	25.7	50	14.3	41	11.7	54	15.4	33	9.4
20-24	232	100	48	20.7	58	25.0	33	14.2	30	12.9	42	18.1	21	9.1
25-29	120	100	46	38.3	27	22.5	11	9.2	8	6.7	14	11.7	14	11.7
30-34	60	100	12	20.0	19	31.7	7	11.7	9	15.0	7	11.7	6	10.0
35-39	45	100	8	17.8	16	35.6	10	22.2	4	8.9	2	4.4	5	11.1
40-44	26	100	5	19.2	6	23.1	4	15.4	3	11.5	5	19.2	3	11.5
45-49	13	100	2	15.4	4	30.8	4	30.8	-	-	1	7.7	2	15.4
50-54	9	100	2	22.2	2	22.2	1	11.1	2	22.2	1	11.1	1	11.1
55-59	5	100	1	20.0	2	40.0	-	-	-	-	-	-	2	40.0
60-64	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-
75-79	3	100	-	-	1	33.3	1	33.3	1	33.3	-	-	-	-
不明	123	100	36	29.3	24	19.5	17	13.8	8	6.5	29	23.6	9	7.3

17 クロウン病

表3-17-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、17 クロウン病

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	9,755	100%	1,080	11.1%	7,664	78.6%	1,011	10.4%
0-4歳	2	100	-	-	1	50.0	1	50.0
5-9	11	100	-	-	9	81.8	2	18.2
10-14	50	100	2	4.0	41	82.0	7	14.0
15-19	346	100	8	2.3	295	85.3	43	12.4
20-24	930	100	43	4.6	764	82.2	123	13.2
25-29	1,703	100	143	8.4	1,398	82.1	162	9.5
30-34	1,871	100	214	11.4	1,467	78.4	190	10.2
35-39	1,465	100	214	14.6	1,125	76.8	126	8.6
40-44	1,036	100	166	16.0	774	74.7	96	9.3
45-49	666	100	85	12.8	520	78.1	61	9.2
50-54	530	100	85	16.0	388	73.2	57	10.8
55-59	341	100	38	11.1	267	78.3	36	10.6
60-64	299	100	24	8.0	229	76.6	46	15.4
65-69	192	100	21	10.9	153	79.7	18	9.4
70-74	175	100	27	15.4	129	73.7	19	10.9
75-79	95	100	8	8.4	71	74.7	16	16.8
80-84	33	100	1	3.0	26	78.8	6	18.2
85-	10	100	1	10.0	7	70.0	2	20.0
不 明	-	-	-	-	-	-	-	-

表3-17-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、17 クロウン病

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	9,755	100%	1,080	11.1%	7,664	78.6%	1,011	10.4%
0-4年	2,758	100	101	3.7	2,338	84.8	319	11.6
5-9	2,559	100	201	7.9	2,110	82.5	248	9.7
10-14	2,013	100	285	14.2	1,561	77.5	167	8.3
15-19	1,010	100	195	19.3	717	71.0	98	9.7
20-24	536	100	118	22.0	377	70.3	41	7.6
25-29	205	100	62	30.2	124	60.5	19	9.3
30-34	66	100	20	30.3	39	59.1	7	10.6
35-39	23	100	10	43.5	10	43.5	3	13.0
40-44	2	100	-	-	2	100	-	-
45-49	2	100	-	-	2	100	-	-
50-54	3	100	1	33.3	2	66.7	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	578	100	87	15.1	382	66.1	109	18.9

表3-17-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、17 クロウン病

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	3,377	100%	44	1.3%	27	0.8%	2,989	88.5%	317	9.4%
40-44歳	1,036	100	-	-	8	0.8	943	91.0	85	8.2
45-49	666	100	3	0.5	1	0.2	604	90.7	58	8.7
50-54	530	100	1	0.2	1	0.2	472	89.1	56	10.6
55-59	341	100	-	-	4	1.2	310	90.9	27	7.9
60-64	299	100	5	1.7	1	0.3	253	84.6	40	13.4
65-69	192	100	3	1.6	2	1.0	169	88.0	18	9.4
70-74	175	100	17	9.7	4	2.3	139	79.4	15	8.6
75-79	95	100	8	8.4	4	4.2	72	75.8	11	11.6
80-84	33	100	5	15.2	2	6.1	20	60.6	6	18.2
85-	10	100	2	20.0	-	-	7	70.0	1	10.0

表3-17-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、17 クロウン病

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	3,377	100%	44	1.3%	27	0.8%	2,989	88.5%	317	9.4%
0-4年	599	100	12	2.0	6	1.0	509	85.0	72	12.0
5-9	677	100	9	1.3	3	0.4	598	88.3	67	9.9
10-14	658	100	6	0.9	5	0.8	608	92.4	39	5.9
15-19	504	100	3	0.6	3	0.6	456	90.5	42	8.3
20-24	397	100	6	1.5	5	1.3	362	91.2	24	6.0
25-29	187	100	3	1.6	1	0.5	171	91.4	12	6.4
30-34	66	100	-	-	-	-	57	86.4	9	13.6
35-39	22	100	-	-	-	-	20	90.9	2	9.1
40-44	2	100	-	-	-	-	2	100	-	-
45-49	2	100	-	-	-	-	2	100	-	-
50-54	3	100	-	-	-	-	2	66.7	1	33.3
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	260	100	5	1.9	4	1.5	202	77.7	49	18.8

17 クローン病

表3-17-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)						
			1	2	3	4	5	6	不明
総数	1,080	100%	81	53	156	745	8	1	36
0-4歳	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-
10-14	2	100	-	1	-	1	-	-	-
15-19	8	100	1	-	-	5	-	-	2
20-24	43	100	-	2	1	39	-	-	1
25-29	143	100	4	4	16	114	1	-	4
30-34	214	100	13	6	32	153	2	-	8
35-39	214	100	8	7	33	160	1	-	5
40-44	166	100	17	5	33	105	-	-	6
45-49	85	100	8	7	14	52	3	-	1
50-54	85	100	14	6	10	51	1	1	2
55-59	38	100	2	3	3	27	-	-	3
60-64	24	100	4	4	5	9	-	-	2
65-69	21	100	3	2	4	11	-	-	1
70-74	27	100	5	6	4	11	-	-	1
75-79	8	100	1	-	-	7	-	-	-
80-84	1	100	-	-	1	-	-	-	-
85-	1	100	1	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-

表3-17-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)						
			1	2	3	4	5	6	不明
総数	1,080	100%	81	53	156	745	8	1	36
0-4年	101	100	7	7	8	69	1	-	9
5-9	201	100	9	8	28	147	1	-	8
10-14	285	100	16	9	34	213	3	-	10
15-19	195	100	13	10	35	131	2	1	3
20-24	118	100	16	8	31	62	-	-	1
25-29	62	100	12	6	6	37	-	-	1
30-34	20	100	2	2	2	14	-	-	-
35-39	10	100	2	-	-	7	1	-	-
40-44	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	1	-	-	-
55-59	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-
不明	87	100	4	3	12	64	-	-	4

表3-17-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度					
			1	2	3	4	5	不明
総数	44	100%	13	7	2	10	2	10
40-44歳	-	-	-	-	-	-	-	-
45-49	3	100	1	-	-	-	-	2
50-54	1	100	-	-	-	-	-	1
55-59	-	-	-	-	-	-	-	-
60-64	5	100	1	-	-	-	1	3
65-69	3	100	1	-	-	1	-	1
70-74	17	100	5	5	1	5	1	-
75-79	8	100	3	-	1	3	-	1
80-84	5	100	2	1	-	1	-	1
85-	2	100	-	1	-	-	-	1

表3-17-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度					
			1	2	3	4	5	不明
総数	44	100%	13	7	2	10	2	10
0-4年	12	100	4	4	-	3	-	1
5-9	9	100	3	1	-	3	-	2
10-14	6	100	2	-	1	1	1	1
15-19	3	100	1	-	1	1	-	-
20-24	6	100	2	1	-	1	-	2
25-29	3	100	1	1	-	-	-	1
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	5	100	-	-	-	1	1	3

18 難治性の肝炎のうち劇症肝炎

表3-18-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、18 難治性の肝炎のうち劇症肝炎

年齢階級	総 数		身体障害者手帳					
			あり	なし	不明			
総 数	157	100%	6	3.8%	109	69.4%	42	26.8%
0-4歳	9	100	1	11.1	5	55.6	3	33.3
5-9	7	100	-	-	3	42.9	4	57.1
10-14	6	100	-	-	4	66.7	2	33.3
15-19	6	100	-	-	5	83.3	1	16.7
20-24	10	100	1	10.0	6	60.0	3	30.0
25-29	9	100	-	-	7	77.8	2	22.2
30-34	9	100	-	-	9	100	-	-
35-39	11	100	-	-	9	81.8	2	18.2
40-44	9	100	-	-	7	77.8	2	22.2
45-49	12	100	-	-	8	66.7	4	33.3
50-54	10	100	-	-	8	80.0	2	20.0
55-59	21	100	2	9.5	17	81.0	2	9.5
60-64	12	100	2	16.7	6	50.0	4	33.3
65-69	11	100	-	-	5	45.5	6	54.5
70-74	5	100	-	-	3	60.0	2	40.0
75-79	9	100	-	-	7	77.8	2	22.2
80-84	1	100	-	-	-	-	1	100
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-18-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、18 難治性の肝炎のうち劇症肝炎

発病後期間	総 数		身体障害者手帳					
			あり	なし	不明			
総 数	157	100%	6	3.8%	109	69.4%	42	26.8%
0-4年	28	100	-	-	2	7.1	26	92.9
5-9	2	100	-	-	-	-	2	100
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	127	100	6	4.7	107	84.3	14	11.0

表3-18-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、18 難治性の肝炎のうち劇症肝炎

年齢階級	総 数		介護認定状況						
			要介護	要支援	なし	不明			
総 数	90	100%	1	1.1%	-	67	74.4%	22	24.4%
40-44歳	9	100	-	-	-	7	77.8	2	22.2
45-49	12	100	-	-	-	9	75.0	3	25.0
50-54	10	100	-	-	-	8	80.0	2	20.0
55-59	21	100	-	-	-	18	85.7	3	14.3
60-64	12	100	-	-	-	9	75.0	3	25.0
65-69	11	100	-	-	-	6	54.5	5	45.5
70-74	5	100	1	20.0	-	3	60.0	1	20.0
75-79	9	100	-	-	-	7	77.8	2	22.2
80-84	1	100	-	-	-	-	-	1	100
85-	-	-	-	-	-	-	-	-	-

表3-18-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、18 難治性の肝炎のうち劇症肝炎

発病後期間	総 数		介護認定状況						
			要介護	要支援	なし	不明			
総 数	90	100%	1	1.1%	-	67	74.4%	22	24.4%
0-4年	17	100	-	-	-	3	17.6	14	82.4
5-9	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-
不 明	73	100	1	1.4	-	64	87.7	8	11.0

18 難治性の肝炎のうち劇症肝炎

表3-18-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)											
			1	2	3	4	5	6	不明					
総数	6	100%	3	50.0%	-	1	16.7%	1	16.7%	-	-	1	16.7%	
0-4歳	1	100	1	100	-	-	-	-	-	-	-	-	-	
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24	1	100	1	100	-	-	-	-	-	-	-	-	-	
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	
55-59	2	100	-	-	1	50.0	-	-	-	-	-	-	-	
60-64	2	100	1	50.0	-	-	1	50.0	-	-	-	-	1	50.0
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	

表3-18-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)										
			1	2	3	4	5	6	不明				
総数	6	100%	3	50.0%	-	1	16.7%	1	16.7%	-	-	1	16.7%
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	6	100	3	50.0	-	1	16.7	1	16.7	-	-	1	16.7

表3-18-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度					不明	
			1	2	3	4	5		
総数	1	100%	1	100%	-	-	-	-	-
40-44歳	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-
70-74	1	100	1	100	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-

表3-18-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度					不明	
			1	2	3	4	5		
総数	1	100%	1	100%	-	-	-	-	-
0-4年	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-
不明	1	100	1	100	-	-	-	-	-

19 悪性関節リウマチ

表3-19-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、19 悪性関節リウマチ

年齢階級	総数		身体障害者手帳					
			あり	なし	不明			
総数	2,233	100%	1,152	51.6%	855	38.3%	226	10.1%
0-4歳	1	100	1	100	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	-	-	1	100	-	-
20-24	23	100	6	26.1	12	52.2	5	21.7
25-29	14	100	4	28.6	9	64.3	1	7.1
30-34	31	100	14	45.2	16	51.6	1	3.2
35-39	29	100	9	31.0	16	55.2	4	13.8
40-44	58	100	29	50.0	25	43.1	4	6.9
45-49	107	100	52	48.6	45	42.1	10	9.3
50-54	214	100	107	50.0	86	40.2	21	9.8
55-59	314	100	155	49.4	133	42.4	26	8.3
60-64	435	100	246	56.6	149	34.3	40	9.2
65-69	413	100	223	54.0	147	35.6	43	10.4
70-74	354	100	188	53.1	127	35.9	39	11.0
75-79	160	100	81	50.6	58	36.3	21	13.1
80-84	62	100	34	54.8	18	29.0	10	16.1
85-	17	100	3	17.6	13	76.5	1	5.9
不明	-	-	-	-	-	-	-	-

表3-19-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、19 悪性関節リウマチ

発病後期間	総数		身体障害者手帳					
			あり	なし	不明			
総数	2,233	100%	1,152	51.6%	855	38.3%	226	10.1%
0-4年	350	100	112	32.0	194	55.4	44	12.6
5-9	407	100	172	42.3	191	46.9	44	10.8
10-14	419	100	202	48.2	179	42.7	38	9.1
15-19	298	100	182	61.1	95	31.9	21	7.0
20-24	239	100	141	59.0	76	31.8	22	9.2
25-29	157	100	111	70.7	29	18.5	17	10.8
30-34	96	100	70	72.9	16	16.7	10	10.4
35-39	65	100	51	78.5	11	16.9	3	4.6
40-44	29	100	23	79.3	5	17.2	1	3.4
45-49	15	100	13	86.7	-	-	2	13.3
50-54	3	100	3	100	-	-	-	-
55-59	1	100	1	100	-	-	-	-
60-64	1	100	-	-	-	-	1	100
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	152	100	71	46.7	58	38.2	23	15.1

表3-19-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、19 悪性関節リウマチ

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	2,134	100%	603	28.3%	46	2.2%	1,210	56.7%	275	12.9%
40-44歳	58	100	6	10.3	1	1.7	44	75.9	7	12.1
45-49	107	100	17	15.9	1	0.9	76	71.0	13	12.1
50-54	214	100	31	14.5	4	1.9	156	72.9	23	10.7
55-59	314	100	53	16.9	6	1.9	214	68.2	41	13.1
60-64	435	100	106	24.4	7	1.6	257	59.1	65	14.9
65-69	413	100	131	31.7	12	2.9	221	53.5	49	11.9
70-74	354	100	143	40.4	8	2.3	159	44.9	44	12.4
75-79	160	100	76	47.5	5	3.1	60	37.5	19	11.9
80-84	62	100	31	50.0	1	1.6	18	29.0	12	19.4
85-	17	100	9	52.9	1	5.9	5	29.4	2	11.8

表3-19-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、19 悪性関節リウマチ

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	2,134	100%	603	28.3%	46	2.2%	1,210	56.7%	275	12.9%
0-4年	331	100	64	19.3	12	3.6	204	61.6	51	15.4
5-9	386	100	82	21.2	5	1.3	249	64.5	50	13.0
10-14	395	100	94	23.8	9	2.3	253	64.1	39	9.9
15-19	283	100	86	30.4	5	1.8	169	59.7	23	8.1
20-24	230	100	75	32.6	3	1.3	115	50.0	37	16.1
25-29	154	100	54	35.1	3	1.9	68	44.2	29	18.8
30-34	95	100	41	43.2	2	2.1	39	41.1	13	13.7
35-39	65	100	31	47.7	2	3.1	23	35.4	9	13.8
40-44	29	100	11	37.9	1	3.4	15	51.7	2	6.9
45-49	15	100	11	73.3	-	-	4	26.7	-	-
50-54	3	100	1	33.3	-	-	2	66.7	-	-
55-59	1	100	1	100	-	-	-	-	-	-
60-64	1	100	1	100	-	-	-	-	-	-
65-69	1	100	1	100	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	145	100	50	34.5	4	2.8	69	47.6	22	15.2

19 悪性関節リウマチ

表3-19-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,152	100%	428	37.2%	419	36.4%	164	14.2%	79	6.9%	23	2.0%	6	0.5%	33	2.9%
0-4歳	1	100	-	-	-	-	-	-	-	-	-	-	-	-	1	100
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	6	100	3	50.0	2	33.3	-	-	1	16.7	-	-	-	-	-	-
25-29	4	100	1	25.0	2	50.0	1	25.0	-	-	-	-	-	-	-	-
30-34	14	100	4	28.6	5	35.7	3	21.4	1	7.1	-	-	-	-	1	7.1
35-39	9	100	1	11.1	5	55.6	-	-	1	11.1	-	-	-	-	2	22.2
40-44	29	100	9	31.0	11	37.9	1	3.4	2	6.9	4	13.8	-	-	2	6.9
45-49	52	100	17	32.7	21	40.4	8	15.4	2	3.8	1	1.9	-	-	3	5.8
50-54	107	100	33	30.8	38	35.5	18	16.8	10	9.3	2	1.9	2	1.9	4	3.7
55-59	155	100	55	35.5	57	36.8	26	16.8	11	7.1	5	3.2	-	-	1	0.6
60-64	246	100	105	42.7	90	36.6	35	14.2	13	5.3	1	0.4	-	-	2	0.8
65-69	223	100	80	35.9	77	34.5	33	14.8	17	7.6	8	3.6	2	0.9	6	2.7
70-74	188	100	71	37.8	67	35.6	24	12.8	17	9.0	1	0.5	-	-	8	4.3
75-79	81	100	36	44.4	29	35.8	9	11.1	2	2.5	1	1.2	2	2.5	2	2.5
80-84	34	100	11	32.4	15	44.1	5	14.7	2	5.9	-	-	-	-	1	2.9
85-	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-19-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,152	100%	428	37.2%	419	36.4%	164	14.2%	79	6.9%	23	2.0%	6	0.5%	33	2.9%
0-4年	112	100	32	28.6	31	27.7	26	23.2	13	11.6	1	0.9	2	1.8	7	6.3
5-9	172	100	48	27.9	60	34.9	39	22.7	16	9.3	5	2.9	-	-	4	2.3
10-14	202	100	55	27.2	89	44.1	27	13.4	20	9.9	6	3.0	2	1.0	3	1.5
15-19	182	100	70	38.5	60	33.0	27	14.8	14	7.7	4	2.2	-	-	7	3.8
20-24	141	100	63	44.7	48	34.0	16	11.3	5	3.5	2	1.4	1	0.7	6	4.3
25-29	111	100	56	50.5	39	35.1	9	8.1	2	1.8	2	1.8	-	-	3	2.7
30-34	70	100	34	48.6	25	35.7	6	8.6	3	4.3	1	1.4	1	1.4	-	-
35-39	51	100	24	47.1	19	37.3	5	9.8	2	3.9	-	-	-	-	1	2.0
40-44	23	100	10	43.5	9	39.1	1	4.3	1	4.3	2	8.7	-	-	-	-
45-49	13	100	7	53.8	5	38.5	-	-	1	7.7	-	-	-	-	-	-
50-54	3	100	1	33.3	2	66.7	-	-	-	-	-	-	-	-	-	-
55-59	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	71	100	27	38.0	32	45.1	8	11.3	2	2.8	-	-	-	-	2	2.8

表3-19-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	603	100%	137	22.7%	130	21.6%	75	12.4%	101	16.7%	97	16.1%	63	10.4%
40-44歳	6	100	2	33.3	-	-	1	16.7	-	-	2	33.3	1	16.7
45-49	17	100	7	41.2	2	11.8	3	17.6	2	11.8	2	11.8	1	5.9
50-54	31	100	10	32.3	8	25.8	3	9.7	4	12.9	2	6.5	4	12.9
55-59	53	100	11	20.8	16	30.2	5	9.4	6	11.3	9	17.0	6	11.3
60-64	106	100	24	22.6	24	22.6	13	12.3	19	17.9	16	15.1	10	9.4
65-69	131	100	23	17.6	29	22.1	22	16.8	22	16.8	20	15.3	15	11.5
70-74	143	100	35	24.5	25	17.5	14	9.8	30	21.0	23	16.1	16	11.2
75-79	76	100	15	19.7	16	21.1	10	13.2	14	18.4	14	18.4	7	9.2
80-84	31	100	8	25.8	7	22.6	3	9.7	2	6.5	9	29.0	2	6.5
85-	9	100	2	22.2	3	33.3	1	11.1	2	22.2	-	-	1	11.1

表3-19-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	603	100%	137	22.7%	130	21.6%	75	12.4%	101	16.7%	97	16.1%	63	10.4%
0-4年	64	100	19	29.7	14	21.9	4	6.3	11	17.2	9	14.1	7	10.9
5-9	82	100	20	24.4	22	26.8	7	8.5	20	24.4	7	8.5	6	7.3
10-14	94	100	30	31.9	19	20.2	11	11.7	15	16.0	10	10.6	9	9.6
15-19	86	100	18	20.9	17	19.8	10	11.6	17	19.8	12	14.0	12	14.0
20-24	75	100	17	22.7	11	14.7	15	20.0	8	10.7	14	18.7	10	13.3
25-29	54	100	10	18.5	10	18.5	9	16.7	6	11.1	15	27.8	4	7.4
30-34	41	100	8	19.5	8	19.5	4	9.8	8	19.5	11	26.8	2	4.9
35-39	31	100	3	9.7	9	29.0	6	19.4	2	6.5	6	19.4	5	16.1
40-44	11	100	2	18.2	1	9.1	-	-	4	36.4	3	27.3	1	9.1
45-49	11	100	2	18.2	6	54.5	-	-	-	-	2	18.2	1	9.1
50-54	1	100	1	100	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	-	-	1	100	-	-	-	-
60-64	1	100	1	100	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	-	-	1	100	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	50	100	6	12.0	13	26.0	9	18.0	8	16.0	8	16.0	6	12.0

20_1 進行性核上性麻痺

表3-20_1-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、20_1 進行性核上性麻痺

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	680	100%	314	46.2%	287	42.2%	79	11.6%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	4	100	2	50.0	1	25.0	1	25.0
50-54	4	100	1	25.0	2	50.0	1	25.0
55-59	14	100	5	35.7	9	64.3	-	-
60-64	63	100	34	54.0	25	39.7	4	6.3
65-69	130	100	66	50.8	49	37.7	15	11.5
70-74	186	100	85	45.7	78	41.9	23	12.4
75-79	188	100	83	44.1	83	44.1	22	11.7
80-84	73	100	32	43.8	30	41.1	11	15.1
85-	18	100	6	33.3	10	55.6	2	11.1
不明	-	-	-	-	-	-	-	-

表3-20_1-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、20_1 進行性核上性麻痺

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	680	100%	314	46.2%	287	42.2%	79	11.6%
0-4年	369	100	127	34.4	198	53.7	44	11.9
5-9	211	100	126	59.7	64	30.3	21	10.0
10-14	61	100	44	72.1	9	14.8	8	13.1
15-19	14	100	7	50.0	6	42.9	1	7.1
20-24	4	100	2	50.0	1	25.0	1	25.0
25-29	1	100	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	20	100	8	40.0	8	40.0	4	20.0

表3-20_1-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、20_1 進行性核上性麻痺

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	680	100%	424	62.4%	5	0.7%	149	21.9%	102	15.0%
40-44歳	-	-	-	-	-	-	-	-	-	-
45-49	4	100	-	-	-	-	2	50.0	2	50.0
50-54	4	100	2	50.0	-	-	1	25.0	1	25.0
55-59	14	100	6	42.9	-	-	7	50.0	1	7.1
60-64	63	100	36	57.1	1	1.6	19	30.2	7	11.1
65-69	130	100	77	59.2	1	0.8	34	26.2	18	13.8
70-74	186	100	113	60.8	1	0.5	45	24.2	27	14.5
75-79	188	100	126	67.0	2	1.1	27	14.4	33	17.6
80-84	73	100	51	69.9	-	-	11	15.1	11	15.1
85-	18	100	13	72.2	-	-	3	16.7	2	11.1

表3-20_1-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、20_1 進行性核上性麻痺

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	680	100%	424	62.4%	5	0.7%	149	21.9%	102	15.0%
0-4年	369	100	220	59.6	3	0.8	92	24.9	54	14.6
5-9	211	100	144	68.2	1	0.5	39	18.5	27	12.8
10-14	61	100	43	70.5	-	-	10	16.4	8	13.1
15-19	14	100	7	50.0	-	-	2	14.3	5	35.7
20-24	4	100	2	50.0	-	-	1	25.0	1	25.0
25-29	1	100	-	-	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	20	100	8	40.0	1	5.0	4	20.0	7	35.0