

20\_1 進行性核上性麻痺

表3-20\_1-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	314	100%	116	36.9%	139	44.3%	39	12.4%	9	2.9%	5	1.6%	-	-	6	1.9%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
50-54	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
55-59	5	100	2	40.0	3	60.0	-	-	-	-	-	-	-	-	-	-
60-64	34	100	11	32.4	13	38.2	4	11.8	2	5.9	1	2.9	-	-	3	8.8
65-69	66	100	23	34.8	32	48.5	8	12.1	1	1.5	1	1.5	-	-	1	1.5
70-74	85	100	30	35.3	39	45.9	12	14.1	2	2.4	1	1.2	-	-	1	1.2
75-79	83	100	32	38.6	38	45.8	7	8.4	4	4.8	1	1.2	-	-	1	1.2
80-84	32	100	11	34.4	12	37.5	8	25.0	-	-	1	3.1	-	-	-	-
85-	6	100	6	100	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-20\_1-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	314	100%	116	36.9%	139	44.3%	39	12.4%	9	2.9%	5	1.6%	-	-	6	1.9%
0-4年	127	100	40	31.5	63	49.6	12	9.4	7	5.5	3	2.4	-	-	2	1.6
5-9	126	100	53	42.1	51	40.5	17	13.5	1	0.8	-	-	-	-	4	3.2
10-14	44	100	17	38.6	18	40.9	8	18.2	1	2.3	-	-	-	-	-	-
15-19	7	100	1	14.3	5	71.4	-	-	-	-	1	14.3	-	-	-	-
20-24	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	8	100	3	37.5	2	25.0	2	25.0	-	-	1	12.5	-	-	-	-

表3-20\_1-3. つづき  
要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	424	100%	36	8.5%	63	14.9%	65	15.3%	83	19.6%	137	32.3%	40	9.4%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	2	100	-	-	-	-	-	-	-	-	2	100	-	-
55-59	6	100	-	-	1	16.7	-	-	3	50.0	2	33.3	-	-
60-64	36	100	3	8.3	5	13.9	3	8.3	7	19.4	14	38.9	4	11.1
65-69	77	100	5	6.5	12	15.6	13	16.9	16	20.8	22	28.6	9	11.7
70-74	113	100	11	9.7	17	15.0	17	15.0	21	18.6	36	31.9	11	9.7
75-79	126	100	12	9.5	19	15.1	20	15.9	22	17.5	45	35.7	8	6.3
80-84	51	100	4	7.8	9	17.6	11	21.6	10	19.6	11	21.6	6	11.8
85-	13	100	1	7.7	-	-	1	7.7	4	30.8	5	38.5	2	15.4

表3-20\_1-4. つづき  
要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	424	100%	36	8.5%	63	14.9%	65	15.3%	83	19.6%	137	32.3%	40	9.4%
0-4年	220	100	25	11.4	39	17.7	36	16.4	45	20.5	52	23.6	23	10.5
5-9	144	100	9	6.3	15	10.4	22	15.3	26	18.1	57	39.6	15	10.4
10-14	43	100	2	4.7	7	16.3	6	14.0	10	23.3	16	37.2	2	4.7
15-19	7	100	-	-	-	-	1	14.3	2	28.6	4	57.1	-	-
20-24	2	100	-	-	-	-	-	-	-	-	2	100	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	8	100	-	-	2	25.0	-	-	-	-	6	75.0	-	-

20\_2 大脳皮質基底核変性症

表3-20\_2-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、20\_2 大脳皮質基底核変性症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	249	100%	109	43.8%	128	51.4%	12	4.8%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	1	100	1	100	-	-	-	-
40-44	2	100	1	50.0	1	50.0	-	-
45-49	1	100	-	-	1	100	-	-
50-54	6	100	3	50.0	3	50.0	-	-
55-59	11	100	4	36.4	5	45.5	2	18.2
60-64	28	100	17	60.7	11	39.3	-	-
65-69	50	100	29	58.0	21	42.0	-	-
70-74	68	100	27	39.7	38	55.9	3	4.4
75-79	55	100	18	32.7	31	56.4	6	10.9
80-84	23	100	9	39.1	13	56.5	1	4.3
85-	3	100	-	-	3	100	-	-
不明	-	-	-	-	-	-	-	-

表3-20\_2-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、20\_2 大脳皮質基底核変性症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	249	100%	109	43.8%	128	51.4%	12	4.8%
0-4年	149	100	45	30.2	96	64.4	8	5.4
5-9	75	100	48	64.0	24	32.0	3	4.0
10-14	12	100	10	83.3	1	8.3	1	8.3
15-19	2	100	2	100	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	10	100	4	40.0	6	60.0	-	-

表3-20\_2-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、20\_2 大脳皮質基底核変性症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	247	100%	150	60.7%	3	1.2%	62	25.1%	32	13.0%
40-44歳	2	100	-	-	-	-	2	100	-	-
45-49	1	100	-	-	-	-	1	100	-	-
50-54	6	100	4	66.7	-	-	2	33.3	-	-
55-59	11	100	3	27.3	-	-	5	45.5	3	27.3
60-64	28	100	15	53.6	1	3.6	10	35.7	2	7.1
65-69	50	100	31	62.0	2	4.0	9	18.0	8	16.0
70-74	68	100	45	66.2	-	-	16	23.5	7	10.3
75-79	55	100	33	60.0	-	-	14	25.5	8	14.5
80-84	23	100	17	73.9	-	-	2	8.7	4	17.4
85-	3	100	2	66.7	-	-	1	33.3	-	-

表3-20\_2-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、20\_2 大脳皮質基底核変性症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	247	100%	150	60.7%	3	1.2%	62	25.1%	32	13.0%
0-4年	149	100	76	51.0	3	2.0	47	31.5	23	15.4
5-9	74	100	61	82.4	-	-	8	10.8	5	6.8
10-14	12	100	7	58.3	-	-	2	16.7	3	25.0
15-19	1	100	1	100	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	10	100	5	50.0	-	-	4	40.0	1	10.0

20\_2 大脳皮質基底核変性症

表3-20\_2-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)								
			1	2	3	4	5	6	不明		
総数	109	100%	48	35	13	4	4	-	-	5	4.6%
0-4歳	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-
35-39	1	100	1	-	-	-	-	-	-	-	-
40-44	1	100	-	-	-	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-
50-54	3	100	1	33.3	1	33.3	1	33.3	-	-	-
55-59	4	100	3	75.0	-	-	1	25.0	-	-	-
60-64	17	100	6	35.3	9	52.9	-	-	-	-	-
65-69	29	100	15	51.7	6	20.7	4	13.8	1	5.9	-
70-74	27	100	7	25.9	12	44.4	4	14.8	2	6.9	-
75-79	18	100	10	55.6	4	22.2	2	11.1	1	5.6	-
80-84	9	100	5	55.6	3	33.3	1	11.1	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-

表3-20\_2-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)									
			1	2	3	4	5	6	不明			
総数	109	100%	48	35	13	4	4	-	-	5	4.6%	
0-4年	45	100	17	37.8	5	11.1	3	6.7	2	4.4	4	8.9
5-9	48	100	22	45.8	18	37.5	-	-	2	4.2	1	2.1
10-14	10	100	6	60.0	2	20.0	-	-	-	-	-	-
15-19	2	100	1	50.0	1	50.0	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-
不明	4	100	2	50.0	-	-	1	25.0	1	25.0	-	-

表3-20\_2-3. つづき  
要介護者の要介護度

年齢階級	総数		要介護度							
			1	2	3	4	5	不明		
総数	150	100%	12	20	28	25	50	15	10.0%	
40-44歳	-	-	-	-	-	-	-	-	-	
45-49	-	-	-	-	-	-	-	-	-	
50-54	4	100	1	25.0	1	25.0	2	50.0	-	
55-59	3	100	-	-	-	1	33.3	2	66.7	
60-64	15	100	1	6.7	2	13.3	4	26.7	7	46.7
65-69	31	100	3	9.7	1	3.2	4	12.9	17	54.8
70-74	45	100	3	6.7	9	20.0	7	15.6	10	22.2
75-79	33	100	3	9.1	6	18.2	11	33.3	4	12.1
80-84	17	100	1	5.9	3	17.6	2	11.8	6	35.3
85-	2	100	-	-	1	50.0	-	-	1	50.0

表3-20\_2-4. つづき  
要介護者の要介護度

発病後期間	総数		要介護度							
			1	2	3	4	5	不明		
総数	150	100%	12	20	28	25	50	15	10.0%	
0-4年	76	100	8	10.5	12	15.8	19	25.0	15	19.7
5-9	61	100	3	4.9	7	11.5	8	13.1	11	18.0
10-14	7	100	1	14.3	-	-	1	14.3	-	-
15-19	1	100	-	-	-	-	-	-	1	100
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	5	100	-	1	20.0	-	2	40.0	1	20.0
不明	20	100	4	20.0	4	20.0	2	10.0	6	30.0

20\_3 パーキンソン病

表3-20\_3-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、20\_3 パーキンソン病

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	29,991	100%	10,137	33.8%	16,618	55.4%	3,236	10.8%
0-4歳	6	100	3	50.0	2	33.3	1	16.7
5-9	6	100	1	16.7	5	83.3	-	-
10-14	3	100	-	-	3	100	-	-
15-19	4	100	2	50.0	2	50.0	-	-
20-24	3	100	-	-	2	66.7	1	33.3
25-29	9	100	4	44.4	3	33.3	2	22.2
30-34	31	100	11	35.5	19	61.3	1	3.2
35-39	51	100	19	37.3	26	51.0	6	11.8
40-44	136	100	35	25.7	87	64.0	14	10.3
45-49	333	100	95	28.5	203	61.0	35	10.5
50-54	854	100	249	29.2	539	63.1	66	7.7
55-59	1,549	100	471	30.4	928	59.9	150	9.7
60-64	2,968	100	923	31.1	1,754	59.1	291	9.8
65-69	5,184	100	1,691	32.6	2,971	57.3	522	10.1
70-74	6,781	100	2,394	35.3	3,681	54.3	706	10.4
75-79	6,496	100	2,314	35.6	3,459	53.2	723	11.1
80-84	3,798	100	1,291	34.0	2,035	53.6	472	12.4
85-	1,777	100	634	35.7	898	50.5	245	13.8
不明	2	100	-	-	1	50.0	1	50.0

表3-20\_3-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、20\_3 パーキンソン病

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	29,991	100%	10,137	33.8%	16,618	55.4%	3,236	10.8%
0-4年	7,106	100	1,177	16.6	5,065	71.3	864	12.2
5-9	10,551	100	3,237	30.7	6,152	58.3	1,162	11.0
10-14	6,519	100	2,702	41.4	3,177	48.7	640	9.8
15-19	2,597	100	1,376	53.0	985	37.9	236	9.1
20-24	1,105	100	679	61.4	341	30.9	85	7.7
25-29	398	100	241	60.6	127	31.9	30	7.5
30-34	143	100	80	55.9	48	33.6	15	10.5
35-39	79	100	51	64.6	22	27.8	6	7.6
40-44	45	100	33	73.3	6	13.3	6	13.3
45-49	11	100	10	90.9	1	9.1	-	-
50-54	7	100	5	71.4	1	14.3	1	14.3
55-59	4	100	1	25.0	1	25.0	2	50.0
60-64	7	100	2	28.6	3	42.9	2	28.6
65-69	12	100	4	33.3	6	50.0	2	16.7
70-74	6	100	1	16.7	4	66.7	1	16.7
75-79	5	100	2	40.0	2	40.0	1	20.0
不明	1,396	100	536	38.4	677	48.5	183	13.1

表3-20\_3-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、20\_3 パーキンソン病

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	29,876	100%	14,346	48.0%	838	2.8%	11,297	37.8%	3,395	11.4%
40-44歳	136	100	10	7.4	1	0.7	111	81.6	14	10.3
45-49	333	100	42	12.6	11	3.3	244	73.3	36	10.8
50-54	854	100	118	13.8	19	2.2	634	74.2	83	9.7
55-59	1,549	100	292	18.9	31	2.0	1,047	67.6	179	11.6
60-64	2,968	100	697	23.5	61	2.1	1,848	62.3	362	12.2
65-69	5,184	100	1,843	35.6	155	3.0	2,575	49.7	611	11.8
70-74	6,781	100	3,375	49.8	251	3.7	2,381	35.1	774	11.4
75-79	6,496	100	3,976	61.2	180	2.8	1,586	24.4	754	11.6
80-84	3,798	100	2,637	69.4	98	2.6	646	17.0	417	11.0
85-	1,777	100	1,356	76.3	31	1.7	225	12.7	165	9.3

表3-20\_3-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、20\_3 パーキンソン病

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	29,876	100%	14,346	48.0%	838	2.8%	11,297	37.8%	3,395	11.4%
0-4年	7,074	100	2,567	36.3	241	3.4	3,281	46.4	985	13.9
5-9	10,518	100	4,901	46.6	299	2.8	4,130	39.3	1,188	11.3
10-14	6,500	100	3,435	52.8	177	2.7	2,239	34.4	649	10.0
15-19	2,587	100	1,571	60.7	48	1.9	735	28.4	233	9.0
20-24	1,101	100	703	63.9	25	2.3	288	26.2	85	7.7
25-29	394	100	236	59.9	8	2.0	118	29.9	32	8.1
30-34	141	100	75	53.2	4	2.8	47	33.3	15	10.6
35-39	79	100	38	48.1	2	2.5	31	39.2	8	10.1
40-44	45	100	26	57.8	1	2.2	9	20.0	9	20.0
45-49	11	100	9	81.8	-	-	1	9.1	1	9.1
50-54	7	100	6	85.7	-	-	1	14.3	-	-
55-59	4	100	-	-	-	-	2	50.0	2	50.0
60-64	7	100	3	42.9	-	-	2	28.6	2	28.6
65-69	12	100	4	33.3	1	8.3	4	33.3	3	25.0
70-74	6	100	1	16.7	-	-	4	66.7	1	16.7
75-79	5	100	5	100	-	-	-	-	-	-
不明	1,385	100	766	55.3	32	2.3	405	29.2	182	13.1

20\_3 パーキンソン病

表3-20\_3-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	10,137	100%	2,541	3,979	2,176	490	499	106	346	
0-4歳	3	100	-	2	1	-	-	-	-	
5-9	1	100	-	1	-	-	-	-	-	
10-14	-	-	-	-	-	-	-	-	-	
15-19	2	100	1	1	-	-	-	-	-	
20-24	-	-	-	-	-	-	-	-	-	
25-29	4	100	-	3	-	-	1	-	-	
30-34	11	100	2	3	4	-	1	1	-	
35-39	19	100	2	10	2	1	3	-	1	
40-44	35	100	7	11	5	4	7	-	1	
45-49	95	100	12	33	28	7	12	1	2	
50-54	249	100	42	85	83	10	19	4	6	
55-59	471	100	74	159	132	31	49	5	21	
60-64	923	100	154	360	249	38	71	15	36	
65-69	1,691	100	372	628	442	87	93	20	49	
70-74	2,394	100	568	954	544	127	113	23	65	
75-79	2,314	100	621	977	427	95	81	21	92	
80-84	1,291	100	433	499	194	62	44	11	48	
85-	634	100	253	253	65	28	5	5	25	
不明	-	-	-	-	-	-	-	-	-	

表3-20\_3-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	10,137	100%	2,541	3,979	2,176	490	499	106	346	
0-4年	1,177	100	261	370	302	98	74	19	53	
5-9	3,237	100	768	1,207	747	189	177	36	113	
10-14	2,702	100	658	1,099	588	110	131	25	91	
15-19	1,376	100	369	603	261	42	55	11	35	
20-24	679	100	178	314	121	14	21	10	21	
25-29	241	100	71	106	37	9	9	2	7	
30-34	80	100	25	35	13	2	4	-	1	
35-39	51	100	14	26	8	1	1	-	1	
40-44	33	100	14	9	7	1	2	-	-	
45-49	10	100	6	1	2	-	1	-	-	
50-54	5	100	1	3	1	-	-	-	-	
55-59	1	100	-	-	1	-	-	-	-	
60-64	2	100	-	2	-	-	-	-	-	
65-69	4	100	2	-	2	-	-	-	-	
70-74	1	100	-	-	-	-	1	-	-	
75-79	2	100	2	-	-	-	-	-	-	
不明	536	100	172	204	86	24	23	3	24	

表3-20\_3-3. つづき  
要介護者の要介護度

年齢階級	総数		要介護度					
			1	2	3	4	5	不明
総数	14,346	100%	2,833	2,875	2,338	2,298	2,946	1,056
40-44歳	10	100	2	1	2	1	-	4
45-49	42	100	8	13	3	5	6	7
50-54	118	100	25	24	22	10	25	12
55-59	292	100	74	73	45	29	45	26
60-64	697	100	179	141	112	94	113	58
65-69	1,843	100	412	415	309	249	296	162
70-74	3,375	100	733	729	542	494	596	281
75-79	3,976	100	778	810	667	633	811	277
80-84	2,637	100	464	458	429	500	619	167
85-	1,356	100	158	211	207	283	435	62

表3-20\_3-4. つづき  
要介護者の要介護度

発病後期間	総数		要介護度					
			1	2	3	4	5	不明
総数	14,346	100%	2,833	2,875	2,338	2,298	2,946	1,056
0-4年	2,567	100	717	571	393	333	346	207
5-9	4,901	100	1,063	1,022	794	744	914	364
10-14	3,435	100	602	685	576	557	756	259
15-19	1,571	100	204	288	248	325	394	112
20-24	703	100	73	114	147	127	202	40
25-29	236	100	26	39	40	43	70	18
30-34	75	100	6	11	9	16	28	5
35-39	38	100	8	4	9	6	8	3
40-44	26	100	6	8	3	5	4	-
45-49	9	100	2	1	-	1	3	2
50-54	6	100	-	3	-	2	1	-
55-59	-	-	-	-	-	-	-	-
60-64	3	100	1	1	1	-	-	-
65-69	4	100	-	1	1	1	1	-
70-74	1	100	-	-	1	-	-	-
75-79	5	100	1	-	1	1	2	-
不明	766	100	124	127	115	137	217	46

## 21 アミロイドーシス

表3-21-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、21 アミロイドーシス

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	509	100%	150	29.5%	299	58.7%	60	11.8%
0-4歳	1	100	1	100	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	-	-	1	100	-	-
20-24	3	100	-	-	2	66.7	1	33.3
25-29	4	100	-	-	4	100	-	-
30-34	12	100	1	8.3	10	83.3	1	8.3
35-39	21	100	3	14.3	18	85.7	-	-
40-44	19	100	8	42.1	10	52.6	1	5.3
45-49	25	100	9	36.0	12	48.0	4	16.0
50-54	52	100	15	28.8	29	55.8	8	15.4
55-59	53	100	14	26.4	36	67.9	3	5.7
60-64	85	100	29	34.1	49	57.6	7	8.2
65-69	93	100	31	33.3	50	53.8	12	12.9
70-74	67	100	24	35.8	36	53.7	7	10.4
75-79	51	100	11	21.6	28	54.9	12	23.5
80-84	18	100	4	22.2	10	55.6	4	22.2
85-	4	100	-	-	4	100	-	-
不明	-	-	-	-	-	-	-	-

表3-21-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、21 アミロイドーシス

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	509	100%	150	29.5%	299	58.7%	60	11.8%
0-4年	251	100	51	20.3	158	62.9	42	16.7
5-9	134	100	54	40.3	72	53.7	8	6.0
10-14	51	100	22	43.1	28	54.9	1	2.0
15-19	8	100	2	25.0	6	75.0	-	-
20-24	6	100	2	33.3	2	33.3	2	33.3
25-29	5	100	-	-	5	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	54	100	19	35.2	28	51.9	7	13.0

表3-21-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、21 アミロイドーシス

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	467	100%	54	11.6%	14	3.0%	326	69.8%	73	15.6%
40-44歳	19	100	2	10.5	-	-	15	78.9	2	10.5
45-49	25	100	3	12.0	-	-	19	76.0	3	12.0
50-54	52	100	2	3.8	1	1.9	41	78.8	8	15.4
55-59	53	100	1	1.9	1	1.9	45	84.9	6	11.3
60-64	85	100	5	5.9	2	2.4	67	78.8	11	12.9
65-69	93	100	16	17.2	3	3.2	60	64.5	14	15.1
70-74	67	100	10	14.9	5	7.5	40	59.7	12	17.9
75-79	51	100	10	19.6	2	3.9	27	52.9	12	23.5
80-84	18	100	4	22.2	-	-	9	50.0	5	27.8
85-	4	100	1	25.0	-	-	3	75.0	-	-

表3-21-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、21 アミロイドーシス

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	467	100%	54	11.6%	14	3.0%	326	69.8%	73	15.6%
0-4年	231	100	25	10.8	9	3.9	149	64.5	48	20.8
5-9	121	100	14	11.6	2	1.7	93	76.9	12	9.9
10-14	49	100	5	10.2	2	4.1	38	77.6	4	8.2
15-19	8	100	-	-	-	-	7	87.5	1	12.5
20-24	6	100	-	-	-	-	4	66.7	2	33.3
25-29	5	100	-	-	-	-	4	80.0	1	20.0
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	47	100	10	21.3	1	2.1	31	66.0	5	10.6

21 アミロイドーシス

表3-21-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	150	100%	77	51.3%	31	20.7%	25	16.7%	9	6.0%	5	3.3%	-	-	3	2.0%
0-4歳	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-	-	-
40-44	8	100	4	50.0	2	25.0	1	12.5	1	12.5	-	-	-	-	-	-
45-49	9	100	4	44.4	2	22.2	3	33.3	-	-	-	-	-	-	-	-
50-54	15	100	5	33.3	2	13.3	4	26.7	1	6.7	2	13.3	-	-	1	6.7
55-59	14	100	7	50.0	3	21.4	3	21.4	1	7.1	-	-	-	-	-	-
60-64	29	100	23	79.3	3	10.3	2	6.9	1	3.4	-	-	-	-	-	-
65-69	31	100	17	54.8	8	25.8	4	12.9	-	-	2	6.5	-	-	-	-
70-74	24	100	10	41.7	7	29.2	4	16.7	2	8.3	-	-	-	-	1	4.2
75-79	11	100	2	18.2	2	18.2	3	27.3	2	18.2	1	9.1	-	-	1	9.1
80-84	4	100	2	50.0	1	25.0	-	-	1	25.0	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-21-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	150	100%	77	51.3%	31	20.7%	25	16.7%	9	6.0%	5	3.3%	-	-	3	2.0%
0-4年	51	100	26	51.0	8	15.7	8	15.7	5	9.8	1	2.0	-	-	3	5.9
5-9	54	100	24	44.4	14	25.9	10	18.5	3	5.6	3	5.6	-	-	-	-
10-14	22	100	16	72.7	3	13.6	3	13.6	-	-	-	-	-	-	-	-
15-19	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
20-24	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	19	100	10	52.6	3	15.8	4	21.1	1	5.3	1	5.3	-	-	-	-

表3-21-3. つづき  
要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	54	100%	13	24.1%	16	29.6%	6	11.1%	3	5.6%	7	13.0%	9	16.7%
40-44歳	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-
45-49	3	100	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3
50-54	2	100	-	-	1	50.0	-	-	-	-	-	-	1	50.0
55-59	1	100	-	-	-	-	1	100	-	-	-	-	-	-
60-64	5	100	-	-	1	20.0	3	60.0	-	-	-	-	1	20.0
65-69	16	100	3	18.8	4	25.0	-	-	1	6.3	3	18.8	5	31.3
70-74	10	100	1	10.0	3	30.0	1	10.0	1	10.0	3	30.0	1	10.0
75-79	10	100	5	50.0	4	40.0	1	10.0	-	-	-	-	-	-
80-84	4	100	2	50.0	1	25.0	-	-	1	25.0	-	-	-	-
85-	1	100	-	-	1	100	-	-	-	-	-	-	-	-

表3-21-4. つづき  
要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	54	100%	13	24.1%	16	29.6%	6	11.1%	3	5.6%	7	13.0%	9	16.7%
0-4年	25	100	4	16.0	11	44.0	3	12.0	2	8.0	2	8.0	3	12.0
5-9	14	100	2	14.3	4	28.6	2	14.3	1	7.1	2	14.3	3	21.4
10-14	5	100	2	40.0	1	20.0	-	-	-	-	2	40.0	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	10	100	5	50.0	-	-	1	10.0	-	-	1	10.0	3	30.0

## 22 後縦靭帯骨化症

表3-22-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、22 後縦靭帯骨化症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	9,698	100%	3,263	33.6%	5,369	55.4%	1,066	11.0%
0-4歳	4	100	2	50.0	1	25.0	1	25.0
5-9	2	100	1	50.0	1	50.0	-	-
10-14	1	100	-	-	1	100	-	-
15-19	1	100	-	-	-	-	1	100
20-24	3	100	-	-	3	100	-	-
25-29	10	100	1	10.0	8	80.0	1	10.0
30-34	19	100	3	15.8	14	73.7	2	10.5
35-39	61	100	12	19.7	40	65.6	9	14.8
40-44	145	100	29	20.0	94	64.8	22	15.2
45-49	319	100	55	17.2	218	68.3	46	14.4
50-54	836	100	190	22.7	543	65.0	103	12.3
55-59	1,140	100	294	25.8	727	63.8	119	10.4
60-64	1,592	100	480	30.2	948	59.5	164	10.3
65-69	1,761	100	589	33.4	975	55.4	197	11.2
70-74	1,765	100	702	39.8	890	50.4	173	9.8
75-79	1,301	100	556	42.7	604	46.4	141	10.8
80-84	549	100	242	44.1	239	43.5	68	12.4
85-	188	100	106	56.4	63	33.5	19	10.1
不明	1	100	1	100	-	-	-	-

表3-22-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、22 後縦靭帯骨化症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	9,698	100%	3,263	33.6%	5,369	55.4%	1,066	11.0%
0-4年	3,385	100	620	18.3	2,354	69.5	411	12.1
5-9	2,414	100	889	36.8	1,273	52.7	252	10.4
10-14	1,577	100	673	42.7	739	46.9	165	10.5
15-19	788	100	417	52.9	309	39.2	62	7.9
20-24	401	100	220	54.9	140	34.9	41	10.2
25-29	175	100	98	56.0	58	33.1	19	10.9
30-34	59	100	37	62.7	19	32.2	3	5.1
35-39	23	100	19	82.6	4	17.4	-	-
40-44	11	100	8	72.7	2	18.2	1	9.1
45-49	3	100	2	66.7	-	-	1	33.3
50-54	2	100	-	-	2	100	-	-
55-59	1	100	-	-	-	-	1	100
60-64	1	100	1	100	-	-	-	-
65-69	3	100	1	33.3	2	66.7	-	-
70-74	2	100	2	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	853	100	276	32.4	467	54.7	110	12.9

表3-22-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、22 後縦靭帯骨化症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	9,596	100%	1,882	19.6%	267	2.8%	6,038	62.9%	1,409	14.7%
40-44歳	145	100	8	5.5	1	0.7	106	73.1	30	20.7
45-49	319	100	19	6.0	2	0.6	248	77.7	50	15.7
50-54	836	100	64	7.7	15	1.8	629	75.2	128	15.3
55-59	1,140	100	94	8.2	19	1.7	860	75.4	167	14.6
60-64	1,592	100	180	11.3	19	1.2	1,187	74.5	213	13.4
65-69	1,761	100	269	15.3	56	3.2	1,157	65.7	279	15.8
70-74	1,765	100	431	24.4	69	3.9	1,010	57.2	255	14.4
75-79	1,301	100	429	33.0	51	3.9	635	48.8	186	14.3
80-84	549	100	268	48.8	26	4.7	177	32.2	78	14.2
85-	188	100	120	63.8	9	4.8	36	19.1	23	12.2

表3-22-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、22 後縦靭帯骨化症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	9,596	100%	1,882	19.6%	267	2.8%	6,038	62.9%	1,409	14.7%
0-4年	3,314	100	460	13.9	97	2.9	2,248	67.8	509	15.4
5-9	2,401	100	439	18.3	54	2.2	1,575	65.6	333	13.9
10-14	1,573	100	341	21.7	50	3.2	957	60.8	225	14.3
15-19	788	100	223	28.3	20	2.5	458	58.1	87	11.0
20-24	401	100	125	31.2	14	3.5	202	50.4	60	15.0
25-29	175	100	71	40.6	2	1.1	79	45.1	23	13.1
30-34	59	100	23	39.0	4	6.8	23	39.0	9	15.3
35-39	23	100	9	39.1	2	8.7	10	43.5	2	8.7
40-44	11	100	6	54.5	1	9.1	3	27.3	1	9.1
45-49	3	100	2	66.7	-	-	-	-	1	33.3
50-54	2	100	-	-	-	-	2	100	-	-
55-59	1	100	-	-	-	-	-	-	1	100
60-64	1	100	1	100	-	-	-	-	-	-
65-69	3	100	-	-	-	-	3	100	-	-
70-74	2	100	2	100	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	839	100	180	21.5	23	2.7	478	57.0	158	18.8



22 後縦靭帯骨化症

表3-22-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	3,263	100%	876	26.8%	1,091	33.4%	638	19.6%	292	8.9%	226	6.9%	65	2.0%	75	2.3%
0-4歳	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
5-9	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-	-	-
35-39	12	100	1	8.3	5	41.7	2	16.7	1	8.3	2	16.7	-	-	1	8.3
40-44	29	100	6	20.7	9	31.0	5	17.2	6	20.7	2	6.9	-	-	1	3.4
45-49	55	100	15	27.3	16	29.1	15	27.3	5	9.1	1	1.8	1	1.8	2	3.6
50-54	190	100	57	30.0	62	32.6	29	15.3	15	7.9	16	8.4	9	4.7	2	1.1
55-59	294	100	75	25.5	84	28.6	61	20.7	28	9.5	29	9.9	9	3.1	8	2.7
60-64	480	100	115	24.0	154	32.1	105	21.9	46	9.6	39	8.1	9	1.9	12	2.5
65-69	589	100	149	25.3	195	33.1	117	19.9	47	8.0	51	8.7	14	2.4	16	2.7
70-74	702	100	197	28.1	236	33.6	145	20.7	64	9.1	35	5.0	13	1.9	12	1.7
75-79	556	100	143	25.7	190	34.2	115	20.7	52	9.4	36	6.5	7	1.3	13	2.3
80-84	242	100	74	30.6	97	40.1	27	11.2	25	10.3	11	4.5	1	0.4	7	2.9
85-	106	100	41	38.7	40	37.7	15	14.2	3	2.8	4	3.8	2	1.9	1	0.9
不明	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-

表3-22-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	3,263	100%	876	26.8%	1,091	33.4%	638	19.6%	292	8.9%	226	6.9%	65	2.0%	75	2.3%
0-4年	620	100	208	33.5	162	26.1	124	20.0	62	10.0	33	5.3	19	3.1	12	1.9
5-9	889	100	218	24.5	299	33.6	186	20.9	90	10.1	62	7.0	18	2.0	16	1.8
10-14	673	100	169	25.1	225	33.4	126	18.7	64	9.5	58	8.6	13	1.9	18	2.7
15-19	417	100	99	23.7	157	37.6	86	20.6	29	7.0	36	8.6	4	1.0	6	1.4
20-24	220	100	51	23.2	94	42.7	40	18.2	13	5.9	11	5.0	5	2.3	6	2.7
25-29	98	100	35	35.7	38	38.8	10	10.2	5	5.1	6	6.1	-	-	4	4.1
30-34	37	100	7	18.9	15	40.5	10	27.0	2	5.4	2	5.4	-	-	1	2.7
35-39	19	100	8	42.1	6	31.6	2	10.5	2	10.5	1	5.3	-	-	-	-
40-44	8	100	3	37.5	2	25.0	1	12.5	-	-	1	12.5	-	-	1	12.5
45-49	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
70-74	2	100	-	-	-	-	2	100	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	276	100	77	27.9	92	33.3	50	18.1	25	9.1	15	5.4	6	2.2	11	4.0

表3-22-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	1,882	100%	554	29.4%	393	20.9%	211	11.2%	243	12.9%	254	13.5%	227	12.1%
40-44歳	8	100	3	37.5	1	12.5	-	-	1	12.5	-	-	3	37.5
45-49	19	100	4	21.1	4	21.1	3	15.8	3	15.8	1	5.3	4	21.1
50-54	64	100	21	32.8	11	17.2	9	14.1	6	9.4	7	10.9	10	15.6
55-59	94	100	24	25.5	24	25.5	10	10.6	8	8.5	13	13.8	15	16.0
60-64	180	100	49	27.2	43	23.9	15	8.3	17	9.4	28	15.6	28	15.6
65-69	269	100	79	29.4	59	21.9	29	10.8	36	13.4	36	13.4	30	11.2
70-74	431	100	136	31.6	96	22.3	49	11.4	45	10.4	50	11.6	55	12.8
75-79	429	100	131	30.5	78	18.2	55	12.8	63	14.7	55	12.8	47	11.0
80-84	268	100	86	32.1	52	19.4	27	10.1	41	15.3	35	13.1	27	10.1
85-	120	100	21	17.5	25	20.8	14	11.7	23	19.2	29	24.2	8	6.7

表3-22-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	1,882	100%	554	29.4%	393	20.9%	211	11.2%	243	12.9%	254	13.5%	227	12.1%
0-4年	460	100	133	28.9	85	18.5	49	10.7	60	13.0	66	14.3	67	14.6
5-9	439	100	144	32.8	92	21.0	50	11.4	51	11.6	59	13.4	43	9.8
10-14	341	100	97	28.4	77	22.6	34	10.0	38	11.1	43	12.6	52	15.2
15-19	223	100	62	27.8	49	22.0	34	15.2	37	16.6	20	9.0	21	9.4
20-24	125	100	39	31.2	27	21.6	10	8.0	17	13.6	17	13.6	15	12.0
25-29	71	100	16	22.5	11	15.5	10	14.1	11	15.5	10	14.1	13	18.3
30-34	23	100	5	21.7	5	21.7	2	8.7	6	26.1	3	13.0	2	8.7
35-39	9	100	1	11.1	1	11.1	1	11.1	2	22.2	2	22.2	2	22.2
40-44	6	100	1	16.7	1	16.7	1	16.7	1	16.7	2	33.3	-	-
45-49	2	100	2	100	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	180	100	53	29.4	44	24.4	19	10.6	20	11.1	32	17.8	12	6.7

23 ハンチントン病

表3-23-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、23 ハンチントン病

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	285	100%	153	53.7%	104	36.5%	28	9.8%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	-	-	1	100	-	-
20-24	1	100	-	-	-	-	1	100
25-29	4	100	3	75.0	-	-	1	25.0
30-34	4	100	3	75.0	1	25.0	-	-
35-39	14	100	6	42.9	6	42.9	2	14.3
40-44	25	100	14	56.0	9	36.0	2	8.0
45-49	34	100	19	55.9	11	32.4	4	11.8
50-54	35	100	19	54.3	14	40.0	2	5.7
55-59	40	100	24	60.0	13	32.5	3	7.5
60-64	35	100	20	57.1	14	40.0	1	2.9
65-69	45	100	19	42.2	18	40.0	8	17.8
70-74	21	100	15	71.4	5	23.8	1	4.8
75-79	20	100	9	45.0	8	40.0	3	15.0
80-84	4	100	2	50.0	2	50.0	-	-
85-	2	100	-	-	2	100	-	-
不明	-	-	-	-	-	-	-	-

表3-23-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、23 ハンチントン病

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	285	100%	153	53.7%	104	36.5%	28	9.8%
0-4年	42	100	11	26.2	26	61.9	5	11.9
5-9	86	100	38	44.2	41	47.7	7	8.1
10-14	76	100	47	61.8	22	28.9	7	9.2
15-19	40	100	29	72.5	7	17.5	4	10.0
20-24	12	100	8	66.7	2	16.7	2	16.7
25-29	6	100	4	66.7	1	16.7	1	16.7
30-34	3	100	3	100	-	-	-	-
35-39	2	100	1	50.0	1	50.0	-	-
40-44	1	100	1	100	-	-	-	-
45-49	1	100	-	-	-	-	1	100
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	16	100	11	68.8	4	25.0	1	6.3

表3-23-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、23 ハンチントン病

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	261	100%	83	31.8%	2	0.8%	136	52.1%	40	15.3%
40-44歳	25	100	3	12.0	-	-	20	80.0	2	8.0
45-49	34	100	2	5.9	-	-	23	67.6	9	26.5
50-54	35	100	6	17.1	1	2.9	25	71.4	3	8.6
55-59	40	100	5	12.5	-	-	25	62.5	10	25.0
60-64	35	100	10	28.6	-	-	17	48.6	8	22.9
65-69	45	100	26	57.8	1	2.2	13	28.9	5	11.1
70-74	21	100	15	71.4	-	-	4	19.0	2	9.5
75-79	20	100	14	70.0	-	-	6	30.0	-	-
80-84	4	100	1	25.0	-	-	2	50.0	1	25.0
85-	2	100	1	50.0	-	-	1	50.0	-	-

表3-23-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、23 ハンチントン病

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	261	100%	83	31.8%	2	0.8%	136	52.1%	40	15.3%
0-4年	37	100	6	16.2	1	2.7	26	70.3	4	10.8
5-9	75	100	18	24.0	1	1.3	41	54.7	15	20.0
10-14	74	100	30	40.5	-	-	30	40.5	14	18.9
15-19	37	100	15	40.5	-	-	18	48.6	4	10.8
20-24	11	100	5	45.5	-	-	5	45.5	1	9.1
25-29	6	100	3	50.0	-	-	3	50.0	-	-
30-34	3	100	-	-	-	-	2	66.7	1	33.3
35-39	2	100	-	-	-	-	2	100	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	1	100	1	100	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	14	100	5	35.7	-	-	8	57.1	1	7.1

23 ハンチントン病

表3-23-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	153	100%	79	51.6%	45	29.4%	19	12.4%	-	-	3	2.0%	2	1.3%	5	3.3%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	3	100	1	33.3	-	-	2	66.7	-	-	-	-	-	-	-	-
30-34	3	100	3	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	6	100	4	66.7	1	16.7	1	16.7	-	-	-	-	-	-	-	-
40-44	14	100	7	50.0	6	42.9	-	-	-	-	1	7.1	-	-	-	-
45-49	19	100	7	36.8	6	31.6	1	5.3	-	-	1	5.3	2	10.5	2	10.5
50-54	19	100	8	42.1	7	36.8	4	21.1	-	-	-	-	-	-	-	-
55-59	24	100	13	54.2	4	16.7	4	16.7	-	-	1	4.2	-	-	2	8.3
60-64	20	100	10	50.0	6	30.0	4	20.0	-	-	-	-	-	-	-	-
65-69	19	100	11	57.9	6	31.6	2	10.5	-	-	-	-	-	-	-	-
70-74	15	100	8	53.3	6	40.0	1	6.7	-	-	-	-	-	-	-	-
75-79	9	100	6	66.7	3	33.3	-	-	-	-	-	-	-	-	-	-
80-84	2	100	1	50.0	-	-	-	-	-	-	-	-	-	-	1	50.0
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-23-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	153	100%	79	51.6%	45	29.4%	19	12.4%	-	-	3	2.0%	2	1.3%	5	3.3%
0-4年	11	100	4	36.4	3	27.3	4	36.4	-	-	-	-	-	-	-	-
5-9	38	100	16	42.1	11	28.9	7	18.4	-	-	3	7.9	1	2.6	-	-
10-14	47	100	20	42.6	19	40.4	5	10.6	-	-	-	-	-	-	3	6.4
15-19	29	100	21	72.4	6	20.7	-	-	-	-	-	-	-	-	2	6.9
20-24	8	100	6	75.0	2	25.0	-	-	-	-	-	-	-	-	-	-
25-29	4	100	4	100	-	-	-	-	-	-	-	-	-	-	-	-
30-34	3	100	3	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
40-44	1	100	-	-	-	-	-	-	-	-	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	11	100	5	45.5	4	36.4	2	18.2	-	-	-	-	-	-	-	-

表3-23-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	83	100%	4	4.8%	8	9.6%	10	12.0%	12	14.5%	41	49.4%	8	9.6%
40-44歳	3	100	-	-	-	-	1	33.3	-	-	2	66.7	-	-
45-49	2	100	-	-	-	-	-	-	-	1	50.0	1	50.0	
50-54	6	100	-	-	2	33.3	-	-	1	16.7	1	16.7	2	33.3
55-59	5	100	1	20.0	-	-	-	-	1	20.0	2	40.0	1	20.0
60-64	10	100	1	10.0	1	10.0	1	10.0	1	10.0	5	50.0	1	10.0
65-69	26	100	2	7.7	3	11.5	3	11.5	2	7.7	14	53.8	2	7.7
70-74	15	100	-	-	1	6.7	4	26.7	2	13.3	8	53.3	-	-
75-79	14	100	-	-	-	-	1	7.1	5	35.7	7	50.0	1	7.1
80-84	1	100	-	-	-	-	-	-	-	-	1	100	-	-
85-	1	100	-	-	1	100	-	-	-	-	-	-	-	-

表3-23-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	83	100%	4	4.8%	8	9.6%	10	12.0%	12	14.5%	41	49.4%	8	9.6%
0-4年	6	100	-	-	1	16.7	1	16.7	1	16.7	2	33.3	1	16.7
5-9	18	100	2	11.1	4	22.2	4	22.2	1	5.6	5	27.8	2	11.1
10-14	30	100	2	6.7	1	3.3	3	10.0	7	23.3	15	50.0	2	6.7
15-19	15	100	-	-	1	6.7	1	6.7	1	6.7	9	60.0	3	20.0
20-24	5	100	-	-	-	-	-	-	2	40.0	3	60.0	-	-
25-29	3	100	-	-	-	-	-	-	-	-	3	100	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	-	-	-	-	-	-	-	-	1	100	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	5	100	-	-	1	20.0	1	20.0	-	-	3	60.0	-	-

24 モヤモヤ病(ウィリス動脈輪閉塞症)

表3-24-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、24 モヤモヤ病(ウィリス動脈輪閉塞症)

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	4,598	100%	775	16.9%	3,265	71.0%	558	12.1%
0-4歳	46	100	7	15.2	33	71.7	6	13.0
5-9	224	100	13	5.8	186	83.0	25	11.2
10-14	375	100	21	5.6	293	78.1	61	16.3
15-19	374	100	33	8.8	290	77.5	51	13.6
20-24	312	100	44	14.1	238	76.3	30	9.6
25-29	300	100	37	12.3	225	75.0	38	12.7
30-34	359	100	48	13.4	268	74.7	43	12.0
35-39	321	100	48	15.0	234	72.9	39	12.1
40-44	324	100	57	17.6	227	70.1	40	12.3
45-49	340	100	58	17.1	241	70.9	41	12.1
50-54	452	100	98	21.7	297	65.7	57	12.6
55-59	398	100	93	23.4	265	66.6	40	10.1
60-64	333	100	82	24.6	211	63.4	40	12.0
65-69	245	100	69	28.2	144	58.8	32	13.1
70-74	129	100	45	34.9	77	59.7	7	5.4
75-79	51	100	16	31.4	28	54.9	7	13.7
80-84	15	100	6	40.0	8	53.3	1	6.7
85-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

表3-24-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、24 モヤモヤ病(ウィリス動脈輪閉塞症)

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	4,598	100%	775	16.9%	3,265	71.0%	558	12.1%
0-4年	1,670	100	165	9.9	1,281	76.7	224	13.4
5-9	1,033	100	182	17.6	740	71.6	111	10.7
10-14	714	100	150	21.0	475	66.5	89	12.5
15-19	463	100	108	23.3	317	68.5	38	8.2
20-24	246	100	66	26.8	154	62.6	26	10.6
25-29	144	100	42	29.2	84	58.3	18	12.5
30-34	69	100	20	29.0	39	56.5	10	14.5
35-39	29	100	9	31.0	17	58.6	3	10.3
40-44	12	100	3	25.0	5	41.7	4	33.3
45-49	6	100	4	66.7	1	16.7	1	16.7
50-54	2	100	2	100	-	-	-	-
55-59	1	100	-	-	1	100	-	-
60-64	1	100	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	208	100	24	11.5	150	72.1	34	16.3

表3-24-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、24 モヤモヤ病(ウィリス動脈輪閉塞症)

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	2,287	100%	302	13.2%	32	1.4%	1,678	73.4%	275	12.0%
40-44歳	324	100	15	4.6	1	0.3	257	79.3	51	15.7
45-49	340	100	25	7.4	3	0.9	283	83.2	29	8.5
50-54	452	100	41	9.1	3	0.7	350	77.4	58	12.8
55-59	398	100	51	12.8	4	1.0	298	74.9	45	11.3
60-64	333	100	53	15.9	7	2.1	230	69.1	43	12.9
65-69	245	100	54	22.0	7	2.9	152	62.0	32	13.1
70-74	129	100	37	28.7	6	4.7	76	58.9	10	7.8
75-79	51	100	19	37.3	-	-	26	51.0	6	11.8
80-84	15	100	7	46.7	1	6.7	6	40.0	1	6.7
85-	-	-	-	-	-	-	-	-	-	-

表3-24-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、24 モヤモヤ病(ウィリス動脈輪閉塞症)

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	2,287	100%	302	13.2%	32	1.4%	1,678	73.4%	275	12.0%
0-4年	861	100	97	11.3	9	1.0	641	74.4	114	13.2
5-9	520	100	63	12.1	10	1.9	393	75.6	54	10.4
10-14	330	100	44	13.3	6	1.8	242	73.3	38	11.5
15-19	226	100	38	16.8	3	1.3	164	72.6	21	9.3
20-24	101	100	19	18.8	1	1.0	72	71.3	9	8.9
25-29	52	100	8	15.4	1	1.9	35	67.3	8	15.4
30-34	44	100	15	34.1	-	-	24	54.5	5	11.4
35-39	22	100	1	4.5	-	-	18	81.8	3	13.6
40-44	12	100	2	16.7	-	-	5	41.7	5	41.7
45-49	6	100	1	16.7	-	-	4	66.7	1	16.7
50-54	2	100	-	-	-	-	2	100	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	1	100	-	-	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	109	100	14	12.8	2	1.8	76	69.7	17	15.6

24 モヤモヤ病(ウィリス動脈輪閉塞症)

表3-24-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	775	100%	275	35.5%	190	24.5%	129	16.6%	60	7.7%	37	4.8%	38	4.9%	46	5.9%
0-4歳	7	100	4	57.1	3	42.9	-	-	-	-	-	-	-	-	-	-
5-9	13	100	5	38.5	2	15.4	4	30.8	-	-	1	7.7	-	-	1	7.7
10-14	21	100	3	14.3	8	38.1	6	28.6	2	9.5	-	-	2	9.5	-	-
15-19	33	100	5	15.2	8	24.2	9	27.3	4	12.1	3	9.1	-	-	4	12.1
20-24	44	100	7	15.9	12	27.3	7	15.9	10	22.7	3	6.8	1	2.3	4	9.1
25-29	37	100	11	29.7	10	27.0	7	18.9	1	2.7	2	5.4	3	8.1	3	8.1
30-34	48	100	11	22.9	9	18.8	16	33.3	3	6.3	2	4.2	3	6.3	4	8.3
35-39	48	100	17	35.4	13	27.1	8	16.7	3	6.3	2	4.2	2	4.2	3	6.3
40-44	57	100	22	38.6	14	24.6	10	17.5	4	7.0	1	1.8	5	8.8	1	1.8
45-49	58	100	23	39.7	20	34.5	4	6.9	4	6.9	3	5.2	3	5.2	1	1.7
50-54	98	100	40	40.8	19	19.4	20	20.4	11	11.2	4	4.1	3	3.1	1	1.0
55-59	93	100	36	38.7	18	19.4	17	18.3	5	5.4	6	6.5	6	6.5	5	5.4
60-64	82	100	36	43.9	19	23.2	8	9.8	5	6.1	3	3.7	4	4.9	7	8.5
65-69	69	100	21	30.4	17	24.6	8	11.6	6	8.7	6	8.7	2	2.9	9	13.0
70-74	45	100	23	51.1	8	17.8	5	11.1	2	4.4	1	2.2	3	6.7	3	6.7
75-79	16	100	7	43.8	8	50.0	-	-	-	-	-	-	1	6.3	-	-
80-84	6	100	4	66.7	2	33.3	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-24-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	775	100%	275	35.5%	190	24.5%	129	16.6%	60	7.7%	37	4.8%	38	4.9%	46	5.9%
0-4年	165	100	68	41.2	43	26.1	28	17.0	10	6.1	2	1.2	5	3.0	9	5.5
5-9	182	100	69	37.9	46	25.3	24	13.2	19	10.4	9	4.9	7	3.8	8	4.4
10-14	150	100	42	28.0	41	27.3	31	20.7	10	6.7	9	6.0	8	5.3	9	6.0
15-19	108	100	33	30.6	24	22.2	15	13.9	9	8.3	7	6.5	7	6.5	13	12.0
20-24	66	100	23	34.8	14	21.2	15	22.7	3	4.5	2	3.0	7	10.6	2	3.0
25-29	42	100	19	45.2	6	14.3	10	23.8	3	7.1	3	7.1	-	-	1	2.4
30-34	20	100	10	50.0	5	25.0	1	5.0	1	5.0	2	10.0	1	5.0	-	-
35-39	9	100	-	-	4	44.4	1	11.1	-	-	-	-	3	33.3	1	11.1
40-44	3	100	-	-	2	66.7	-	-	-	-	1	33.3	-	-	-	-
45-49	4	100	-	-	-	-	2	50.0	-	-	2	50.0	-	-	-	-
50-54	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	24	100	11	45.8	5	20.8	1	4.2	4	16.7	-	-	-	-	3	12.5

表3-24-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	302	100%	51	16.9%	50	16.6%	52	17.2%	43	14.2%	83	27.5%	23	7.6%
40-44歳	15	100	4	26.7	4	26.7	-	-	-	-	7	46.7	-	-
45-49	25	100	4	16.0	4	16.0	9	36.0	-	-	6	24.0	2	8.0
50-54	41	100	7	17.1	7	17.1	9	22.0	5	12.2	11	26.8	2	4.9
55-59	51	100	10	19.6	7	13.7	5	9.8	7	13.7	17	33.3	5	9.8
60-64	53	100	6	11.3	7	13.2	8	15.1	9	17.0	16	30.2	7	13.2
65-69	54	100	16	29.6	8	14.8	6	11.1	8	14.8	12	22.2	4	7.4
70-74	37	100	3	8.1	9	24.3	8	21.6	6	16.2	9	24.3	2	5.4
75-79	19	100	1	5.3	3	15.8	3	15.8	6	31.6	5	26.3	1	5.3
80-84	7	100	-	-	1	14.3	4	57.1	2	28.6	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-24-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	302	100%	51	16.9%	50	16.6%	52	17.2%	43	14.2%	83	27.5%	23	7.6%
0-4年	97	100	21	21.6	16	16.5	17	17.5	12	12.4	25	25.8	6	6.2
5-9	63	100	9	14.3	11	17.5	13	20.6	9	14.3	15	23.8	6	9.5
10-14	44	100	8	18.2	8	18.2	7	15.9	8	18.2	9	20.5	4	9.1
15-19	38	100	3	7.9	6	15.8	10	26.3	7	18.4	9	23.7	3	7.9
20-24	19	100	3	15.8	1	5.3	2	10.5	3	15.8	8	42.1	2	10.5
25-29	8	100	-	-	3	37.5	1	12.5	2	25.0	2	25.0	-	-
30-34	15	100	6	40.0	1	6.7	1	6.7	-	-	6	40.0	1	6.7
35-39	1	100	-	-	-	-	-	-	-	-	1	100	-	-
40-44	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-
45-49	1	100	-	-	1	100	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	14	100	-	-	3	21.4	1	7.1	1	7.1	8	57.1	1	7.1

## 25 ウェゲナー肉芽腫症

表3-25-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、25 ウェゲナー肉芽腫症

年齢階級	総数		身体障害者手帳					
			あり	なし	不明			
総数	399	100%	58	14.5%	299	74.9%	42	10.5%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	6	100	-	-	5	83.3	1	16.7
20-24	3	100	-	-	2	66.7	1	33.3
25-29	16	100	1	6.3	13	81.3	2	12.5
30-34	18	100	1	5.6	14	77.8	3	16.7
35-39	20	100	3	15.0	16	80.0	1	5.0
40-44	25	100	2	8.0	20	80.0	3	12.0
45-49	27	100	4	14.8	21	77.8	2	7.4
50-54	54	100	11	20.4	37	68.5	6	11.1
55-59	61	100	7	11.5	47	77.0	7	11.5
60-64	47	100	10	21.3	34	72.3	3	6.4
65-69	48	100	9	18.8	34	70.8	5	10.4
70-74	39	100	5	12.8	29	74.4	5	12.8
75-79	25	100	3	12.0	20	80.0	2	8.0
80-84	10	100	2	20.0	7	70.0	1	10.0
85-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

表3-25-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、25 ウェゲナー肉芽腫症

発病後期間	総数		身体障害者手帳					
			あり	なし	不明			
総数	399	100%	58	14.5%	299	74.9%	42	10.5%
0-4年	158	100	13	8.2	128	81.0	17	10.8
5-9	95	100	12	12.6	71	74.7	12	12.6
10-14	55	100	10	18.2	43	78.2	2	3.6
15-19	40	100	5	12.5	31	77.5	4	10.0
20-24	17	100	4	23.5	11	64.7	2	11.8
25-29	7	100	3	42.9	4	57.1	-	-
30-34	3	100	2	66.7	1	33.3	-	-
35-39	1	100	1	100	-	-	-	-
40-44	1	100	1	100	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	22	100	7	31.8	10	45.5	5	22.7

表3-25-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、25 ウェゲナー肉芽腫症

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	336	100%	13	3.9%	13	3.9%	272	81.0%	38	11.3%
40-44歳	25	100	-	-	-	-	22	88.0	3	12.0
45-49	27	100	-	-	-	-	25	92.6	2	7.4
50-54	54	100	-	-	-	-	48	88.9	6	11.1
55-59	61	100	-	-	-	-	53	86.9	8	13.1
60-64	47	100	1	2.1	2	4.3	40	85.1	4	8.5
65-69	48	100	2	4.2	3	6.3	36	75.0	7	14.6
70-74	39	100	4	10.3	5	12.8	25	64.1	5	12.8
75-79	25	100	4	16.0	2	8.0	16	64.0	3	12.0
80-84	10	100	2	20.0	1	10.0	7	70.0	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-25-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、25 ウェゲナー肉芽腫症

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	336	100%	13	3.9%	13	3.9%	272	81.0%	38	11.3%
0-4年	132	100	7	5.3	7	5.3	103	78.0	15	11.4
5-9	77	100	2	2.6	2	2.6	63	81.8	10	13.0
10-14	46	100	-	-	2	4.3	39	84.8	5	10.9
15-19	34	100	1	2.9	-	-	31	91.2	2	5.9
20-24	15	100	2	13.3	1	6.7	11	73.3	1	6.7
25-29	7	100	-	-	-	-	7	100	-	-
30-34	3	100	1	33.3	-	-	1	33.3	1	33.3
35-39	1	100	-	-	-	-	1	100	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	20	100	-	-	1	5.0	15	75.0	4	20.0

25 ウェゲナー肉芽腫症

表3-25-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	58	100%	22	11	7	10	1	3	4	6.9%
0-4歳	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	1	100	1	100	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-
35-39	3	100	-	1	33.3	2	66.7	-	-	-
40-44	2	100	-	1	50.0	-	1	50.0	-	-
45-49	4	100	3	75.0	-	-	-	-	1	25.0
50-54	11	100	4	36.4	3	27.3	1	9.1	2	18.2
55-59	7	100	3	42.9	-	-	1	14.3	1	14.3
60-64	10	100	5	50.0	2	20.0	1	10.0	-	-
65-69	9	100	3	33.3	1	11.1	2	22.2	1	11.1
70-74	5	100	1	20.0	1	20.0	2	40.0	1	20.0
75-79	3	100	1	33.3	1	33.3	-	-	-	1
80-84	2	100	-	-	1	50.0	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-

表3-25-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	58	100%	22	11	7	10	1	3	4	6.9%
0-4年	13	100	6	46.2	3	23.1	1	7.7	1	7.7
5-9	12	100	4	33.3	3	25.0	2	16.7	1	8.3
10-14	10	100	1	10.0	1	10.0	1	10.0	4	40.0
15-19	5	100	3	60.0	1	20.0	-	-	1	20.0
20-24	4	100	2	50.0	1	25.0	-	-	-	-
25-29	3	100	-	-	-	-	1	33.3	2	66.7
30-34	2	100	1	50.0	1	50.0	-	-	-	-
35-39	1	100	1	100	-	-	-	-	-	-
40-44	1	100	-	-	1	100	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	7	100	4	57.1	-	-	1	14.3	2	28.6

表3-25-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明
			1	2	3	4	5	
総数	13	100%	2	3	1	2	5	38.5%
40-44歳	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	1	100	-
65-69	2	100	-	-	-	1	50.0	1
70-74	4	100	1	25.0	2	50.0	-	1
75-79	4	100	1	25.0	1	25.0	-	1
80-84	2	100	-	-	-	-	-	2
85-	-	-	-	-	-	-	-	-

表3-25-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明
			1	2	3	4	5	
総数	13	100%	2	3	1	2	5	38.5%
0-4年	7	100	1	14.3	1	14.3	1	14.3
5-9	2	100	-	2	100	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	-	-	-	-	-	1
20-24	2	100	1	50.0	-	-	-	1
25-29	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	1	100	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

26特発性拡張型（うっ血型）心筋症

表3-26-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、26特発性拡張型（うっ血型）心筋症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	7,080	100%	1,972	27.9%	4,070	57.5%	1,038	14.7%
0-4歳	17	100	8	47.1	7	41.2	2	11.8
5-9	14	100	5	35.7	8	57.1	1	7.1
10-14	22	100	5	22.7	13	59.1	4	18.2
15-19	28	100	10	35.7	14	50.0	4	14.3
20-24	41	100	17	41.5	15	36.6	9	22.0
25-29	76	100	26	34.2	36	47.4	14	18.4
30-34	173	100	50	28.9	93	53.8	30	17.3
35-39	250	100	52	20.8	149	59.6	49	19.6
40-44	364	100	97	26.6	214	58.8	53	14.6
45-49	479	100	123	25.7	270	56.4	86	18.0
50-54	767	100	227	29.6	424	55.3	116	15.1
55-59	942	100	240	25.5	561	59.6	141	15.0
60-64	1,036	100	316	30.5	608	58.7	112	10.8
65-69	1,157	100	321	27.7	682	58.9	154	13.3
70-74	988	100	280	28.3	561	56.8	147	14.9
75-79	536	100	149	27.8	296	55.2	91	17.0
80-84	158	100	41	25.9	93	58.9	24	15.2
85-	32	100	5	15.6	26	81.3	1	3.1
不明	-	-	-	-	-	-	-	-

表3-26-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、26特発性拡張型（うっ血型）心筋症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	7,080	100%	1,972	27.9%	4,070	57.5%	1,038	14.7%
0-4年	2,519	100	559	22.2	1,585	62.9	375	14.9
5-9	1,936	100	570	29.4	1,115	57.6	251	13.0
10-14	966	100	311	32.2	532	55.1	123	12.7
15-19	383	100	158	41.3	185	48.3	40	10.4
20-24	129	100	51	39.5	63	48.8	15	11.6
25-29	34	100	10	29.4	18	52.9	6	17.6
30-34	9	100	5	55.6	4	44.4	-	-
35-39	4	100	2	50.0	1	25.0	1	25.0
40-44	2	100	-	-	-	-	2	100
45-49	2	100	-	-	2	100	-	-
50-54	-	-	-	-	-	-	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	4	100	2	50.0	2	50.0	-	-
70-74	3	100	2	66.7	-	-	1	33.3
75-79	1	100	1	100	-	-	-	-
不明	1,087	100	301	27.7	562	51.7	224	20.6

表3-26-3. 受給者数、介護認定状況と要介護度・年齢階級別（40歳以上）、26特発性拡張型（うっ血型）心筋症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	6,459	100%	188	2.9%	97	1.5%	5,225	80.9%	949	14.7%
40-44歳	364	100	2	0.5	2	0.5	299	82.1	61	16.8
45-49	479	100	5	1.0	1	0.2	400	83.5	73	15.2
50-54	767	100	4	0.5	6	0.8	643	83.8	114	14.9
55-59	942	100	7	0.7	6	0.6	794	84.3	135	14.3
60-64	1,036	100	18	1.7	13	1.3	885	85.4	120	11.6
65-69	1,157	100	26	2.2	16	1.4	968	83.7	147	12.7
70-74	988	100	43	4.4	23	2.3	757	76.6	165	16.7
75-79	536	100	45	8.4	15	2.8	367	68.5	109	20.3
80-84	158	100	24	15.2	11	7.0	101	63.9	22	13.9
85-	32	100	14	43.8	4	12.5	11	34.4	3	9.4

表3-26-4. 受給者数、介護認定状況と要介護度・発病後期間別（40歳以上）、26特発性拡張型（うっ血型）心筋症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	6,459	100%	188	2.9%	97	1.5%	5,225	80.9%	949	14.7%
0-4年	2,216	100	40	1.8	32	1.4	1,807	81.5	337	15.2
5-9	1,799	100	59	3.3	26	1.4	1,495	83.1	219	12.2
10-14	916	100	32	3.5	13	1.4	750	81.9	121	13.2
15-19	366	100	21	5.7	10	2.7	295	80.6	40	10.9
20-24	118	100	6	5.1	2	1.7	96	81.4	14	11.9
25-29	33	100	2	6.1	2	6.1	23	69.7	6	18.2
30-34	9	100	1	11.1	-	-	8	88.9	-	-
35-39	4	100	-	-	-	-	2	50.0	2	50.0
40-44	2	100	-	-	-	-	-	-	2	100
45-49	2	100	-	-	-	-	2	100	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	4	100	-	-	-	-	3	75.0	1	25.0
70-74	3	100	-	-	-	-	2	66.7	1	33.3
75-79	1	100	1	100	-	-	-	-	-	-
不明	985	100	26	2.6	12	1.2	741	75.2	206	20.9



26特発性拡張型（うっ血型）心筋症

表3-26-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,972	100%	721	36.6%	62	3.1%	729	37.0%	379	19.2%	11	0.6%	5	0.3%	65	3.3%
0-4歳	8	100	7	87.5	-	-	1	12.5	-	-	-	-	-	-	-	-
5-9	5	100	2	40.0	-	-	2	40.0	1	20.0	-	-	-	-	-	-
10-14	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
15-19	10	100	6	60.0	1	10.0	3	30.0	-	-	-	-	-	-	-	-
20-24	17	100	12	70.6	-	-	4	23.5	-	-	-	-	-	1	5.9	-
25-29	26	100	11	42.3	-	-	10	38.5	5	19.2	-	-	-	-	-	-
30-34	50	100	19	38.0	3	6.0	16	32.0	12	24.0	-	-	-	-	-	-
35-39	52	100	21	40.4	2	3.8	18	34.6	11	21.2	-	-	-	-	-	-
40-44	97	100	38	39.2	4	4.1	27	27.8	23	23.7	-	-	-	-	5	5.2
45-49	123	100	42	34.1	-	-	50	40.7	29	23.6	-	-	-	-	2	1.6
50-54	227	100	75	33.0	3	1.3	87	38.3	53	23.3	-	-	1	0.4	8	3.5
55-59	240	100	82	34.2	7	2.9	86	35.8	53	22.1	2	0.8	1	0.4	9	3.8
60-64	316	100	100	31.6	10	3.2	121	38.3	71	22.5	3	0.9	-	-	11	3.5
65-69	321	100	124	38.6	10	3.1	123	38.3	49	15.3	3	0.9	2	0.6	10	3.1
70-74	280	100	99	35.4	11	3.9	113	40.4	46	16.4	3	1.1	-	-	8	2.9
75-79	149	100	59	39.6	7	4.7	59	39.6	17	11.4	-	-	-	-	7	4.7
80-84	41	100	16	39.0	2	4.9	9	22.0	9	22.0	-	-	1	2.4	4	9.8
85-	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-26-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,972	100%	721	36.6%	62	3.1%	729	37.0%	379	19.2%	11	0.6%	5	0.3%	65	3.3%
0-4年	559	100	182	32.6	18	3.2	218	39.0	116	20.8	3	0.5	-	-	22	3.9
5-9	570	100	196	34.4	19	3.3	214	37.5	123	21.6	4	0.7	1	0.2	13	2.3
10-14	311	100	114	36.7	9	2.9	116	37.3	60	19.3	-	-	1	0.3	11	3.5
15-19	158	100	74	46.8	6	3.8	55	34.8	18	11.4	1	0.6	-	-	4	2.5
20-24	51	100	22	43.1	1	2.0	20	39.2	5	9.8	-	-	1	2.0	2	3.9
25-29	10	100	5	50.0	-	-	1	10.0	3	30.0	-	-	-	-	1	10.0
30-34	5	100	2	40.0	-	-	2	40.0	1	20.0	-	-	-	-	-	-
35-39	2	100	-	-	-	-	2	100	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	2	100	1	50.0	-	-	-	-	-	-	-	-	-	-	1	50.0
70-74	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
75-79	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
不明	301	100	123	40.9	9	3.0	100	33.2	53	17.6	3	1.0	2	0.7	11	3.7

表3-26-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	188	100%	74	39.4%	28	14.9%	18	9.6%	11	5.9%	12	6.4%	45	23.9%
40-44歳	2	100	-	-	2	100	-	-	-	-	-	-	-	-
45-49	5	100	1	20.0	-	-	1	20.0	-	-	-	-	3	60.0
50-54	4	100	-	-	1	25.0	-	-	-	-	-	-	3	75.0
55-59	7	100	1	14.3	-	-	-	-	-	1	14.3	-	5	71.4
60-64	18	100	3	16.7	3	16.7	3	16.7	1	5.6	3	16.7	5	27.8
65-69	26	100	11	42.3	2	7.7	1	3.8	4	15.4	1	3.8	7	26.9
70-74	43	100	15	34.9	3	7.0	6	14.0	2	4.7	4	9.3	13	30.2
75-79	45	100	21	46.7	10	22.2	4	8.9	2	4.4	2	4.4	6	13.3
80-84	24	100	13	54.2	4	16.7	2	8.3	2	8.3	1	4.2	2	8.3
85-	14	100	9	64.3	3	21.4	1	7.1	-	-	-	-	1	7.1

表3-26-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	188	100%	74	39.4%	28	14.9%	18	9.6%	11	5.9%	12	6.4%	45	23.9%
0-4年	40	100	11	27.5	4	10.0	8	20.0	3	7.5	3	7.5	11	27.5
5-9	59	100	27	45.8	5	8.5	4	6.8	3	5.1	5	8.5	15	25.4
10-14	32	100	13	40.6	9	28.1	2	6.3	2	6.3	3	9.4	3	9.4
15-19	21	100	5	23.8	5	23.8	3	14.3	1	4.8	-	-	7	33.3
20-24	6	100	3	50.0	-	-	-	-	1	16.7	-	-	2	33.3
25-29	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	1	100	1	100	-	-	-	-	-	-	-	-	-	-
不明	26	100	12	46.2	5	19.2	-	-	1	3.8	1	3.8	7	26.9

27 多系統萎縮症

表3-27-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、27 多系統萎縮症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	3,259	100%	1,904	58.4%	1,076	33.0%	279	8.6%
0-4歳	3	100	-	-	3	100	-	-
5-9	1	100	1	100	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-
20-24	2	100	-	-	-	-	2	100
25-29	4	100	1	25.0	2	50.0	1	25.0
30-34	9	100	5	55.6	3	33.3	1	11.1
35-39	18	100	10	55.6	5	27.8	3	16.7
40-44	45	100	29	64.4	12	26.7	4	8.9
45-49	101	100	61	60.4	36	35.6	4	4.0
50-54	238	100	145	60.9	75	31.5	18	7.6
55-59	445	100	259	58.2	151	33.9	35	7.9
60-64	614	100	372	60.6	192	31.3	50	8.1
65-69	660	100	379	57.4	220	33.3	61	9.2
70-74	574	100	333	58.0	187	32.6	54	9.4
75-79	386	100	221	57.3	133	34.5	32	8.3
80-84	117	100	64	54.7	45	38.5	8	6.8
85-	41	100	23	56.1	12	29.3	6	14.6
不明	-	-	-	-	-	-	-	-

表3-27-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、27 多系統萎縮症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	3,259	100%	1,904	58.4%	1,076	33.0%	279	8.6%
0-4年	1,313	100	529	40.3	664	50.6	120	9.1
5-9	1,057	100	750	71.0	226	21.4	81	7.7
10-14	433	100	310	71.6	89	20.6	34	7.9
15-19	162	100	117	72.2	33	20.4	12	7.4
20-24	87	100	66	75.9	15	17.2	6	6.9
25-29	35	100	28	80.0	5	14.3	2	5.7
30-34	16	100	14	87.5	1	6.3	1	6.3
35-39	13	100	9	69.2	1	7.7	3	23.1
40-44	8	100	6	75.0	1	12.5	1	12.5
45-49	2	100	1	50.0	-	-	1	50.0
50-54	2	100	1	50.0	-	-	1	50.0
55-59	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	130	100	73	56.2	40	30.8	17	13.1

表3-27-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、27 多系統萎縮症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,221	100%	1,698	52.7%	63	2.0%	1,041	32.3%	419	13.0%
40-44歳	45	100	9	20.0	1	2.2	25	55.6	10	22.2
45-49	101	100	32	31.7	2	2.0	61	60.4	6	5.9
50-54	238	100	89	37.4	10	4.2	111	46.6	28	11.8
55-59	445	100	177	39.8	11	2.5	200	44.9	57	12.8
60-64	614	100	304	49.5	12	2.0	216	35.2	82	13.4
65-69	660	100	377	57.1	13	2.0	180	27.3	90	13.6
70-74	574	100	346	60.3	6	1.0	142	24.7	80	13.9
75-79	386	100	247	64.0	7	1.8	84	21.8	48	12.4
80-84	117	100	86	73.5	1	0.9	19	16.2	11	9.4
85-	41	100	31	75.6	-	-	3	7.3	7	17.1

表3-27-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、27 多系統萎縮症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,221	100%	1,698	52.7%	63	2.0%	1,041	32.3%	419	13.0%
0-4年	1,309	100	569	43.5	24	1.8	539	41.2	177	13.5
5-9	1,046	100	672	64.2	18	1.7	232	22.2	124	11.9
10-14	427	100	233	54.6	9	2.1	134	31.4	51	11.9
15-19	155	100	86	55.5	7	4.5	42	27.1	20	12.9
20-24	84	100	43	51.2	1	1.2	26	31.0	14	16.7
25-29	34	100	13	38.2	1	2.9	14	41.2	6	17.6
30-34	16	100	7	43.8	-	-	8	50.0	1	6.3
35-39	13	100	5	38.5	-	-	7	53.8	1	7.7
40-44	8	100	2	25.0	1	12.5	4	50.0	1	12.5
45-49	2	100	1	50.0	-	-	-	-	1	50.0
50-54	2	100	1	50.0	-	-	1	50.0	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	124	100	66	53.2	2	1.6	33	26.6	23	18.5

27 多系統萎縮症

表3-27-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,904	100%	613	32.2%	885	46.5%	281	14.8%	26	1.4%	46	2.4%	4	0.2%	49	2.6%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	5	100	1	20.0	1	20.0	2	40.0	-	-	-	-	-	-	1	20.0
35-39	10	100	3	30.0	4	40.0	2	20.0	-	-	1	10.0	-	-	-	-
40-44	29	100	11	37.9	11	37.9	4	13.8	1	3.4	2	6.9	-	-	-	-
45-49	61	100	11	18.0	37	60.7	9	14.8	2	3.3	1	1.6	1	1.6	-	-
50-54	145	100	44	30.3	57	39.3	30	20.7	3	2.1	6	4.1	1	0.7	4	2.8
55-59	259	100	81	31.3	125	48.3	38	14.7	3	1.2	6	2.3	-	-	6	2.3
60-64	372	100	121	32.5	170	45.7	58	15.6	3	0.8	8	2.2	-	-	12	3.2
65-69	379	100	114	30.1	182	48.0	59	15.6	3	0.8	10	2.6	1	0.3	10	2.6
70-74	333	100	107	32.1	159	47.7	46	13.8	6	1.8	7	2.1	1	0.3	7	2.1
75-79	221	100	87	39.4	99	44.8	25	11.3	4	1.8	3	1.4	-	-	3	1.4
80-84	64	100	23	35.9	28	43.8	6	9.4	1	1.6	2	3.1	-	-	4	6.3
85-	23	100	9	39.1	10	43.5	2	8.7	-	-	-	-	-	-	2	8.7
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-27-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	1,904	100%	613	32.2%	885	46.5%	281	14.8%	26	1.4%	46	2.4%	4	0.2%	49	2.6%
0-4年	529	100	108	20.4	260	49.1	113	21.4	10	1.9	18	3.4	2	0.4	18	3.4
5-9	750	100	263	35.1	358	47.7	94	12.5	6	0.8	12	1.6	1	0.1	16	2.1
10-14	310	100	139	44.8	118	38.1	32	10.3	3	1.0	11	3.5	-	-	7	2.3
15-19	117	100	43	36.8	54	46.2	12	10.3	1	0.9	1	0.9	1	0.9	5	4.3
20-24	66	100	24	36.4	32	48.5	7	10.6	2	3.0	-	-	-	-	1	1.5
25-29	28	100	6	21.4	18	64.3	2	7.1	1	3.6	1	3.6	-	-	-	-
30-34	14	100	9	64.3	3	21.4	1	7.1	-	-	-	-	-	-	1	7.1
35-39	9	100	1	11.1	6	66.7	1	11.1	1	11.1	-	-	-	-	-	-
40-44	6	100	3	50.0	2	33.3	-	-	-	-	1	16.7	-	-	-	-
45-49	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	73	100	17	23.3	33	45.2	18	24.7	2	2.7	2	2.7	-	-	1	1.4

表3-27-3. つづき  
要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	1,698	100%	277	16.3%	265	15.6%	223	13.1%	247	14.5%	486	28.6%	200	11.8%
40-44歳	9	100	2	22.2	4	44.4	-	-	1	11.1	2	22.2	-	-
45-49	32	100	7	21.9	5	15.6	1	3.1	5	15.6	11	34.4	3	9.4
50-54	89	100	19	21.3	20	22.5	16	18.0	7	7.9	15	16.9	12	13.5
55-59	177	100	29	16.4	35	19.8	25	14.1	19	10.7	43	24.3	26	14.7
60-64	304	100	44	14.5	39	12.8	42	13.8	49	16.1	86	28.3	44	14.5
65-69	377	100	66	17.5	50	13.3	46	12.2	51	13.5	120	31.8	44	11.7
70-74	346	100	61	17.6	56	16.2	47	13.6	49	14.2	96	27.7	37	10.7
75-79	247	100	39	15.8	42	17.0	29	11.7	40	16.2	71	28.7	26	10.5
80-84	86	100	6	7.0	11	12.8	14	16.3	21	24.4	27	31.4	7	8.1
85-	31	100	4	12.9	3	9.7	3	9.7	5	16.1	15	48.4	1	3.2

表3-27-4. つづき  
要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	1,698	100%	277	16.3%	265	15.6%	223	13.1%	247	14.5%	486	28.6%	200	11.8%
0-4年	569	100	138	24.3	111	19.5	84	14.8	86	15.1	85	14.9	65	11.4
5-9	672	100	74	11.0	91	13.5	85	12.6	103	15.3	231	34.4	88	13.1
10-14	233	100	30	12.9	27	11.6	18	7.7	27	11.6	103	44.2	28	12.0
15-19	86	100	12	14.0	17	19.8	15	17.4	7	8.1	28	32.6	7	8.1
20-24	43	100	6	14.0	6	14.0	5	11.6	8	18.6	15	34.9	3	7.0
25-29	13	100	3	23.1	2	15.4	4	30.8	1	7.7	2	15.4	1	7.7
30-34	7	100	1	14.3	-	-	2	28.6	3	42.9	1	14.3	-	-
35-39	5	100	1	20.0	2	40.0	1	20.0	-	-	1	20.0	-	-
40-44	2	100	-	-	1	50.0	-	-	-	-	1	50.0	-	-
45-49	1	100	-	-	-	-	-	-	-	-	-	-	1	100
50-54	1	100	1	100	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	66	100	11	16.7	8	12.1	9	13.6	12	18.2	19	28.8	7	10.6

28 表皮水疱症(接合部型及び栄養障害型)

表3-28-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、28 表皮水疱症(接合部型及び栄養障害型)

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	140	100%	32	22.9%	95	67.9%	13	9.3%
0-4歳	13	100	-	-	11	84.6	2	15.4
5-9	21	100	3	14.3	16	76.2	2	9.5
10-14	15	100	2	13.3	13	86.7	-	-
15-19	15	100	4	26.7	10	66.7	1	6.7
20-24	7	100	2	28.6	4	57.1	1	14.3
25-29	7	100	1	14.3	5	71.4	1	14.3
30-34	10	100	5	50.0	4	40.0	1	10.0
35-39	14	100	3	21.4	10	71.4	1	7.1
40-44	7	100	2	28.6	4	57.1	1	14.3
45-49	8	100	2	25.0	5	62.5	1	12.5
50-54	9	100	2	22.2	6	66.7	1	11.1
55-59	6	100	3	50.0	3	50.0	-	-
60-64	2	100	2	100	-	-	-	-
65-69	5	100	-	-	4	80.0	1	20.0
70-74	1	100	1	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

表3-28-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、28 表皮水疱症(接合部型及び栄養障害型)

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	140	100%	32	22.9%	95	67.9%	13	9.3%
0-4年	17	100	-	-	14	82.4	3	17.6
5-9	21	100	3	14.3	17	81.0	1	4.8
10-14	14	100	2	14.3	12	85.7	-	-
15-19	16	100	4	25.0	11	68.8	1	6.3
20-24	8	100	1	12.5	6	75.0	1	12.5
25-29	5	100	1	20.0	3	60.0	1	20.0
30-34	11	100	5	45.5	5	45.5	1	9.1
35-39	11	100	3	27.3	7	63.6	1	9.1
40-44	11	100	4	36.4	6	54.5	1	9.1
45-49	7	100	3	42.9	3	42.9	1	14.3
50-54	7	100	1	14.3	5	71.4	1	14.3
55-59	4	100	2	50.0	2	50.0	-	-
60-64	2	100	2	100	-	-	-	-
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	5	100	1	20.0	3	60.0	1	20.0

表3-28-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、28 表皮水疱症(接合部型及び栄養障害型)

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	38	100%	-	-	-	-	33	86.8%	5	13.2%
40-44歳	7	100	-	-	-	-	6	85.7	1	14.3
45-49	8	100	-	-	-	-	6	75.0	2	25.0
50-54	9	100	-	-	-	-	9	100	-	-
55-59	6	100	-	-	-	-	5	83.3	1	16.7
60-64	2	100	-	-	-	-	2	100	-	-
65-69	5	100	-	-	-	-	4	80.0	1	20.0
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-28-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、28 表皮水疱症(接合部型及び栄養障害型)

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	38	100%	-	-	-	-	33	86.8%	5	13.2%
0-4年	3	100	-	-	-	-	2	66.7	1	33.3
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	1	100	-	-	-	-	1	100	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	1	100	-	-	-	-	1	100	-	-
40-44	11	100	-	-	-	-	9	81.8	2	18.2
45-49	7	100	-	-	-	-	6	85.7	1	14.3
50-54	7	100	-	-	-	-	7	100	-	-
55-59	4	100	-	-	-	-	3	75.0	1	25.0
60-64	2	100	-	-	-	-	2	100	-	-
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	1	100	-	-	-	-	1	100	-	-