

28 表皮水疱症(接合部型及び栄養障害型)

表3-28-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	32	100%	14	43.8%	8	25.0%	3	9.4%	4	12.5%	2	6.3%	1	3.1%	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	3	100	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3	-	-
10-14	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
15-19	4	100	2	50.0	1	25.0	-	-	-	-	1	25.0	-	-	-	-
20-24	2	100	-	-	-	-	-	-	2	100	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
35-39	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-	-	-
40-44	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
45-49	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
50-54	2	100	-	-	-	-	-	-	1	50.0	1	50.0	-	-	-	-
55-59	3	100	2	66.7	1	33.3	-	-	-	-	-	-	-	-	-	-
60-64	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-28-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	32	100%	14	43.8%	8	25.0%	3	9.4%	4	12.5%	2	6.3%	1	3.1%	-	-
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	3	100	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3	-	-
10-14	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
15-19	4	100	2	50.0	1	25.0	-	-	-	-	1	25.0	-	-	-	-
20-24	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
35-39	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-	-	-
40-44	4	100	1	25.0	2	50.0	-	-	-	-	-	-	-	-	-	-
45-49	3	100	1	33.3	-	-	1	33.3	-	-	1	33.3	-	-	-	-
50-54	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
55-59	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
60-64	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-

表3-28-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度					不明
			1	2	3	4	5	
総数	-	-	-	-	-	-	-	-
40-44歳	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-

表3-28-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度					不明
			1	2	3	4	5	
総数	-	-	-	-	-	-	-	-
0-4年	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

29 膿疱性乾癬

表3-29-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、29 膿疱性乾癬

年齢階級	総数		身体障害者手帳					
			あり	なし	不明			
総数	563	100%	30	5.3%	463	82.2%	70	12.4%
0-4歳	2	100	-	-	2	100	-	-
5-9	2	100	-	-	2	100	-	-
10-14	4	100	-	-	4	100	-	-
15-19	6	100	-	-	5	83.3	1	16.7
20-24	14	100	-	-	12	85.7	2	14.3
25-29	32	100	1	3.1	30	93.8	1	3.1
30-34	36	100	1	2.8	28	77.8	7	19.4
35-39	44	100	2	4.5	36	81.8	6	13.6
40-44	50	100	2	4.0	45	90.0	3	6.0
45-49	38	100	1	2.6	29	76.3	8	21.1
50-54	70	100	3	4.3	58	82.9	9	12.9
55-59	52	100	2	3.8	46	88.5	4	7.7
60-64	56	100	2	3.6	46	82.1	8	14.3
65-69	62	100	3	4.8	51	82.3	8	12.9
70-74	46	100	6	13.0	34	73.9	6	13.0
75-79	30	100	4	13.3	23	76.7	3	10.0
80-84	11	100	2	18.2	7	63.6	2	18.2
85-	8	100	1	12.5	5	62.5	2	25.0
不明	-	-	-	-	-	-	-	-

表3-29-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、29 膿疱性乾癬

発病後期間	総数		身体障害者手帳					
			あり	なし	不明			
総数	563	100%	30	5.3%	463	82.2%	70	12.4%
0-4年	140	100	6	4.3	118	84.3	16	11.4
5-9	100	100	5	5.0	88	88.0	7	7.0
10-14	86	100	5	5.8	70	81.4	11	12.8
15-19	75	100	5	6.7	63	84.0	7	9.3
20-24	52	100	-	-	45	86.5	7	13.5
25-29	33	100	6	18.2	20	60.6	7	21.2
30-34	15	100	1	6.7	13	86.7	1	6.7
35-39	8	100	-	-	5	62.5	3	37.5
40-44	6	100	-	-	5	83.3	1	16.7
45-49	1	100	-	-	1	100	-	-
50-54	1	100	-	-	1	100	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	45	100	2	4.4	33	73.3	10	22.2

表3-29-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、29 膿疱性乾癬

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	423	100%	17	4.0%	4	0.9%	350	82.7%	52	12.3%
40-44歳	50	100	-	-	-	-	47	94.0	3	6.0
45-49	38	100	-	-	-	-	30	78.9	8	21.1
50-54	70	100	1	1.4	-	-	61	87.1	8	11.4
55-59	52	100	-	-	1	1.9	48	92.3	3	5.8
60-64	56	100	-	-	1	1.8	50	89.3	5	8.9
65-69	62	100	4	6.5	2	3.2	46	74.2	10	16.1
70-74	46	100	6	13.0	-	-	33	71.7	7	15.2
75-79	30	100	2	6.7	-	-	23	76.7	5	16.7
80-84	11	100	2	18.2	-	-	7	63.6	2	18.2
85-	8	100	2	25.0	-	-	5	62.5	1	12.5

表3-29-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、29 膿疱性乾癬

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	423	100%	17	4.0%	4	0.9%	350	82.7%	52	12.3%
0-4年	110	100	4	3.6	-	-	93	84.5	13	11.8
5-9	72	100	2	2.8	1	1.4	65	90.3	4	5.6
10-14	67	100	6	9.0	1	1.5	52	77.6	8	11.9
15-19	48	100	2	4.2	-	-	42	87.5	4	8.3
20-24	40	100	1	2.5	2	5.0	33	82.5	4	10.0
25-29	21	100	-	-	-	-	15	71.4	6	28.6
30-34	13	100	-	-	-	-	13	100	-	-
35-39	8	100	-	-	-	-	4	50.0	4	50.0
40-44	6	100	-	-	-	-	5	83.3	1	16.7
45-49	1	100	-	-	-	-	1	100	-	-
50-54	1	100	-	-	-	-	1	100	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	35	100	2	5.7	-	-	25	71.4	8	22.9

29 膿疱性乾癬

表3-29-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	30	100%	11	36.7%	4	13.3%	5	16.7%	4	13.3%	4	13.3%	2	6.7%	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
40-44	2	100	-	-	1	50.0	-	-	-	-	1	50.0	-	-	-	-
45-49	1	100	-	-	-	-	-	-	-	-	1	100	-	-	-	-
50-54	3	100	1	33.3	-	-	2	66.7	-	-	-	-	-	-	-	-
55-59	2	100	-	-	-	-	-	-	1	50.0	1	50.0	-	-	-	-
60-64	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
65-69	3	100	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	-	-
70-74	6	100	1	16.7	2	33.3	1	16.7	1	16.7	-	-	1	16.7	-	-
75-79	4	100	2	50.0	-	-	-	-	1	25.0	1	25.0	-	-	-	-
80-84	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
85-	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-29-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	30	100%	11	36.7%	4	13.3%	5	16.7%	4	13.3%	4	13.3%	2	6.7%	-	-
0-4年	6	100	3	50.0	-	-	1	16.7	-	-	-	-	2	33.3	-	-
5-9	5	100	2	40.0	-	-	-	-	2	40.0	1	20.0	-	-	-	-
10-14	5	100	2	40.0	1	20.0	1	20.0	-	-	1	20.0	-	-	-	-
15-19	5	100	1	20.0	2	40.0	1	20.0	-	-	1	20.0	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	6	100	1	16.7	-	-	2	33.3	2	33.3	1	16.7	-	-	-	-
30-34	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-

表3-29-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	17	100%	5	29.4%	5	29.4%	3	17.6%	1	5.9%	1	5.9%	2	11.8%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	4	100	1	25.0	1	25.0	2	50.0	-	-	-	-	-	-
70-74	6	100	3	50.0	2	33.3	-	-	1	16.7	-	-	-	-
75-79	2	100	-	-	1	50.0	1	50.0	-	-	-	-	-	-
80-84	2	100	1	50.0	-	-	-	-	-	-	-	-	1	50.0
85-	2	100	-	-	-	-	-	-	-	-	1	50.0	1	50.0

表3-29-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	17	100%	5	29.4%	5	29.4%	3	17.6%	1	5.9%	1	5.9%	2	11.8%
0-4年	4	100	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0
5-9	2	100	2	100	-	-	-	-	-	-	-	-	-	-
10-14	6	100	1	16.7	3	50.0	-	-	1	16.7	-	-	1	16.7
15-19	2	100	-	-	-	-	1	50.0	-	-	1	50.0	-	-
20-24	1	100	-	-	1	100	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	2	100	-	-	1	50.0	1	50.0	-	-	-	-	-	-

30 広範脊柱管狭窄症

表3-30-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、30 広範脊柱管狭窄症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	962	100%	380	39.5%	488	50.7%	94	9.8%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	2	100	1	50.0	1	50.0	-	-
15-19	-	-	-	-	-	-	-	-
20-24	1	100	1	100	-	-	-	-
25-29	5	100	2	40.0	2	40.0	1	20.0
30-34	3	100	2	66.7	1	33.3	-	-
35-39	10	100	3	30.0	5	50.0	2	20.0
40-44	11	100	4	36.4	5	45.5	2	18.2
45-49	35	100	15	42.9	19	54.3	1	2.9
50-54	72	100	25	34.7	39	54.2	8	11.1
55-59	90	100	39	43.3	44	48.9	7	7.8
60-64	148	100	61	41.2	74	50.0	13	8.8
65-69	161	100	62	38.5	77	47.8	22	13.7
70-74	204	100	81	39.7	103	50.5	20	9.8
75-79	131	100	48	36.6	72	55.0	11	8.4
80-84	69	100	27	39.1	37	53.6	5	7.2
85-	20	100	9	45.0	9	45.0	2	10.0
不明	-	-	-	-	-	-	-	-

表3-30-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、30 広範脊柱管狭窄症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	962	100%	380	39.5%	488	50.7%	94	9.8%
0-4年	296	100	70	23.6	200	67.6	26	8.8
5-9	253	100	99	39.1	130	51.4	24	9.5
10-14	183	100	97	53.0	66	36.1	20	10.9
15-19	78	100	39	50.0	31	39.7	8	10.3
20-24	27	100	15	55.6	8	29.6	4	14.8
25-29	19	100	13	68.4	5	26.3	1	5.3
30-34	6	100	5	83.3	-	-	1	16.7
35-39	8	100	3	37.5	4	50.0	1	12.5
40-44	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	91	100	38	41.8	44	48.4	9	9.9

表3-30-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、30 広範脊柱管狭窄症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	941	100%	232	24.7%	29	3.1%	572	60.8%	108	11.5%
40-44歳	11	100	3	27.3	-	-	5	45.5	3	27.3
45-49	35	100	3	8.6	1	2.9	30	85.7	1	2.9
50-54	72	100	8	11.1	3	4.2	52	72.2	9	12.5
55-59	90	100	11	12.2	2	2.2	61	67.8	16	17.8
60-64	148	100	19	12.8	3	2.0	108	73.0	18	12.2
65-69	161	100	32	19.9	4	2.5	105	65.2	20	12.4
70-74	204	100	60	29.4	5	2.5	121	59.3	18	8.8
75-79	131	100	46	35.1	5	3.8	63	48.1	17	13.0
80-84	69	100	38	55.1	4	5.8	22	31.9	5	7.2
85-	20	100	12	60.0	2	10.0	5	25.0	1	5.0

表3-30-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、30 広範脊柱管狭窄症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	941	100%	232	24.7%	29	3.1%	572	60.8%	108	11.5%
0-4年	286	100	66	23.1	15	5.2	171	59.8	34	11.9
5-9	248	100	51	20.6	6	2.4	156	62.9	35	14.1
10-14	181	100	47	26.0	3	1.7	116	64.1	15	8.3
15-19	76	100	22	28.9	4	5.3	44	57.9	6	7.9
20-24	27	100	10	37.0	-	-	15	55.6	2	7.4
25-29	19	100	11	57.9	-	-	6	31.6	2	10.5
30-34	6	100	1	16.7	-	-	4	66.7	1	16.7
35-39	8	100	2	25.0	-	-	5	62.5	1	12.5
40-44	-	-	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	89	100	21	23.6	1	1.1	55	62	12	13.5

30 広範脊柱管狭窄症

表3-30-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	380	100%	80	21.1%	153	40.3%	75	19.7%	30	7.9%	28	7.4%	9	2.4%	5	1.3%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
25-29	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	-
30-34	2	100	-	-	1	50.0	1	50.0	-	-	-	-	-	-	-	-
35-39	3	100	1	33.3	2	66.7	-	-	-	-	-	-	-	-	-	-
40-44	4	100	3	75.0	1	25.0	-	-	-	-	-	-	-	-	-	-
45-49	15	100	3	20.0	6	40.0	2	13.3	-	-	4	26.7	-	-	-	-
50-54	25	100	8	32.0	6	24.0	4	16.0	1	4.0	2	8.0	2	8.0	2	8.0
55-59	39	100	10	25.6	11	28.2	10	25.6	3	7.7	3	7.7	1	2.6	1	2.6
60-64	61	100	10	16.4	19	31.1	18	29.5	6	9.8	5	8.2	3	4.9	-	-
65-69	62	100	10	16.1	29	46.8	11	17.7	7	11.3	4	6.5	-	-	1	1.6
70-74	81	100	13	16.0	43	53.1	11	13.6	7	8.6	4	4.9	3	3.7	-	-
75-79	48	100	11	22.9	18	37.5	11	22.9	4	8.3	4	8.3	-	-	-	-
80-84	27	100	7	25.9	11	40.7	5	18.5	1	3.7	2	7.4	-	-	1	3.7
85-	9	100	4	44.4	4	44.4	1	11.1	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-30-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	380	100%	80	21.1%	153	40.3%	75	19.7%	30	7.9%	28	7.4%	9	2.4%	5	1.3%
0-4年	70	100	16	22.9	30	42.9	14	20.0	6	8.6	-	-	3	4.3	1	1.4
5-9	99	100	15	15.2	42	42.4	24	24.2	4	4.0	10	10.1	2	2.0	2	2.0
10-14	97	100	20	20.6	37	38.1	17	17.5	9	9.3	11	11.3	3	3.1	-	-
15-19	39	100	7	17.9	16	41.0	9	23.1	5	12.8	1	2.6	-	-	1	2.6
20-24	15	100	4	26.7	8	53.3	1	6.7	1	6.7	1	6.7	-	-	-	-
25-29	13	100	6	46.2	4	30.8	1	7.7	-	-	1	7.7	1	7.7	-	-
30-34	5	100	1	20.0	3	60.0	-	-	-	-	1	20.0	-	-	-	-
35-39	3	100	1	33.3	-	-	1	33.3	1	33.3	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	38	100	10	26.3	12	31.6	8	21.1	4	11	3	7.9	-	-	1	2.6

表3-30-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	232	100%	89	38.4%	54	23.3%	28	12.1%	22	9.5%	18	7.8%	21	9.1%
40-44歳	3	100	1	33.3	1	33.3	-	-	1	33.3	-	-	-	-
45-49	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-
50-54	8	100	3	37.5	1	12.5	1	12.5	1	12.5	1	12.5	1	12.5
55-59	11	100	5	45.5	1	9.1	2	18.2	1	9.1	1	9.1	1	9.1
60-64	19	100	6	31.6	7	36.8	2	10.5	-	-	3	15.8	1	5.3
65-69	32	100	9	28.1	13	40.6	3	9.4	2	6.3	1	3.1	4	12.5
70-74	60	100	24	40.0	11	18.3	9	15.0	7	11.7	2	3.3	7	11.7
75-79	46	100	26	56.5	6	13.0	2	4.3	4	8.7	4	8.7	4	8.7
80-84	38	100	11	28.9	9	23.7	7	18.4	4	10.5	4	10.5	3	7.9
85-	12	100	3	25.0	4	33.3	1	8.3	2	16.7	2	16.7	-	-

表3-30-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	232	100%	89	38.4%	54	23.3%	28	12.1%	22	9.5%	18	7.8%	21	9.1%
0-4年	66	100	26	39.4	21	31.8	4	6.1	5	7.6	4	6.1	6	9.1
5-9	51	100	23	45.1	9	17.6	5	9.8	5	9.8	6	11.8	3	5.9
10-14	47	100	15	31.9	10	21.3	9	19.1	5	10.6	2	4.3	6	12.8
15-19	22	100	9	40.9	7	31.8	2	9.1	2	9.1	-	-	2	9.1
20-24	10	100	2	20.0	1	10.0	1	10.0	-	-	3	30.0	3	30.0
25-29	11	100	4	36.4	1	9.1	3	27.3	2	18.2	1	9.1	-	-
30-34	1	100	-	-	-	-	1	100	-	-	-	-	-	-
35-39	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	21	100	8	38.1	5	23.8	3	14.3	3	14.3	1	4.8	1	4.8

31 原発性胆汁性肝硬変

表3-31-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、31 原発性胆汁性肝硬変

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	5,657	100%	169	3.0%	4,690	82.9%	798	14.1%
0-4歳	4	100	-	-	4	100	-	-
5-9	6	100	-	-	5	83.3	1	16.7
10-14	1	100	-	-	-	-	1	100
15-19	2	100	-	-	2	100	-	-
20-24	8	100	-	-	7	87.5	1	12.5
25-29	15	100	-	-	13	86.7	2	13.3
30-34	34	100	-	-	30	88.2	4	11.8
35-39	96	100	1	1.0	80	83.3	15	15.6
40-44	173	100	2	1.2	135	78.0	36	20.8
45-49	339	100	6	1.8	287	84.7	46	13.6
50-54	718	100	13	1.8	615	85.7	90	12.5
55-59	907	100	15	1.7	781	86.1	111	12.2
60-64	1,008	100	32	3.2	842	83.5	134	13.3
65-69	956	100	32	3.3	792	82.8	132	13.8
70-74	769	100	33	4.3	618	80.4	118	15.3
75-79	419	100	19	4.5	327	78.0	73	17.4
80-84	157	100	12	7.6	115	73.2	30	19.1
85-	45	100	4	8.9	37	82.2	4	8.9
不明	-	-	-	-	-	-	-	-

表3-31-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、31 原発性胆汁性肝硬変

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	5,657	100%	169	3.0%	4,690	82.9%	798	14.1%
0-4年	1,375	100	26	1.9	1,170	85.1	179	13.0
5-9	1,486	100	55	3.7	1,242	83.6	189	12.7
10-14	1,084	100	29	2.7	932	86.0	123	11.3
15-19	441	100	14	3.2	374	84.8	53	12.0
20-24	115	100	2	1.7	97	84.3	16	13.9
25-29	25	100	1	4.0	19	76.0	5	20.0
30-34	3	100	-	-	3	100	-	-
35-39	1	100	-	-	1	100	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	2	100	1	50.0	1	50.0	-	-
55-59	-	-	-	-	-	-	-	-
60-64	4	100	-	-	4	100	-	-
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	1,120	100	41	3.7	846	75.5	233	20.8

表3-31-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、31 原発性胆汁性肝硬変

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	5,491	100%	142	2.6%	60	1.1%	4,608	83.9%	681	12.4%
40-44歳	173	100	-	-	-	-	142	82.1	31	17.9
45-49	339	100	2	0.6	2	0.6	295	87.0	40	11.8
50-54	718	100	1	0.1	-	-	643	89.6	74	10.3
55-59	907	100	2	0.2	1	0.1	801	88.3	103	11.4
60-64	1,008	100	7	0.7	7	0.7	878	87.1	116	11.5
65-69	956	100	21	2.2	9	0.9	808	84.5	118	12.3
70-74	769	100	33	4.3	13	1.7	620	80.6	103	13.4
75-79	419	100	31	7.4	20	4.8	306	73.0	62	14.8
80-84	157	100	26	16.6	5	3.2	95	60.5	31	19.7
85-	45	100	19	42.2	3	6.7	20	44.4	3	6.7

表3-31-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、31 原発性胆汁性肝硬変

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	5,491	100%	142	2.6%	60	1.1%	4,608	83.9%	681	12.4%
0-4年	1,307	100	27	2.1	13	1.0	1,116	85.4	151	11.6
5-9	1,449	100	29	2.0	15	1.0	1,253	86.5	152	10.5
10-14	1,058	100	30	2.8	12	1.1	917	86.7	99	9.4
15-19	437	100	18	4.1	6	1.4	368	84.2	45	10.3
20-24	112	100	3	2.7	2	1.8	90	80.4	17	15.2
25-29	24	100	-	-	-	-	20	83.3	4	16.7
30-34	3	100	1	33.3	-	-	1	33.3	1	33.3
35-39	1	100	-	-	-	-	1	100	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	2	100	1	50.0	-	-	-	-	1	50.0
55-59	-	-	-	-	-	-	-	-	-	-
60-64	4	100	-	-	-	-	4	100	-	-
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	1,093	100	33	3.0	12	1.1	837	76.6	211	19.3

31 原発性胆汁性肝硬変

表3-31-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	169	100%	38	22.5%	29	17.2%	35	20.7%	30	17.8%	15	8.9%	5	3.0%	17	10.1%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
40-44	2	100	-	-	-	-	1	50.0	-	-	-	-	-	-	1	50.0
45-49	6	100	-	-	-	-	1	16.7	1	16.7	2	33.3	-	-	2	33.3
50-54	13	100	4	30.8	1	7.7	2	15.4	4	30.8	-	-	-	-	2	15.4
55-59	15	100	3	20.0	3	20.0	3	20.0	3	20.0	1	6.7	-	-	2	13.3
60-64	32	100	7	21.9	7	21.9	7	21.9	6	18.8	2	6.3	1	3.1	2	6.3
65-69	32	100	7	21.9	8	25.0	6	18.8	5	15.6	3	9.4	-	-	3	9.4
70-74	33	100	10	30.3	5	15.2	5	15.2	4	12.1	4	12.1	1	3.0	4	12.1
75-79	19	100	3	15.8	4	21.1	6	31.6	5	26.3	-	-	1	5.3	-	-
80-84	12	100	2	16.7	1	8.3	4	33.3	1	8.3	2	16.7	2	16.7	-	-
85-	4	100	1	25.0	-	-	-	-	1	25.0	1	25.0	-	-	1	25.0
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-31-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	169	100%	38	22.5%	29	17.2%	35	20.7%	30	17.8%	15	8.9%	5	3.0%	17	10.1%
0-4年	26	100	4	15.4	4	15.4	4	15.4	3	11.5	2	7.7	1	3.8	8	30.8
5-9	55	100	12	21.8	8	14.5	13	23.6	13	23.6	4	7.3	2	3.6	3	5.5
10-14	29	100	7	24.1	5	17.2	4	13.8	9	31.0	2	6.9	1	3.4	1	3.4
15-19	14	100	2	14.3	4	28.6	3	21.4	2	14.3	2	14.3	-	-	1	7.1
20-24	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	41	100	12	29.3	7	17.1	10	24.4	2	4.9	5	12.2	1	2.4	4	9.8

表3-31-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	142	100%	57	40.1%	28	19.7%	12	8.5%	15	10.6%	17	12.0%	13	9.2%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	2	100	-	-	-	-	1	50.0	-	-	1	50.0	-	-
50-54	1	100	-	-	-	-	-	-	-	-	-	-	1	100
55-59	2	100	1	50.0	-	-	-	-	-	-	-	-	1	50.0
60-64	7	100	6	85.7	-	-	-	-	-	-	-	-	1	14.3
65-69	21	100	6	28.6	4	19.0	2	9.5	2	9.5	2	9.5	5	23.8
70-74	33	100	17	51.5	8	24.2	1	3.0	2	6.1	5	15.2	-	-
75-79	31	100	10	32.3	7	22.6	2	6.5	4	12.9	6	19.4	2	6.5
80-84	26	100	11	42.3	4	15.4	2	7.7	5	19.2	2	7.7	2	7.7
85-	19	100	6	31.6	5	26.3	4	21.1	2	10.5	1	5.3	1	5.3

表3-31-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	142	100%	57	40.1%	28	19.7%	12	8.5%	15	10.6%	17	12.0%	13	9.2%
0-4年	27	100	10	37.0	4	14.8	1	3.7	5	18.5	2	7.4	5	18.5
5-9	29	100	12	41.4	7	24.1	4	13.8	3	10.3	2	6.9	1	3.4
10-14	30	100	14	46.7	6	20.0	3	10.0	2	6.7	4	13.3	1	3.3
15-19	18	100	9	50.0	2	11.1	2	11.1	2	11.1	3	16.7	-	-
20-24	3	100	2	66.7	-	-	-	-	-	-	-	-	1	33.3
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	-	1	100	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	33	100	10	30.3	8	24.2	1	3.0	3	9.1	6	18.2	5	15.2

32 重症急性肺炎

表3-32-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、32 重症急性肺炎

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	520	100%	21	4.0%	376	72.3%	123	23.7%
0-4歳	-	-	-	-	-	-	-	-
5-9	1	100	-	-	1	100	-	-
10-14	4	100	-	-	4	100	-	-
15-19	7	100	-	-	5	71.4	2	28.6
20-24	7	100	-	-	4	57.1	3	42.9
25-29	10	100	-	-	10	100	-	-
30-34	20	100	-	-	12	60.0	8	40.0
35-39	35	100	2	5.7	23	65.7	10	28.6
40-44	39	100	2	5.1	28	71.8	9	23.1
45-49	37	100	1	2.7	31	83.8	5	13.5
50-54	53	100	1	1.9	42	79.2	10	18.9
55-59	53	100	-	-	40	75.5	13	24.5
60-64	51	100	1	2.0	33	64.7	17	33.3
65-69	55	100	5	9.1	37	67.3	13	23.6
70-74	63	100	3	4.8	47	74.6	13	20.6
75-79	49	100	3	6.1	33	67.3	13	26.5
80-84	18	100	1	5.6	15	83.3	2	11.1
85-	18	100	2	11.1	11	61.1	5	27.8
不明	-	-	-	-	-	-	-	-

表3-32-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、32 重症急性肺炎

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	520	100%	21	4.0%	376	72.3%	123	23.7%
0-4年	56	100	-	-	2	3.6	54	96.4
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	464	100	21	4.5	374	80.6	69	14.9

表3-32-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、32 重症急性肺炎

年齢階級	総数		介護認定状況							
			要介護		要支援		なし	不明		
総数	436	100%	13	3.0%	5	1.1%	309	70.9%	109	25.0%
40-44歳	39	100	-	-	-	-	30	76.9	9	23.1
45-49	37	100	-	-	-	-	31	83.8	6	16.2
50-54	53	100	-	-	-	-	42	79.2	11	20.8
55-59	53	100	-	-	-	-	40	75.5	13	24.5
60-64	51	100	-	-	-	-	34	66.7	17	33.3
65-69	55	100	1	1.8	-	-	40	72.7	14	25.5
70-74	63	100	2	3.2	1	1.6	43	68.3	17	27.0
75-79	49	100	3	6.1	1	2.0	31	63.3	14	28.6
80-84	18	100	3	16.7	1	5.6	11	61.1	3	16.7
85-	18	100	4	22.2	2	11.1	7	38.9	5	27.8

表3-32-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、32 重症急性肺炎

発病後期間	総数		介護認定状況							
			要介護		要支援		なし	不明		
総数	436	100%	13	3.0%	5	1.1%	309	70.9%	109	25.0%
0-4年	44	100	-	-	-	-	2	4.5	42	95.5
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	392	100	13	3.3	5	1.3	307	78.3	67	17.1

32 重症急性膵炎

表3-32-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)												
			1	2	3	4	5	6	不明						
総数	21	100%	8	38.1%	2	9.5%	2	9.5%	4	19.0%	-	1	4.8%	4	19.0%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-	-
40-44	2	100	-	-	-	-	-	-	-	-	-	1	50.0	1	50.0
45-49	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	-	-	-	-	-	-	-	1	100
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	-	-	-	-	-	-	-	1	100
65-69	5	100	3	60.0	-	-	-	-	2	40.0	-	-	-	-	-
70-74	3	100	-	-	1	33.3	1	33.3	-	-	-	-	-	1	33.3
75-79	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-	-
80-84	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-
85-	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-32-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)												
			1	2	3	4	5	6	不明						
総数	21	100%	8	38.1%	2	9.5%	2	9.5%	4	19.0%	-	1	4.8%	4	19.0%
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	21	100	8	38.1	2	9.5	2	9.5	4	19.0	-	1	4.8	4	19.0

表3-32-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	13	100%	1	7.7%	4	30.8%	3	23.1%	1	7.7%	4	30.8%	-	-
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	-	-	1	100	-	-	-	-
70-74	2	100	-	-	1	50.0	-	-	-	-	1	50.0	-	-
75-79	3	100	-	-	-	-	1	33.3	-	-	2	66.7	-	-
80-84	3	100	-	-	1	33.3	1	33.3	-	-	1	33.3	-	-
85-	4	100	1	25.0	2	50.0	1	25.0	-	-	-	-	-	-

表3-32-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	13	100%	1	7.7%	4	30.8%	3	23.1%	1	7.7%	4	30.8%	-	-
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	13	100	1	7.7	4	30.8	3	23.1	1	7.7	4	30.8	-	-

33 特発性大腿骨頭壊死症

表3-33-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、33 特発性大腿骨頭壊死症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	4,639	100%	2,240	48.3%	1,896	40.9%	503	10.8%
0-4歳	2	100	1	50.0	1	50.0	-	-
5-9	-	-	-	-	-	-	-	-
10-14	1	100	-	-	1	100	-	-
15-19	17	100	5	29.4	9	52.9	3	17.6
20-24	65	100	10	15.4	43	66.2	12	18.5
25-29	171	100	46	26.9	105	61.4	20	11.7
30-34	325	100	125	38.5	161	49.5	39	12.0
35-39	341	100	122	35.8	180	52.8	39	11.4
40-44	481	100	197	41.0	222	46.2	62	12.9
45-49	483	100	205	42.4	225	46.6	53	11.0
50-54	600	100	318	53.0	222	37.0	60	10.0
55-59	532	100	291	54.7	193	36.3	48	9.0
60-64	544	100	303	55.7	179	32.9	62	11.4
65-69	433	100	241	55.7	147	33.9	45	10.4
70-74	352	100	220	62.5	101	28.7	31	8.8
75-79	206	100	111	53.9	75	36.4	20	9.7
80-84	67	100	35	52.2	23	34.3	9	13.4
85-	19	100	10	52.6	9	47.4	-	-
不明	-	-	-	-	-	-	-	-

表3-33-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、33 特発性大腿骨頭壊死症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	4,639	100%	2,240	48.3%	1,896	40.9%	503	10.8%
0-4年	2,139	100	760	35.5	1,141	53.3	238	11.1
5-9	1,276	100	721	56.5	423	33.2	132	10.3
10-14	621	100	394	63.4	177	28.5	50	8.1
15-19	165	100	114	69.1	33	20.0	18	10.9
20-24	54	100	41	75.9	8	14.8	5	9.3
25-29	22	100	18	81.8	2	9.1	2	9.1
30-34	14	100	12	85.7	2	14.3	-	-
35-39	3	100	3	100	-	-	-	-
40-44	2	100	1	50.0	1	50.0	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	3	100	-	-	3	100	-	-
65-69	2	100	2	100	-	-	-	-
70-74	1	100	1	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	337	100	173	51.3	106	31.5	58	17.2

表3-33-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、33 特発性大腿骨頭壊死症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,717	100%	211	5.7%	70	1.9%	2,788	75.0%	648	17.4%
40-44歳	481	100	2	0.4	1	0.2	395	82.1	83	17.3
45-49	483	100	4	0.8	4	0.8	384	79.5	91	18.8
50-54	600	100	11	1.8	5	0.8	484	80.7	100	16.7
55-59	532	100	9	1.7	6	1.1	437	82.1	80	15.0
60-64	544	100	17	3.1	4	0.7	414	76.1	109	20.0
65-69	433	100	35	8.1	15	3.5	300	69.3	83	19.2
70-74	352	100	60	17.0	17	4.8	222	63.1	53	15.1
75-79	206	100	42	20.4	12	5.8	113	54.9	39	18.9
80-84	67	100	26	38.8	4	6.0	30	44.8	7	10.4
85-	19	100	5	26.3	2	10.5	9	47.4	3	15.8

表3-33-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、33 特発性大腿骨頭壊死症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,717	100%	211	5.7%	70	1.9%	2,788	75.0%	648	17.4%
0-4年	1,590	100	91	5.7	36	2.3	1,178	74.1	285	17.9
5-9	1,066	100	56	5.3	13	1.2	828	77.7	169	15.9
10-14	539	100	23	4.3	9	1.7	432	80.1	75	13.9
15-19	149	100	7	4.7	4	2.7	113	75.8	25	16.8
20-24	50	100	6	12.0	1	2.0	36	72.0	7	14.0
25-29	22	100	1	4.5	-	-	18	81.8	3	13.6
30-34	14	100	2	14.3	-	-	11	78.6	1	7.1
35-39	3	100	1	33.3	-	-	2	66.7	-	-
40-44	2	100	-	-	-	-	2	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	3	100	-	-	1	33.3	2	66.7	-	-
65-69	2	100	-	-	-	-	2	100	-	-
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	276	100	24	8.7	6	2.2	163	59.1	83	30.1

33 特発性大腿骨頭壊死症

表3-33-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)								
			1	2	3	4	5	6	不明		
総数	2,240	100%	87	118	598	1,198	162	27	50	2.2%	
0-4歳	1	100	-	1	-	-	-	-	-	-	
5-9	-	-	-	-	-	-	-	-	-	-	
10-14	-	-	-	-	-	-	-	-	-	-	
15-19	5	100	-	-	2	2	-	-	1	20.0	
20-24	10	100	1	1	4	3	1	-	-	-	
25-29	46	100	1	2	17	19	4	2	1	2.2	
30-34	125	100	8	7	34	55	12	5	4	3.2	
35-39	122	100	9	5	28	59	18	2	1	0.8	
40-44	197	100	9	5	44	101	26	6	6	3.0	
45-49	205	100	7	19	58	97	19	-	5	2.4	
50-54	318	100	12	13	81	174	22	8	8	2.5	
55-59	291	100	10	18	85	148	21	1	8	2.7	
60-64	303	100	7	14	89	171	16	2	4	1.3	
65-69	241	100	6	12	71	136	10	-	6	2.5	
70-74	220	100	13	11	56	125	10	1	4	1.8	
75-79	111	100	4	8	22	74	2	-	1	0.9	
80-84	35	100	-	1	6	26	1	-	1	2.9	
85-	10	100	-	1	1	8	-	-	-	-	
不明	-	-	-	-	-	-	-	-	-	-	

表3-33-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)								
			1	2	3	4	5	6	不明		
総数	2,240	100%	87	118	598	1,198	162	27	50	2.2%	
0-4年	760	100	24	33	180	444	58	7	14	1.8	
5-9	721	100	26	33	199	392	50	8	13	1.8	
10-14	394	100	18	26	108	199	28	5	10	2.5	
15-19	114	100	2	11	38	52	7	2	2	1.8	
20-24	41	100	6	1	13	12	6	1	2	4.9	
25-29	18	100	-	3	10	2	2	1	-	-	
30-34	12	100	-	1	5	5	-	-	1	8.3	
35-39	3	100	-	-	1	2	-	-	-	-	
40-44	1	100	-	-	-	1	-	-	-	-	
45-49	-	-	-	-	-	-	-	-	-	-	
50-54	-	-	-	-	-	-	-	-	-	-	
55-59	-	-	-	-	-	-	-	-	-	-	
60-64	-	-	-	-	-	-	-	-	-	-	
65-69	2	100	-	-	-	2	-	-	-	-	
70-74	1	100	-	-	1	-	-	-	-	-	
75-79	-	-	-	-	-	-	-	-	-	-	
不明	173	100	11	10	43	87	11	3	8	4.6	

表3-33-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明
			1	2	3	4	5	
総数	211	100%	122	36	9	5	5	34
40-44歳	2	100	-	-	-	-	-	2
45-49	4	100	1	2	-	-	-	1
50-54	11	100	7	1	-	1	-	2
55-59	9	100	5	2	-	1	-	1
60-64	17	100	10	4	-	-	-	3
65-69	35	100	16	10	1	-	1	7
70-74	60	100	35	12	5	1	1	6
75-79	42	100	28	2	1	1	2	8
80-84	26	100	19	3	1	-	1	2
85-	5	100	1	-	1	1	-	2

表3-33-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明
			1	2	3	4	5	
総数	211	100%	122	36	9	5	5	34
0-4年	91	100	46	18	5	1	1	20
5-9	56	100	37	10	4	-	-	5
10-14	23	100	14	2	-	1	2	4
15-19	7	100	4	-	-	-	-	3
20-24	6	100	5	-	-	1	-	-
25-29	1	100	1	-	-	-	-	-
30-34	2	100	2	-	-	-	-	-
35-39	1	100	1	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	24	100	12	6	-	2	2	2

34 混合性結合組織病

表3-34-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、34 混合性結合組織病

年齢階級	総数		身体障害者手帳					
			あり	なし	不明			
総数	3,088	100%	184	6.0%	2,565	83.1%	339	11.0%
0-4歳	1	100	-	-	-	-	1	100
5-9	1	100	-	-	1	100	-	-
10-14	13	100	-	-	11	84.6	2	15.4
15-19	47	100	1	2.1	40	85.1	6	12.8
20-24	108	100	1	0.9	95	88.0	12	11.1
25-29	206	100	5	2.4	183	88.8	18	8.7
30-34	280	100	9	3.2	240	85.7	31	11.1
35-39	238	100	8	3.4	213	89.5	17	7.1
40-44	271	100	14	5.2	230	84.9	27	10.0
45-49	322	100	17	5.3	278	86.3	27	8.4
50-54	347	100	23	6.6	288	83.0	36	10.4
55-59	362	100	32	8.8	288	79.6	42	11.6
60-64	354	100	29	8.2	279	78.8	46	13.0
65-69	252	100	21	8.3	201	79.8	30	11.9
70-74	186	100	12	6.5	150	80.6	24	12.9
75-79	81	100	7	8.6	56	69.1	18	22.2
80-84	12	100	3	25.0	7	58.3	2	16.7
85-	7	100	2	28.6	5	71.4	-	-
不明	-	-	-	-	-	-	-	-

表3-34-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、34 混合性結合組織病

発病後期間	総数		身体障害者手帳					
			あり	なし	不明			
総数	3,088	100%	184	6.0%	2,565	83.1%	339	11.0%
0-4年	877	100	23	2.6	747	85.2	107	12.2
5-9	1,020	100	54	5.3	878	86.1	88	8.6
10-14	599	100	52	8.7	480	80.1	67	11.2
15-19	248	100	23	9.3	202	81.5	23	9.3
20-24	125	100	13	10.4	94	75.2	18	14.4
25-29	39	100	4	10.3	29	74.4	6	15.4
30-34	19	100	2	10.5	16	84.2	1	5.3
35-39	4	100	2	50.0	2	50.0	-	-
40-44	2	100	-	-	1	50.0	1	50.0
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	154	100	11	7.1	115	74.7	28	18.2

表3-34-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、34 混合性結合組織病

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	2,194	100%	78	3.6%	22	1.0%	1,845	84.1%	249	11.3%
40-44歳	271	100	-	-	2	0.7	242	89.3	27	10.0
45-49	322	100	1	0.3	1	0.3	292	90.7	28	8.7
50-54	347	100	4	1.2	1	0.3	300	86.5	42	12.1
55-59	362	100	4	1.1	1	0.3	319	88.1	38	10.5
60-64	354	100	10	2.8	4	1.1	299	84.5	41	11.6
65-69	252	100	10	4.0	7	2.8	202	80.2	33	13.1
70-74	186	100	23	12.4	4	2.2	136	73.1	23	12.4
75-79	81	100	16	19.8	2	2.5	49	60.5	14	17.3
80-84	12	100	6	50.0	-	-	4	33.3	2	16.7
85-	7	100	4	57.1	-	-	2	28.6	1	14.3

表3-34-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、34 混合性結合組織病

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	2,194	100%	78	3.6%	22	1.0%	1,845	84.1%	249	11.3%
0-4年	540	100	9	1.7	4	0.7	457	84.6	70	13.0
5-9	701	100	25	3.6	4	0.6	611	87.2	61	8.7
10-14	444	100	16	3.6	6	1.4	369	83.1	53	11.9
15-19	213	100	11	5.2	3	1.4	175	82.2	24	11.3
20-24	109	100	4	3.7	-	-	92	84.4	13	11.9
25-29	38	100	3	7.9	1	2.6	29	76.3	5	13.2
30-34	18	100	2	11.1	1	5.6	14	77.8	1	5.6
35-39	4	100	-	-	1	25.0	3	75.0	-	-
40-44	2	100	-	-	-	-	1	50.0	1	50.0
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	124	100	8	6.5	2	1.6	93	75.0	21	16.9

34 混合性結合組織病

表3-34-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	184	100%	41	35	47	39	7	6	9	
0-4歳	-	-	-	-	-	-	-	-	-	
5-9	-	-	-	-	-	-	-	-	-	
10-14	-	-	-	-	-	-	-	-	-	
15-19	1	100	1	100	-	-	-	-	-	
20-24	1	100	-	-	-	1	100	-	-	
25-29	5	100	1	20.0	2	40.0	1	20.0	1	20.0
30-34	9	100	1	11.1	1	11.1	3	33.3	4	44.4
35-39	8	100	-	-	2	25.0	4	50.0	1	12.5
40-44	14	100	3	21.4	4	28.6	4	28.6	2	14.3
45-49	17	100	2	11.8	1	5.9	6	35.3	7	41.2
50-54	23	100	6	26.1	5	21.7	5	21.7	4	17.4
55-59	32	100	6	18.8	4	12.5	11	34.4	6	18.8
60-64	29	100	6	20.7	7	24.1	7	24.1	6	20.7
65-69	21	100	6	28.6	3	14.3	4	19.0	4	19.0
70-74	12	100	4	33.3	3	25.0	2	16.7	2	16.7
75-79	7	100	3	42.9	2	28.6	1	14.3	1	14.3
80-84	3	100	1	33.3	-	-	-	-	-	-
85-	2	100	1	50.0	1	50.0	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-

表3-34-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総数	184	100%	41	35	47	39	7	6	9	
0-4年	23	100	5	21.7	3	13.0	5	21.7	7	30.4
5-9	54	100	8	14.8	14	25.9	15	27.8	12	22.2
10-14	52	100	15	28.8	7	13.5	13	25.0	8	15.4
15-19	23	100	5	21.7	3	13.0	7	30.4	5	21.7
20-24	13	100	5	38.5	-	-	2	15.4	4	30.8
25-29	4	100	1	25.0	2	50.0	1	25.0	-	-
30-34	2	100	-	-	2	100	-	-	-	-
35-39	2	100	-	-	1	50.0	-	-	1	50.0
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	11	100	2	18.2	3	27.3	4	36.4	2	18.2

表3-34-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度					不明				
			1	2	3	4	5					
総数	78	100%	29	37.2%	10	12.8%	10	12.8%	8	10.3%	11	14.1%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-	-	-	-	-
50-54	4	100	1	25.0	2	50.0	-	-	-	-	1	25.0
55-59	4	100	2	50.0	-	-	1	25.0	1	25.0	-	-
60-64	10	100	3	30.0	3	30.0	1	10.0	1	10.0	1	10.0
65-69	10	100	4	40.0	-	-	4	40.0	-	-	2	20.0
70-74	23	100	8	34.8	4	17.4	2	8.7	3	13.0	1	4.3
75-79	16	100	9	56.3	1	6.3	-	-	2	12.5	3	18.8
80-84	6	100	1	16.7	-	-	1	16.7	2	33.3	1	16.7
85-	4	100	-	-	-	-	1	25.0	1	25.0	2	50.0

表3-34-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度					不明				
			1	2	3	4	5					
総数	78	100%	29	37.2%	10	12.8%	10	12.8%	8	10.3%	11	14.1%
0-4年	9	100	2	22.2	-	-	4	44.4	2	22.2	1	11.1
5-9	25	100	11	44.0	5	20.0	-	-	7	28.0	2	8.0
10-14	16	100	3	18.8	2	12.5	3	18.8	1	6.3	3	18.8
15-19	11	100	6	54.5	1	9.1	2	18.2	1	9.1	-	-
20-24	4	100	2	50.0	-	-	1	25.0	-	-	-	-
25-29	3	100	2	66.7	1	33.3	-	-	-	-	-	-
30-34	2	100	1	50.0	-	-	-	-	1	50.0	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-
不明	8	100	2	25.0	1	12.5	-	-	3	37.5	2	25.0

35 原発性免疫不全症候群

表3-35-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、35 原発性免疫不全症候群

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	447	100%	32	7.2%	358	80.1%	57	12.8%
0-4歳	21	100	-	-	18	85.7	3	14.3
5-9	42	100	2	4.8	35	83.3	5	11.9
10-14	60	100	5	8.3	42	70.0	13	21.7
15-19	64	100	2	3.1	53	82.8	9	14.1
20-24	70	100	4	5.7	60	85.7	6	8.6
25-29	63	100	8	12.7	50	79.4	5	7.9
30-34	39	100	2	5.1	33	84.6	4	10.3
35-39	25	100	4	16.0	18	72.0	3	12.0
40-44	18	100	1	5.6	16	88.9	1	5.6
45-49	13	100	2	15.4	9	69.2	2	15.4
50-54	9	100	-	-	8	88.9	1	11.1
55-59	8	100	-	-	8	100	-	-
60-64	3	100	-	-	3	100	-	-
65-69	7	100	1	14.3	3	42.9	3	42.9
70-74	3	100	1	33.3	1	33.3	1	33.3
75-79	1	100	-	-	1	100	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不明	1	100	-	-	-	-	1	100

表3-35-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、35 原発性免疫不全症候群

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	447	100%	32	7.2%	358	80.1%	57	12.8%
0-4年	60	100	-	-	50	83.3	10	16.7
5-9	81	100	3	3.7	67	82.7	11	13.6
10-14	71	100	7	9.9	57	80.3	7	9.9
15-19	70	100	1	1.4	60	85.7	9	12.9
20-24	56	100	7	12.5	46	82.1	3	5.4
25-29	36	100	6	16.7	23	63.9	7	19.4
30-34	16	100	2	12.5	13	81.3	1	6.3
35-39	10	100	2	20.0	5	50.0	3	30.0
40-44	1	100	-	-	1	100	-	-
45-49	1	100	-	-	-	-	1	100
50-54	1	100	-	-	1	100	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	44	100	4	9.1	35	79.5	5	11.4

表3-35-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、35 原発性免疫不全症候群

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	62	100%	1	1.6%	1	1.6%	52	83.9%	8	12.9%
40-44歳	18	100	-	-	-	-	17	94.4	1	5.6
45-49	13	100	-	-	-	-	10	76.9	3	23.1
50-54	9	100	1	11.1	-	-	8	88.9	-	-
55-59	8	100	-	-	1	12.5	7	87.5	-	-
60-64	3	100	-	-	-	-	3	100	-	-
65-69	7	100	-	-	-	-	4	57.1	3	42.9
70-74	3	100	-	-	-	-	2	66.7	1	33.3
75-79	1	100	-	-	-	-	1	100	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-35-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、35 原発性免疫不全症候群

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	62	100%	1	1.6%	1	1.6%	52	83.9%	8	12.9%
0-4年	10	100	-	-	-	-	8	80.0	2	20.0
5-9	17	100	1	5.9	1	5.9	15	88.2	-	-
10-14	3	100	-	-	-	-	3	100	-	-
15-19	5	100	-	-	-	-	4	80.0	1	20.0
20-24	4	100	-	-	-	-	3	75.0	1	25.0
25-29	-	-	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	-	1	100	-	-
35-39	3	100	-	-	-	-	3	100	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	1	100	-	-	-	-	-	-	1	100
50-54	1	100	-	-	-	-	1	100	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	16	100	-	-	-	-	13	81.3	3	18.8

35 原発性免疫不全症候群

表3-35-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)											
			1	2	3	4	5	6	不明					
総数	32	100%	15	46.9%	4	12.5%	8	25.0%	5	15.6%	-	-	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	2	100	2	100	-	-	-	-	-	-	-	-	-	-
10-14	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-
15-19	2	100	2	100	-	-	-	-	-	-	-	-	-	-
20-24	4	100	1	25.0	1	25.0	2	50.0	-	-	-	-	-	-
25-29	8	100	1	12.5	2	25.0	4	50.0	1	12.5	-	-	-	-
30-34	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-
35-39	4	100	3	75.0	-	-	-	-	1	25.0	-	-	-	-
40-44	1	100	-	-	-	-	-	-	1	100	-	-	-	-
45-49	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1	100	-	-	-	-	-	-
70-74	1	100	1	100	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-35-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)											
			1	2	3	4	5	6	不明					
総数	32	100%	15	46.9%	4	12.5%	8	25.0%	5	15.6%	-	-	-	-
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	3	100	2	66.7	-	-	-	-	1	33.3	-	-	-	-
10-14	7	100	5	71.4	1	14.3	1	14.3	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-	-	-	-	-	-	-
20-24	7	100	2	28.6	1	14.3	2	28.6	2	28.6	-	-	-	-
25-29	6	100	-	-	2	33.3	3	50.0	1	16.7	-	-	-	-
30-34	2	100	2	100	-	-	-	-	-	-	-	-	-	-
35-39	2	100	2	100	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	4	100	1	25.0	-	-	2	50.0	1	25.0	-	-	-	-

表3-35-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度					不明		
			1	2	3	4	5			
総数	1	100%	-	-	-	-	1	100%	-	-
40-44歳	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	-	1	100	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-35-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度					不明		
			1	2	3	4	5			
総数	1	100%	-	-	-	-	1	100%	-	-
0-4年	-	-	-	-	-	-	-	-	-	-
5-9	1	100	-	-	-	-	-	1	100	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-

36 特発性間質性肺炎

表3-36-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、36 特発性間質性肺炎

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	1,569	100%	513	32.7%	833	53.1%	223	14.2%
0-4歳	5	100	3	60.0	1	20.0	1	20.0
5-9	2	100	2	100	-	-	-	-
10-14	2	100	2	100	-	-	-	-
15-19	2	100	-	-	1	50.0	1	50.0
20-24	1	100	1	100	-	-	-	-
25-29	7	100	4	57.1	3	42.9	-	-
30-34	4	100	2	50.0	1	25.0	1	25.0
35-39	2	100	-	-	2	100	-	-
40-44	12	100	6	50.0	3	25.0	3	25.0
45-49	39	100	14	35.9	20	51.3	5	12.8
50-54	75	100	17	22.7	49	65.3	9	12.0
55-59	156	100	50	32.1	87	55.8	19	12.2
60-64	229	100	68	29.7	125	54.6	36	15.7
65-69	331	100	111	33.5	176	53.2	44	13.3
70-74	306	100	116	37.9	155	50.7	35	11.4
75-79	237	100	77	32.5	120	50.6	40	16.9
80-84	114	100	29	25.4	65	57.0	20	17.5
85-	45	100	11	24.4	25	55.6	9	20.0
不明	-	-	-	-	-	-	-	-

表3-36-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、36 特発性間質性肺炎

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	1,569	100%	513	32.7%	833	53.1%	223	14.2%
0-4年	793	100	232	29.3	439	55.4	122	15.4
5-9	403	100	152	37.7	205	50.9	46	11.4
10-14	113	100	47	41.6	51	45.1	15	13.3
15-19	32	100	11	34.4	20	62.5	1	3.1
20-24	6	100	3	50.0	2	33.3	1	16.7
25-29	5	100	3	60.0	2	40.0	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	1	100	-	-	1	100	-	-
50-54	-	-	-	-	1	100	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	1	100	-	-	1	100	-	-
70-74	1	100	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-
不明	213	100	65	30.5	110	51.6	38	17.8

表3-36-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、36 特発性間質性肺炎

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	1,544	100%	188	12.2%	39	2.5%	1,022	66.2%	295	19.1%
40-44歳	12	100	-	-	-	-	10	83.3	2	16.7
45-49	39	100	1	2.6	-	-	34	87.2	4	10.3
50-54	75	100	1	1.3	1	1.3	59	78.7	14	18.7
55-59	156	100	4	2.6	1	0.6	132	84.6	19	12.2
60-64	229	100	6	2.6	1	0.4	177	77.3	45	19.7
65-69	331	100	31	9.4	6	1.8	229	69.2	65	19.6
70-74	306	100	51	16.7	10	3.3	191	62.4	54	17.6
75-79	237	100	43	18.1	11	4.6	120	50.6	63	26.6
80-84	114	100	29	25.4	7	6.1	56	49.1	22	19.3
85-	45	100	22	48.9	2	4.4	14	31.1	7	15.6

表3-36-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、36 特発性間質性肺炎

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	1,544	100%	188	12.2%	39	2.5%	1,022	66.2%	295	19.1%
0-4年	780	100	98	12.6	21	2.7	508	65.1	153	19.6
5-9	397	100	49	12.3	8	2.0	279	70.3	61	15.4
10-14	110	100	11	10.0	1	0.9	77	70.0	21	19.1
15-19	32	100	4	12.5	2	6.3	21	65.6	5	15.6
20-24	5	100	-	-	1	20.0	2	40.0	2	40.0
25-29	4	100	1	25.0	-	-	3	75.0	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	1	100	-	-	-	-	-	-	1	100
50-54	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	-	-	1	100
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	212	100	25	11.8	6	2.8	130	61.3	51	24.1

36 特発性間質性肺炎

表3-36-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	513	100%	132	25.7%	16	3.1%	271	52.8%	65	12.7%	6	1.2%	7	1.4%	16	3.1%
0-4歳	3	100	1	33.3	-	-	-	-	2	66.7	-	-	-	-	-	-
5-9	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	
10-14	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	
25-29	4	100	-	-	-	-	4	100	-	-	-	-	-	-	-	
30-34	2	100	-	-	-	-	2	100	-	-	-	-	-	-	-	
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40-44	6	100	2	33.3	-	-	4	66.7	-	-	-	-	-	-	-	
45-49	14	100	3	21.4	-	-	9	64.3	1	7.1	1	7.1	-	-	-	
50-54	17	100	4	23.5	-	-	9	52.9	3	17.6	-	-	1	5.9	-	
55-59	50	100	11	22.0	5	10.0	25	50.0	4	8.0	1	2.0	-	-	4	8.0
60-64	68	100	14	20.6	1	1.5	45	66.2	5	7.4	-	-	-	-	3	4.4
65-69	111	100	29	26.1	3	2.7	55	49.5	18	16.2	-	-	3	2.7	3	2.7
70-74	116	100	31	26.7	2	1.7	61	52.6	15	12.9	2	1.7	1	0.9	4	3.4
75-79	77	100	21	27.3	1	1.3	39	50.6	14	18.2	1	1.3	-	-	1	1.3
80-84	29	100	8	27.6	3	10.3	13	44.8	2	6.9	1	3.4	1	3.4	1	3.4
85-	11	100	4	36.4	1	9.1	4	36.4	1	9.1	-	-	1	9.1	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-36-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	513	100%	132	25.7%	16	3.1%	271	52.8%	65	12.7%	6	1.2%	7	1.4%	16	3.1%
0-4年	232	100	59	25.4	7	3.0	124	53.4	26	11.2	4	1.7	4	1.7	8	3.4
5-9	152	100	40	26.3	3	2.0	79	52.0	22	14.5	2	1.3	1	0.7	5	3.3
10-14	47	100	13	27.7	-	-	26	55.3	7	14.9	-	-	1	2.1	-	-
15-19	11	100	3	27.3	2	18.2	4	36.4	1	9.1	-	-	-	-	1	9.1
20-24	3	100	2	66.7	-	-	-	-	1	33.3	-	-	-	-	-	-
25-29	3	100	-	-	-	-	2	66.7	1	33.3	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	65	100	15	23.1	4	6.2	36	55.4	7	10.8	-	-	1	1.5	2	3.1

表3-36-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	188	100%	81	43.1%	38	20.2%	25	13.3%	14	7.4%	3	1.6%	27	14.4%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	-	-	1	100	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	-	-	-	-	-	-	1	100
55-59	4	100	1	25.0	-	-	1	25.0	-	-	-	-	2	50.0
60-64	6	100	1	16.7	1	16.7	1	16.7	-	-	-	-	3	50.0
65-69	31	100	15	48.4	7	22.6	2	6.5	2	6.5	2	6.5	3	9.7
70-74	51	100	23	45.1	8	15.7	5	9.8	3	5.9	1	2.0	11	21.6
75-79	43	100	18	41.9	11	25.6	6	14.0	5	11.6	-	-	3	7.0
80-84	29	100	15	51.7	6	20.7	4	13.8	2	6.9	-	-	2	6.9
85-	22	100	8	36.4	4	18.2	6	27.3	2	9.1	-	-	2	9.1

表3-36-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	188	100%	81	43.1%	38	20.2%	25	13.3%	14	7.4%	3	1.6%	27	14.4%
0-4年	98	100	46	46.9	15	15.3	13	13.3	6	6.1	2	2.0	16	16.3
5-9	49	100	18	36.7	13	26.5	6	12.2	6	12.2	1	2.0	5	10.2
10-14	11	100	6	54.5	2	18.2	3	27.3	-	-	-	-	-	-
15-19	4	100	-	-	1	25.0	2	50.0	-	-	-	-	1	25.0
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	25	100	11	44.0	6	24.0	1	4.0	2	8.0	-	-	5	20.0

37 網膜色素変性症

表3-37-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、37 網膜色素変性症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	9,649	100%	4,793	49.7%	3,999	41.4%	857	8.9%
0-4歳	2	100	1	50.0	1	50.0	-	-
5-9	9	100	2	22.2	5	55.6	2	22.2
10-14	40	100	8	20.0	30	75.0	2	5.0
15-19	71	100	16	22.5	46	64.8	9	12.7
20-24	92	100	42	45.7	46	50.0	4	4.3
25-29	148	100	53	35.8	83	56.1	12	8.1
30-34	225	100	87	38.7	118	52.4	20	8.9
35-39	311	100	134	43.1	146	46.9	31	10.0
40-44	410	100	168	41.0	203	49.5	39	9.5
45-49	582	100	273	46.9	256	44.0	53	9.1
50-54	975	100	443	45.4	440	45.1	92	9.4
55-59	1,227	100	591	48.2	525	42.8	111	9.0
60-64	1,467	100	738	50.3	596	40.6	133	9.1
65-69	1,489	100	749	50.3	609	40.9	131	8.8
70-74	1,277	100	669	52.4	492	38.5	116	9.1
75-79	770	100	454	59.0	253	32.9	63	8.2
80-84	381	100	247	64.8	104	27.3	30	7.9
85-	173	100	118	68.2	46	26.6	9	5.2
不明	-	-	-	-	-	-	-	-

表3-37-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、37 網膜色素変性症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	9,649	100%	4,793	49.7%	3,999	41.4%	857	8.9%
0-4年	601	100	158	26.3	402	66.9	41	6.8
5-9	929	100	343	36.9	520	56.0	66	7.1
10-14	1,096	100	511	46.6	497	45.3	88	8.0
15-19	746	100	431	57.8	273	36.6	42	5.6
20-24	515	100	339	65.8	151	29.3	25	4.9
25-29	497	100	315	63.4	149	30.0	33	6.6
30-34	254	100	175	68.9	63	24.8	16	6.3
35-39	261	100	176	67.4	75	28.7	10	3.8
40-44	151	100	97	64.2	43	28.5	11	7.3
45-49	197	100	143	72.6	43	21.8	11	5.6
50-54	103	100	70	68.0	25	24.3	8	7.8
55-59	87	100	52	59.8	27	31.0	8	9.2
60-64	51	100	34	66.7	10	19.6	7	13.7
65-69	38	100	28	73.7	8	21.1	2	5.3
70-74	13	100	8	61.5	2	15.4	3	23.1
75-79	8	100	7	87.5	1	12.5	-	-
不明	4,102	100	1,906	46.5	1,710	41.7	486	11.8

表3-37-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、37 網膜色素変性症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし	不明		
総数	8,751	100%	570	6.5%	364	4.2%	6,266	71.6%	1,551	17.7%
40-44歳	410	100	5	1.2	11	2.7	333	81.2	61	14.9
45-49	582	100	5	0.9	11	1.9	468	80.4	98	16.8
50-54	975	100	18	1.8	21	2.2	763	78.3	173	17.7
55-59	1,227	100	18	1.5	27	2.2	956	77.9	226	18.4
60-64	1,467	100	28	1.9	55	3.7	1,122	76.5	262	17.9
65-69	1,489	100	75	5.0	67	4.5	1,088	73.1	259	17.4
70-74	1,277	100	116	9.1	63	4.9	864	67.7	234	18.3
75-79	770	100	133	17.3	61	7.9	431	56.0	145	18.8
80-84	381	100	92	24.1	33	8.7	189	49.6	67	17.6
85-	173	100	80	46.2	15	8.7	52	30.1	26	15.0

表3-37-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、37 網膜色素変性症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし	不明		
総数	8,751	100%	570	6.5%	364	4.2%	6,266	71.6%	1,551	17.7%
0-4年	506	100	12	2.4	16	3.2	409	80.8	69	13.6
5-9	805	100	43	5.3	26	3.2	637	79.1	99	12.3
10-14	993	100	51	5.1	46	4.6	759	76.4	137	13.8
15-19	651	100	40	6.1	35	5.4	478	73.4	98	15.1
20-24	449	100	39	8.7	24	5.3	322	71.7	64	14.3
25-29	449	100	30	6.7	22	4.9	318	70.8	79	17.6
30-34	241	100	22	9.1	7	2.9	185	76.8	27	11.2
35-39	251	100	29	11.6	9	3.6	175	69.7	38	15.1
40-44	151	100	13	8.6	9	6.0	106	70.2	23	15.2
45-49	197	100	27	13.7	10	5.1	132	67.0	28	14.2
50-54	103	100	19	18.4	2	1.9	68	66.0	14	13.6
55-59	87	100	4	4.6	4	4.6	63	72.4	16	18.4
60-64	51	100	6	11.8	4	7.8	30	58.8	11	21.6
65-69	38	100	8	21.1	3	7.9	24	63.2	3	7.9
70-74	13	100	4	30.8	2	15.4	3	23.1	4	30.8
75-79	8	100	3	37.5	-	-	4	50.0	1	12.5
不明	3,758	100	220	5.9	145	3.9	2,553	67.9	840	22.4

37 網膜色素変性症

表3-37-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	4,793	100%	1,216	25.4%	2,003	41.8%	677	14.1%	375	7.8%	397	8.3%	31	0.6%	94	2.0%
0-4歳	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
5-9	2	100	-	-	-	-	1	50.0	-	-	1	50.0	-	-	-	-
10-14	8	100	-	-	4	50.0	2	25.0	1	12.5	1	12.5	-	-	-	-
15-19	16	100	-	-	12	75.0	3	18.8	1	6.3	-	-	-	-	-	-
20-24	42	100	4	9.5	17	40.5	8	19.0	4	9.5	6	14.3	-	-	3	7.1
25-29	53	100	7	13.2	27	50.9	9	17.0	4	7.5	6	11.3	-	-	-	-
30-34	87	100	16	18.4	45	51.7	10	11.5	8	9.2	7	8.0	-	-	1	1.1
35-39	134	100	23	17.2	75	56.0	19	14.2	5	3.7	9	6.7	-	-	3	2.2
40-44	168	100	31	18.5	83	49.4	30	17.9	7	4.2	15	8.9	1	0.6	1	0.6
45-49	273	100	53	19.4	138	50.5	36	13.2	16	5.9	21	7.7	1	0.4	8	2.9
50-54	443	100	111	25.1	198	44.7	53	12.0	35	7.9	34	7.7	3	0.7	9	2.0
55-59	591	100	170	28.8	225	38.1	89	15.1	42	7.1	50	8.5	3	0.5	12	2.0
60-64	738	100	191	25.9	291	39.4	108	14.6	69	9.3	63	8.5	4	0.5	12	1.6
65-69	749	100	183	24.4	301	40.2	106	14.2	65	8.7	72	9.6	3	0.4	19	2.5
70-74	669	100	180	26.9	272	40.7	92	13.8	57	8.5	59	8.8	4	0.6	5	0.7
75-79	454	100	136	30.0	173	38.1	70	15.4	34	7.5	28	6.2	5	1.1	8	1.8
80-84	247	100	65	26.3	103	41.7	24	9.7	24	9.7	15	6.1	6	2.4	10	4.0
85-	118	100	46	39.0	38	32.2	17	14.4	3	2.5	10	8.5	1	0.8	3	2.5
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-37-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総数	4,793	100%	1,216	25.4%	2,003	41.8%	677	14.1%	375	7.8%	397	8.3%	31	0.6%	94	2.0%
0-4年	158	100	19	12.0	62	39.2	36	22.8	14	8.9	24	15.2	1	0.6	2	1.3
5-9	343	100	56	16.3	144	42.0	71	20.7	26	7.6	35	10.2	5	1.5	6	1.7
10-14	511	100	86	16.8	238	46.6	81	15.9	43	8.4	49	9.6	3	0.6	11	2.2
15-19	431	100	101	23.4	188	43.6	54	12.5	43	10.0	35	8.1	3	0.7	7	1.6
20-24	339	100	104	30.7	143	42.2	38	11.2	28	8.3	19	5.6	1	0.3	6	1.8
25-29	315	100	94	29.8	135	42.9	39	12.4	15	4.8	19	6.0	2	0.6	11	3.5
30-34	175	100	62	35.4	70	40.0	24	13.7	7	4.0	10	5.7	1	0.6	1	0.6
35-39	176	100	69	39.2	57	32.4	16	9.1	12	6.8	18	10.2	-	-	4	2.3
40-44	97	100	42	43.3	34	35.1	8	8.2	2	2.1	9	9.3	-	-	2	2.1
45-49	143	100	50	35.0	61	42.7	19	13.3	6	4.2	6	4.2	-	-	1	0.7
50-54	70	100	28	40.0	23	32.9	8	11.4	4	5.7	4	5.7	-	-	3	4.3
55-59	52	100	16	30.8	25	48.1	6	11.5	3	5.8	1	1.9	-	-	1	1.9
60-64	34	100	14	41.2	12	35.3	4	11.8	2	5.9	2	5.9	-	-	-	-
65-69	28	100	8	28.6	12	42.9	1	3.6	6	21.4	1	3.6	-	-	-	-
70-74	8	100	3	37.5	1	12.5	1	12.5	1	12.5	1	12.5	-	-	1	12.5
75-79	7	100	3	42.9	3	42.9	-	-	1	14.3	-	-	-	-	-	-
不明	1,906	100	461	24.2	795	41.7	271	14.2	162	8.5	164	8.6	15	0.8	38	2.0

表3-37-3. つづき
要介護者の要介護度

年齢階級	総数		要介護度					不明						
			1	2	3	4	5							
総数	570	100%	204	35.8%	121	21.2%	48	8.4%	26	4.6%	28	4.9%	143	25.1%
40-44歳	5	100	1	20.0	-	-	-	-	-	-	-	-	4	80.0
45-49	5	100	1	20.0	-	-	1	20.0	-	-	-	-	3	60.0
50-54	18	100	1	5.6	2	11.1	-	-	1	5.6	1	5.6	13	72.2
55-59	18	100	4	22.2	-	-	-	-	1	5.6	3	16.7	10	55.6
60-64	28	100	2	7.1	2	7.1	3	10.7	1	3.6	-	-	20	71.4
65-69	75	100	32	42.7	9	12.0	3	4.0	5	6.7	-	-	26	34.7
70-74	116	100	41	35.3	33	28.4	9	7.8	5	4.3	6	5.2	22	19.0
75-79	133	100	62	46.6	28	21.1	15	11.3	5	3.8	5	3.8	18	13.5
80-84	92	100	39	42.4	22	23.9	6	6.5	1	1.1	6	6.5	18	19.6
85-	80	100	21	26.3	25	31.3	11	13.8	7	8.8	7	8.8	9	11.3

表3-37-4. つづき
要介護者の要介護度

発病後期間	総数		要介護度					不明						
			1	2	3	4	5							
総数	570	100%	204	35.8%	121	21.2%	48	8.4%	26	4.6%	28	4.9%	143	25.1%
0-4年	12	100	4	33.3	1	8.3	2	16.7	1	8.3	-	-	4	33.3
5-9	43	100	15	34.9	8	18.6	4	9.3	3	7.0	3	7.0	10	23.3
10-14	51	100	18	35.3	10	19.6	8	15.7	2	3.9	-	-	13	25.5
15-19	40	100	17	42.5	8	20.0	-	-	2	5.0	1	2.5	12	30.0
20-24	39	100	12	30.8	9	23.1	3	7.7	3	7.7	2	5.1	10	25.6
25-29	30	100	15	50.0	6	20.0	1	3.3	-	-	2	6.7	6	20.0
30-34	22	100	7	31.8	7	31.8	1	4.5	2	9.1	1	4.5	4	18.2
35-39	29	100	8	27.6	4	13.8	6	20.7	1	3.4	-	-	10	34.5
40-44	13	100	5	38.5	2	15.4	2	15.4	1	7.7	-	-	3	23.1
45-49	27	100	6	22.2	8	29.6	3	11.1	-	-	1	3.7	9	33.3
50-54	19	100	6	31.6	4	21.1	2	10.5	1	5.3	1	5.3	5	26.3
55-59	4	100	2	50.0	1	25.0	-	-	1	25.0	-	-	-	-
60-64	6	100	3	50.0	1	16.7	1	16.7	-	-	-	-	1	16.7
65-69	8	100	5	62.5	2	25.0	-	-	-	-	-	-	1	12.5
70-74	4	100	1	25.0	2	50.0	-	-	-	-	1	25.0	-	-
75-79	3	100	1	33.3	-	-	-	-	-	-	-	-	2	66.7
不明	220	100	79	35.9	48	21.8	15	6.8	9	4.1	16	7.3	53	24.1

38 プリオン病

表3-38-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、38 プリオン病

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	124	100%	29	23.4%	72	58.1%	23	18.5%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	3	100	-	-	3	100	-	-
45-49	-	-	-	-	-	-	-	-
50-54	6	100	2	33.3	4	66.7	-	-
55-59	14	100	2	14.3	7	50.0	5	35.7
60-64	20	100	7	35.0	9	45.0	4	20.0
65-69	29	100	9	31.0	15	51.7	5	17.2
70-74	19	100	3	15.8	14	73.7	2	10.5
75-79	27	100	6	22.2	16	59.3	5	18.5
80-84	5	100	-	-	3	60.0	2	40.0
85-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

表3-38-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、38 プリオン病

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	124	100%	29	23.4%	72	58.1%	23	18.5%
0-4年	112	100	24	21.4	67	59.8	21	18.8
5-9	8	100	4	50.0	4	50.0	-	-
10-14	1	100	-	-	-	-	1	100
15-19	1	100	-	-	1	100	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	2	100	1	50.0	-	-	1	50.0

表3-38-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、38 プリオン病

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	123	100%	30	24.4%	-	-	64	52.0%	29	23.6%
40-44歳	3	100	-	-	-	-	3	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	6	100	1	16.7	-	-	5	83.3	-	-
55-59	14	100	3	21.4	-	-	6	42.9	5	35.7
60-64	20	100	5	25.0	-	-	8	40.0	7	35.0
65-69	29	100	5	17.2	-	-	16	55.2	8	27.6
70-74	19	100	6	31.6	-	-	9	47.4	4	21.1
75-79	27	100	9	33.3	-	-	15	55.6	3	11.1
80-84	5	100	1	20.0	-	-	2	40.0	2	40.0
85-	-	-	-	-	-	-	-	-	-	-

表3-38-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、38 プリオン病

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	123	100%	30	24.4%	-	-	64	52.0%	29	23.6%
0-4年	111	100	25	22.5	-	-	61	55.0	25	22.5
5-9	8	100	3	37.5	-	-	3	37.5	2	25.0
10-14	1	100	-	-	-	-	-	-	1	100
15-19	1	100	1	100	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	2	100	1	50.0	-	-	-	-	1	50.0