

著者名	論文題名	雑誌名	巻	頁	西暦年号
Manabe Y, Nagano I, Gazi MS, Murakami T, Shiote M, <u>Shoji M</u> , Kitagawa H, Abe K.	Glial cell line-derived neurotrophic factor protein prevents motor neuron loss of transgenic model mice for amyotrophic lateral sclerosis.	Neurol Res.	25	195-200	2003
Iwai M, Sato K, Kamada H, Omori N, Nagano I, <u>Shoji M</u> , Abe K.	Temporal profile of stem cell division, migration, and differentiation from subventricular zone to olfactory bulb after transient forebrain ischemia in gerbils.	J Cereb Blood Flow Met	23	331-341	2003
Sato K, Iwai M, Nagano I, <u>Shoji M</u> , Abe K.	Temporal and spatial changes of highly polysialylated neural cell adhesion molecule immunoreactivity in amygdala kindling development.	Neurol Res.	25	79-82	2003
Li F, Omori N, Jin G, Wang SJ, Sato K, Nagano I, <u>Shoji M</u> , Abe K.	Cooperative expression of survival p-ERK and p-Akt signals in rat brain neurons after transient MCAO.	Brain Res.	962	21-26	2003
Ohta K, Iwai M, Sato K, Omori N, Nagano I, <u>Shoji M</u> , Abe K.	Dissociative increase of oligodendrocyte progenitor cells between young and aged rats after transient cerebral ischemia.	Neurosci Lett.	335	159-162	2003
Kamada H, Sato K, Iwai M, Zhang WR, Nagano I, Manabe Y, <u>Shoji M</u> , Abe K.	Temporal and spatial changes of free cholesterol and neutral lipids in rat brain after transient middle cerebral artery occlusion.	Neurosci Res.	45	91-100	2003
東海林幹夫	アルツハイマー病の治療法開発.	日本老年医学会雑誌	40	473-475	2003
塩手美冬, 城戸由紀子, 林健, 真邊泰宏, 柏原健一, 永野功, 東海林幹夫, 阿部康二	胸隨病変のみを反復した神經Behcet病の1例	脳と神経	55	521-525	2003
足立絵美, 松原悦朗, 塩手冬美, 東海林幹夫, 阿部康二	パーキンソンニズムで発症しSPECTで視床, 基底核脳血流変化を評価した神經梅毒の1例.	神経内科	60	105-107	2003
東海林幹夫, 阿部康二	Alzheimer病の診断と治療	Mebio	20	56-62	2003
東海林幹夫	ABアミロイド除去のメカニズム: AB免疫療法からの新知見	医学の歩み	206	202-205	2003
東海林幹夫	アルツハイマー病とアリセプト	Medical Practice	20	1233	2003
瓦林毅,東海林幹夫	アルツハイマー病の生化学的検査-アミロイドβ蛋白-	診断と治療	91	273-276	2003
Asami-Odaka A, Obayashi-Adachi Y, Matsumoto Y, Takahashi H, Fukumoto H, Horiguchi T, Suzuki N, <u>Shoji M</u>	Passive Immunization of the AB42(43) C-Terminal-Specific Antibody BC05 in a Mouse Model of Alzheimer's Disease.	Neurodegenerative Disease	(in press)		2005
Jin G, Hayashi T, Kawagoe J, Takizawa T, Nagata T, Nagano I, <u>Shoji M</u> , Abe K	Deficiency of PAR-2 gene increases acute focal ischemic brain injury.	Journal of Cerebral Blood Flow and Metabolism	[Epub ahead of print]		2005
Nagotani S, Hayashi T, Deguchi K, Nagano I, <u>Shoji M</u> , Abe K	Reduction of Cerebral Infarction in SHR-SP by Statins Associated with Amelioration of Oxidative Stress	Stroke	(in press)		2005
Matsubara E, Kurata T, Yokoyama M, Nagano I, <u>Shoji M</u> , Abe K	Improvement of SSPE by intrathecal infusion of α-IFN.	Neurology	64	402	2005

著者名	論文題名	雑誌名	巻	頁	西暦年号
Moreira MC, Klur S, Watanabe M, Nemeth AH, Ber IL, Moniz JC, Tranchant C, Aubourg P, Tazir M, Schols L, Pandolfo M, Schulz JB, Pouget J, Calvas P, Shizuka-Ikeda M, <u>Shoji M</u> , Tanaka M, Izatt L, Shaw CE, M'Zahem A, Dunne E, Bomont P, Benhassine T, Bouslam N, Stevanin G, Brice A, Guimaraes J, Mendonca P, Barbot C, Coutinho P, Sequeiros J, Durr A, Warter JM, Koenig M	Senataxin, the ortholog of a yeast RNA helicase, is mutant in ataxioocular apraxia 2.	Nature Genetics	69	225-227	2004
Murakami T, <u>Shoji M</u> , Imai Y, Inoue H, Kawarabayashi T, Matsubara E, Harigaya Y, Sasaki A, Takahashi R, Abe K	Pael-R is accumulated in Lewy bodies of Parkinson's disease.	Ann Neurol	55	439-442	2004
Kawarabayashi T, <u>Shoji M</u> , Younkin L, Wen-Lang L, Dickson DW, Murakami T, Matsubara E, Abe K, Ashe KH, Younkin SG	Dimeric A β rapidly accumulates in lipid rafts followed by ApoE and phosphorylated tau as memory is impaired in the Tg2576 mouse model of Alzheimer's disease.	J Neurosci	24	3801-3809	2004
Matsubara E, Sekijima Y, Tokuda T, Urakami K, Amari M, Shizuka-Ikeda M, Tomidokoro Y, Ikeda M, Kawarabayashi T, Harigaya Y, Ikeda S, Murakami T, Abe K, Otomo E, Hirai S, Frangione B, Ghiso J, <u>Shoji M</u>	Soluble A β homeostasis in AD and DS: impairment of anti-amyloidogenic protection by lipoproteins.	Neurobiol Aging	25	833-841	2004
Ikarashi Y, Harigaya Y, Tomidokoro Y, Kanai M, Ikeda M, Matsubara E, Kawarabayashi T, Kuribara H, Younkin SG, <u>Shoji M</u>	Decreased level of brain acetylcholine and memory disturbance in APPsw mice.	Neurobiol Aging	25	483-490	2004
Ohyagi Y, Asahara H, Chui DH, Tsuruta Y, Sakae N, Miyoshi K, Yamada T, Kikuchi H, Taniwaki T, Murai H, Ikezoe K, Furuya H, Kawarabayashi T, <u>Shoji M</u> , Checler F, Iwaki T, Makifuchi T, Takeda K, Kira J, Tabira T	Intracellular A β 42 activates p53 promoter: a pathway to neurodegeneration in Alzheimer's disease.	The FASEB Journal	Epub ahead of print		2004
Moriimoto N, Nagano I, Deguchi K, Murakami T, Fushimi S, <u>Shoji M</u> , Abe, K	A case of Leber's hereditary optic neuropathy (LHON) with chorea and dementia resembling Huntington's disease.	Neurology	63	2451-2452	2004
Kurata T, Matsubara E, Yokoyama M, Nagano I, <u>Shoji M</u> , Abe K	Improvement of SSPE by intrathecal infusion of α -IFN.	Neurology	63	398-399	2004
Yamashita T, Matsubara E, Nagano I, <u>Shoji M</u> , Abe K	Bilateral extraocular muscle atrophy in myotonic dystrophy type 1.	Neurology	63	759-760	2004
Li F, Omori N, Hayashi T, Jin G, Sato K, Nagano I, <u>Shoji M</u> , Abe K	Protection against ischemic brain damage in rats by immunophilin ligand GPI-1046.	Journal of Neuroscience Research	76	383-389	2004
Ohta Y, Nagano I, Niiya D, Fujioka H, Kishimoto T, <u>Shoji M</u> , Abe K	Nonparaneoplastic limbic encephalitis with relapsing polychondritis.	Journal of Neurological Science	220	85-88	2004

著者名	論文題名	雑誌名	巻	頁	西暦年号
Hamakawa Y, Omori N, Ouchida M, Nagase M, Sato K, Nagano I, <u>Shoji M</u> , Fujita T, Abe K	Severity dependent up-regulations of LOX-1 and MCP-1 in early sclerotic changes of common carotid arteries in spontaneously hypertensive rats.	Neurological Research	26	767-773	2004
Saido TC, Takeda M, Urakami K, <u>Shoji M</u> , Ito N, Iwatsubo T, Tamaoka A, Kanemaru K	Discussion on role of neprilysin and degrading system.	Psychogeriatrics	4	13-18	2004
Matsuda K, Takeda M, Urakami K, Hasegawa M, Ishiguro K, Saido TC, <u>Shoji M</u> , Kanemaru-K, Tamaoka A, Iwatsubo T, Okamura N, Ito N	Discussion on laminin as possible biomarkers for neurodegenerative dementia.	Psychogeriatrics	4	39-44	2004
Urakami K, Ishiguro K, Saido TC, Iwatsubo T, Okamura N, Ito N, Kanemaru-K, Tamaoka A, Matsuda K, Hasegawa M, <u>Shoji M</u> , Takashima A, Iwatsubo T, Hamamoto M, Matsuda K, Arai H, Takeda M	Discussion on phosphorylated tau and other biochemical Markers.	Psychogeriatrics	4	45-50	2004
東海林幹夫, 桑野良三, 朝田隆, 今川正樹, 樋口進, 浦上克哉, 荒井啓行, 井原康夫	アルツハイマー病診断・評価基準試案文 部科学省特定領域研究 「先端脳」 ゲノム班.	臨床神経学	(印刷中)		2005
東海林幹夫	老化と神経機能の低下, 老化に伴う疾患.	医学と薬学	53	101	2005
瓦林毅, 東海林幹夫	痴呆性疾患への新たなアプローチ 新たな治療法の可能性	クリニシアン	(印刷中)		2005
瓦林毅, 東海林幹夫	アルツハイマー病と血管因子-薬物治療.	脳と循環	(印刷中)		2005
瓦林毅, 東海林幹夫	アルツハイマー病研究の最前線-基礎と臨床 アルツハイマー病の疾患マーカー	神経研究の進歩	(印刷中)		2005
東海林幹夫	アルツハイマー病のbiomarker	臨床神経学	44	771-773	2004
砂田典子, 出口健太郎, 永野功, 嶋中邦彦, 山脇均, 藤木茂篤, 東海林幹夫, 阿部康二	片側顔面神経麻痺と舌下神経麻痺のみを呈した皮質梗塞の1例	脳と神経	56	801-804	2004
足立絵美, 松原悦朗, 塩手冬美, 東海林幹夫, 阿部康二	パーキンソンニズムで発症しSPECTで視床, 基底核脳血流変化を評価した神経梅毒の1例	神経内科	60	105~107	2004
東海林幹夫, 阿部康二	アルツハイマー病と血管性痴呆	成人病と生活習慣病	34	383-385	2004
東海林幹夫	新たな診断マーカー:脳アミロイド蓄積の定量	Medical Briefs in Brain & Nerve	13	1	2004
東海林幹夫	体液診断-脳脊髄液Aβとtau-	カレントセラピー	22	35-45	2004
東海林幹夫	Aβワクチン	Molecular Medicine	41	438-443	2004
東海林幹夫	アルツハイマー病の診断マーカー	ドクターサロン	48	73-76	2004
瓦林毅, 東海林幹夫	痴呆と血管病変 痴呆症(ADとVD)の治療	分子脳血管病	3	403-410	2004
Tamaoki T, Tezuka H, Okada Y, Ito S, Shimura H, Sakamoto M, Endo T, Ozaki Y, Kanba S, <u>Maeda S</u>	Avoiding the effect of linked genes is crucial to elucidate the role of ApCs in autoimmunity.	Nature Medicine	11	11-12	2005
Wei L, Kawano H, Fu X, Cui D, Ito S, Yamamura K, Ishihara T, Tokuda T, Higuchi K, <u>Maeda S</u>	Deposition of transthyretin amyloid is not accelerated by the same amyloid <i>in vivo</i> .	Amyloid	11	113-120	2004

著者名	論文題名	雑誌名	巻	頁	西暦年号
Nakamura M, Ando Y, Nagahara S, Sano A, Ochiya T, Maeda S, Kawaji T, Ogawa M, Hirata A, Terazaki H, Haraoka K, Tanihara H, Ueda M, Uchino M, Yamamura K	Targeted conversion of the transthyretin gene in vitro and in vivo.	Gene Therapy	11	838-846	2004
前田秀一郎	家族性アミロイドポリニューロバチー	別冊・医学のあゆみ 疾患モデル動物—病因解析での役割と限界		60-64	2004
Maeda S	Use of genetically altered mice to study the role of serum amyloid P component in amyloid deposition.	Amyloid: J. Protein Folding Disord	10 (Suppl 1)	17-20	2003
Kato G, Maeda S	Production of mouse ES cells homozygous for Cdk5-phosphorylated site mutation in c-src alleles.	J Biochem	133	563-569	2003
Xing Y, Nakamura A, Korenaga T, Guo Z, Yao J, Fu X, Matsushita T, Kogishi K, Hosokawa M, Kametani F, Mori M, Higuchi K.	Induction of protein conformational change in mouse senile amyloidosis.	J. Biol. Chem.	277	33164-33169	2002
Xing Y, Higuchi K	Amyloid Fibril Proteins	Mech. Ageing Dev.	123	1625-1636	2002
Suzuki T, Tozuka M, Kazuyoshi Y, Sugano M, Nakabayashi T, Okumura N, Hidaka H, Katsuyama T, Higuchi K.	Predominant apolipoprotein J exists as lipid-poor mixtures in cerebrospinal fluid.	Ann. Clin. Lab. Sci.	32	369-376	2002
森 政之、樋口京一	老化疾患モデルマウス	現代医療	34	37-42	2002
森 政之、樋口京一	老化疾患モデルマウス	Molecular Medicine	39	528-533	2002
Guo Z, Mori M, Fu X, Yao J, Xing Y, Korenaga T, Li G, Matsushita T, Hosokawa M, Higuchi K.	Amyloidosis modifier genes in less amyloidogenic A/J mouse strain.	Lab Invest	83	1605-1613	2003
Kitagawa K, Wang J, Mastushita T, Kogishi K, Hosokawa M, Fu X, Guo Z, Mori M, Higuchi K.	Polymorphisms of mouse apolipoprotein A-II: seven alleles found among 41 inbred strains of mice.	Amyloid	10	207-214	2003
Umezawa M, Tatematsu K, Korenaga T, Fu X, Matsushita T, Okuyama H, Hosokawa M, Takeda T, Higuchi K.	Dietary fat modulation of apoA-II metabolism and prevention of senile amyloidosis in the Senescence-Accelerated mouse.	J Lipid Res	44	762-769	2003
Fu X, Korenaga T, Xing Y, Fu L, Guo Z, Matsushita T, Hosokawa M, Naiki H, Baba S, Kawata Y, Ikeda S, Ishihara T, Mori M, Higuchi K.	Induction of AApoAII amyloidosis by various heterogeneous amyloid fibrils.	FEBS Letter	563	179-184	2004
Korenaga T, Fu X, Xing Y, Matsusita T, Kuramoto K, Syumiya S, Hasegawa Z, Naiki H, Ueno M, Ishihara T, Hosokawa M, Mori M, Higuchi K.	Tissue Distribution, Biochemical Properties and Transmission of Mouse Type A AApoAII Amyloid Fibrils.	Am J Pathol	164	1597-1606	2004
Yazaki M, Fushimi T, Tokuda T, Kametani F, Yamamoto K, Matsuda M, Shimojo H, Hoshii Y, Higuchi K, Ikeda S.	A patient with severe renal amyloidosis associated with an immunoglobulin gamma-heavy chain fragment.	Am J Kidney Dis.	43	e23-28	2004

著者名	論文題名	雑誌名	巻	頁	西暦年号
Wei L, Kawano H, Fu X, Cui D, Ito S, Yamamura K, Ishihara T, Tokuda T, <u>Higuchi K</u> , Maeda S.	Deposition of transthyretin amyloid is not accelerated by the same amyloid in vivo.	Amyloid	11	113-120	2004
樋口京一	アミロイドーシスと老化	日本アフェレシス学会雑誌	23	143-150	2004
樋口京一、付笑影	老化アミロイドーシス	基礎老化研究	28(4)	7-13	2004
Fu X, Korenaga T, Fu Li, Xing Y, Guo Z, Matsushita T, Hosokawa M, Naiki H, Baba S, Kawata Y, <u>Ikeda S</u> , Ishihara T, Mori M, Higuchi K	Induction of AApoAII amyloidosis by various heterogenous amyloid fibrils.	FEBS Lett	563	179-184	2004
Tojo K, Tokuda T, Hoshii Y, Fu X, Higuchi K, Matsui T, Kametani F, <u>Ikeda S</u>	Unexpectedly high incidence of visceral AA-amyloidosis in slaughtered cattle in Japan. Amyloid:	J Protein Folding Disord	in press		
Ishikawa H, Tsuyama N, Abroun S, Liu S, Li F, Taniguchi O, <u>Kawano MM</u>	Requirements of src family kinase activity associated with CD45 for myeloma cell proliferation by interleukin-6	Blood	99	2172-2178	2002
Abroun S, Ishikawa H, Tsuyama N, Liu S, Li F, Otsuyama K, Zheng X, Obata N, <u>Kawano MM</u>	Receptor synergy of interleukin-6(IL-6) and insulin-like growth factor-I in Myeloma cells that highly express IL-6 receptor α .	Blood	103	2291-2298	2004
Li F, Tsuyama N, Ishikawa H, Obata M, Abroun S, Liu S, Otsuyama K, Zheng X, Ma Z, Maki Y, <u>Kawano MM</u>	A rapid translocation of CD45RO but not CD45RA to lipid rafts in IL-6-induced proliferation in Myeloma.	Blood	105	(in press)	2005
Ma Z, Otsuyama K, Liu S, Abroun S, Ishikawa H, Tsuyama N, Obata M, Li F, Zheng X, Maki Y, Miyamoto K, <u>Kawano MM</u>	Baicalein, a component of Scutellaria Radix, identified from Huang-Ling-Jie-Du-Tang (HLJT), leads to suppression of proliferation and induction of apoptosis in human Myeloma cells.	Blood	105	(in press)	2005
Liu S, Ishikawa H, Li F, Ma Z, Otsuyama K, Asaoku H, Abroun S, Zheng X, Tsuyama N, Obata M, <u>Kawano MM</u>	Dehydroepiandrosterone can inhibit the proliferation of myeloma cells and the interleukin-6 production of bone marrow mononuclear cells from patients with Myeloma.	Cancer Research	65	(in press)	
X.H. Xu, H.Azakami, <u>A.Kato</u>	P-domain and lectin site are involved in the chaperone function of <i>Saccharomyces cerevisiae</i> calnexin homologue (Cne1p).	FEBS Letters	570	155-160	2004
X.H. Xu, K.Kanbara, H.Azakami, <u>A.Kato</u>	Expression and characterization of <i>Saccharomyces cerevisiae</i> Cne1p, a calnexin homologue.	J. Biochem.	135	615-618	2004
M.Usui, H.Tamura, K.Nakamura, T.Ogawa, M.Muroshita, H.Azakami, S.Kanuma, <u>A.Kato</u>	Enhanced bactericidal action and masking of allergen structure of soy protein by attachment of chitosan through Maillard-type protein-polysaccharide conjugation.	Nahrung	48		2004
M.Usui, T.Shimizu, Y.Goto, A.Saito, <u>A.Kato</u>	Effective reduction of antigenicity of hen lysozyme by site-specific glycosylation.	FEBS Letters	557	169-173	2004
X.H.Xu, O.Kashima, A.Saito, H.Azakami, <u>A.Kato</u>	Structural and functional properties of chicken lysozyme fused serine-rich heptapeptides at C-terminus.	Biosci. Biotechnol. Biochem.	68	1273-1278	2004
S.T. Liu, A.Saito, H.Azakami, <u>A.Kato</u>	Expression, purification, and characterization of an unstable lysozyme mutant in <i>Pichia pastoris</i> .	Protein Expression and Purification	27	304-312	2003

著者名	論文題名	雑誌名	巻	頁	西暦年号
S.Begum, A.Saito, <u>A.Kato</u> , J.He, H.Azakami	Expression and characterization of chicken ovoinhibitor in <i>Pichia pastoris</i> .	Nahrung,	47	359-363	2003
S.Begum, A.Saito, X.H.Xu, <u>A.Kato</u>	Improvement of functional properties of ovoinhibitor by conjugation with galactomannan.	Biosci. Biotechnol. Biochem.	67	1897-1902	2003
A.Saito, Y.Sako, M.Usui, H.Azakami, <u>A.Kato</u>	Functional properties of glycosylated lysozyme secreted in <i>Pichia Pastoris</i> .	Biosci. Biotechnol. Biochem.	67	2334-2343	2003
M.Usui, A.Saito, N.Taniguchi, N.Nishijima, H.Azakami, <u>A.Kato</u>	Reduction of antigenicity of Cryj1, major allergen of Japanese cedar pollen, by the attachment of polysaccharides.	Biosci. Biotechnol. Biochem.	67	2425-2430	2003
Y.Song, H.Azakami, B.Sharnima , J.He, <u>A.Kato</u>	Differnet effects of calnexin deletion in <i>Saccharomyces cerevisiae</i> on the secretion of two types glycosylated amyloidogenic lysozymes.	FEBS Letters	512	213-217	2002
Y.Song, E.E.Babiker, M.Usui, A.Saito, <u>A.Kato</u>	Emulsifying properties and bactericidal action of chitosan-lysozyme conjugates.	Food Research International	35	459-466	2002
Y.Song, J.Sakai, A.Saito, M.Usui, H.Azakami, <u>A.Kato</u>	Relatioinship between the stability of lysozymes imutated at the inside hydrophobic core and secretion in <i>Saccharomyces cerevisiae</i> .	Nahrung	46	209-213	2002
A.Saito, M.Usui, Y.Song, H.Azakami, <u>A.Kato</u>	Secretion of glycosylated L-Lactalbumin in yeast <i>Pichia pastoris</i> .	J. Biochem.	132	77-82	2002
Ohhashi Y, Hagihara Y, Kozhukh GV, Hoshino M, Hasegawa K, Yamaguchi I, Naiki H, Goto Y	The intrachain disulfide bond of b2-microglobulin is not essential for the imunoglobulin fold at neutral pH, but is essential for amyloid fibril formation at acidic pH.	J. Biochem. (Tokyo)	131(1)	45-52	2002
Kozhukh GV, Hagihara Y, Kawakami T, Hasegawa K, Naiki H, Goto Y	Investigation of a peptide responsible for amyloid fibril formation of b2-microglobulin by Achromobacter protease I.	J. Biol. Chem.	277(2)	1310-1315	2002
Ono K, Hasegawa K, Yoshiike Y, Takashima A, Yamada M, Naiki H	Nordihydroguaiaretic acid potently breaks down pre-formed Alzheimer's b-amyloid fibrils in vitro.	J. Neurochem.	81(3)	434-440	2002
Martsev SP, Dubnovitsky AP, Vlasov AP, Hoshino M, Hasegawa K, Naiki H, Goto Y	Amyloid fibril formation of the mouse VL domain at acidic pH.	Biochemistry	41(10)	3389-3395	2002
Hoshino M, Katou H, Hagihara Y, Hasegawa K, Naiki H, Goto Y	Mapping the core of the b2-microglobulin amyloid fibril by H/D exchange.	Nat. Struct. Biol.	9(5)	332-336	2002
Hong D, Gozu M, Hasegawa K, Naiki H, Goto Y	Conformation of b2-microglobulin amyloid fibrils analyzed by reduction of the disulfide bond.	J. Biol. Chem.	277(24)	21554-21560	2002
Ono K, Hasegawa K, Yamada M, Naiki H.	Nicotine breaks down preformed Alzheimer's b-amyloid fibrils in vitro.	Biol. Psychiatry	52(9)	880-886	2002
Katou H, Kanno T, Hoshino M, Hagihara Y, Tanaka H, Kawai T, Hasegawa K, Naiki H, Goto Y	The role of disulfide bond in the amyloidogenic state of b2-microglobulin studied by heteronuclear NMR.	Protein Sci.	11(9)	2218-2229	2002
Takahashi N, Hasegawa K, Yamaguchi I, Okada H, Ueda T, Gejyo F, Naiki H	Establishment of a first-order kinetic model of light chain-associated amyloid fibril extension in vitro.	Biochim. Biophys. Acta	1601(1)	110-120	2002

著者名	論文題名	雑誌名	巻	頁	西暦年号
Hasegawa K, Ono K, Yamada M, <u>Naiki H</u>	Kinetic modeling and determination of reaction constants of Alzheimer's b-amyloid fibril extension and dissociation using surface plasmon resonance.	Biochemistry	41(46)	13489-13498	2002
Yamamoto A, Shin RW, Hasegawa K, <u>Naiki H</u> , Sato H, Yoshimasu F, Kitamoto T	Iron (III) induces aggregation of hyperphosphorylated tau and its reduction to iron (II) reverses the aggregation: implications in the formation of neurofibrillary tangles of Alzheimer's disease.	J. Neurochem.	82(5)	1137-1147	2002
Ban T, Hamada D, Hasegawa K, <u>Naiki H</u> , Goto Y	Direct observation of amyloid fibril growth monitored by thioflavin T fluorescence.	J. Biol. Chem.	278(19)	16462-16465	2003
Hasegawa K, Ohhashi Y, Yamaguchi I, Takahashi N, Tsutsumi S, Goto Y, Gejyo F, <u>Naiki H</u>	Amyloidogenic synthetic peptides of b2-microglobulin: a role of the disulfide bond.	Biochem. Biophys. Res. Commun.	304(1)	101-106	2003
Yamaguchi I, Suda H, Tsuzuike N, Seto K, Seki M, Yamaguchi Y, Hasegawa K, Takahashi N, Yamamoto S, Gejyo F, <u>Naiki H</u>	Glycosaminoglycan and proteoglycan inhibit the depolymerization of b2-microglobulin amyloid fibrils in vitro.	Kidney Int.	64(3)	1080-1088	2003
Ono K, Yoshiike Y, Takashima A, Hasegawa K, <u>Naiki H</u> , Yamada M	Potent anti-amyloidogenic and fibril-destabilizing effects of polyphenols in vitro: implications for the prevention and therapeutics of Alzheimer's disease.	J. Neurochem.	87(1)	172-181	2003
Gozu M, Lee YH, Ohhashi Y, Hoshino M, <u>Naiki H</u> , Goto Y	Conformational dynamics of b2-microglobulin analyzed by reduction and reoxidation of the disulfide bond.	J. Biochem. (Tokyo).	133(6)	731-736	2003
Chiba T, Hagihara Y, Higurashi T, Hasegawa K, <u>Naiki H</u> , Goto Y	Amyloid fibril formation in the context of full-length protein: effects of proline mutations on the amyloid fibril formation of b2-microglobulin.	J. Biol. Chem.	278(47)	47016-47024	2003
Yamamoto S, Yamaguchi I, Hasegawa K, Tsutsumi S, Goto Y, Gejyo F, <u>Naiki H</u>	Glycosaminoglycans enhance the trifluoroethanol-induced extension of beta 2-microglobulin-related amyloid fibrils at a neutral pH.	J. Am. Soc. Nephrol.	15(1)	126-133	2004
Ohhashi Y, Hasegawa K, <u>Naiki H</u> , Goto Y	Optimum amyloid fibril formation of a peptide fragment suggests the amyloidogenic preference of beta 2-microglobulin under physiological conditions.	J. Biol. Chem.	279(11)	10814-10821	2004
Villanueva J, Hoshino M, Katou H, Kardos J, Hasegawa K, <u>Naiki H</u> , Goto Y	Increase in the conformational flexibility of b2-microglobulin upon copper binding: a possible role for copper in dialysis-related amyloidosis.	Protein. Sci.	13(13)	797-809	2004
Ono K, Hasegawa K, <u>Naiki H</u> , Yamada M	Curcumin has potent anti-amyloidogenic effects for Alzheimer's beta-amyloid fibrils in vitro.	J. Neurosci. Res.	75(6)	742-750	2004
Hiramatsu H, Goto Y, <u>Naiki H</u> , Kitagawa T	Core structure of amyloid fibril proposed from IR-microscope linear dichroism.	J. Am. Chem. Soc.	126(10)	3008-3009	2004
Fu X, Korenaga T, Fu L, Xing Y, Guo Z, Matsushita T, Hosokawa M, <u>Naiki H</u> , Baba S, Kawata Y, Ikeda S, Ishihara T, Mori M, Higuchi K	Induction of APoAII amyloidosis by various heterogeneous amyloid fibrils.	FEBS Lett.	563(1-3)	179-184	2004

著者名	論文題名	雑誌名	巻	頁	西暦年号
Yamaguchi K, Katou H, Hoshino M, Hasegawa K, <u>Naiki H</u> , Goto Y	Core and heterogeneity of beta2-microglobulin amyloid fibrils as revealed by H/D exchange.	J. Mol. Biol.	338(8)	559-571	2004
Korenaga T, Fu X, Xing Y, Matsusita T, Kuramoto K, Syumiya S, Hasegawa K, <u>Naiki H</u> , Ueno M, Ishihara T, Hosokawa M, Mori M, Higuchi K	Tissue distribution, biochemical properties, and transmission of mouse type A AApoAII amyloid fibrils.	Am. J. Pathol.	164(5)	1597-1606	2004
Hayashi H, Kimura N, Yamaguchi H, Hasegawa K, Yokoseki T, Shibata M, Yamamoto N, Michikawa M, Yoshikawa Y, Terao K, Matsuzaki K, Lemere CA, Selkoe DJ, <u>Naiki H</u> , Yanagisawa K	A seed for Alzheimer amyloid in the brain.	J. Neurosci.	24(20)	4894-4902	2004
Yamamoto N, Hasegawa K, Matsuzaki K, <u>Naiki H</u> , Yanagisawa K	Environment- and mutation-dependent aggregation behavior of Alzheimer amyloid beta-protein.	J. Neurochem.	90(1)	62-69	2004
Yamamoto S, Hasegawa K, Yamaguchi I, Tsutsumi S, Kardos J, Goto Y, Gejyo F, <u>Naiki H</u>	Low concentrations of sodium dodecyl sulfate induce the extension of beta 2-microglobulin-related amyloid fibrils at a neutral pH.	Biochemistry	43(34)	11075-11082	2004
Ono K, Yoshiike Y, Takashima A, Hasegawa K, <u>Naiki H</u> , Yamada M	Vitamin A exhibits potent antiamyloidogenic and fibril destabilizing effects in vitro.	Exp. Neurol.	189(2)	380-392	2004
Kardos J, Yamamoto K, Hasegawa K, <u>Naiki H</u> , Goto Y	Direct measurement of the thermodynamic parameters of amyloid formation by isothermal titration calorimetry.	J. Biol. Chem.	279(53)	55308-55314	2004
Narimoto T, Sakurai K, Okamoto A, Chatani E, Hoshino M, Hasegawa K, <u>Naiki H</u> , Goto Y	Conformational stability of amyloid fibrils of beta2-microglobulin probed by guanidine-hydrochloride-induced unfolding.	FEBS Lett.	576(3)	313-319	2004
Ono K, Hasegawa K, <u>Naiki H</u> , Yamada M	Anti-amyloidogenic activity of tannic acid and its activity to destabilize Alzheimer's beta-amyloid fibrils in vitro.	Biochim. Biophys. Acta	1690(3)	193-202	2004
Ban T, Hoshino M, Takahashi S, Hamada D, Hasegawa K, <u>Naiki H</u> , Goto Y	Direct observation of Abeta amyloid fibril growth and inhibition.	J. Mol. Biol.	344(3)	757-767	2004
Wadai H, Yamaguchi KI, Takahashi S, Kanno T, Kawai T, <u>Naiki H</u> , Goto Y	Stereospecific amyloid-like fibril formation by a peptide fragment of b2-microglobulin.	Biochemistry	44(1)	157-164	2005
Kihara M, Chatani E, Sakai M, Hasegawa K, <u>Naiki H</u> , Goto Y	Seeding-dependent maturation of beta 2-microglobulin amyloid fibrils at neutral pH.	J. Biol. Chem.	in press		2005
Raman B, Chatani E, Kihara M, Ban T, Sakai M, Hasegawa K, <u>Naiki H</u> , Rao CM, Goto Y	Critical balance of electrostatic and hydrophobic interactions is required for beta2-microglobulin amyloid fibril growth and stability.	Biochemistry	44(4)	1288-1299	2005
Kanno T, Yamaguchi K, <u>Naiki H</u> , Goto Y, Kawai T	Association of thin filaments into thick filaments revealing the structural hierarchy of amyloid fibrils.	J. Struct. Biol.	149(2)	213-218	2005
長谷川一浩、内木宏延	Ab線維伸長機構	Molecular Medicine	41(4)	420-426	2004
長谷川一浩、内木宏延	アミロイド線維の形成と解離	蛋白質核酸酵素	49(7)	1096-1097	2004
長谷川一浩、内木宏延	β アミロイドの試験管内線維形成	Cognition and Dementia	3(4)	8-15	2004

著者名	論文題名	雑誌名	巻	頁	西暦年号
佐藤勝哉、安田純子、片桐誠二、中村菊保、 <u>山田学</u> 、旭節夫、加藤満年、山中進吾	採卵鶏群に集団発生したアミロイド症の病理	鶏研究会会報	39 (1)	38-42	2003
Hideo Hara, Alon Monsonego, Katsutoshi Yuasa, Kayo Adachi, Shinichi Takeda, Xiao Xiao, Keikichi Takahashi, Howard L. Weiner and <u>Takeshi Tabira</u> .	Development of a safe oral A β vaccine using recombinant adeno-associated virus vector for Alzheimer's disease.	J. Alz. Dis.	5	483-488	2004
原 英夫	アルツハイマー病のワクチン療法	Geriatric Medicine	42	494-497	2004
原 英夫	Alzheimer病のワクチン療法	日本臨床	62増刊号4	254-258	2004
原 英夫	アルツハイマー病-早期診断と治療研究の最前線、ワクチン療。	カレントテラピー	22	71-75	2004
原 英夫	ワクチン療法	メディカル・サイエンス・ダイジェスト	30	212-214	2004
原 英夫	アルツハイマー病のワクチン療法	Dementia Japan	18	80-83	2004

【書籍】

著者名	題名	編集者	書籍名	出版社名	出版地	出版年	頁
河野道生	多発性骨髓腫とその類縁疾患	黒川清、松澤佑次	内科学II	文光堂	東京	2003	1375-1380
河野道生	骨髓腫の診断と治療	北村幸彦、朝長万左男、金倉謙	造血器悪性腫瘍治療へのアプローチ	医薬ジャーナル社	大阪	2003	221-235
石川秀明、河野道生	プロテアソーム阻害薬による多発性骨髓腫の治療	高久史磨、溝口秀昭、小宮山淳、坂田洋一、金倉謙	Annual Review 血液 2004	中外医学社	東京	2004	127-135
河野道生	血漿蛋白	平井久丸、押味和夫、坂田洋一	血液の事典	朝倉書店	東京	2004	55-57
原英夫	アルツハイマー病のAbワクチン療法	田平 武	最新医学別冊：新しい診断と治療のABC22、神経3「アルツハイマー病」	最新医学社		2004	158-165
原英夫、田平武	bアミロイドワクチン療法	金澤一郎、柴崎浩、東儀英夫	先端医療シリーズ30：「神経内科の最新医療」	先端医療技術研究所		2004	103-107
原英夫、田平武	アルツハイマー病のAbワクチン療法	柳澤信夫 他	Annual Review 神経2005	中外医学社		2004	96-102
原英夫、田平武	アルツハイマー病のAbワクチン療法		病態の分子生物学 脳神経疾患	南山堂		2005	印刷中
東海林幹夫、松原悦朗、村上哲郎、永野功、真邊泰宏、阿部康二	トランスジェニックマウスを用いたアルツハイマー病の病態解明、脳機能の解明。	赤池紀扶、東英穂、阿部康二、久保千春	生命科学の主潮流	ガイア出版	福岡	2002	279-280
Shoji M, Harigaya H, Matsubara E, Kawarabayashi T, Murakami T, Omori N, Sato K, Nagano I and Abe K	Ab42 vaccine on the Tg2576 Alzheimer model mice	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	399-403
Omori N, Jin G, Li F, Zhang WR, Wang SJ, Hamakawa Y, Nagano I, Manabe Y, Shoji M and Abe K	Expression of PTEN and its phosphorylated form after transient middle cerebral artery occlusion in rat	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	3-11
Nagano I, Murakami T, Shiote M, Ilieva H, Manabe Y, Shoji M and Abe K	Hypoxic induction of vascular endothelial growth factor is impaired in the spinal cord of the mice with mutant human SOD1 gene	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	57-63
Shiote M, Ilieva H, Nagano I, Murakami T, Hayashi T, Shoji M and Abe K	Early decrease of survival signal protein and DNA repair enzyme in spinal motor neuron of presymptomatic transgenic mice with a mutant SOD1 gene	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	65-71

著者名	題名	編集者	書籍名	出版社名	出版地	出版年	頁
Ilieva H, Nagano I, Murakami T, Shiote M, <u>Shoji M</u> and Abe K	Alteration in survival signal induction by transient hypoxia in mice expressing mutant human SOD1 protein	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	73-81
Kamada H, Sato K, Iwai M, Zhang WR, Nagano I, <u>Shoji M</u> and Abe K	Spatiotemporal changes of free cholesterol and neutral lipids after transient focal cerebral ischemia in rats	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	163-169
Hamakawa Y, Omori N, Sato K, Nagano I, <u>Shoji M</u> and Abe K	Expression of LOX-1 in spontaneously hypertensive rat carotid atherosclerotic lesions	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	209-212
Li F, Omori N, Sato K, Jin G, Nagano I, Manabe Y, <u>Shoji M</u> and Abe K	Expression of p-ERK and cytochrome C signals in rat brain neurons after transient MCAO	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	213-219
Jin G, Omori N, Li F, Nagano I, Manabe Y, <u>Shoji M</u> and Abe K	Protection against ischemic brain damage by GDNF affecting cell survival and death signals	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	221-231
Kawarabayashi T, Murakami T, Matsubara E, <u>Shoji M</u> and Abe K	Accumulation of amyloid β protein in Tg2576 mice	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	373-377
Murakami T, Kawarabayashi T, Matsubara E, <u>Shoji M</u> and Abe K	Molecular pathology of transgenic tau mice	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	379-382
Matsubara E, <u>Shoji M</u> , Murakami T, Kawarabayashi T and Abe K	Alzheimer's disease and melatonin	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	395-398
Sato K, Iwai M, Zhang WR, Kamada H, Ohta K, Nagano I, <u>Shoji M</u> and Abe K	Highly polysialylated neural cells adhesion molecule positive cells increased and changed localization in rat hippocampus with exposure to repeated kindled seizures	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	419-426

著者名	題名	編集者	書籍名	出版社名	出版地	出版年	頁
Iwai M, Sato K, Kamada H, Zhang WR, Ohta K, Omori N, Nagano I, <u>Shoji M</u> and Abe K	Activation of neural stem cells after global brain ischemia	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	427-434
Ohta K, Iwai M, Sato K, Omori N, Nagano I, <u>Shoji M</u> and Abe K	Comparison of proliferation of oligodendrocyte progenitor cells between young and aged after transient cerebral ischemia	Abe K	Molecular mechanism and epochal therapeutics of ischemic stroke and dementia	Elsevier	Amsterdam	2003	451-458
東海林幹夫	ルーチン検査	平井俊策	痴呆症学Ⅰ	日本臨床社	大阪	2003	479-484
東海林幹夫	アルツハイマー病	日野原重明 井村裕夫	看護のための最新医学講座	中山書店	東京	2003	128-132
東海林幹夫	パーキンソン病	日野原重明 井村裕夫	看護のための最新医学講座	中山書店	東京	2003	133-137
東海林幹夫,	進行性核上性麻痺		今日の治療指針 2006年度版	医学書院	東京	印刷中	
東海林幹夫,	痴呆疾患	江藤文夫, 飯島節	神經内科学テキスト 第2版	南江堂	東京	印刷中	
東海林幹夫,	よく遭遇する疾患と病態, アルツハイマー病	花岡炳雄, 永倉俊和	臨床分子細胞生物学	メディカルビュー社	東京	印刷中	
東海林幹夫	Alzheimer病の診断検査法	柳澤信夫, 篠原幸人, 岩田誠, 清水輝夫, 寺本明	Annual Review 神經	中外医学社	東京	2005	45-52
瓦林毅, 東海林幹夫	アルツハイマー病の診断マーカー	平井俊策	よくわかつて役に立つ痴呆症のすべて 改訂第2版	永井書店	東京	印刷中	
瓦林毅, 東海林幹夫	脳アミロイドーシス アルツハイマー病と脳アミロイド	石原得博, 池田修一	アミロイドーシスの基礎と臨床	金原出版	東京	印刷中	
瓦林毅, 東海林幹夫	マウスにおける実験的アミロイドーシス アルツハイマー病	石原得博, 池田修一	アミロイドーシスの基礎と臨床	金原出版	東京	印刷中	
東海林幹夫	ハンチントン病		今日の治療指針 2004年度版	医学書院	東京	2004	637-638
東海林幹夫	歯状核赤核・淡蒼球ルイ体萎縮症	平井俊策	痴呆症学II	日本臨床社	大阪	2004	132-135
東海林幹夫	Alzheimer型痴呆とHuntington病	平井俊策	痴呆症学III	日本臨床社	大阪	2004	154-158
東海林幹夫	アルツハイマー病の生化学的検査: タウ蛋白, アミロイドb蛋白	中野今治, 水澤英洋	よくわかるアルツハイマー病—実際に関わる人のために—	永井書店	大阪	2004	123-132
東海林幹夫	生活習慣病と痴呆	井原康夫	アルツハイマー病はここまでわかった	クバプロ	東京	2004	39-68
松原悦朗, 東海林幹夫, 阿部康二	CummingsとBensonの分類	平井俊策	痴呆症学I	日本臨床社	大阪	2004	117-119
瓦林毅, 東海林幹夫	アルツハイマー病の診断. バイオマーカー.	田平武	最新医学別冊, 新しい診断と治療のABC, 22, アルツハイマー病	最新医学社	大阪	2004	106-114
瓦林毅, 東海林幹夫	アルツハイマー病の診断マーカー	金澤一郎, 柴崎浩, 東儀英夫	先端医療シリーズ30 神経内科 神經内科の最新医療	先端医療技術研究所	東京	2004	92-97

著者名	題名	編集者	書籍名	出版社名	出版地	出版年	頁
樋口京一	アミロイド その他	永田和宏、宮坂昌之、宮坂信之	分子生物学・免疫学 キーワード辞典（第2版）	医学書院	東京	2003	45-46 その他
樋口京一、森政之	SAM(老化促進モデルマウス)	森脇和郎、山村研一、米川博通	モデル動物の作成と維持	エル・アイ・シー	東京	2004	929-937
樋口京一	アミロイドーシスの伝播機構	小椋光、遠藤斗志也、森正敬、吉田賢右	細胞における蛋白質の一生（蛋白質核酸酵素増刊）	共立出版	東京	2004	1101-1104
Higuchi K, Xing Y, Fu X, Korenaga T, Guo Z, Nakamura A, Mori M.	Mouse senile amyloidosis in the SAM model.	Nomura Y, Takeda T, Okuma Y	The Senescence-Accelerated Mouse (SAM): an animal model of senescence	Elsevier BV	Amsterdam	2004	35-40
Fu X, Korenaga T, Xing Y, Fu L, Guo Z, Matsushita T, Hosokawa M, Naiki H, Mori M, Higuchi K	Induction of AApoAII and AA amyloidosis by the injections of various amyloid fibrils.	Nomura Y, Takeda T, Okuma Y	The Senescence-Accelerated Mouse (SAM): an animal model of senescence	Elsevier BV	Amsterdam	2004	383-386
Umezawa M, Okumura H, Hosokawa M, Takeda T, Higuchi K	Effects of dietary fats on senile amyloidosis in SAMP1 mice.	Nomura Y, Takeda T, Okuma Y	The Senescence-Accelerated Mouse (SAM): an animal model of senescence	Elsevier BV	Amsterdam	2004	427-431
樋口京一	マウス老化アミロイドーシス	池田修一	アミロイドーシスの基礎と臨床	金原出版	東京	2005	印刷中
樋口京一、付笑影	アミロイドーシスと伝播	池田修一	アミロイドーシスの基礎と臨床	金原出版	東京	2005	印刷中