

Tsuboi I, Morimoto K, Hirabayashi Y, Li GX, Aizawa S, Mori KJ, <u>Kanno J</u> , Inoue T	Senescent B lymphopoiesis is balanced in suppressive homeostasis: decrease in interleukin-7 and transforming growth factor-beta levels in stromal cells of senescence-accelerated mice.	Exp Biol Med (Maywood)	229:494-502	2004
Watanabe H, Suzuki A, Goto M, Lubahn DB, Handa H, <u>Iguchi T</u>	Tissue-specific estrogenic and non-estrogenic effects of a xenoestrogen, nonylphenol.	J Mol Endocr	33:243-252	2004
Watanabe H, Suzuki A, Goto M, Ohsako S, Tohyama C, Handa H, <u>Iguchi T</u>	Comparative uterine gene expression analysis after dioxin and estradiol administration.	J Mol Endocr		in press
Yamada Y, Toyota M, Hirokawa Y, Suzuki H, Takagi A, Matsuzaki T, <u>Sugimura Y</u> , Yatani R, Shiraishi T, Watanabe M	Identification of differentially methylated CpG islands in prostate cancer.	Int J Cancer	112:840-845	2004
Yasui M, Suzuki N, Miller H, Matsuda T, <u>Matsui S</u> , Shibutani S	Translesion Synthesis past 2' - Deoxyxanthosine, a Nitric Oxide-derived DNA Adduct, by Mammalian DNA Polymerases.	J Mol Biol	344:665-674	2004
Yasumoto F, <u>Negishi T</u> , Ishii Y, Kyuwa S, Kuroda Y, Yoshikawa Y	Dopamine receptor 2 regulates L-type voltage-gated calcium channel in primary cultured mouse midbrain neural network.	Cell Mol Neurobiol	24:877-82	2004
Yasumoto F, <u>Negishi T</u> , Ishii Y, Kyuwa S, Kuroda Y, Yoshikawa Y	Endogenous dopamine maintains synchronous oscillation of intracellular calcium in primary cultured-mouse midbrain neurons.	Cell Mol Neurobiol	24:51-61	2004
Yoon BI, Hirabayashi Y, Kawasaki Y, Tsuboi I, Ott T, Kodama Y, <u>Kanno J</u> , Kim DY, Willecke K, Inoue T	Exacerbation of benzene pneumotoxicity in connexin 32 knockout mice: enhanced proliferation of CYP2E1-immunoreactive alveolar epithelial cells.	Toxicology	195:19-29	2004
Yoon BI, Li GX, Kitada K, Kawasaki Y, Igarashi K, Kodama Y, Inoue T, Kobayashi K, Kanno J, Kim DY, <u>Inoue T</u> , Hirabayashi Y	Mechanisms of benzene-induced hematotoxicity and leukemogenicity: cDNA microarray analyses using mouse bone marrow tissue.	Environ Health Perspect	111: 1411-1120	2003
栗生修司	ビスフェノールAと行動発達障害	BRAIN MEDICAL	印刷中	2005

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Aou S, Inoue T, Fujimoto T, Mizuno M, Oomura Y, Kubo K, Arai O	Chemical impacts on higher brain functions.		Brain-Inspired IT I			2004	pp.101-104
Hirabayashi Y, Inoue T	Toxicogenomics Applied to Hematotoxicology		Handbook of Toxicogenomics	Wiley-VCH	Weinheim	2005	pp.583-608
Hirabayashi Y, Yoon BI, Kawasaki Y, Li GX, Kanno J, Inoue T	On the Mechanistic Differences of Benzene-induced Leukemogenesis between Wild type and p53 Knockout Mice.	Tanaka K, Takabatake T, Fujikawa K, Matsumoto T, Sato F	Molecular Mechanisms for Radiation-induced Cellular Response and Cancer Development	Institute for Environmental Sciences	Aomori	2003	pp.110-116
Inoue T	Introduction: Toxicogenomics - a New Paradigm of Toxicology.	T. Inoue and W. D. Pennie	Toxicogenomics	Springer-Verlag Tokyo		2003	pp.3-11
Inoue T	Potential applications of toxicogenomics in risk assessment. In: Evolving Genetics and Its Global Impact.		The Fifth Princess Chulabhorn International Science Congress	Amarin Printing and Publishing Public Company Limited	Bangkok	2004	pp.255-257
井口泰泉	考えよう地球環境7	井口泰泉：森田昌敏	化学物質と健康の本			2004	
関澤 純		富永 健、有川芳子、市村禎二郎、関澤 純、渡辺 正	環境科学	東京化学同人		2004	
井上 達	化学物質と健康－低用量問題	井口泰泉	環境ホルモンの最新動向と測定・試験・機器開発	シーエムシー出版	東京	2003	pp. 3-10
関澤 純	第5章環境ホルモンのヒトへのリスク		環境ホルモンの基礎と最前線－水環境を中心にして－	技報堂出版		2004	
関澤 純			化学物質とインターネット情報	化学工業日報社		2004	
関澤 純	第4章リスクコミュニケーションとは何か		食品のリスクアナリシス	オーム社		2004	

# ビスフェノールAの低用量影響評価データ集

監修 徳島大学総合科学部教授 関澤 純

平成17年3月

平成16年度厚生労働科学研究（化学物質リスク研究事業）  
「内分泌かく乱化学物質の生体影響メカニズム（低用量効果・複合効果を含む）  
に関する総合研究」（井上 達 班長）の分担研究  
「ビスフェノールAの低用量影響評価の検討と評価情報データベース作成」  
による研究成果

## 目次

はじめに .....	1
<b>生殖系への影響</b>	
<b>生体レベルでの影響データ</b>	
Ashby J. Increasing the sensitivity of the rodent uterotrophic assay to estrogens, with particular reference to bisphenol A. ....	7
Ashby J. Testing for endocrine disruption post-EDSTAC: extrapolation of low dose rodent effects to humans. ....	8
Chahoud I Adverse health effects of bisphenol A:Chahoud's response .....	9
Chitra KC, Latchoumycandane C, Mathur PP. Induction of oxidative stress by bisphenol A in the epididymal sperm of rats. ....	10
Ema M, Fujii S, Furukawa M, Kiguchi M, Ikka T, Harazono A. Rat two-generation reproductive toxicity study of bisphenol A. ....	12
Gupta C. Reproductive malformation of the male offspring following maternal exposure to estrogenic chemicals. ....	14
Heinze JH. Adverse health effects of bisphenol A in early life.. ....	16
広瀬明彦, 小泉睦子, 長谷川隆一. ビスフェノール・アルキルフェノール類 .....	17
Honma S, Suzuki A, Buchanan DL, Katsu Y, Watanabe H, Iguchi T. Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. ....	18

Ichihara T, Yoshino H, Imai N, Tsutsumi T, Kawabe M, Tamano S, Inaguma S, Suzuki S, Shirai T. Lack of carcinogenic risk in the prostate with transplacental and lactational exposure to bisphenol A in rats. ....	20
Ike M, Chen MY, Jin CS, Fujita M. Acute toxicity, mutagenicity, and estrogenicity of biodegradation products of bisphenol-A. ....	21
Kaiser J. Endocrine disrupters. Panel cautiously confirms low-dose effects. ....	23
Kanno J, Onyon L, Peddada S, Ashby J, Jacob E, Owens W. The OECD program to validate the rat uterotrophic bioassay. Phase 2: dose-response studies. ....	24
Kanno J, Onyon L, Peddada S, Ashby J, Jacob E, Owens W. The OECD program to validate the rat uterotrophic bioassay. Phase 2: coded single-dose studies. ....	28
Kim HS, Han SY, Kim TS, Kwack SJ, Lee RD, Kim IY, Seok JH, Lee BM, Yoo SD, Park KL. No androgenic/anti-androgenic effects of bisphenol-A in Hershberger assay using immature castrated rats. ....	30
Kim JC, Shin HC, Cha SW, Koh WS, Chung MK, Han SS. Evaluation of developmental toxicity in rats exposed to the environmental estrogen bisphenol A during pregnancy. ....	31
Kwon S, Stedman DB, Elswick BA, Cattley RC, Welsch F. Pubertal development and reproductive functions of Crl:CD BR Sprague-Dawley rats exposed to bisphenol A during prenatal and postnatal development. ....	32

Laws SC, Carey SA, Ferrell JM, Bodman GJ, Cooper RL. Estrogenic activity of octylphenol, nonylphenol, bisphenol A and methoxychlor in rats. ....	33
Lee MS, Hyun SH, Lee CK, Im KS, Hwang IT, Lee HJ. Impact of xenoestrogens on the growth of human endometrial epithelial cells in a primary culture system. ....	34
Markey CM, Michaelson CL, Veson EC, Sonnenschein C, Soto AM. The mouse uterotrophic assay: a reevaluation of its validity in assessing the estrogenicity of bisphenol A. ....	36
Milman HA, Bosland MC, Walden PD, Heinze JE. Evaluation of the adequacy of published studies of low-dose effects of bisphenol A on the rodent prostate for use in human risk assessment. ....	38
Nagao T, Saito Y, Usumi K, Yoshimura S, Ono H. Low-dose bisphenol A does not affect reproductive organs in estrogen-sensitive C57BL/6N mice exposed at the sexually mature, juvenile, or embryonic stage. ....	39
Owens W, Ashby J, Odum J, Onyon L. The OECD program to validate the rat uterotrophic bioassay. Phase 2: dietary phytoestrogen analyses. ....	41
Owens W, Koeter HBWM. The OECD program to validate the rat uterotrophic bioassay: an overview. ....	42
Rivas A, Fisher JS, McKinnell C, Atanassova N, Sharpe RM. Induction of reproductive tract developmental abnormalities in the male rat by lowering androgen production or action in combination with a low dose of diethylstilbestrol: evidence for importance of the androgen-estrogen balance. ....	43

Rubin BS, Murray MK, Damassa DA, King JC, Soto AM. Perinatal exposure to low doses of bisphenol A affects body weight, patterns of estrous cyclicity, and plasma LH levels. ....	46
Sheehan DM. Activity of environmentally relevant low doses of endocrine disruptors and the bisphenol A controversy: initial results confirmed. ....	48
Suzuki A, Sugihara A, Uchida K, Sato T, Ohta Y, Katsu Y, Watanabe H, Iguchi T. Developmental effects of perinatal exposure to bisphenol-A and diethylstilbestrol on reproductive organs in female mice. ....	49
Tinwell, H., Ashby, J., Sensitivity of the immature rat uterotrophic assay to mixtures of estrogens. ....	51
堤 治. 内分泌攪乱化学物質の着床前初期胚への直接作用 .....	53
Tyl RW, Myers CB, Marr MC, Thomas BF, Keimowitz AR, Brine DR, Veselica MM, Fail PA, Chang TY, Seely JC, Joiner RL, Butala JH, Dimond SS, Cagen SZ, Shiotsuka RN, Stropp GD, Waechter JM. Three-generation reproductive toxicity study of dietary bisphenol A in CD Sprague-Dawley rats. ....	54
Tyl RW. Bisphenol A: findings of a multigenerational rat study. ....	57
Williams K, McKinnell C, Saunders PTK, Walker M, Fisher JS, Turner KJ, Atanassova N, Sharpe RM. Neonatal exposure to potent and environmental oestrogens and abnormalities of the male reproductive system in the rat: evidence for importance of the androgen-oestrogen balance and assessment of the relevance to man. ....	58
Witorsch RJ. Low-dose in utero effects of xenoestrogens in mice and their relevance to humans: an analytical review of the literature. ....	61

Yamasaki K, Sawaki M, Noda S, Imatanaka N, Takatsuki M.  
Subacute oral toxicity study of ethynylestradiol and bisphenol A, based on  
the draft protocol for the "Enhanced OECD Test Guideline no. 407". .....63

Yamasaki K, Takeyoshi M, Noda S, Takatsuki M.  
Changes of serum alpha 2u-globulin in the subacute oral toxicity study of  
ethynyl estradiol and bisphenol A based on the draft protocol for the  
'Enhanced OECD Test Guideline No. 407'. .....65

Yoshino H, Ichihara T, Kawabe M, Imai N, Hagiwara A, Asamoto M, Shirai T.  
Lack of significant alteration in the prostate or testis of F344 rat offspring  
after transplacental and lactational exposure to bisphenol A. ....67

### 生殖系への影響

#### その他

Aikawa H, Koyama S, Matsuda M, Nakahashi K, Akazome Y, Mori T  
Relief effect of vitamin A on the decreased motility of sperm and the  
increased incidence of malformed sperm in mice exposed neonatally to  
bisphenol A. ....69

Akingbemi BT, Sottas CM, Koulova AI, Klinefelter GR, Hardy MP.  
Inhibition of testicular steroidogenesis by the xenoestrogen bisphenol A is  
associated with reduced pituitary luteinizing hormone secretion and  
decreased steroidogenic enzyme gene expression in rat Leydig cells. ....71

An BS, Choi KC, Kang SK, Hwang WS, Jeung EB.  
Novel Calbindin-D(9k) protein as a useful biomarker for environmental  
estrogenic compounds in the uterus of immature rats. ....73

An BS, Kang SK, Shin JH, Jeung EB.  
Stimulation of calbindin-D(9k) mRNA expression in the rat uterus by  
octyl-phenol, nonylphenol and bisphenol. ....74

Ashby J, Lefevre PA. The peripubertal male rat assay as an alternative to the Hershberger castrated male rat assay for the detection of anti-androgens, oestrogens and metabolic modulators. ....	78
Ashby J, Odum J, Paton D, Lefevre PA, Beresford N, Sumpter JP. Re-evaluation of the first synthetic estrogen, 1-keto-1,2,3,4-tetrahydrophenanthrene, and bisphenol A, using both the ovariectomised rat model used in 1933 and additional assays. ....	81
Ashby J, Tinwell H, Lefevre PA, Joiner R, Haseman J. The effect on sperm production in adult Sprague-Dawley rats exposed by gavage to bisphenol A between postnatal days 91-97. ....	82
Atanassova N, McKinnell C, Turner KJ, Walker M, Fisher JS, Morley M, Millar MR, Groome NP, Sharpe RM. Comparative effects of neonatal exposure of male rats to potent and weak (environmental) estrogens on spermatogenesis at puberty and the relationship to adult testis size and fertility: evidence for stimulatory effects of low estrogen levels. ....	83
Bendridi N, Mappus E, Grenot C, Lejeune H, Yves Cuilleron C, Pugeat M. Intravenous injection of human sex steroid hormone-binding globulin in mouse decreases blood clearance rate and testicular accumulation of orally administered [2-125I]iodobisphenol A. ....	86
Berg C, Halldin K, Brunstrom B. Effects of bisphenol A and tetrabromobisphenol A on sex organ development in quail and chicken embryos. ....	88
Cummings AM, Laws SC. Assessment of estrogenicity by using the delayed implanting rat model and examples. ....	90

Diel P, Olf S, Schmidt S, Michna H. Effects of the environmental estrogens bisphenol A, o,p'-DDT, p-tert-octylphenol and coumestrol on apoptosis induction, cell proliferation and the expression of estrogen sensitive molecular parameters in the human breast cancer cell line MCF-7. ....	91
Diel P, Schmidt S, Vollmer G, Janning P, Upmeier A, Michna H, Bolt HM, Degen GH. Comparative responses of three rat strains (DA/Han, Sprague-Dawley and Wistar) to treatment with environmental estrogens. ....	92
Diel P, Schulz T, Smolnikar K, Strunck E, Vollmer G, Michna H. Ability of xeno- and phytoestrogens to modulate expression of estrogen-sensitive genes in rat uterus: estrogenicity profiles and uterotrophic activity. ....	95
Dizer H, Fischer B, Sepulveda I, Loffredo E, Senesi N, Santana F, Hansen PD. Estrogenic effect of leachates and soil extracts from lysimeters spiked with sewage sludge and reference endocrine disrupters. ....	96
Evans NP, North T, Dye S, Sweeney T. Differential effects of the endocrine-disrupting compounds bisphenol-A and octylphenol on gonadotropin secretion, in prepubertal ewe lambs. ....	98
Gupta C. The role of estrogen receptor, androgen receptor and growth factors in diethylstilbestrol-induced programming of prostate differentiation. ....	100
Iida H, Maehara K, Doiguchi M, Mori T, Yamada F. Bisphenol A-induced apoptosis of cultured rat Sertoli cells. ....	102
Inadera H, Hashimoto S, Dong HY, Suzuki T, Nagai S, Yamashita T, Toyoda N, Matsushima K. WISP-2 as a novel estrogen-responsive gene in human breast cancer cells. ....	104

Kim HS, Han SY, Yoo SD, Lee BM, Park KL. Potential estrogenic effects of bisphenol-A estimated by in vitro and in vivo combination assays. ....	106
Kim KB, Seo KW, Kim YJ, Park M, Park CW, Kim PY, Kim JI, Lee SH Estrogenic effects of phenolic compounds on glucose-6-phosphate dehydrogenase in MCF-7 cells and uterine glutathione peroxidase in rats. ....	108
Long X, Steinmetz R, Ben-Jonathan N, Caperell-Grant A, Young PC, Nephew KP, Bigsby RM. Strain differences in vaginal responses to the xenoestrogen bisphenol A. ....	111
Mehmood Z, Smith AG, Tucker MJ, Chuzel F, Carmichael NG. The development of methods for assessing the in vivo oestrogen-like effects of xenobiotics in CD-1 mice. ....	113
Miyagawa S, Buchanan DL, Sato T, Ohta Y, Nishina Y, Iguchi T. Characterization of diethylstilbestrol-induced hypospadias in female mice. ....	114
Monsees TK, Franz M, Gebhardt S, Winterstein U, Schill WB, Hayatpour J. Sertoli cells as a target for reproductive hazards. ....	115
Moon DG, Sung DJ, Kim YS, Cheon J, Kim JJ. Bisphenol A inhibits penile erection via alteration of histology in the rabbit. ....	117
Naciff JM, Jump ML, Torontali SM, Carr GJ, Tiesman JP, Overmann GJ, Daston GP. Gene expression profile induced by 17alpha-ethynyl estradiol, bisphenol A, and genistein in the developing female reproductive system of the rat. ....	118
Nativelle-Serpentini C, Richard S, Seralini GE, Sourdain P. Aromatase activity modulation by lindane and bisphenol-A in human placental JEG-3 and transfected kidney E293 cells. ....	119

Papaconstantinou AD, Fisher BR, Umbreit TH, Goering PL, Lappas NT, Brown KM. Effects of beta-estradiol and bisphenol A on heat shock protein levels and localization in the mouse uterus are antagonized by the antiestrogen ICI 182,780. ....	120
Papaconstantinou AD, Umbreit TH, Fisher BR, Goering PL, Lappas NT, Brown KM. Bisphenol A-induced increase in uterine weight and alterations in uterine morphology in ovariectomized B6C3F1 mice: role of the estrogen receptor. ....	122
Pulgar R, Segura-Egea JJ, Fernandez MF, Serna A, Olea N. The effect of AH 26 and AH Plus on MCF-7 breast cancer cell proliferation in vitro. ....	125
Schonfelder G, Flick B, Mayr E, Talsness C, Paul M, Chahoud I. In utero exposure to low doses of bisphenol A lead to long-term deleterious effects in the vagina. ....	126
Sharpe RM, Rivas A, Walker M, McKinnell C, Fisher JS. Effect of neonatal treatment of rats with potent or weak (environmental) oestrogens, or with a GnRH antagonist, on Leydig cell development and function through puberty into adulthood. ....	128
Spencer F, Chi L, Zhu MX, Nixon E, Lemelle C. Uterine molecular responses to bisphenol A treatment before and after decidual induction in pseudopregnant rats. ....	129
Tabuchi Y, Kondo T. cDNA microarray analysis reveals chop-10 plays a key role in Sertoli cell injury induced by bisphenol A. ....	130
Tabuchi Y, Zhao QL, Kondo T. DNA microarray analysis of differentially expressed genes responsive to bisphenol A, an alkylphenol derivative, in an in vitro mouse Sertoli cell model. ....	131

Takahashi O, Oishi S. Testicular toxicity of dietarily or parenterally administered bisphenol A in rats and mice. ....	132
Tinwell H, Haseman J, Lefevre PA, Wallis N, Ashby J. Normal sexual development of two strains of rat exposed in utero to low doses of bisphenol A. ....	134
Tinwell H, Joiner R, Pate I, Soames A, Foster J, Ashby J. Uterotrophic activity of bisphenol A in the immature mouse. ....	135
Toda K, Miyaura C, Okada T, Shizuta Y. Dietary bisphenol A prevents ovarian degeneration and bone loss in female mice lacking the aromatase gene (Cyp19). ....	139
Vivacqua A, Recchia AG, Fasanella G, Gabriele S, Carpino A, Rago V, Di Gioia ML, Leggio A, Bonofiglio D, Maggiolini M, Liguori A. The food contaminants bisphenol A and 4-nonylphenol act as agonists for estrogen receptor alpha in MCF7 breast cancer cells. ....	142
Wade MG, Lee A, McMahon A, Cooke G, Curran I. The influence of dietary isoflavone on the uterotrophic response in juvenile rats. ....	144
Washington W, Hubert L, Jones D, Gray WG. Bisphenol a binds to the low-affinity estrogen binding site ....	146
Watanabe S, Wang RS, Miyagawa M, Kobayashi K, Suda M, Sekiguchi S, Honma T. Imbalance of testosterone level in male offspring of rats perinatally exposed to bisphenol A. ....	148
Wetherill YB, Petre CE, Monk KR, Puga A, Knudsen KE. The xenoestrogen bisphenol A induces inappropriate androgen receptor activation and mitogenesis in prostatic adenocarcinoma cells. ....	150

Xu J, Osuga Y, Yano T, Morita Y, Tang X, Fujiwara T, Takai Y, Matsumi H, Koga K, Taketani Y, Tsutsumi O. Bisphenol A induces apoptosis and G2-to-M arrest of ovarian granulosa cells. ....	152
Yamasaki K, Sawaki M, Noda S, Wada T, Hara T, Takatsuki M. Immature uterotrophic assay of estrogenic compounds in rats given diets of different phytoestrogen content and the ovarian changes with ICI 182,780 or antide. ....	154
Yamasaki K, Sawaki M, Takatsuki M. Immature rat uterotrophic assay of bisphenol A. ....	156
<b>免疫系への影響</b>	
<b>生体レベルでの影響データ</b>	
Adriani W, Seta DD, Dessi-Fulgheri F, Farabollini F, Laviola G. Altered profiles of spontaneous novelty seeking, impulsive behavior, and response to D-amphetamine in rats perinatally exposed to bisphenol A. ....	159
Funabashi T, Sano A, Mitsushima D, Kimura F. Bisphenol A increases progesterone receptor immunoreactivity in the hypothalamus in a dose-dependent manner and affects sexual behaviour in adult ovariectomized rats. ....	161
Lee MH, Chung SW, Kang BY, Park J, Lee CH, Hwang SY, Kim TS. Enhanced interleukin-4 production in CD4+ T cells and elevated immunoglobulin E levels in antigen-primed mice by bisphenol A and nonylphenol, endocrine disruptors: involvement of nuclear factor-AT and Ca <sup>2+</sup> . ....	163
Sawai C, Anderson K, Walser-Kuntz D. Effect of bisphenol A on murine immune function: modulation of interferon-gamma, IgG2a, and disease symptoms in NZB X NZW F1 mice. ....	165

Sugita-Konishi Y, Shimura S, Nishikawa T, Sunaga F, Naito H, Suzuki Y.  
Effect of Bisphenol A on non-specific immunodefenses against  
non-pathogenic Escherichia coli. ....167

Youn JY, Park HY, Lee JW, Jung IO, Choi KH, Kim K, Cho KH.  
Evaluation of the immune response following exposure of mice to  
bisphenol A: induction of Th1 cytokine and prolactin by BPA  
exposure in the mouse spleen cells. ....169

### 免疫系への影響

#### その他

Han D, Denison MS, Tachibana H, Yamada K.  
Effects of estrogenic compounds on immunoglobulin production by mouse  
splenocytes. ....171

Inadera H, Sekiya T, Yoshimura T, Matsushima K.  
Molecular analysis of the inhibition of monocyte chemoattractant protein-1  
gene expression by estrogens and xenoestrogens in MCF-7 cells. ....173

Masutomi N, Shibutani M, Takagi H, Uneyama C, Lee KY, Hirose M.  
Alteration of pituitary hormone-immunoreactive cell populations in rat  
offspring after maternal dietary exposure to endocrine-active chemicals. ....175

### 神経行動への影響

#### 生体レベルでの影響データ

Khurana S, Ranmal S, Ben-Jonathan N.  
Exposure of newborn male and female rats to environmental estrogens:  
delayed and sustained hyperprolactinemia and alterations in estrogen  
receptor expression. ....177

Kubo K, Arai O, Omura M, Watanabe R, Ogata R, Aou S.  
Low dose effects of bisphenol A on sexual differentiation of the brain and  
behavior in rats. ....179

Masuo Y, Ishido M, Morita M, Oka S. Effects of neonatal treatment with 6-hydroxydopamine and endocrine disruptors on motor activity and gene expression in rats. ....	181
Palanza PL, Howdeshell KL, Parmigiani S, vom Saal FS. Exposure to a low dose of bisphenol A during fetal life or in adulthood alters maternal behavior in mice. ....	182
Suzuki T, Mizuo K, Nakazawa H, Funae Y, Fushiki S, Fukushima S, Shirai T, Narita M. Prenatal and neonatal exposure to bisphenol-A enhances the central dopamine D1 receptor-mediated action in mice: enhancement of the methamphetamine-induced abuse state. ....	184
Zoeller RT, Bansal R, Parris C. Bisphenol-A, an Environmental Contaminant that Acts as a Thyroid Hormone Receptor Antagonist In Vitro, Increases Serum Thyroxine and Alters RC3/Neurogranin Expression in the Developing Rat Brain. ....	186
<b>神経行動への影響</b>	
<b>その他</b>	
Aoshima H, Hossain SJ, Imamura H, Shingai R. Effects of bisphenol A and its derivatives on the response of GABA(A) receptors expressed in <i>Xenopus</i> oocytes. ....	189
Facciolo RM, Alo R, Madeo M, Canonaco M, Dessi-Fulgheri F. Early cerebral activities of the environmental estrogen bisphenol A appear to act via the somatostatin receptor subtype sst(2). ....	191
Goloubkova T, Ribeiro MF, Rodrigues LP, Ceconello AL, Spritzer PM. Effects of xenoestrogen bisphenol A on uterine and pituitary weight, serum prolactin levels and immunoreactive prolactin cells in ovariectomized Wistar rats. ....	193

Gursoy E, Cardounel A, Kalimi M. The environmental estrogenic compound bisphenol A exerts estrogenic effects on mouse hippocampal (HT-22) cells: neuroprotection against glutamate and amyloid beta protein toxicity. ....	195
Nakazawa K, Ohno Y. Modulation by estrogens and xenoestrogens of recombinant human neuronal nicotinic receptors. ....	197
Negishi T, Ishii Y, Kyuwa S, Kuroda Y, Yoshikawa Y. Inhibition of staurosporine-induced neuronal cell death by bisphenol A and nonylphenol in primary cultured rat hippocampal and cortical neurons. ....	199
Seiwa C, Nakahara J, Komiyama T, Katsu Y, Iguchi T, Asou H. Bisphenol A exerts thyroid-hormone-like effects on mouse oligodendrocyte precursor cells. ....	201
Yoneda T, Hiroi T, Osada M, Asada A, Funae Y. Non-genomic modulation of dopamine release by bisphenol-A in PC12 cells. ...	202
<b>その他（代謝、分布を含む）</b>	
<b>生体レベルでの影響データ</b>	
Cho CY, Shin BS, Jung JH, Kim DH, Lee KC, Han SY, Kim HS, Lee BM, Yoo SD. Pharmacokinetic scaling of bisphenol A by species-invariant time methods. ....	205
Domoradzki JY, Pottenger LH, Thornton CM, Hansen SC, Card TL, Markham DA, Dryzga MD, Shiotsuka RN, Waechter JM Jr. Metabolism and Pharmacokinetics of Bisphenol A(BPA) and the embryo-fetal distribution of BPA and BPA-monoglucuronide in CD Sprague-Dawley rats at three gestational stages .....	207
Domoradzki JY, Thornton CM, Pottenger LH, Hansen SC, Card TL, Markham DA, Dryzga MD, Shiotsuka RN, Waechter JM Jr. Age and dose dependency of the pharmacokinetics and metabolism of bisphenol a in neonatal sprague-dawley rats following oral administration. ....	209

Fung EY, Ewoldsen NO, St Germain HA Jr, Marx DB, Miaw CL, Siew C, Chou HN, Gruninger SE, Meyer DM. Pharmacokinetics of bisphenol A released from a dental sealant. ....	211
Haighton LA, Hlywka JJ, Doull J, Kroes R, Lynch BS, Munro IC. An evaluation of the possible carcinogenicity of bisphenol A to humans. ....	213
Huff J. Carcinogenicity of bisphenol-A in Fischer rats and B6C3F1 mice. ....	214
Inoue H, Yokota H, Makino T, Yuasa A, Kato S. Bisphenol a glucuronide, a major metabolite in rat bile after liver perfusion. ....	216
Klotz DM, Hewitt SC, Korach KS, Diaugustine RP. Activation of a uterine insulin-like growth factor I signaling pathway by clinical and environmental estrogens: requirement of estrogen receptor-alpha. ....	218
Kurebayashi H, Betsui H, Ohno Y. Disposition of a low dose of 14C-bisphenol A in male rats and its main biliary excretion as BPA glucuronide. ....	221
Kurebayashi H, Harada R, Stewart RK, Numata H, Ohno Y. Disposition of a low dose of bisphenol a in male and female cynomolgus monkeys. ....	222
Manabe A, Kaneko S, Numazawa S, Itoh K, Inoue M, Hisamitsu H, Sasa R, Yoshida T. Detection of bisphenol-A in dental materials by gas chromatography-mass spectrometry. ....	223
Markey CM, Coombs MA, Sonnenschein C, Soto AM. Mammalian development in a changing environment: exposure to endocrine disruptors reveals the developmental plasticity of steroid-hormone target organs. ....	224

Melnick R, Lucier G, Wolfe M, Hall R, Stancel G, Prins G, Gallo M, Reuhl K, Ho SM, Brown T, Moore J, Leakey J, Haseman J, Kohn M. Summary of the National Toxicology Program's report of the endocrine disruptors low-dose peer review. ....	226
Nunez AA, Kannan K, Giesy JP, Fang J, Clemens LG. Effects of bisphenol A on energy balance and accumulation in brown adipose tissue in rats. ....	227
Obata T, Kubota S. Formation of hydroxy radicals by environmental estrogen-like chemicals in rat striatum. ....	229
Sajiki J. Simple and accurate determination of bisphenol A in red blood cells prepared with basic glycine buffer using liquid chromatography-electrochemical detection. ....	231
Takai Y, Tsutsumi O, Ikezuki Y, Kamei Y, Osuga Y, Yano T, Taketan Y. Preimplantation exposure to bisphenol A advances postnatal development. ....	232
Upmeier A, Degen GH, Diel P, Michna H, Bolt HM. Toxicokinetics of bisphenol A in female DA/Han rats after a single i.v. and oral administration. ....	234
Volkel W, Colnot T, Csanady GA, Filser JG, Dekant W. Metabolism and kinetics of bisphenol a in humans at low doses following oral administration. ....	236
Yoo SD, Shin BS, Kwack SJ, Lee BM, Park KL, Han SY, Kim HS. Pharmacokinetic disposition and tissue distribution of bisphenol A in rats after intravenous administration. ....	237

Zalko D, Soto AM, Dolo L, Dorio C, Rathahao E, Debrauwer L, Faure R, Cravedi JP. Biotransformations of bisphenol A in a mammalian model: answers and new questions raised by low-dose metabolic fate studies in pregnant CD1 mice. ....	239
<b>その他 (レビューを含む)</b>	
<b>その他</b>	
Beresford N, Routledge EJ, Harris CA, Sumpter JP. Issues arising when interpreting results from an in vitro assay for estrogenic activity. ....	241
Boogaard PJ, de Kloe KP, Bierau J, Kuiken G, Borkulo PE, Watson WP, van Sittert NJ. Metabolic inactivation of five glycidyl ethers in lung and liver of humans, rats and mice in vitro .....	243
Cannon JM, Kostoryz E, Russo KA, Smith RE, Yourtee DM. Bisphenol A and its biomaterial monomer derivatives alteration of in vitro cytochrome P450 metabolism in rat, minipig, and human. ....	245
Cho DH, Choi YJ, Jo SA, Jo I. Nitric oxide production and regulation of endothelial nitric-oxide synthase phosphorylation by prolonged treatment with troglitazone: .....	247
Elswick BA, Welsch F, Janszen DB. Effect of different sampling designs on outcome of endocrine disruptor studies. ....	249
Han D, Tachibana H, Yamada K. Inhibition of environmental estrogen-induced proliferation of human breast carcinoma MCF-7 cells by flavonoids. ....	252