

表1 地域別年齢階級別参加者数と人口に占める割合

人数 (%)

年齢階級	男				女			
	二戸	久慈	宮古	計	二戸	久慈	宮古	計
0-4	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
5-9	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
10-14	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
15-19	3 (0.2)	0 (0.0)	3 (0.1)	6 (0.1)	4 (0.2)	1 (0.0)	4 (0.2)	9 (0.1)
20-24	13 (1.0)	1 (0.1)	11 (0.6)	25 (0.6)	7 (0.6)	15 (1.1)	22 (1.3)	44 (1.0)
25-29	25 (1.7)	6 (0.4)	24 (1.2)	55 (1.1)	30 (2.2)	23 (1.5)	74 (3.4)	127 (2.5)
30-34	33 (1.9)	8 (0.4)	32 (1.1)	73 (1.1)	55 (3.2)	54 (2.7)	131 (4.8)	240 (3.7)
35-39	63 (3.4)	30 (1.6)	48 (1.8)	141 (2.2)	127 (7.1)	85 (4.2)	168 (6.3)	380 (5.9)
40-44	155 (7.7)	79 (3.8)	114 (4.0)	348 (5.0)	305 (16.9)	211 (10.1)	279 (10.0)	795 (11.9)
45-49	224 (9.3)	96 (4.2)	145 (4.4)	465 (5.8)	416 (18.4)	335 (14.3)	434 (13.5)	1,185 (15.1)
50-54	296 (10.2)	159 (6.5)	286 (7.1)	741 (7.9)	622 (23.3)	525 (19.6)	731 (18.3)	1,878 (20.1)
55-59	254 (11.1)	208 (9.5)	317 (8.3)	779 (9.4)	689 (30.1)	590 (25.2)	860 (21.6)	2,139 (24.9)
60-64	443 (21.2)	340 (18.3)	585 (16.1)	1,368 (18.1)	936 (38.3)	722 (31.1)	1,222 (29.5)	2,880 (32.3)
65-69	658 (30.3)	462 (22.9)	793 (22.6)	1,913 (24.9)	1,138 (40.3)	819 (31.6)	1,258 (29.2)	3,215 (33.1)
70-74	676 (30.0)	422 (22.0)	705 (21.9)	1,803 (24.4)	987 (35.4)	637 (25.8)	999 (25.2)	2,623 (28.5)
75-79	371 (21.4)	219 (16.0)	470 (19.0)	1,060 (19.0)	560 (22.1)	311 (14.9)	512 (14.8)	1,383 (17.1)
80-84	117 (13.6)	83 (12.5)	115 (8.9)	315 (11.2)	144 (8.5)	58 (4.1)	145 (5.8)	347 (6.2)
85-89	29 (7.6)	8 (2.5)	20 (3.5)	57 (4.5)	26 (2.8)	10 (1.2)	26 (1.9)	62 (2.0)
90-94	4 (2.7)	1 (0.9)	7 (3.1)	12 (2.5)	1 (0.2)	0 (0.0)	2 (0.3)	3 (0.2)
95-	0 (0.0)	0 (0.0)	1 (1.8)	1 (0.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
計	3,364 (10.6)	2,122 (6.7)	3,676 (7.7)	9,162 (8.2)	6,047 (17.4)	4,396 (12.3)	6,867 (12.9)	17,310 (14.0)
(再掲)								
20-39	134 (2.1)	45 (0.7)	115 (1.2)	294 (1.3)	219 (3.6)	177 (2.5)	395 (4.2)	791 (3.5)
40-59	929 (9.7)	542 (6.0)	862 (6.2)	2,333 (7.1)	2,032 (22.5)	1,661 (17.6)	2,304 (16.5)	5,997 (18.5)
60-74	1,777 (27.3)	1,224 (21.1)	2,083 (20.1)	5,084 (22.4)	3,061 (38.0)	2,178 (29.5)	3,479 (28.0)	8,718 (31.3)
75-	521 (16.4)	311 (12.5)	613 (13.3)	1,445 (14.1)	731 (12.8)	379 (7.9)	685 (8.4)	1,795 (9.6)

参加者の人口に占める割合は平成16年人口より算出した

表2 身長の平均値、標準偏差および分布 (性・年齢階級別)

年齢階級	男					女								
	人数	平均値(SD)	パーセントाइル			人数	平均値(SD)	パーセントाइル						
			5	25	50			75	95					
29歳以下	86	169.4 (6.4)	159.1	165.2	170.0	174.1	179.9	180	157.7 (5.6)	148.4	154.1	158.1	161.5	166.2
30-39	214	170.1 (5.7)	160.7	166.5	170.0	173.9	179.8	620	156.8 (5.4)	147.9	153.2	157.0	160.6	165.5
40-44	347	168.6 (6.1)	159.5	164.3	168.3	172.5	179.5	795	155.4 (5.3)	146.8	152.0	155.2	159.0	164.2
45-49	465	166.2 (6.0)	156.5	162.0	166.0	170.5	176.2	1,185	154.1 (5.3)	145.4	150.6	154.0	157.8	163.0
50-54	740	164.4 (5.8)	155.0	160.6	164.5	168.1	174.0	1,878	152.3 (5.4)	143.6	148.8	152.5	155.6	161.0
55-59	778	163.2 (5.9)	153.7	159.3	163.1	166.8	173.7	2,138	151.0 (5.2)	142.5	147.5	151.0	154.5	159.9
60-64	1,365	162.0 (5.9)	152.5	158.2	162.0	165.8	171.4	2,880	149.5 (5.2)	141.0	146.2	149.5	152.9	158.4
65-69	1,912	160.8 (6.0)	151.0	156.8	161.0	164.7	170.2	3,212	148.0 (5.3)	139.2	144.4	148.0	151.6	156.3
70-74	1,802	159.6 (5.8)	150.3	155.7	159.5	163.4	169.0	2,613	146.1 (5.5)	137.0	142.5	146.0	149.8	155.0
75-79	1,057	158.9 (5.7)	149.0	155.1	158.9	162.7	168.0	1,366	144.3 (5.7)	134.1	140.8	144.5	148.1	153.0
80歳以上	381	156.7 (6.0)	146.3	153.4	156.9	160.0	167.0	402	141.4 (5.7)	132.0	137.7	141.6	145.1	150.4
計	9,147	161.7 (6.6)	151.3	157.2	161.6	166.0	172.7	17,269	149.5 (6.4)	139.0	145.2	149.5	153.8	160.2

cm

表3 体重の平均値、標準偏差および分布 (性・年齢階級別)

年齢階級	男					女								
	人数	平均値(SD)	パーセントाइル			人数	平均値(SD)	パーセントाइル						
			5	25	50			75	95					
29歳以下	86	64.5 (12.4)	46.9	56.6	62.6	71.1	88.6	180	53.8 (10.7)	39.4	47.3	51.6	57.3	76.1
30-39	214	69.9 (10.5)	53.4	62.9	69.2	76.1	89.8	620	55.3 (9.6)	42.9	48.7	53.5	60.1	74.5
40-44	347	68.1 (10.6)	51.5	61.2	67.0	73.8	88.1	795	55.8 (8.9)	44.1	49.5	54.4	60.4	72.4
45-49	465	67.0 (9.7)	53.1	60.4	66.3	72.8	85.0	1,185	56.2 (9.3)	43.9	49.8	54.9	61.0	73.4
50-54	740	65.8 (9.2)	52.0	59.2	65.3	71.4	82.2	1,878	55.3 (8.3)	43.4	49.5	54.3	60.0	71.0
55-59	779	65.0 (9.7)	50.2	58.5	64.4	70.3	81.8	2,137	55.0 (8.0)	43.0	49.7	54.2	59.7	69.4
60-64	1,365	63.8 (9.1)	49.9	57.2	63.3	69.7	79.5	2,880	54.2 (8.1)	42.4	48.6	53.6	58.9	68.0
65-69	1,912	62.0 (8.7)	48.5	56.0	61.7	67.4	76.6	3,215	53.5 (8.2)	41.1	48.0	53.1	58.6	67.7
70-74	1,803	60.3 (8.7)	46.9	54.0	60.1	65.8	75.2	2,622	52.0 (8.0)	39.2	46.5	51.6	57.2	66.0
75-79	1,060	59.3 (8.9)	45.4	52.9	59.0	65.4	74.7	1,383	50.3 (8.2)	37.4	44.6	49.7	55.6	64.0
80歳以上	384	56.5 (8.5)	43.3	50.4	55.5	61.5	71.6	412	47.9 (8.1)	36.6	41.8	47.2	53.2	61.4
計	9,155	62.6 (9.6)	48.0	56.0	62.1	68.5	79.0	17,307	53.7 (8.5)	40.9	48.0	53.1	58.7	68.5

kg

表4 BMIの状況(性・年齢階級別)

年齢階級	男				女			
	総数	やせ (<18.5)	普通(18.5-25)	軽度肥満(25-30)	肥満(30kg/m ² ≧)	人 (%)		
-29歳	86 (100.0)	9 (10.5)	55 (64.0)	17 (19.8)	5 (5.8)			
30-39	214 (100.0)	4 (1.9)	133 (62.1)	65 (30.4)	12 (5.6)			
40-44	347 (100.0)	10 (2.9)	221 (63.7)	98 (28.2)	18 (5.2)			
45-49	465 (100.0)	7 (1.5)	291 (62.6)	151 (32.5)	16 (3.4)			
50-54	740 (100.0)	7 (0.9)	442 (59.7)	263 (35.5)	28 (3.8)			
55-59	778 (100.0)	13 (1.7)	462 (59.4)	268 (34.4)	35 (4.5)			
60-64	1,365 (100.0)	24 (1.8)	805 (59.0)	491 (36.0)	45 (3.3)			
65-69	1,912 (100.0)	34 (1.8)	1,226 (64.1)	605 (31.6)	47 (2.5)			
70-74	1,802 (100.0)	51 (2.8)	1,182 (65.6)	522 (29.0)	47 (2.6)			
75-79	1,057 (100.0)	44 (4.2)	699 (66.1)	298 (28.2)	16 (1.5)			
80歳以上	381 (100.0)	21 (5.5)	279 (73.2)	78 (20.5)	3 (0.8)			
計	9,147 (100.0)	224 (2.4)	5,795 (63.4)	2,856 (31.2)	272 (3.0)			

年齢階級	男				女			
	総数	やせ (<18.5)	普通(18.5-25)	軽度肥満(25-30)	肥満(30kg/m ² ≧)	人 (%)		
-29歳	180 (100.0)	26 (14.4)	129 (71.7)	13 (7.2)	12 (6.7)			
30-39	620 (100.0)	56 (9.0)	427 (68.9)	107 (17.3)	30 (4.8)			
40-44	795 (100.0)	44 (5.5)	543 (68.3)	176 (22.1)	32 (4.0)			
45-49	1,185 (100.0)	36 (3.0)	802 (67.7)	275 (23.2)	72 (6.1)			
50-54	1,878 (100.0)	52 (2.8)	1,217 (64.8)	502 (26.7)	107 (5.7)			
55-59	2,137 (100.0)	59 (2.8)	1,277 (59.8)	688 (32.2)	113 (5.3)			
60-64	2,880 (100.0)	79 (2.7)	1,686 (58.5)	965 (33.5)	150 (5.2)			
65-69	3,212 (100.0)	88 (2.7)	1,809 (56.3)	1,130 (35.2)	185 (5.8)			
70-74	2,613 (100.0)	88 (3.4)	1,458 (55.8)	907 (34.7)	160 (6.1)			
75-79	1,366 (100.0)	65 (4.8)	760 (55.6)	461 (33.7)	80 (5.9)			
80歳以上	402 (100.0)	13 (3.2)	249 (61.9)	126 (31.3)	14 (3.5)			
計	17,268 (100.0)	606 (3.5)	10,357 (60.0)	5,350 (31.0)	955 (5.5)			

表5 BMIの平均値、標準偏差および分布(性・年齢階級別)

年齢階級	男						女							
	人数	パーセンタイル					人数	パーセンタイル						
		平均値(SD)	5	25	50	75		95	平均値(SD)	5	25	50	75	95
29歳以下	86	22.4 (3.8)	16.8	19.8	21.8	25.1	30.2	180	21.7 (4.3)	17.1	19.3	20.6	22.5	31.1
30-39	214	24.2 (3.5)	19.2	21.8	23.6	26.2	30.6	620	22.5 (3.7)	17.7	19.9	21.8	24.4	29.9
40-44	347	23.9 (3.3)	19.0	21.8	23.8	25.7	30.3	795	23.1 (3.5)	18.3	20.6	22.5	25.1	29.5
45-49	465	24.2 (2.9)	19.9	22.4	24.0	25.7	29.4	1,185	23.7 (3.7)	18.9	21.1	23.1	25.5	30.4
50-54	740	24.3 (2.9)	19.8	22.2	24.2	26.1	29.3	1,878	23.8 (3.4)	19.0	21.4	23.4	25.7	30.3
55-59	778	24.4 (3.0)	19.7	22.2	24.1	26.2	29.8	2,137	24.1 (3.3)	19.2	21.8	23.8	26.1	30.2
60-64	1,365	24.3 (2.9)	19.7	22.2	24.2	26.1	29.3	2,880	24.2 (3.3)	19.3	21.9	24.0	26.2	30.0
65-69	1,912	23.9 (2.8)	19.6	21.9	23.8	25.8	28.7	3,212	24.4 (3.4)	19.2	22.1	24.2	26.4	30.2
70-74	1,802	23.6 (3.0)	19.0	21.6	23.5	25.5	28.7	2,613	24.3 (3.4)	19.1	22.0	24.2	26.5	30.4
75-79	1,057	23.4 (2.9)	18.6	21.4	23.4	25.3	28.4	1,366	24.2 (3.6)	18.5	21.7	24.0	26.5	30.3
80歳以上	381	23.0 (2.9)	18.3	21.0	22.8	24.7	27.9	402	24.0 (3.5)	18.7	21.7	24.0	26.0	29.5
計	9,147	23.9 (3.0)	19.2	21.9	23.8	25.8	29.1	17,268	24.0 (3.5)	18.9	21.6	23.8	26.1	30.2

表6 血圧の状況 (当日服薬者除く, 性・年齢階級別)

年齢階級	総数	至適血圧	正常血圧	正常高値血圧	軽症高血圧	中等症高血圧	重症高血圧	人 (%)
-29歳	86 (100.0)	58 (67.4)	16 (18.6)	12 (14.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	212 (100.0)	128 (60.4)	40 (18.9)	22 (10.4)	16 (7.5)	4 (1.9)	2 (0.9)	2 (0.9)
40-44	337 (100.0)	184 (54.6)	61 (18.1)	47 (13.9)	34 (10.1)	11 (3.3)	0 (0.0)	0 (0.0)
45-49	431 (100.0)	201 (46.6)	86 (20.0)	60 (13.9)	64 (14.8)	18 (4.2)	2 (0.5)	2 (0.5)
50-54	680 (100.0)	261 (38.4)	136 (20.0)	109 (16.0)	125 (18.4)	36 (5.3)	13 (1.9)	13 (1.9)
55-59	685 (100.0)	244 (35.6)	131 (19.1)	119 (17.4)	147 (21.5)	35 (5.1)	9 (1.3)	9 (1.3)
60-64	1,091 (100.0)	368 (33.7)	215 (19.7)	160 (14.7)	244 (22.4)	88 (8.1)	16 (1.5)	16 (1.5)
65-69	1,498 (100.0)	418 (27.9)	281 (18.8)	276 (18.4)	377 (25.2)	118 (7.9)	28 (1.9)	28 (1.9)
70-74	1,328 (100.0)	358 (27.0)	257 (19.4)	236 (17.8)	355 (26.7)	101 (7.6)	21 (1.6)	21 (1.6)
75-79	782 (100.0)	201 (25.7)	165 (21.1)	136 (17.4)	208 (26.6)	58 (7.4)	14 (1.8)	14 (1.8)
80歳以上	272 (100.0)	61 (22.4)	41 (15.1)	55 (20.2)	80 (29.4)	27 (9.9)	8 (2.9)	8 (2.9)
計	7,402 (100.0)	2,482 (33.5)	1,429 (19.3)	1,232 (16.6)	1,650 (22.3)	496 (6.7)	113 (1.5)	113 (1.5)

年齢階級	総数	至適血圧	正常血圧	正常高値血圧	軽症高血圧	中等症高血圧	重症高血圧	人 (%)
-29歳	178 (100.0)	166 (93.3)	9 (5.1)	2 (1.1)	1 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	616 (100.0)	529 (85.9)	48 (7.8)	16 (2.6)	17 (2.8)	4 (0.6)	2 (0.3)	2 (0.3)
40-44	787 (100.0)	592 (75.2)	97 (12.3)	55 (7.0)	34 (4.3)	8 (1.0)	1 (0.1)	1 (0.1)
45-49	1,122 (100.0)	728 (64.9)	156 (13.9)	115 (10.2)	96 (8.6)	22 (2.0)	5 (0.4)	5 (0.4)
50-54	1,707 (100.0)	969 (56.8)	271 (15.9)	196 (11.5)	202 (11.8)	58 (3.4)	11 (0.6)	11 (0.6)
55-59	1,829 (100.0)	946 (51.7)	309 (16.9)	255 (13.9)	246 (13.4)	54 (3.0)	19 (1.0)	19 (1.0)
60-64	2,391 (100.0)	1,029 (43.0)	455 (19.0)	383 (16.0)	402 (16.8)	105 (4.4)	17 (0.7)	17 (0.7)
65-69	2,469 (100.0)	884 (35.8)	461 (18.7)	442 (17.9)	535 (21.7)	115 (4.7)	32 (1.3)	32 (1.3)
70-74	1,856 (100.0)	581 (31.3)	323 (17.4)	365 (19.7)	466 (25.1)	99 (5.3)	22 (1.2)	22 (1.2)
75-79	902 (100.0)	260 (28.8)	176 (19.5)	156 (17.3)	224 (24.8)	68 (7.5)	18 (2.0)	18 (2.0)
80歳以上	251 (100.0)	72 (28.7)	42 (16.7)	45 (17.9)	63 (25.1)	23 (9.2)	6 (2.4)	6 (2.4)
計	14,108 (100.0)	6,756 (47.9)	2,347 (16.6)	2,030 (14.4)	2,286 (16.2)	556 (3.9)	133 (0.9)	133 (0.9)

※連続2回測定の平均値

表7 最高血圧の平均値、標準偏差および分布（当日服薬者除く，性・年齢階級別）

年齢階級	男					女								
	人数	平均値(SD)	パーセンタイル				人数	平均値(SD)	パーセンタイル					
			5	25	50	75			95	5	25	50	75	95
29歳以下	86	114.2 (11.6)	97.7	104.0	112.3	122.3	134.5	178	102.1 (11.1)	85.0	94.5	101.5	108.6	123.6
30-39	212	119.8 (15.5)	99.0	110.0	116.5	126.9	151.2	616	107.3 (13.9)	89.5	98.0	105.5	113.5	131.5
40-44	337	120.2 (15.5)	98.9	109.0	117.0	130.0	150.6	787	111.7 (14.5)	92.5	101.5	109.0	119.5	139.3
45-49	431	122.4 (16.4)	99.3	110.0	120.0	132.5	152.7	1,122	116.4 (17.2)	94.0	104.5	113.5	126.0	151.4
50-54	680	126.1 (18.7)	98.5	112.5	124.5	137.9	160.0	1,707	119.2 (18.9)	93.5	105.0	115.5	130.0	155.0
55-59	685	127.2 (19.2)	99.5	114.0	125.5	138.5	159.5	1,829	121.4 (19.2)	95.0	107.5	118.5	133.0	156.0
60-64	1,091	129.0 (19.8)	99.5	114.5	127.0	142.0	163.0	2,391	124.4 (19.4)	96.5	109.5	122.5	137.0	159.5
65-69	1,498	131.7 (20.0)	101.5	117.5	130.0	144.5	166.5	2,469	128.2 (19.5)	99.0	114.0	127.0	141.0	161.0
70-74	1,328	132.8 (20.0)	103.0	118.0	131.0	146.5	166.0	1,856	130.3 (19.4)	100.4	116.0	130.0	143.5	162.0
75-79	782	132.7 (20.0)	101.6	118.5	131.5	146.0	165.4	902	132.5 (20.5)	100.6	117.5	130.5	147.0	168.4
80歳以上	272	136.3 (20.6)	105.0	120.6	136.5	150.0	168.4	251	133.4 (21.6)	100.8	118.0	132.5	148.0	171.4
計	7,402	129.2 (19.7)	100.5	114.5	127.5	142.0	163.0	14,108	123.1 (20.0)	95.0	108.0	120.5	136.0	158.5

※連続2回測定の平均値

表8 最低血圧の平均値、標準偏差および分布（当日服薬者除く，性・年齢階級別）

年齢階級	男					女								
	人数	平均値(SD)	パーセンタイル				人数	平均値(SD)	パーセンタイル					
			5	25	50	75			95	5	25	50	75	95
29歳以下	86	64.4 (8.1)	52.7	57.9	63.3	69.6	79.3	178	59.9 (7.3)	49.0	54.5	58.5	65.5	73.5
30-39	212	72.2 (11.1)	57.5	64.6	70.5	78.0	91.2	616	64.0 (9.3)	52.0	57.0	62.5	69.0	81.6
40-44	337	74.6 (10.5)	58.5	67.3	74.0	81.8	92.2	787	67.5 (10.0)	54.0	60.0	66.0	73.0	85.8
45-49	431	76.9 (11.1)	59.5	69.0	76.0	83.5	97.5	1,122	70.9 (10.9)	55.5	63.0	69.5	77.0	91.4
50-54	680	79.8 (11.9)	61.0	71.5	79.0	87.5	99.5	1,707	72.6 (11.4)	55.5	64.0	71.5	80.0	92.5
55-59	685	79.9 (11.5)	62.7	71.5	79.5	87.5	98.4	1,829	73.3 (11.1)	56.0	65.5	72.5	80.0	93.0
60-64	1,091	79.6 (11.6)	62.5	71.5	78.5	87.0	100.0	2,391	74.2 (10.8)	57.5	66.5	74.0	81.5	92.5
65-69	1,498	79.2 (10.9)	62.5	71.5	79.0	86.5	97.5	2,469	74.8 (10.6)	58.5	67.5	74.0	82.0	93.0
70-74	1,328	77.6 (10.8)	61.0	70.0	77.0	84.5	96.5	1,856	74.6 (10.5)	57.5	67.0	74.5	82.0	90.6
75-79	782	76.0 (10.6)	59.0	68.5	76.5	83.0	93.0	902	74.5 (10.8)	57.5	66.5	74.0	81.5	93.0
80歳以上	272	75.7 (10.4)	58.8	69.0	75.8	82.0	93.7	251	73.1 (10.6)	57.5	65.0	72.0	81.5	90.9
計	7,402	77.9 (11.3)	60.5	70.0	77.5	85.0	97.5	14,108	72.8 (11.1)	55.5	64.5	72.0	80.0	92.0

※連続2回測定 of 平均値

表9 脈拍数の状況(当日服薬者除く, 性・年齢階級別)

年齢階級	人 (%)						
	総数	-59	60-69	70-79	80-89	90-99	100bpm以上
男							
-29歳	86 (100.0)	9 (10.5)	23 (26.7)	32 (37.2)	19 (22.1)	1 (1.2)	2 (2.3)
30-39	211 (100.0)	31 (14.7)	73 (34.6)	60 (28.4)	31 (14.7)	13 (6.2)	3 (1.4)
40-44	337 (100.0)	37 (11.0)	112 (33.2)	110 (32.6)	52 (15.4)	16 (4.7)	10 (3.0)
45-49	430 (100.0)	63 (14.7)	145 (33.7)	132 (30.7)	64 (14.9)	16 (3.7)	10 (2.3)
50-54	680 (100.0)	87 (12.8)	238 (35.0)	224 (32.9)	95 (14.0)	28 (4.1)	8 (1.2)
55-59	685 (100.0)	137 (20.0)	264 (38.5)	177 (25.8)	73 (10.7)	18 (2.6)	16 (2.3)
60-64	1,091 (100.0)	227 (20.8)	396 (36.3)	305 (28.0)	106 (9.7)	39 (3.6)	18 (1.6)
65-69	1,496 (100.0)	338 (22.6)	539 (36.0)	393 (26.3)	156 (10.4)	49 (3.3)	21 (1.4)
70-74	1,328 (100.0)	308 (23.2)	495 (37.3)	319 (24.0)	142 (10.7)	50 (3.8)	14 (1.1)
75-79	782 (100.0)	158 (20.2)	289 (37.0)	211 (27.0)	86 (11.0)	25 (3.2)	13 (1.7)
80歳以上	272 (100.0)	52 (19.1)	109 (40.1)	74 (27.2)	21 (7.7)	13 (4.8)	3 (1.1)
計	7,398 (100.0)	1,447 (19.6)	2,683 (36.3)	2,037 (27.5)	845 (11.4)	268 (3.6)	118 (1.6)

年齢階級	人 (%)						
	総数	-59	60-69	70-79	80-89	90-99	100bpm以上
女							
-29歳	177 (100.0)	5 (2.8)	35 (19.8)	63 (35.6)	51 (28.8)	11 (6.2)	12 (6.8)
30-39	616 (100.0)	29 (4.7)	160 (26.0)	236 (38.3)	123 (20.0)	42 (6.8)	26 (4.2)
40-44	786 (100.0)	36 (4.6)	222 (28.2)	286 (36.4)	172 (21.9)	52 (6.6)	18 (2.3)
45-49	1,122 (100.0)	69 (6.1)	326 (29.1)	431 (38.4)	192 (17.1)	66 (5.9)	38 (3.4)
50-54	1,705 (100.0)	134 (7.9)	587 (34.4)	605 (35.5)	260 (15.2)	77 (4.5)	42 (2.5)
55-59	1,829 (100.0)	164 (9.0)	639 (34.9)	633 (34.6)	273 (14.9)	86 (4.7)	34 (1.9)
60-64	2,390 (100.0)	250 (10.5)	814 (34.1)	836 (35.0)	321 (13.4)	123 (5.1)	46 (1.9)
65-69	2,466 (100.0)	248 (10.1)	859 (34.8)	822 (33.3)	376 (15.2)	126 (5.1)	35 (1.4)
70-74	1,856 (100.0)	192 (10.3)	592 (31.9)	668 (36.0)	259 (14.0)	104 (5.6)	41 (2.2)
75-79	902 (100.0)	80 (8.9)	258 (28.6)	303 (33.6)	179 (19.8)	64 (7.1)	18 (2.0)
80歳以上	251 (100.0)	13 (5.2)	58 (23.1)	92 (36.7)	66 (26.3)	15 (6.0)	7 (2.8)
計	14,100 (100.0)	1,220 (8.7)	4,550 (32.3)	4,975 (35.3)	2,272 (16.1)	766 (5.4)	317 (2.2)

※連続2回測定の平均値

表10 脈拍数の平均値、標準偏差および分布（当日服薬者除く、性・年齢階級別）

年齢階級	男					女					bpm			
	人数	平均値(SD)	パーセンタイル				人数	平均値(SD)	パーセンタイル					
			5	25	50	75			95	5		25	50	75
29歳以下	86	73.6 (11.2)	55.4	66.4	73.0	80.5	89.2	177	78.1 (11.1)	61.9	70.5	77.0	84.5	101.0
30-39	211	71.5 (11.8)	54.0	64.0	70.0	78.5	93.1	616	76.0 (11.4)	60.0	68.5	74.5	82.0	98.1
40-44	337	72.8 (11.7)	56.5	64.5	72.0	78.8	96.1	786	75.3 (10.7)	60.0	67.5	74.0	81.5	94.5
45-49	430	71.4 (11.5)	56.0	63.4	70.0	78.0	92.7	1,122	74.7 (11.8)	58.5	67.0	73.0	80.1	95.0
50-54	680	71.5 (10.9)	54.5	64.5	70.3	77.5	90.5	1,705	72.9 (11.1)	58.0	65.5	71.5	78.5	92.0
55-59	685	69.1 (11.7)	52.5	61.5	67.5	75.3	90.2	1,829	72.6 (10.9)	58.0	65.0	71.5	78.5	92.3
60-64	1,091	68.9 (11.4)	53.0	61.0	67.5	75.0	90.0	2,390	72.2 (11.1)	56.5	64.5	71.0	78.0	92.7
65-69	1,496	68.6 (11.4)	52.5	60.5	67.5	75.5	89.5	2,466	72.1 (10.8)	56.0	65.0	71.0	78.5	92.0
70-74	1,328	68.2 (11.3)	52.5	60.0	66.5	74.5	89.5	1,856	72.7 (11.2)	55.5	65.1	72.0	78.5	92.5
75-79	782	69.1 (11.3)	53.0	61.5	68.0	75.5	89.0	902	74.1 (11.5)	57.5	66.0	73.0	81.0	94.9
80歳以上	272	68.8 (11.0)	52.5	61.1	67.0	75.0	90.9	251	75.9 (11.0)	59.0	68.0	76.0	82.5	92.8
計	7,398	69.4 (11.4)	53.0	61.5	68.0	76.0	90.0	14,100	73.2 (11.2)	57.5	65.5	72.0	79.0	93.0

※連続2回測定 of 平均値

表11 家族歴の状況 (性・年齢階級別)

年齢階級	総数	家族歴ありと答えた者				脳卒中	高脂血症	糖尿病
		がん	心筋梗塞	心臓病	糖尿病			
-29歳	86	23 (26.7)	2 (2.3)	4 (4.7)	13 (15.1)	4 (4.7)	14 (16.3)	
30-39	214	69 (32.2)	10 (4.7)	11 (5.1)	39 (18.2)	4 (1.9)	38 (17.8)	
40-44	348	119 (34.2)	15 (4.3)	26 (7.5)	92 (26.4)	9 (2.6)	63 (18.1)	
45-49	465	160 (34.4)	28 (6.0)	29 (6.2)	126 (27.1)	10 (2.2)	63 (13.5)	
50-54	741	255 (34.4)	48 (6.5)	58 (7.8)	224 (30.2)	11 (1.5)	109 (14.7)	
55-59	779	285 (36.6)	51 (6.5)	45 (5.8)	225 (28.9)	14 (1.8)	95 (12.2)	
60-64	1,368	457 (33.4)	74 (5.4)	84 (6.1)	418 (30.6)	23 (1.7)	157 (11.5)	
65-69	1,913	565 (29.5)	87 (4.5)	94 (4.9)	583 (30.5)	22 (1.2)	167 (8.7)	
70-74	1,803	490 (27.2)	86 (4.8)	74 (4.1)	512 (28.4)	17 (0.9)	137 (7.6)	
75-79	1,060	256 (24.2)	53 (5.0)	44 (4.2)	272 (25.7)	5 (0.5)	61 (5.8)	
80歳以上	385	67 (17.4)	14 (3.6)	9 (2.3)	105 (27.3)	5 (1.3)	16 (4.2)	
計	9,162	2,746 (30.0)	468 (5.1)	478 (5.2)	2,609 (28.5)	124 (1.4)	920 (10.0)	

男

年齢階級	総数	家族歴ありと答えた者				脳卒中	高脂血症	糖尿病
		がん	心筋梗塞	心臓病	糖尿病			
-29歳	180	60 (33.3)	17 (9.4)	9 (5.0)	30 (16.7)	9 (5.0)	36 (20.0)	
30-39	620	232 (37.4)	49 (7.9)	50 (8.1)	142 (22.9)	20 (3.2)	124 (20.0)	
40-44	795	315 (39.6)	54 (6.8)	66 (8.3)	206 (25.9)	31 (3.9)	157 (19.7)	
45-49	1,185	437 (36.9)	87 (7.3)	90 (7.6)	325 (27.4)	32 (2.7)	198 (16.7)	
50-54	1,878	730 (38.9)	155 (8.3)	132 (7.0)	544 (29.0)	47 (2.5)	290 (15.4)	
55-59	2,139	791 (37.0)	164 (7.7)	172 (8.0)	659 (30.8)	49 (2.3)	282 (13.2)	
60-64	2,880	973 (33.8)	194 (6.7)	176 (6.1)	867 (30.1)	44 (1.5)	319 (11.1)	
65-69	3,215	963 (30.0)	164 (5.1)	175 (5.4)	924 (28.7)	32 (1.0)	305 (9.5)	
70-74	2,623	721 (27.5)	143 (5.5)	119 (4.5)	692 (26.4)	19 (0.7)	208 (7.9)	
75-79	1,383	367 (26.5)	76 (5.5)	63 (4.6)	354 (25.6)	14 (1.0)	91 (6.6)	
80歳以上	412	85 (20.6)	19 (4.6)	17 (4.1)	97 (23.5)	3 (0.7)	24 (5.8)	
計	17,310	5,674 (32.8)	1,122 (6.5)	1,069 (6.2)	4,840 (28.0)	300 (1.7)	2,034 (11.8)	

女

表12 既往歴の状況 (性・年齢階級別)

年齢階級	総数	既往ありと答えた者							人 (%)						
		高血圧		狭心症		心筋梗塞		脳卒中		糖尿病		高脂血症			
		人数	(%)	人数	(%)	人数	(%)	人数		(%)	人数	(%)	人数	(%)	
-29歳	86	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	1	(1.2)
30-39	214	3	(1.4)	0	(0.0)	0	(0.0)	0	(0.0)	1	(0.5)	1	(0.5)	5	(2.3)
40-44	348	14	(4.0)	0	(0.0)	0	(0.0)	0	(0.0)	10	(2.9)	10	(2.9)	9	(2.6)
45-49	465	39	(8.4)	2	(0.4)	0	(0.0)	0	(0.0)	11	(2.4)	11	(2.4)	15	(3.2)
50-54	741	86	(11.6)	9	(1.2)	1	(0.1)	10	(1.3)	33	(4.5)	33	(4.5)	35	(4.7)
55-59	779	133	(17.1)	2	(0.3)	1	(0.1)	27	(3.5)	48	(6.2)	48	(6.2)	32	(4.1)
60-64	1,368	370	(27.0)	21	(1.5)	9	(0.7)	53	(3.9)	89	(6.5)	170	(8.9)	51	(3.7)
65-69	1,913	598	(31.3)	40	(2.1)	17	(0.9)	102	(5.3)	191	(10.6)	191	(10.6)	66	(3.5)
70-74	1,803	638	(35.4)	44	(2.4)	25	(1.4)	111	(6.2)	191	(10.6)	191	(10.6)	76	(4.2)
75-79	1,060	390	(36.8)	42	(4.0)	16	(1.5)	80	(7.5)	74	(7.0)	74	(7.0)	51	(4.8)
80歳以上	385	145	(37.7)	13	(3.4)	5	(1.3)	26	(6.8)	26	(6.8)	26	(6.8)	11	(2.9)
計	9,162	2,416	(26.4)	173	(1.9)	74	(0.8)	415	(4.5)	653	(7.1)	653	(7.1)	352	(3.8)

年齢階級	総数	既往ありと答えた者							人 (%)						
		高血圧		狭心症		心筋梗塞		脳卒中		糖尿病		高脂血症			
		人数	(%)	人数	(%)	人数	(%)	人数		(%)	人数	(%)	人数	(%)	
-29歳	180	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
30-39	620	4	(0.6)	0	(0.0)	0	(0.0)	1	(0.2)	4	(0.6)	4	(0.6)	6	(1.0)
40-44	795	14	(1.8)	0	(0.0)	0	(0.0)	1	(0.1)	5	(0.6)	5	(0.6)	11	(1.4)
45-49	1,185	84	(7.1)	4	(0.3)	0	(0.0)	8	(0.7)	20	(1.7)	20	(1.7)	21	(1.8)
50-54	1,878	230	(12.2)	6	(0.3)	0	(0.0)	19	(1.0)	39	(2.1)	39	(2.1)	102	(5.4)
55-59	2,139	431	(20.1)	13	(0.6)	2	(0.1)	38	(1.8)	57	(2.7)	57	(2.7)	221	(10.3)
60-64	2,880	681	(23.6)	26	(0.9)	3	(0.1)	46	(1.6)	105	(3.6)	105	(3.6)	301	(10.5)
65-69	3,215	1,028	(32.0)	49	(1.5)	8	(0.2)	82	(2.6)	139	(4.3)	139	(4.3)	323	(10.0)
70-74	2,623	1,054	(40.2)	65	(2.5)	10	(0.4)	96	(3.7)	142	(5.4)	142	(5.4)	305	(11.6)
75-79	1,383	634	(45.8)	41	(3.0)	14	(1.0)	64	(4.6)	92	(6.7)	92	(6.7)	139	(10.1)
80歳以上	412	201	(48.8)	11	(2.7)	7	(1.7)	22	(5.3)	29	(7.0)	29	(7.0)	28	(6.8)
計	17,310	4,361	(25.2)	215	(1.2)	44	(0.3)	377	(2.2)	632	(3.7)	632	(3.7)	1,457	(8.4)

表13 喫煙の状況（性・年齢階級別）

男	年齢階級	禁煙				現在喫煙		人 (%)
		総数	非喫煙	21本/日以上		-20本/日	21本/日以上	
				-20本/日	21本/日以上			
-29歳	86 (100.0)	33 (38.4)	3 (3.5)	1 (1.2)	0 (0.0)	44 (51.2)	5 (5.8)	
30-39	214 (100.0)	58 (27.1)	23 (10.7)	7 (3.3)	0 (0.0)	89 (41.6)	37 (17.3)	
40-44	348 (100.0)	76 (21.8)	56 (16.1)	14 (4.0)	1 (0.3)	144 (41.4)	57 (16.4)	
45-49	465 (100.0)	103 (22.2)	83 (17.8)	33 (7.1)	0 (0.0)	170 (36.6)	76 (16.3)	
50-54	741 (100.0)	215 (29.0)	144 (19.4)	56 (7.6)	0 (0.0)	226 (30.5)	100 (13.5)	
55-59	779 (100.0)	289 (37.1)	130 (16.7)	57 (7.3)	0 (0.0)	218 (28.0)	85 (10.9)	
60-64	1,368 (100.0)	533 (39.0)	304 (22.2)	115 (8.4)	0 (0.0)	333 (24.3)	83 (6.1)	
65-69	1,913 (100.0)	827 (43.2)	407 (21.3)	189 (9.9)	1 (0.1)	426 (22.3)	63 (3.3)	
70-74	1,803 (100.0)	744 (41.3)	506 (28.1)	127 (7.0)	1 (0.1)	397 (22.0)	28 (1.6)	
75-79	1,060 (100.0)	403 (38.0)	378 (35.7)	77 (7.3)	0 (0.0)	195 (18.4)	7 (0.7)	
80歳以上	385 (100.0)	178 (46.2)	119 (30.9)	24 (6.2)	0 (0.0)	62 (16.1)	2 (0.5)	
計	9,162 (100.0)	3,459 (37.8)	2,153 (23.5)	700 (7.6)	3 (0.0)	2,304 (25.1)	543 (5.9)	

女	年齢階級	禁煙				現在喫煙		人 (%)
		総数	非喫煙	21本/日以上		-20本/日	21本/日以上	
				-20本/日	21本/日以上			
-29歳	180 (100.0)	120 (66.7)	21 (11.7)	0 (0.0)	0 (0.0)	38 (21.1)	1 (0.6)	
30-39	620 (100.0)	468 (75.5)	58 (9.4)	0 (0.0)	0 (0.0)	94 (15.2)	0 (0.0)	
40-44	795 (100.0)	686 (86.3)	38 (4.8)	1 (0.1)	0 (0.0)	69 (8.7)	1 (0.1)	
45-49	1,185 (100.0)	1,068 (90.1)	49 (4.1)	0 (0.0)	0 (0.0)	68 (5.7)	0 (0.0)	
50-54	1,878 (100.0)	1,766 (94.0)	32 (1.7)	0 (0.0)	0 (0.0)	75 (4.0)	5 (0.3)	
55-59	2,139 (100.0)	2,065 (96.5)	17 (0.8)	1 (0.0)	0 (0.0)	53 (2.5)	3 (0.1)	
60-64	2,880 (100.0)	2,822 (98.0)	15 (0.5)	0 (0.0)	0 (0.0)	42 (1.5)	1 (0.0)	
65-69	3,215 (100.0)	3,173 (98.7)	20 (0.6)	1 (0.0)	0 (0.0)	20 (0.6)	1 (0.0)	
70-74	2,623 (100.0)	2,588 (98.7)	14 (0.5)	2 (0.1)	0 (0.0)	19 (0.7)	0 (0.0)	
75-79	1,383 (100.0)	1,368 (98.9)	4 (0.3)	0 (0.0)	0 (0.0)	10 (0.7)	1 (0.1)	
80歳以上	412 (100.0)	410 (99.5)	2 (0.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
計	17,310 (100.0)	16,534 (95.5)	270 (1.6)	5 (0.0)	0 (0.0)	488 (2.8)	13 (0.1)	

表14 飲酒の状況（性・年齢階級別）

男	年齢階級	総数	飲酒				2台/日以上*
			非飲酒	禁酒	機会飲酒	2台/日未満*	
	-29歳	86 (100.0)	34 (39.5)	1 (1.2)	12 (14.0)	25 (29.1)	14 (16.3)
	30-39	214 (100.0)	38 (17.8)	9 (4.2)	30 (14.0)	78 (36.4)	59 (27.6)
	40-44	348 (100.0)	66 (19.0)	4 (1.1)	30 (8.6)	119 (34.2)	129 (37.1)
	45-49	465 (100.0)	92 (19.8)	14 (3.0)	35 (7.5)	147 (31.6)	177 (38.1)
	50-54	741 (100.0)	135 (18.2)	23 (3.1)	63 (8.5)	257 (34.7)	263 (35.5)
	55-59	779 (100.0)	139 (17.8)	42 (5.4)	65 (8.3)	288 (37.0)	245 (31.5)
	60-64	1,368 (100.0)	277 (20.2)	100 (7.3)	106 (7.7)	497 (36.3)	388 (28.4)
	65-69	1,913 (100.0)	414 (21.6)	192 (10.0)	133 (7.0)	753 (39.4)	421 (22.0)
	70-74	1,803 (100.0)	479 (26.6)	222 (12.3)	120 (6.7)	700 (38.8)	282 (15.6)
	75-79	1,060 (100.0)	332 (31.3)	146 (13.8)	72 (6.8)	407 (38.4)	103 (9.7)
	80歳以上	385 (100.0)	154 (40.0)	50 (13.0)	29 (7.5)	127 (33.0)	25 (6.5)
	計	9,162 (100.0)	2,160 (23.6)	803 (8.8)	695 (7.6)	3,398 (37.1)	2,106 (23.0)

女	年齢階級	総数	飲酒				2台/日以上*
			非飲酒	禁酒	機会飲酒	2台/日未満*	
	-29歳	180 (100.0)	88 (48.9)	16 (8.9)	43 (23.9)	24 (13.3)	9 (5.0)
	30-39	620 (100.0)	298 (48.1)	22 (3.5)	131 (21.1)	153 (24.7)	16 (2.6)
	40-44	795 (100.0)	443 (55.7)	20 (2.5)	125 (15.7)	183 (23.0)	24 (3.0)
	45-49	1,185 (100.0)	762 (64.3)	18 (1.5)	165 (13.9)	219 (18.5)	21 (1.8)
	50-54	1,878 (100.0)	1,356 (72.2)	35 (1.9)	200 (10.6)	260 (13.8)	27 (1.4)
	55-59	2,139 (100.0)	1,632 (76.3)	45 (2.1)	187 (8.7)	244 (11.4)	31 (1.4)
	60-64	2,880 (100.0)	2,379 (82.6)	37 (1.3)	173 (6.0)	266 (9.2)	25 (0.9)
	65-69	3,215 (100.0)	2,772 (86.2)	27 (0.8)	149 (4.6)	255 (7.9)	12 (0.4)
	70-74	2,623 (100.0)	2,352 (89.7)	27 (1.0)	86 (3.3)	149 (5.7)	9 (0.3)
	75-79	1,383 (100.0)	1,270 (91.8)	9 (0.7)	30 (2.2)	72 (5.2)	2 (0.1)
	80歳以上	412 (100.0)	376 (91.3)	6 (1.5)	10 (2.4)	20 (4.9)	0 (0.0)
	計	17,310 (100.0)	13,728 (79.3)	262 (1.5)	1,299 (7.5)	1,845 (10.7)	176 (1.0)

*日本酒換算アルコール量(合)×週あたりの飲酒日数÷7として算出

表15 尿糖の状況 (性・年齢階級別)

年齢階級	総数				人 (%)			
	(-)	(±)	(+)	(2+)	(3+)	(2+)	(3+)	(3+)
男								
-29歳	86 (100.0)	84 (97.7)	1 (1.2)	0 (0.0)	1 (1.2)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	214 (100.0)	207 (96.7)	4 (1.9)	1 (0.5)	0 (0.0)	2 (0.9)	2 (0.9)	2 (0.9)
40-44	348 (100.0)	332 (95.4)	6 (1.7)	6 (1.7)	0 (0.0)	4 (1.1)	4 (1.1)	4 (1.1)
45-49	465 (100.0)	433 (93.1)	10 (2.2)	8 (1.7)	4 (0.9)	10 (2.2)	10 (2.2)	10 (2.2)
50-54	738 (100.0)	688 (93.2)	13 (1.8)	8 (1.1)	11 (1.5)	18 (2.4)	18 (2.4)	18 (2.4)
55-59	777 (100.0)	705 (90.7)	17 (2.2)	18 (2.3)	15 (1.9)	22 (2.8)	22 (2.8)	22 (2.8)
60-64	1,364 (100.0)	1,252 (91.8)	35 (2.6)	23 (1.7)	18 (1.3)	36 (2.6)	36 (2.6)	36 (2.6)
65-69	1,903 (100.0)	1,735 (91.2)	49 (2.6)	36 (1.9)	33 (1.7)	50 (2.6)	50 (2.6)	50 (2.6)
70-74	1,797 (100.0)	1,623 (90.3)	47 (2.6)	39 (2.2)	38 (2.1)	50 (2.8)	50 (2.8)	50 (2.8)
75-79	1,054 (100.0)	972 (92.2)	32 (3.0)	22 (2.1)	10 (0.9)	18 (1.7)	18 (1.7)	18 (1.7)
80歳以上	376 (100.0)	342 (91.0)	15 (4.0)	7 (1.9)	7 (1.9)	5 (1.3)	5 (1.3)	5 (1.3)
計	9,122 (100.0)	8,373 (91.8)	229 (2.5)	168 (1.8)	137 (1.5)	215 (2.4)	215 (2.4)	215 (2.4)

年齢階級	総数				人 (%)			
	(-)	(±)	(+)	(2+)	(3+)	(2+)	(3+)	(3+)
女								
-29歳	179 (100.0)	179 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	617 (100.0)	613 (99.4)	0 (0.0)	2 (0.3)	1 (0.2)	1 (0.2)	1 (0.2)	1 (0.2)
40-44	789 (100.0)	783 (99.2)	1 (0.1)	3 (0.4)	1 (0.1)	1 (0.1)	1 (0.1)	1 (0.1)
45-49	1,176 (100.0)	1,150 (97.8)	7 (0.6)	6 (0.5)	7 (0.6)	6 (0.5)	6 (0.5)	6 (0.5)
50-54	1,874 (100.0)	1,847 (98.6)	9 (0.5)	2 (0.1)	5 (0.3)	11 (0.6)	11 (0.6)	11 (0.6)
55-59	2,137 (100.0)	2,105 (98.5)	9 (0.4)	7 (0.3)	5 (0.2)	11 (0.5)	11 (0.5)	11 (0.5)
60-64	2,876 (100.0)	2,821 (98.1)	12 (0.4)	12 (0.4)	16 (0.6)	15 (0.5)	15 (0.5)	15 (0.5)
65-69	3,210 (100.0)	3,150 (98.1)	12 (0.4)	15 (0.5)	12 (0.4)	21 (0.7)	21 (0.7)	21 (0.7)
70-74	2,613 (100.0)	2,550 (97.6)	21 (0.8)	18 (0.7)	5 (0.2)	19 (0.7)	19 (0.7)	19 (0.7)
75-79	1,375 (100.0)	1,334 (97.0)	16 (1.2)	3 (0.2)	10 (0.7)	12 (0.9)	12 (0.9)	12 (0.9)
80歳以上	404 (100.0)	390 (96.5)	6 (1.5)	2 (0.5)	1 (0.2)	5 (1.2)	5 (1.2)	5 (1.2)
計	17,250 (100.0)	16,922 (98.1)	93 (0.5)	70 (0.4)	63 (0.4)	102 (0.6)	102 (0.6)	102 (0.6)

表16 尿蛋白の状況 (性・年齢階級別)

年齢階級	男			女		
	総数	(-)	(±)	(+)	(2+)	(3+)
-29歳	86 (100.0)	85 (98.8)	1 (1.2)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	214 (100.0)	203 (94.9)	3 (1.4)	6 (2.8)	2 (0.9)	0 (0.0)
40-44	348 (100.0)	343 (98.6)	2 (0.6)	2 (0.6)	0 (0.0)	1 (0.3)
45-49	465 (100.0)	445 (95.7)	11 (2.4)	6 (1.3)	1 (0.2)	2 (0.4)
50-54	738 (100.0)	710 (96.2)	13 (1.8)	8 (1.1)	6 (0.8)	1 (0.1)
55-59	777 (100.0)	739 (95.1)	22 (2.8)	10 (1.3)	4 (0.5)	2 (0.3)
60-64	1,364 (100.0)	1,280 (93.8)	40 (2.9)	31 (2.3)	10 (0.7)	3 (0.2)
65-69	1,903 (100.0)	1,791 (94.1)	58 (3.0)	40 (2.1)	10 (0.5)	4 (0.2)
70-74	1,797 (100.0)	1,679 (93.4)	60 (3.3)	31 (1.7)	23 (1.3)	4 (0.2)
75-79	1,054 (100.0)	967 (91.7)	35 (3.3)	36 (3.4)	14 (1.3)	2 (0.2)
80歳以上	376 (100.0)	336 (89.4)	17 (4.5)	13 (3.5)	9 (2.4)	1 (0.3)
計	9,122 (100.0)	8,578 (94.0)	262 (2.9)	183 (2.0)	79 (0.9)	20 (0.2)

年齢階級	男			女		
	総数	(-)	(±)	(+)	(2+)	(3+)
-29歳	179 (100.0)	176 (98.3)	2 (1.1)	1 (0.6)	0 (0.0)	0 (0.0)
30-39	617 (100.0)	605 (98.1)	6 (1.0)	6 (1.0)	0 (0.0)	0 (0.0)
40-44	789 (100.0)	775 (98.2)	10 (1.3)	3 (0.4)	1 (0.1)	0 (0.0)
45-49	1,176 (100.0)	1,148 (97.6)	16 (1.4)	8 (0.7)	2 (0.2)	2 (0.2)
50-54	1,874 (100.0)	1,846 (98.5)	18 (1.0)	6 (0.3)	3 (0.2)	1 (0.1)
55-59	2,137 (100.0)	2,101 (98.3)	21 (1.0)	11 (0.5)	4 (0.2)	0 (0.0)
60-64	2,876 (100.0)	2,826 (98.3)	23 (0.8)	17 (0.6)	9 (0.3)	1 (0.0)
65-69	3,210 (100.0)	3,120 (97.2)	43 (1.3)	36 (1.1)	8 (0.2)	3 (0.1)
70-74	2,613 (100.0)	2,529 (96.8)	40 (1.5)	32 (1.2)	9 (0.3)	3 (0.1)
75-79	1,375 (100.0)	1,301 (94.6)	32 (2.3)	27 (2.0)	10 (0.7)	5 (0.4)
80歳以上	404 (100.0)	368 (91.1)	21 (5.2)	11 (2.7)	4 (1.0)	0 (0.0)
計	17,250 (100.0)	16,795 (97.4)	232 (1.3)	158 (0.9)	50 (0.3)	15 (0.1)

表17 尿潜血の状況 (性・年齢階級別)

年齢階級	総数	人 (%)		
		(-)	(+)	(2+)
男				
-29歳	86 (100.0)	83 (96.5)	3 (3.5)	0 (0.0)
30-39	214 (100.0)	204 (95.3)	10 (4.7)	0 (0.0)
40-44	348 (100.0)	332 (95.4)	15 (4.3)	1 (0.3)
45-49	465 (100.0)	440 (94.6)	13 (2.8)	1 (0.2)
50-54	738 (100.0)	696 (94.3)	34 (4.6)	2 (0.3)
55-59	777 (100.0)	719 (92.5)	50 (6.4)	1 (0.1)
60-64	1,364 (100.0)	1,261 (92.4)	91 (6.7)	3 (0.2)
65-69	1,903 (100.0)	1,747 (91.8)	135 (7.1)	7 (0.4)
70-74	1,797 (100.0)	1,637 (91.1)	140 (7.8)	3 (0.2)
75-79	1,054 (100.0)	944 (89.6)	93 (8.8)	4 (0.4)
80歳以上	376 (100.0)	314 (83.5)	54 (14.4)	2 (0.5)
計	9,122 (100.0)	8,377 (91.8)	638 (7.0)	24 (0.3)

年齢階級	総数	人 (%)		
		(-)	(+)	(2+)
女*				
-29歳	161 (100.0)	155 (96.3)	3 (1.9)	0 (0.0)
30-39	532 (100.0)	490 (92.1)	33 (6.2)	5 (0.9)
40-44	722 (100.0)	639 (88.5)	66 (9.1)	6 (0.8)
45-49	1,083 (100.0)	944 (87.2)	113 (10.4)	7 (0.6)
50-54	1,842 (100.0)	1,580 (85.8)	216 (11.7)	8 (0.4)
55-59	2,136 (100.0)	1,808 (84.6)	275 (12.9)	5 (0.2)
60-64	2,875 (100.0)	2,375 (82.6)	430 (15.0)	7 (0.2)
65-69	3,210 (100.0)	2,580 (80.4)	553 (17.2)	16 (0.5)
70-74	2,613 (100.0)	2,056 (78.7)	478 (18.3)	9 (0.3)
75-79	1,375 (100.0)	1,060 (77.1)	271 (19.7)	4 (0.3)
80歳以上	404 (100.0)	305 (75.5)	82 (20.3)	3 (0.7)
計	16,953 (100.0)	13,992 (82.5)	2,520 (14.9)	70 (0.4)

*生理中の者を除く

表18 血清総コレステロールの状況 (性・年齢階級別)

年齢階級	総数						人 (%)					
	-179	180-199	200-219	220-239	240-259	260mg/dl以上	-179	180-199	200-219	220-239	240-259	260mg/dl以上
男												
-29歳	86 (100.0)	23 (26.7)	2 (2.3)	2 (2.3)	2 (2.3)	3 (3.5)	54 (62.8)	23 (26.7)	2 (2.3)	2 (2.3)	2 (2.3)	3 (3.5)
30-39	214 (100.0)	43 (20.1)	42 (19.6)	16 (7.5)	15 (7.0)	11 (5.1)	87 (40.7)	43 (20.1)	42 (19.6)	16 (7.5)	15 (7.0)	11 (5.1)
40-44	348 (100.0)	88 (25.3)	59 (17.0)	50 (14.4)	26 (7.5)	16 (4.6)	109 (31.3)	88 (25.3)	59 (17.0)	50 (14.4)	26 (7.5)	16 (4.6)
45-49	465 (100.0)	112 (24.1)	96 (20.6)	54 (11.6)	28 (6.0)	25 (5.4)	150 (32.3)	112 (24.1)	96 (20.6)	54 (11.6)	28 (6.0)	25 (5.4)
50-54	741 (100.0)	188 (25.4)	144 (19.4)	113 (15.2)	54 (7.3)	29 (3.9)	213 (28.7)	188 (25.4)	144 (19.4)	113 (15.2)	54 (7.3)	29 (3.9)
55-59	778 (100.0)	200 (25.7)	158 (20.3)	102 (13.1)	30 (3.9)	19 (2.4)	269 (34.6)	200 (25.7)	158 (20.3)	102 (13.1)	30 (3.9)	19 (2.4)
60-64	1,368 (100.0)	310 (22.7)	280 (20.5)	173 (12.6)	62 (4.5)	41 (3.0)	502 (36.7)	310 (22.7)	280 (20.5)	173 (12.6)	62 (4.5)	41 (3.0)
65-69	1,912 (100.0)	485 (25.4)	381 (19.9)	208 (10.9)	85 (4.4)	30 (1.6)	723 (37.8)	485 (25.4)	381 (19.9)	208 (10.9)	85 (4.4)	30 (1.6)
70-74	1,803 (100.0)	475 (26.3)	333 (18.5)	186 (10.3)	77 (4.3)	20 (1.1)	712 (39.5)	475 (26.3)	333 (18.5)	186 (10.3)	77 (4.3)	20 (1.1)
75-79	1,060 (100.0)	282 (26.6)	181 (17.1)	114 (10.8)	38 (3.6)	19 (1.8)	426 (40.2)	282 (26.6)	181 (17.1)	114 (10.8)	38 (3.6)	19 (1.8)
80歳以上	385 (100.0)	90 (23.4)	71 (18.4)	45 (11.7)	6 (1.6)	2 (0.5)	171 (44.4)	90 (23.4)	71 (18.4)	45 (11.7)	6 (1.6)	2 (0.5)
計	9,160 (100.0)	2,296 (25.1)	1,747 (19.1)	1,063 (11.6)	423 (4.6)	215 (2.3)	3,416 (37.3)	2,296 (25.1)	1,747 (19.1)	1,063 (11.6)	423 (4.6)	215 (2.3)

年齢階級	総数						人 (%)					
	-179	180-199	200-219	220-239	240-259	260mg/dl以上	-179	180-199	200-219	220-239	240-259	260mg/dl以上
女												
-29歳	180 (100.0)	32 (17.8)	14 (7.8)	7 (3.9)	2 (1.1)	1 (0.6)	124 (68.9)	32 (17.8)	14 (7.8)	7 (3.9)	2 (1.1)	1 (0.6)
30-39	620 (100.0)	146 (23.5)	85 (13.7)	30 (4.8)	9 (1.5)	5 (0.8)	345 (55.6)	146 (23.5)	85 (13.7)	30 (4.8)	9 (1.5)	5 (0.8)
40-44	795 (100.0)	221 (27.8)	128 (16.1)	74 (9.3)	20 (2.5)	11 (1.4)	341 (42.9)	221 (27.8)	128 (16.1)	74 (9.3)	20 (2.5)	11 (1.4)
45-49	1,185 (100.0)	301 (25.4)	264 (22.3)	150 (12.7)	69 (5.8)	38 (3.2)	363 (30.6)	301 (25.4)	264 (22.3)	150 (12.7)	69 (5.8)	38 (3.2)
50-54	1,878 (100.0)	436 (23.2)	429 (22.8)	333 (17.7)	185 (9.9)	136 (7.2)	359 (19.1)	436 (23.2)	429 (22.8)	333 (17.7)	185 (9.9)	136 (7.2)
55-59	2,138 (100.0)	471 (22.0)	567 (26.5)	389 (18.2)	240 (11.2)	144 (6.7)	327 (15.3)	471 (22.0)	567 (26.5)	389 (18.2)	240 (11.2)	144 (6.7)
60-64	2,878 (100.0)	625 (21.7)	776 (27.0)	608 (21.1)	300 (10.4)	160 (5.6)	409 (14.2)	625 (21.7)	776 (27.0)	608 (21.1)	300 (10.4)	160 (5.6)
65-69	3,215 (100.0)	676 (21.0)	898 (27.9)	625 (19.4)	298 (9.3)	163 (5.1)	555 (17.3)	676 (21.0)	898 (27.9)	625 (19.4)	298 (9.3)	163 (5.1)
70-74	2,621 (100.0)	619 (23.6)	718 (27.4)	487 (18.6)	222 (8.5)	116 (4.4)	459 (17.5)	619 (23.6)	718 (27.4)	487 (18.6)	222 (8.5)	116 (4.4)
75-79	1,383 (100.0)	337 (24.4)	341 (24.7)	244 (17.6)	128 (9.3)	56 (4.0)	277 (20.0)	337 (24.4)	341 (24.7)	244 (17.6)	128 (9.3)	56 (4.0)
80歳以上	412 (100.0)	96 (23.3)	105 (25.5)	63 (15.3)	33 (8.0)	15 (3.6)	100 (24.3)	96 (23.3)	105 (25.5)	63 (15.3)	33 (8.0)	15 (3.6)
計	17,305 (100.0)	3,960 (22.9)	4,325 (25.0)	3,010 (17.4)	1,506 (8.7)	845 (4.9)	3,659 (21.1)	3,960 (22.9)	4,325 (25.0)	3,010 (17.4)	1,506 (8.7)	845 (4.9)

表19 血清総コレステロールの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女							
	人数	平均値(SD)	パーセンタイル					人数	平均値(SD)	パーセンタイル				
			5	25	50	75	95			5	25	50	75	95
29歳以下	86	171.7 (35.6)	122.7	151.5	169.5	191.3	252.5	180	167.8 (29.0)	125.1	146.5	165.0	184.8	221.0
30-39	214	192.3 (36.7)	135.8	165.0	189.0	213.5	260.0	620	176.5 (30.0)	130.1	156.0	175.0	195.0	224.0
40-44	348	197.5 (36.7)	143.9	171.0	194.0	222.8	259.0	795	185.7 (29.7)	139.0	166.0	184.0	204.0	235.0
45-49	465	196.8 (35.8)	144.0	173.0	195.0	217.5	261.7	1,185	196.8 (32.0)	149.0	174.5	195.0	216.0	251.0
50-54	741	198.9 (32.5)	151.0	175.0	196.0	221.0	255.0	1,878	208.3 (33.9)	156.0	185.0	206.0	229.0	268.0
55-59	778	192.9 (31.7)	145.0	172.0	190.0	213.3	247.1	2,138	210.8 (31.6)	163.0	190.0	209.0	231.0	265.0
60-64	1,368	193.1 (33.3)	142.0	169.0	192.0	214.0	250.0	2,878	210.7 (30.8)	163.0	190.0	210.0	230.0	261.1
65-69	1,912	190.1 (31.0)	141.0	169.0	189.0	211.0	243.0	3,215	208.3 (30.9)	159.0	188.0	207.0	227.0	260.0
70-74	1,803	188.0 (31.2)	137.0	167.0	187.0	209.0	241.0	2,621	206.8 (29.8)	161.0	187.0	205.0	225.0	257.0
75-79	1,060	188.0 (31.5)	140.0	166.0	187.0	207.0	240.0	1,383	205.3 (31.1)	156.0	184.0	204.0	225.0	257.0
80歳以上	385	184.2 (30.4)	136.0	162.5	184.0	207.5	234.0	412	201.2 (33.1)	145.7	180.0	201.0	221.0	255.4
計	9,160	191.1 (32.5)	141.0	169.0	189.0	212.0	246.0	17,305	205.0 (32.4)	153.0	183.0	204.0	225.0	259.0

表20 血清HDL-Cコレステロールの状況 (性・年齢階級別)

年齢階級	総数					100mg/dl以上		人 (%)
	-39	40-59	60-79	80-99	100mg/dl以上			
-29歳	86 (100.0)	47 (54.7)	23 (26.7)	3 (3.5)	0 (0.0)			
30-39	214 (100.0)	117 (54.7)	64 (29.9)	7 (3.3)	1 (0.5)			
40-44	348 (100.0)	180 (51.7)	105 (30.2)	19 (5.5)	7 (2.0)			
45-49	465 (100.0)	258 (55.5)	125 (26.9)	27 (5.8)	6 (1.3)			
50-54	741 (100.0)	361 (48.7)	229 (30.9)	62 (8.4)	9 (1.2)			
55-59	778 (100.0)	403 (51.8)	242 (31.1)	39 (5.0)	6 (0.8)			
60-64	1,368 (100.0)	708 (51.8)	389 (28.4)	79 (5.8)	16 (1.2)			
65-69	1,912 (100.0)	986 (51.6)	570 (29.8)	111 (5.8)	24 (1.3)			
70-74	1,803 (100.0)	948 (52.6)	534 (29.6)	93 (5.2)	23 (1.3)			
75-79	1,060 (100.0)	576 (54.3)	273 (25.8)	61 (5.8)	17 (1.6)			
80歳以上	385 (100.0)	209 (54.3)	108 (28.1)	15 (3.9)	1 (0.3)			
計	9,160 (100.0)	4,793 (52.3)	2,662 (29.1)	516 (5.6)	110 (1.2)			

男

年齢階級	総数					100mg/dl以上		人 (%)
	-39	40-59	60-79	80-99	100mg/dl以上			
-29歳	180 (100.0)	73 (40.6)	81 (45.0)	17 (9.4)	3 (1.7)			
30-39	620 (100.0)	242 (39.0)	288 (46.5)	71 (11.5)	6 (1.0)			
40-44	795 (100.0)	312 (39.2)	348 (43.8)	101 (12.7)	14 (1.8)			
45-49	1,185 (100.0)	472 (39.8)	536 (45.2)	132 (11.1)	19 (1.6)			
50-54	1,878 (100.0)	713 (38.0)	858 (45.7)	217 (11.6)	30 (1.6)			
55-59	2,138 (100.0)	937 (43.8)	881 (41.2)	222 (10.4)	31 (1.4)			
60-64	2,878 (100.0)	1,354 (47.0)	1,141 (39.6)	250 (8.7)	27 (0.9)			
65-69	3,215 (100.0)	1,519 (47.2)	1,237 (38.5)	250 (7.8)	40 (1.2)			
70-74	2,621 (100.0)	1,236 (47.2)	979 (37.4)	231 (8.8)	24 (0.9)			
75-79	1,383 (100.0)	700 (50.6)	458 (33.1)	117 (8.5)	13 (0.9)			
80歳以上	412 (100.0)	201 (48.8)	156 (37.9)	26 (6.3)	3 (0.7)			
計	17,305 (100.0)	7,759 (44.8)	6,963 (40.2)	1,634 (9.4)	210 (1.2)			

女

表21 血清HDL-Cの年齢階級別の平均値、標準偏差および分布 (性・年齢階級別)

年齢階級	男						女							
	人数	パーセンタイル					平均値 (SD)	人数	パーセンタイル					平均値 (SD)
		5	25	50	75	95			5	25	50	75	95	
29歳以下	86	34.0	44.0	52.5	61.0	77.7	180	41.0	52.3	63.5	73.0	86.0		
30-39	214	34.0	45.0	54.0	65.0	79.0	620	43.0	53.0	63.0	72.0	88.0		
40-44	348	36.5	46.0	54.0	66.0	84.1	795	43.0	54.0	62.0	73.0	91.0		
45-49	465	36.0	46.0	54.0	64.0	84.0	1,185	42.0	53.0	62.0	71.0	88.0		
50-54	741	35.0	46.0	56.0	66.5	88.0	1,878	42.0	54.0	63.0	73.0	89.0		
55-59	778	36.0	45.0	54.0	65.0	82.1	2,138	41.0	52.0	61.0	71.0	88.0		
60-64	1,368	35.0	45.0	54.0	65.0	84.0	2,878	41.0	51.0	59.0	69.0	86.0		
65-69	1,912	35.0	45.0	54.0	65.0	83.0	3,215	39.0	50.0	59.0	69.0	84.0		
70-74	1,803	35.0	45.0	54.0	64.0	83.0	2,621	39.0	50.0	58.0	69.0	85.0		
75-79	1,060	35.0	44.0	53.0	63.0	85.0	1,383	38.0	49.0	57.0	67.0	85.0		
80歳以上	385	34.0	46.0	53.0	63.0	78.7	412	38.0	48.3	58.0	67.0	82.0		
計	9,160	35.0	45.0	54.0	65.0	83.0	17,305	40.0	51.0	60.0	70.0	87.0		

表22 血清LDL-Cコレステロールの状況 (性・年齢階級別)

年齢階級	人 (%)						
	総数	-99	100-119	120-139	140-159	160-179	180mg/dl以上
男							
-29歳	83 (100.0)	43 (51.8)	23 (27.7)	10 (12.0)	3 (3.6)	1 (1.2)	3 (3.6)
30-39	211 (100.0)	71 (33.6)	51 (24.2)	35 (16.6)	37 (17.5)	7 (3.3)	10 (4.7)
40-44	343 (100.0)	108 (31.5)	93 (27.1)	63 (18.4)	44 (12.8)	21 (6.1)	14 (4.1)
45-49	456 (100.0)	137 (30.0)	117 (25.7)	98 (21.5)	64 (14.0)	28 (6.1)	12 (2.6)
50-54	730 (100.0)	197 (27.0)	195 (26.7)	170 (23.3)	92 (12.6)	60 (8.2)	16 (2.2)
55-59	770 (100.0)	234 (30.4)	224 (29.1)	166 (21.6)	102 (13.2)	31 (4.0)	13 (1.7)
60-64	1,345 (100.0)	437 (32.5)	351 (26.1)	297 (22.1)	165 (12.3)	66 (4.9)	29 (2.2)
65-69	1,874 (100.0)	628 (33.5)	518 (27.6)	399 (21.3)	229 (12.2)	75 (4.0)	25 (1.3)
70-74	1,749 (100.0)	601 (34.4)	498 (28.5)	358 (20.5)	216 (12.3)	63 (3.6)	13 (0.7)
75-79	1,027 (100.0)	339 (33.0)	312 (30.4)	212 (20.6)	121 (11.8)	28 (2.7)	15 (1.5)
80歳以上	371 (100.0)	133 (35.8)	109 (29.4)	71 (19.1)	46 (12.4)	9 (2.4)	3 (0.8)
計	8,959 (100.0)	2,928 (32.7)	2,491 (27.8)	1,879 (21.0)	1,119 (12.5)	389 (4.3)	153 (1.7)

年齢階級	人 (%)						
	総数	-99	100-119	120-139	140-159	160-179	180mg/dl以上
女							
-29歳	179 (100.0)	109 (60.9)	44 (24.6)	14 (7.8)	9 (5.0)	2 (1.1)	1 (0.6)
30-39	618 (100.0)	310 (50.2)	173 (28.0)	93 (15.0)	29 (4.7)	9 (1.5)	4 (0.6)
40-44	789 (100.0)	316 (40.1)	224 (28.4)	166 (21.0)	58 (7.4)	22 (2.8)	3 (0.4)
45-49	1,163 (100.0)	334 (28.7)	316 (27.2)	269 (23.1)	167 (14.4)	49 (4.2)	28 (2.4)
50-54	1,852 (100.0)	368 (19.9)	479 (25.9)	461 (24.9)	311 (16.8)	140 (7.6)	93 (5.0)
55-59	2,103 (100.0)	329 (15.6)	537 (25.5)	574 (27.3)	396 (18.8)	185 (8.8)	82 (3.9)
60-64	2,830 (100.0)	399 (14.1)	705 (24.9)	821 (29.0)	561 (19.8)	228 (8.1)	116 (4.1)
65-69	3,148 (100.0)	535 (17.0)	730 (23.2)	984 (31.3)	560 (17.8)	231 (7.3)	108 (3.4)
70-74	2,557 (100.0)	409 (16.0)	696 (27.2)	760 (29.7)	449 (17.6)	171 (6.7)	72 (2.8)
75-79	1,336 (100.0)	244 (18.3)	368 (27.5)	362 (27.1)	208 (15.6)	118 (8.8)	36 (2.7)
80歳以上	393 (100.0)	86 (21.9)	100 (25.4)	114 (29.0)	58 (14.8)	22 (5.6)	13 (3.3)
計	16,968 (100.0)	3,439 (20.3)	4,372 (25.8)	4,618 (27.2)	2,806 (16.5)	1,177 (6.9)	556 (3.3)