

表43 ヘモグロビン値の平均値、標準偏差および分布（性・年齢階級別）

| 年齢階級  | g/dl  |            |         |      |      |      |      |         |            |      |      |      |      |      |
|-------|-------|------------|---------|------|------|------|------|---------|------------|------|------|------|------|------|
|       | 男     |            |         |      |      | 女    |      |         |            |      |      |      |      |      |
|       | 人数    | 平均値(SD)    | パーセンタイル |      |      |      | 人数   | 平均値(SD) | パーセンタイル    |      |      |      |      |      |
| 5     |       |            | 25      | 50   | 75   | 95   |      |         | 5          | 25   | 50   | 75   | 95   |      |
| 29歳以下 | 86    | 15.5 (1.0) | 13.9    | 14.8 | 15.5 | 16.2 | 17.2 | 180     | 12.9 (1.1) | 11.2 | 12.2 | 12.9 | 13.6 | 14.7 |
| 30-39 | 214   | 15.5 (0.9) | 13.8    | 15.0 | 15.6 | 16.1 | 17.0 | 620     | 12.7 (1.3) | 10.2 | 12.1 | 12.8 | 13.5 | 14.7 |
| 40-44 | 348   | 15.3 (1.0) | 13.7    | 14.6 | 15.2 | 15.9 | 16.9 | 795     | 12.6 (1.4) | 9.8  | 11.9 | 12.8 | 13.6 | 14.5 |
| 45-49 | 465   | 15.1 (1.1) | 13.5    | 14.5 | 15.1 | 15.8 | 16.8 | 1,185   | 12.7 (1.6) | 9.6  | 12.0 | 12.9 | 13.7 | 14.6 |
| 50-54 | 741   | 15.1 (1.1) | 13.3    | 14.4 | 15.1 | 15.8 | 16.9 | 1,878   | 13.1 (1.2) | 11.0 | 12.4 | 13.2 | 13.8 | 14.7 |
| 55-59 | 778   | 14.9 (1.1) | 13.1    | 14.2 | 14.9 | 15.6 | 16.7 | 2,138   | 13.2 (1.0) | 11.7 | 12.6 | 13.2 | 13.8 | 14.7 |
| 60-64 | 1,368 | 14.8 (1.1) | 12.9    | 14.1 | 14.8 | 15.5 | 16.5 | 2,878   | 13.2 (1.0) | 11.5 | 12.5 | 13.2 | 13.8 | 14.8 |
| 65-69 | 1,912 | 14.6 (1.3) | 12.5    | 13.9 | 14.7 | 15.5 | 16.5 | 3,215   | 13.1 (1.0) | 11.4 | 12.4 | 13.1 | 13.8 | 14.7 |
| 70-74 | 1,803 | 14.4 (1.3) | 12.2    | 13.6 | 14.5 | 15.3 | 16.4 | 2,621   | 13.0 (1.1) | 11.2 | 12.3 | 13.0 | 13.7 | 14.7 |
| 75-79 | 1,060 | 14.2 (1.3) | 12.2    | 13.5 | 14.3 | 15.2 | 16.2 | 1,383   | 12.9 (1.2) | 10.9 | 12.1 | 12.9 | 13.7 | 14.7 |
| 80歳以上 | 385   | 13.7 (1.5) | 11.2    | 12.9 | 13.8 | 14.7 | 15.9 | 412     | 12.6 (1.3) | 10.5 | 11.9 | 12.7 | 13.4 | 14.5 |
| 計     | 9,160 | 14.7 (1.3) | 12.5    | 13.9 | 14.7 | 15.5 | 16.5 | 17,305  | 13.0 (1.2) | 11.1 | 12.3 | 13.1 | 13.7 | 14.7 |

表44 ハマトクリット値の状況 (性・年齢階級別)

| 年齢階級  | 人 (%)         |          |           |              |              |              |           |
|-------|---------------|----------|-----------|--------------|--------------|--------------|-----------|
|       | 総数            | -29.9    | 30.0-34.9 | 35.0-39.9    | 40.0-44.9    | 45.0-49.9    | 50.0%以上   |
| 男     |               |          |           |              |              |              |           |
| -29歳  | 86 (100.0)    | 0 (0.0)  | 0 (0.0)   | 3 (3.5)      | 29 (33.7)    | 48 (55.8)    | 6 (7.0)   |
| 30-39 | 214 (100.0)   | 0 (0.0)  | 0 (0.0)   | 3 (1.4)      | 64 (29.9)    | 135 (63.1)   | 12 (5.6)  |
| 40-44 | 348 (100.0)   | 0 (0.0)  | 0 (0.0)   | 9 (2.6)      | 151 (43.4)   | 172 (49.4)   | 16 (4.6)  |
| 45-49 | 465 (100.0)   | 1 (0.2)  | 1 (0.2)   | 21 (4.5)     | 219 (47.1)   | 208 (44.7)   | 15 (3.2)  |
| 50-54 | 741 (100.0)   | 1 (0.1)  | 2 (0.3)   | 33 (4.5)     | 346 (46.7)   | 323 (43.6)   | 36 (4.9)  |
| 55-59 | 778 (100.0)   | 2 (0.3)  | 2 (0.3)   | 58 (7.5)     | 397 (51.0)   | 299 (38.4)   | 20 (2.6)  |
| 60-64 | 1,368 (100.0) | 2 (0.1)  | 4 (0.3)   | 128 (9.4)    | 681 (49.8)   | 507 (37.1)   | 46 (3.4)  |
| 65-69 | 1,912 (100.0) | 1 (0.1)  | 31 (1.6)  | 235 (12.3)   | 934 (48.8)   | 658 (34.4)   | 53 (2.8)  |
| 70-74 | 1,803 (100.0) | 11 (0.6) | 38 (2.1)  | 300 (16.6)   | 909 (50.4)   | 506 (28.1)   | 39 (2.2)  |
| 75-79 | 1,060 (100.0) | 5 (0.5)  | 25 (2.4)  | 209 (19.7)   | 534 (50.4)   | 266 (25.1)   | 21 (2.0)  |
| 80歳以上 | 385 (100.0)   | 3 (0.8)  | 21 (5.5)  | 117 (30.4)   | 179 (46.5)   | 60 (15.6)    | 5 (1.3)   |
| 計     | 9,160 (100.0) | 26 (0.3) | 124 (1.4) | 1,116 (12.2) | 4,443 (48.5) | 3,182 (34.7) | 269 (2.9) |

| 年齢階級  | 人 (%)          |           |             |              |              |           |         |
|-------|----------------|-----------|-------------|--------------|--------------|-----------|---------|
|       | 総数             | -29.9     | 30.0-34.9   | 35.0-39.9    | 40.0-44.9    | 45.0-49.9 | 50.0%以上 |
| 女     |                |           |             |              |              |           |         |
| -29歳  | 180 (100.0)    | 2 (1.1)   | 12 (6.7)    | 103 (57.2)   | 61 (33.9)    | 2 (1.1)   | 0 (0.0) |
| 30-39 | 620 (100.0)    | 12 (1.9)  | 54 (8.7)    | 352 (56.8)   | 187 (30.2)   | 15 (2.4)  | 0 (0.0) |
| 40-44 | 795 (100.0)    | 16 (2.0)  | 107 (13.5)  | 412 (51.8)   | 256 (32.2)   | 4 (0.5)   | 0 (0.0) |
| 45-49 | 1,185 (100.0)  | 32 (2.7)  | 143 (12.1)  | 574 (48.4)   | 411 (34.7)   | 23 (1.9)  | 2 (0.2) |
| 50-54 | 1,878 (100.0)  | 10 (0.5)  | 124 (6.6)   | 876 (46.6)   | 815 (43.4)   | 53 (2.8)  | 0 (0.0) |
| 55-59 | 2,138 (100.0)  | 2 (0.1)   | 66 (3.1)    | 989 (46.3)   | 1,002 (46.9) | 79 (3.7)  | 0 (0.0) |
| 60-64 | 2,878 (100.0)  | 7 (0.2)   | 126 (4.4)   | 1,382 (48.0) | 1,266 (44.0) | 96 (3.3)  | 1 (0.0) |
| 65-69 | 3,215 (100.0)  | 7 (0.2)   | 166 (5.2)   | 1,599 (49.7) | 1,326 (41.2) | 117 (3.6) | 0 (0.0) |
| 70-74 | 2,621 (100.0)  | 8 (0.3)   | 185 (7.1)   | 1,288 (49.1) | 1,049 (40.0) | 90 (3.4)  | 1 (0.0) |
| 75-79 | 1,383 (100.0)  | 7 (0.5)   | 147 (10.6)  | 682 (49.3)   | 496 (35.9)   | 50 (3.6)  | 1 (0.1) |
| 80歳以上 | 412 (100.0)    | 6 (1.5)   | 63 (15.3)   | 210 (51.0)   | 121 (29.4)   | 12 (2.9)  | 0 (0.0) |
| 計     | 17,305 (100.0) | 109 (0.6) | 1,193 (6.9) | 8,467 (48.9) | 6,990 (40.4) | 541 (3.1) | 5 (0.0) |

表45 ハマトクリット値の平均値、標準偏差および分布 (性・年齢階級別)

| 年齢階級  | 男     |            |      |      |      |      | 女    |        |            |      |      |      |      |      |
|-------|-------|------------|------|------|------|------|------|--------|------------|------|------|------|------|------|
|       | 人数    | 平均値(SD)    | 5    | 25   | 50   | 75   | 95   | 人数     | 平均値(SD)    | 5    | 25   | 50   | 75   | 95   |
| 29歳以下 | 86    | 45.9 (3.0) | 40.8 | 43.7 | 46.0 | 48.1 | 51.2 | 180    | 38.9 (2.9) | 34.3 | 37.2 | 39.1 | 40.6 | 43.6 |
| 30-39 | 214   | 46.0 (2.6) | 41.1 | 44.6 | 46.2 | 47.6 | 50.1 | 620    | 38.5 (3.3) | 32.6 | 36.8 | 38.7 | 40.5 | 43.6 |
| 40-44 | 348   | 45.3 (2.9) | 40.5 | 43.3 | 45.3 | 47.0 | 49.9 | 795    | 38.2 (3.4) | 32.0 | 36.4 | 38.6 | 40.5 | 43.0 |
| 45-49 | 465   | 44.8 (3.1) | 39.9 | 43.1 | 44.8 | 46.7 | 49.7 | 1,185  | 38.5 (3.9) | 31.5 | 36.5 | 38.9 | 41.1 | 43.8 |
| 50-54 | 741   | 44.8 (3.1) | 40.0 | 42.8 | 44.8 | 46.7 | 49.9 | 1,878  | 39.6 (3.2) | 34.2 | 37.7 | 39.7 | 41.7 | 44.4 |
| 55-59 | 778   | 44.3 (3.2) | 38.9 | 42.5 | 44.3 | 46.3 | 49.2 | 2,138  | 39.9 (2.8) | 35.5 | 38.2 | 40.0 | 41.7 | 44.5 |
| 60-64 | 1,368 | 44.1 (3.3) | 38.5 | 42.0 | 44.2 | 46.3 | 49.4 | 2,878  | 39.8 (2.9) | 35.1 | 37.9 | 39.8 | 41.7 | 44.6 |
| 65-69 | 1,912 | 43.7 (3.6) | 37.6 | 41.4 | 43.9 | 46.0 | 49.0 | 3,215  | 39.6 (3.0) | 34.8 | 37.7 | 39.6 | 41.6 | 44.5 |
| 70-74 | 1,803 | 43.0 (3.9) | 36.4 | 40.7 | 43.2 | 45.5 | 48.8 | 2,621  | 39.4 (3.1) | 34.3 | 37.4 | 39.4 | 41.5 | 44.4 |
| 75-79 | 1,060 | 42.6 (3.8) | 36.5 | 40.3 | 42.6 | 45.2 | 48.5 | 1,383  | 39.0 (3.4) | 33.4 | 36.8 | 39.0 | 41.3 | 44.6 |
| 80歳以上 | 385   | 41.1 (4.2) | 34.8 | 38.9 | 41.2 | 43.9 | 47.3 | 412    | 38.4 (3.5) | 32.5 | 36.2 | 38.6 | 40.7 | 44.3 |
| 計     | 9,160 | 43.7 (3.7) | 37.6 | 41.5 | 43.9 | 46.1 | 49.2 | 17,305 | 39.4 (3.2) | 34.1 | 37.5 | 39.4 | 41.5 | 44.4 |

表16 血清ALPの状況 (性・年齢階級別)

| 年齢階級  | 総数            |              |              |            |           |           | 人 (%) |  |
|-------|---------------|--------------|--------------|------------|-----------|-----------|-------|--|
|       | -199          | 200-249      | 250-299      | 300-349    | 350-399   | 400U/L以上  |       |  |
| 男     |               |              |              |            |           |           |       |  |
| -29歳  | 86 (100.0)    | 26 (30.2)    | 17 (19.8)    | 8 (9.3)    | 5 (5.8)   | 2 (2.3)   |       |  |
| 30-39 | 191 (100.0)   | 55 (28.8)    | 50 (26.2)    | 17 (8.9)   | 10 (5.2)  | 3 (1.6)   |       |  |
| 40-44 | 292 (100.0)   | 92 (31.5)    | 67 (22.9)    | 43 (14.7)  | 10 (3.4)  | 6 (2.1)   |       |  |
| 45-49 | 395 (100.0)   | 143 (36.2)   | 75 (19.0)    | 39 (9.9)   | 13 (3.3)  | 11 (2.8)  |       |  |
| 50-54 | 635 (100.0)   | 215 (33.9)   | 138 (21.7)   | 64 (10.1)  | 28 (4.4)  | 20 (3.1)  |       |  |
| 55-59 | 647 (100.0)   | 215 (33.2)   | 129 (19.9)   | 74 (11.4)  | 16 (2.5)  | 13 (2.0)  |       |  |
| 60-64 | 1,157 (100.0) | 356 (30.8)   | 263 (22.7)   | 113 (9.8)  | 43 (3.7)  | 32 (2.8)  |       |  |
| 65-69 | 1,615 (100.0) | 421 (26.1)   | 395 (24.5)   | 176 (10.9) | 71 (4.4)  | 63 (3.9)  |       |  |
| 70-74 | 1,538 (100.0) | 409 (26.6)   | 324 (21.1)   | 201 (13.1) | 74 (4.8)  | 57 (3.7)  |       |  |
| 75-79 | 907 (100.0)   | 224 (24.7)   | 217 (23.9)   | 107 (11.8) | 60 (6.6)  | 38 (4.2)  |       |  |
| 80歳以上 | 317 (100.0)   | 73 (23.0)    | 84 (26.5)    | 47 (14.8)  | 17 (5.4)  | 16 (5.0)  |       |  |
| 計     | 7,780 (100.0) | 2,405 (30.9) | 1,759 (22.6) | 889 (11.4) | 347 (4.5) | 261 (3.4) |       |  |

| 年齢階級  | 総数             |              |              |              |           |           | 人 (%) |  |
|-------|----------------|--------------|--------------|--------------|-----------|-----------|-------|--|
|       | -199           | 200-249      | 250-299      | 300-349      | 350-399   | 400U/L以上  |       |  |
| 女     |                |              |              |              |           |           |       |  |
| -29歳  | 153 (100.0)    | 44 (28.8)    | 21 (13.7)    | 2 (1.3)      | 1 (0.7)   | 1 (0.7)   |       |  |
| 30-39 | 510 (100.0)    | 128 (25.1)   | 31 (6.1)     | 8 (1.6)      | 3 (0.6)   | 5 (1.0)   |       |  |
| 40-44 | 697 (100.0)    | 156 (22.4)   | 50 (7.2)     | 12 (1.7)     | 7 (1.0)   | 6 (0.9)   |       |  |
| 45-49 | 1,006 (100.0)  | 263 (26.1)   | 116 (11.5)   | 55 (5.5)     | 11 (1.1)  | 15 (1.5)  |       |  |
| 50-54 | 1,588 (100.0)  | 402 (25.3)   | 346 (21.8)   | 194 (12.2)   | 96 (6.0)  | 65 (4.1)  |       |  |
| 55-59 | 1,810 (100.0)  | 268 (14.8)   | 520 (28.7)   | 291 (16.1)   | 121 (6.7) | 101 (5.6) |       |  |
| 60-64 | 2,475 (100.0)  | 382 (15.4)   | 667 (26.9)   | 440 (17.8)   | 153 (6.2) | 134 (5.4) |       |  |
| 65-69 | 2,710 (100.0)  | 397 (14.6)   | 713 (26.3)   | 442 (16.3)   | 243 (9.0) | 165 (6.1) |       |  |
| 70-74 | 2,269 (100.0)  | 325 (14.3)   | 586 (25.8)   | 379 (16.7)   | 196 (8.6) | 164 (7.2) |       |  |
| 75-79 | 1,193 (100.0)  | 193 (16.2)   | 302 (25.3)   | 205 (17.2)   | 105 (8.8) | 103 (8.6) |       |  |
| 80歳以上 | 361 (100.0)    | 47 (13.0)    | 104 (28.8)   | 59 (16.3)    | 38 (10.5) | 33 (9.1)  |       |  |
| 計     | 14,772 (100.0) | 3,445 (23.3) | 3,456 (23.4) | 2,087 (14.1) | 974 (6.6) | 792 (5.4) |       |  |

表47 血清ALPの平均値、標準偏差および分布（性・年齢階級別）

| 年齢階級  | U/L   |               |         |       |       |       |       |         |              |       |       |       |       |       |
|-------|-------|---------------|---------|-------|-------|-------|-------|---------|--------------|-------|-------|-------|-------|-------|
|       | 男     |               |         |       |       | 女     |       |         |              |       |       |       |       |       |
|       | 人数    | 平均値(SD)       | パーセンタイル |       |       |       | 人数    | 平均値(SD) | パーセンタイル      |       |       |       |       |       |
| 5     |       |               | 25      | 50    | 75    | 95    |       |         | 5            | 25    | 50    | 75    | 95    |       |
| 29歳以下 | 86    | 241.6 (68.0)  | 157.4   | 189.0 | 231.5 | 278.0 | 371.5 | 153     | 200.5 (57.7) | 124.7 | 160.5 | 193.0 | 231.5 | 283.5 |
| 30-39 | 191   | 240.7 (64.1)  | 152.6   | 192.0 | 235.0 | 279.0 | 358.8 | 510     | 186.3 (55.3) | 116.0 | 151.0 | 180.0 | 212.3 | 286.0 |
| 40-44 | 292   | 246.7 (76.6)  | 159.7   | 199.0 | 240.0 | 288.0 | 353.0 | 697     | 186.9 (63.0) | 118.0 | 148.0 | 176.0 | 211.0 | 282.0 |
| 45-49 | 395   | 240.2 (77.2)  | 151.6   | 193.0 | 227.0 | 268.0 | 359.0 | 1,006   | 206.8 (73.8) | 125.0 | 162.0 | 194.0 | 235.0 | 326.3 |
| 50-54 | 635   | 243.4 (72.4)  | 141.0   | 197.0 | 235.0 | 284.0 | 375.0 | 1,588   | 252.0 (77.5) | 150.5 | 199.0 | 240.0 | 293.0 | 390.6 |
| 55-59 | 647   | 238.4 (77.6)  | 148.0   | 190.0 | 226.0 | 272.0 | 346.6 | 1,810   | 270.7 (75.7) | 175.0 | 219.0 | 260.0 | 306.3 | 409.5 |
| 60-64 | 1,157 | 240.8 (84.4)  | 148.9   | 192.0 | 230.0 | 276.0 | 367.0 | 2,475   | 269.4 (77.5) | 168.0 | 218.0 | 259.0 | 308.0 | 403.0 |
| 65-69 | 1,615 | 248.1 (74.5)  | 151.0   | 198.0 | 239.0 | 285.0 | 380.0 | 2,710   | 273.9 (82.3) | 169.6 | 219.0 | 262.0 | 315.0 | 409.0 |
| 70-74 | 1,538 | 251.4 (113.9) | 151.0   | 197.0 | 236.0 | 289.0 | 379.1 | 2,269   | 276.0 (83.2) | 166.0 | 220.0 | 265.0 | 320.0 | 416.0 |
| 75-79 | 907   | 254.6 (82.7)  | 149.4   | 201.0 | 244.0 | 295.0 | 386.2 | 1,193   | 279.8 (93.0) | 161.0 | 221.0 | 266.0 | 323.0 | 430.0 |
| 80歳以上 | 317   | 260.3 (75.3)  | 160.8   | 204.5 | 254.0 | 300.5 | 400.0 | 361     | 286.9 (84.6) | 166.0 | 231.0 | 277.0 | 334.5 | 440.7 |
| 計     | 7,780 | 247.0 (86.2)  | 150.0   | 196.0 | 235.0 | 284.0 | 372.0 | 14,772  | 259.1 (84.0) | 148.0 | 203.0 | 249.0 | 302.0 | 404.0 |

表48 血清コリンエステラーゼの状況 (性・年齢階級別)

| 年齢階級  | 総数        |              |              |            |           |          |  | 人 (%) |
|-------|-----------|--------------|--------------|------------|-----------|----------|--|-------|
|       | -119      | 120-159      | 160-199      | 200-239    | 240-279   | 280U/L以上 |  |       |
| -29歳  | 0 (0.0)   | 3 (17.6)     | 7 (41.2)     | 4 (23.5)   | 2 (11.8)  | 1 (5.9)  |  |       |
| 30-39 | 1 (1.6)   | 7 (11.3)     | 33 (53.2)    | 13 (21.0)  | 6 (9.7)   | 2 (3.2)  |  |       |
| 40-44 | 2 (1.0)   | 38 (18.1)    | 90 (42.9)    | 58 (27.6)  | 15 (7.1)  | 7 (3.3)  |  |       |
| 45-49 | 6 (2.2)   | 40 (14.3)    | 125 (44.8)   | 83 (29.7)  | 23 (8.2)  | 2 (0.7)  |  |       |
| 50-54 | 11 (2.4)  | 79 (17.4)    | 231 (50.8)   | 109 (24.0) | 20 (4.4)  | 5 (1.1)  |  |       |
| 55-59 | 13 (2.9)  | 106 (23.4)   | 217 (47.9)   | 95 (21.0)  | 20 (4.4)  | 2 (0.4)  |  |       |
| 60-64 | 29 (3.5)  | 232 (27.7)   | 368 (44.0)   | 176 (21.0) | 27 (3.2)  | 5 (0.6)  |  |       |
| 65-69 | 53 (4.3)  | 393 (32.0)   | 567 (46.2)   | 176 (14.3) | 30 (2.4)  | 9 (0.7)  |  |       |
| 70-74 | 75 (6.3)  | 445 (37.3)   | 513 (43.0)   | 130 (10.9) | 19 (1.6)  | 10 (0.8) |  |       |
| 75-79 | 72 (10.4) | 285 (41.2)   | 250 (36.2)   | 67 (9.7)   | 15 (2.2)  | 2 (0.3)  |  |       |
| 80歳以上 | 29 (11.3) | 142 (55.3)   | 63 (24.5)    | 17 (6.6)   | 5 (1.9)   | 1 (0.4)  |  |       |
| 計     | 291 (5.1) | 1,770 (31.2) | 2,464 (43.4) | 928 (16.3) | 182 (3.2) | 46 (0.8) |  |       |

男

| 年齢階級  | 総数        |              |              |              |           |           |  | 人 (%) |
|-------|-----------|--------------|--------------|--------------|-----------|-----------|--|-------|
|       | -119      | 120-159      | 160-199      | 200-239      | 240-279   | 280U/L以上  |  |       |
| -29歳  | 1 (2.5)   | 23 (57.5)    | 9 (22.5)     | 7 (17.5)     | 0 (0.0)   | 0 (0.0)   |  |       |
| 30-39 | 4 (2.4)   | 83 (50.0)    | 58 (34.9)    | 16 (9.6)     | 5 (3.0)   | 0 (0.0)   |  |       |
| 40-44 | 27 (5.2)  | 231 (44.5)   | 194 (37.4)   | 57 (11.0)    | 6 (1.2)   | 4 (0.8)   |  |       |
| 45-49 | 36 (4.7)  | 286 (37.4)   | 282 (36.9)   | 125 (16.4)   | 27 (3.5)  | 8 (1.0)   |  |       |
| 50-54 | 19 (1.6)  | 275 (22.6)   | 540 (44.3)   | 275 (22.6)   | 84 (6.9)  | 26 (2.1)  |  |       |
| 55-59 | 14 (1.0)  | 198 (14.8)   | 612 (45.8)   | 364 (27.3)   | 119 (8.9) | 28 (2.1)  |  |       |
| 60-64 | 16 (0.9)  | 295 (16.7)   | 833 (47.1)   | 466 (26.4)   | 114 (6.4) | 44 (2.5)  |  |       |
| 65-69 | 32 (1.5)  | 427 (20.3)   | 957 (45.5)   | 493 (23.4)   | 148 (7.0) | 47 (2.2)  |  |       |
| 70-74 | 32 (1.8)  | 463 (25.9)   | 844 (47.2)   | 332 (18.6)   | 89 (5.0)  | 27 (1.5)  |  |       |
| 75-79 | 28 (2.8)  | 286 (29.1)   | 464 (47.2)   | 155 (15.8)   | 40 (4.1)  | 11 (1.1)  |  |       |
| 80歳以上 | 14 (4.7)  | 127 (43.1)   | 110 (37.3)   | 31 (10.5)    | 6 (2.0)   | 7 (2.4)   |  |       |
| 計     | 223 (2.0) | 2,694 (24.5) | 4,903 (44.6) | 2,321 (21.1) | 638 (5.8) | 202 (1.8) |  |       |

女

表49 血清コリンエステラーゼの平均値、標準偏差および分布（性・年齢階級別）

U/L

| 年齢階級  | 男     |              |       |       |       | 女     |       |        |              |       |       |       |       |       |
|-------|-------|--------------|-------|-------|-------|-------|-------|--------|--------------|-------|-------|-------|-------|-------|
|       | 人数    | 平均値(SD)      | 5     | 25    | 50    | 75    | 95    | 人数     | 平均値(SD)      | 5     | 25    | 50    | 75    | 95    |
| 29歳以下 | 17    | 196.1 (48.9) | 132.0 | 162.0 | 189.0 | 228.5 | 246.0 | 40     | 162.8 (33.4) | 121.3 | 140.3 | 152.0 | 182.3 | 232.7 |
| 30-39 | 62    | 193.9 (36.5) | 134.5 | 175.5 | 189.5 | 216.3 | 261.3 | 166    | 163.2 (30.0) | 127.4 | 141.8 | 157.5 | 181.0 | 222.3 |
| 40-44 | 210   | 193.9 (41.9) | 140.6 | 165.0 | 189.0 | 216.0 | 266.4 | 519    | 164.0 (34.3) | 118.0 | 142.0 | 160.0 | 182.0 | 216.0 |
| 45-49 | 279   | 189.7 (37.2) | 128.0 | 168.0 | 189.0 | 215.0 | 255.0 | 764    | 171.6 (38.8) | 120.0 | 146.0 | 166.0 | 190.8 | 237.8 |
| 50-54 | 455   | 185.9 (34.5) | 131.0 | 164.0 | 186.0 | 208.0 | 243.0 | 1,219  | 186.8 (41.8) | 132.0 | 160.0 | 182.0 | 208.0 | 254.0 |
| 55-59 | 453   | 179.5 (34.4) | 123.7 | 159.0 | 178.0 | 200.5 | 238.6 | 1,335  | 192.9 (37.4) | 139.0 | 168.0 | 188.0 | 213.0 | 257.0 |
| 60-64 | 837   | 177.6 (34.1) | 125.0 | 154.0 | 176.0 | 199.0 | 233.0 | 1,768  | 191.4 (38.5) | 140.0 | 166.0 | 187.0 | 211.0 | 258.0 |
| 65-69 | 1,228 | 172.6 (36.7) | 121.0 | 151.0 | 170.0 | 191.0 | 226.6 | 2,104  | 188.5 (40.3) | 135.3 | 163.0 | 184.0 | 208.0 | 256.0 |
| 70-74 | 1,192 | 166.3 (36.5) | 117.0 | 141.0 | 164.0 | 185.0 | 225.0 | 1,787  | 181.5 (36.1) | 133.0 | 157.0 | 177.0 | 200.0 | 248.6 |
| 75-79 | 691   | 160.8 (34.9) | 110.0 | 138.0 | 158.0 | 180.0 | 220.8 | 984    | 177.0 (39.2) | 128.0 | 153.0 | 174.0 | 194.0 | 240.8 |
| 80歳以上 | 257   | 151.8 (32.8) | 107.0 | 133.0 | 146.0 | 168.0 | 210.5 | 295    | 168.2 (37.3) | 121.4 | 146.0 | 161.0 | 184.0 | 234.0 |
| 計     | 5,681 | 173.2 (37.2) | 119.0 | 149.0 | 171.0 | 194.0 | 234.0 | 10,981 | 183.8 (39.4) | 131.0 | 158.0 | 179.0 | 204.0 | 251.0 |

表50 総ビリルビンの状況 (性・年齢階級別)

| 年齢階級  | 総数            | 人 (%)        |              |              |           |            |
|-------|---------------|--------------|--------------|--------------|-----------|------------|
|       |               | -0.5         | 0.6-0.8      | 0.9-1.1      | 1.2-1.4   | 1.5mg/dl以上 |
| 男     |               |              |              |              |           |            |
| -29歳  | 17 (100.0)    | 5 (29.4)     | 7 (41.2)     | 2 (11.8)     | 1 (5.9)   | 2 (11.8)   |
| 30-39 | 62 (100.0)    | 22 (35.5)    | 22 (35.5)    | 17 (27.4)    | 1 (1.6)   | 0 (0.0)    |
| 40-44 | 210 (100.0)   | 70 (33.3)    | 85 (40.5)    | 38 (18.1)    | 12 (5.7)  | 5 (2.4)    |
| 45-49 | 279 (100.0)   | 104 (37.3)   | 116 (41.6)   | 39 (14.0)    | 11 (3.9)  | 9 (3.2)    |
| 50-54 | 455 (100.0)   | 121 (26.6)   | 213 (46.8)   | 88 (19.3)    | 22 (4.8)  | 11 (2.4)   |
| 55-59 | 453 (100.0)   | 129 (28.5)   | 206 (45.5)   | 84 (18.5)    | 23 (5.1)  | 11 (2.4)   |
| 60-64 | 837 (100.0)   | 219 (26.2)   | 367 (43.8)   | 191 (22.8)   | 46 (5.5)  | 14 (1.7)   |
| 65-69 | 1,228 (100.0) | 325 (26.5)   | 531 (43.2)   | 259 (21.1)   | 76 (6.2)  | 37 (3.0)   |
| 70-74 | 1,192 (100.0) | 314 (26.3)   | 563 (47.2)   | 237 (19.9)   | 50 (4.2)  | 28 (2.3)   |
| 75-79 | 691 (100.0)   | 210 (30.4)   | 302 (43.7)   | 131 (19.0)   | 35 (5.1)  | 13 (1.9)   |
| 80歳以上 | 257 (100.0)   | 87 (33.9)    | 112 (43.6)   | 46 (17.9)    | 8 (3.1)   | 4 (1.6)    |
| 計     | 5,681 (100.0) | 1,606 (28.3) | 2,524 (44.4) | 1,132 (19.9) | 285 (5.0) | 134 (2.4)  |

| 年齢階級  | 総数             | 人 (%)        |              |              |           |            |
|-------|----------------|--------------|--------------|--------------|-----------|------------|
|       |                | -0.5         | 0.6-0.8      | 0.9-1.1      | 1.2-1.4   | 1.5mg/dl以上 |
| 女     |                |              |              |              |           |            |
| -29歳  | 40 (100.0)     | 14 (35.0)    | 17 (42.5)    | 5 (12.5)     | 3 (7.5)   | 1 (2.5)    |
| 30-39 | 166 (100.0)    | 72 (43.4)    | 65 (39.2)    | 19 (11.4)    | 6 (3.6)   | 4 (2.4)    |
| 40-44 | 519 (100.0)    | 220 (42.4)   | 208 (40.1)   | 61 (11.8)    | 22 (4.2)  | 8 (1.5)    |
| 45-49 | 764 (100.0)    | 304 (39.8)   | 347 (45.4)   | 87 (11.4)    | 16 (2.1)  | 10 (1.3)   |
| 50-54 | 1,219 (100.0)  | 420 (34.5)   | 583 (47.8)   | 172 (14.1)   | 29 (2.4)  | 15 (1.2)   |
| 55-59 | 1,335 (100.0)  | 449 (33.6)   | 645 (48.3)   | 182 (13.6)   | 41 (3.1)  | 18 (1.3)   |
| 60-64 | 1,768 (100.0)  | 620 (35.1)   | 808 (45.7)   | 258 (14.6)   | 57 (3.2)  | 25 (1.4)   |
| 65-69 | 2,104 (100.0)  | 714 (33.9)   | 971 (46.2)   | 306 (14.5)   | 76 (3.6)  | 37 (1.8)   |
| 70-74 | 1,787 (100.0)  | 630 (35.3)   | 823 (46.1)   | 249 (13.9)   | 65 (3.6)  | 20 (1.1)   |
| 75-79 | 984 (100.0)    | 411 (41.8)   | 427 (43.4)   | 115 (11.7)   | 24 (2.4)  | 7 (0.7)    |
| 80歳以上 | 295 (100.0)    | 129 (43.7)   | 130 (44.1)   | 33 (11.2)    | 3 (1.0)   | 0 (0.0)    |
| 計     | 10,981 (100.0) | 3,983 (36.3) | 5,024 (45.8) | 1,487 (13.5) | 342 (3.1) | 145 (1.3)  |



表51 総ビリルビンの平均値、標準偏差および分布（性・年齢階級別）

| 年齢階級  | mg/dl |           |         |     |     |     |     |         |           |     |     |     |     |     |
|-------|-------|-----------|---------|-----|-----|-----|-----|---------|-----------|-----|-----|-----|-----|-----|
|       | 男     |           |         |     |     | 女   |     |         |           |     |     |     |     |     |
|       | 人数    | 平均値(SD)   | パーセンタイル |     |     |     | 人数  | 平均値(SD) | パーセンタイル   |     |     |     |     |     |
| 5     |       |           | 25      | 50  | 75  | 95  |     |         | 5         | 25  | 50  | 75  | 95  |     |
| 29歳以下 | 17    | 0.8 (0.4) | 0.4     | 0.5 | 0.8 | 1.0 | 1.5 | 40      | 0.7 (0.3) | 0.4 | 0.5 | 0.6 | 0.8 | 1.4 |
| 30-39 | 62    | 0.7 (0.2) | 0.3     | 0.5 | 0.6 | 0.9 | 1.1 | 166     | 0.7 (0.3) | 0.3 | 0.5 | 0.6 | 0.7 | 1.2 |
| 40-44 | 210   | 0.7 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.2 | 519     | 0.7 (0.3) | 0.3 | 0.5 | 0.6 | 0.8 | 1.2 |
| 45-49 | 279   | 0.7 (0.3) | 0.4     | 0.5 | 0.6 | 0.8 | 1.2 | 764     | 0.6 (0.2) | 0.4 | 0.5 | 0.6 | 0.7 | 1.1 |
| 50-54 | 455   | 0.7 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.3 | 1,219   | 0.7 (0.2) | 0.4 | 0.5 | 0.6 | 0.8 | 1.1 |
| 55-59 | 453   | 0.7 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.3 | 1,335   | 0.7 (0.3) | 0.4 | 0.5 | 0.6 | 0.8 | 1.1 |
| 60-64 | 837   | 0.7 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.2 | 1,768   | 0.7 (0.3) | 0.4 | 0.5 | 0.6 | 0.8 | 1.1 |
| 65-69 | 1,228 | 0.8 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.3 | 2,104   | 0.7 (0.3) | 0.4 | 0.5 | 0.6 | 0.8 | 1.2 |
| 70-74 | 1,192 | 0.7 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.2 | 1,787   | 0.7 (0.2) | 0.4 | 0.5 | 0.6 | 0.8 | 1.1 |
| 75-79 | 691   | 0.7 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.2 | 984     | 0.6 (0.2) | 0.3 | 0.5 | 0.6 | 0.7 | 1.1 |
| 80歳以上 | 257   | 0.7 (0.2) | 0.4     | 0.5 | 0.6 | 0.8 | 1.1 | 295     | 0.6 (0.2) | 0.3 | 0.5 | 0.6 | 0.7 | 1.0 |
| 計     | 5,681 | 0.7 (0.3) | 0.4     | 0.5 | 0.7 | 0.9 | 1.3 | 10,981  | 0.7 (0.3) | 0.4 | 0.5 | 0.6 | 0.8 | 1.1 |

表52 血清総蛋白の状況 (性・年齢階級別)

| 年齢階級  | 総数            | 人 (%)    |            |              |              |              |           |  |  |
|-------|---------------|----------|------------|--------------|--------------|--------------|-----------|--|--|
|       |               | -6.3     | 6.4-6.7    | 6.8-7.1      | 7.2-7.5      | 7.6-7.9      | 8.0g/dl以上 |  |  |
| 男     |               |          |            |              |              |              |           |  |  |
| -29歳  | 58 (100.0)    | 1 (1.7)  | 1 (1.7)    | 14 (24.1)    | 24 (41.4)    | 16 (27.6)    | 2 (3.4)   |  |  |
| 30-39 | 140 (100.0)   | 1 (0.7)  | 12 (8.6)   | 44 (31.4)    | 49 (35.0)    | 31 (22.1)    | 3 (2.1)   |  |  |
| 40-44 | 270 (100.0)   | 1 (0.4)  | 21 (7.8)   | 80 (29.6)    | 95 (35.2)    | 57 (21.1)    | 16 (5.9)  |  |  |
| 45-49 | 362 (100.0)   | 3 (0.8)  | 33 (9.1)   | 103 (28.5)   | 127 (35.1)   | 83 (22.9)    | 13 (3.6)  |  |  |
| 50-54 | 557 (100.0)   | 10 (1.8) | 39 (7.0)   | 178 (32.0)   | 189 (33.9)   | 111 (19.9)   | 30 (5.4)  |  |  |
| 55-59 | 539 (100.0)   | 4 (0.7)  | 47 (8.7)   | 179 (33.2)   | 183 (34.0)   | 106 (19.7)   | 20 (3.7)  |  |  |
| 60-64 | 938 (100.0)   | 10 (1.1) | 89 (9.5)   | 272 (29.0)   | 346 (36.9)   | 174 (18.6)   | 47 (5.0)  |  |  |
| 65-69 | 1,359 (100.0) | 22 (1.6) | 140 (10.3) | 428 (31.5)   | 481 (35.4)   | 232 (17.1)   | 56 (4.1)  |  |  |
| 70-74 | 1,325 (100.0) | 27 (2.0) | 149 (11.2) | 443 (33.4)   | 422 (31.8)   | 232 (17.5)   | 52 (3.9)  |  |  |
| 75-79 | 753 (100.0)   | 9 (1.2)  | 111 (14.7) | 248 (32.9)   | 251 (33.3)   | 94 (12.5)    | 40 (5.3)  |  |  |
| 80歳以上 | 280 (100.0)   | 7 (2.5)  | 59 (21.1)  | 81 (28.9)    | 92 (32.9)    | 30 (10.7)    | 11 (3.9)  |  |  |
| 計     | 6,581 (100.0) | 95 (1.4) | 701 (10.7) | 2,070 (31.5) | 2,259 (34.3) | 1,166 (17.7) | 290 (4.4) |  |  |

| 年齢階級  | 総数             | 人 (%)     |            |              |              |              |           |  |  |
|-------|----------------|-----------|------------|--------------|--------------|--------------|-----------|--|--|
|       |                | -6.3      | 6.4-6.7    | 6.8-7.1      | 7.2-7.5      | 7.6-7.9      | 8.0g/dl以上 |  |  |
| 女     |                |           |            |              |              |              |           |  |  |
| -29歳  | 80 (100.0)     | 0 (0.0)   | 4 (5.0)    | 15 (18.8)    | 35 (43.8)    | 19 (23.8)    | 7 (8.8)   |  |  |
| 30-39 | 301 (100.0)    | 3 (1.0)   | 23 (7.6)   | 87 (28.9)    | 112 (37.2)   | 57 (18.9)    | 19 (6.3)  |  |  |
| 40-44 | 612 (100.0)    | 3 (0.5)   | 49 (8.0)   | 182 (29.7)   | 240 (39.2)   | 114 (18.6)   | 24 (3.9)  |  |  |
| 45-49 | 864 (100.0)    | 7 (0.8)   | 57 (6.6)   | 244 (28.2)   | 324 (37.5)   | 171 (19.8)   | 61 (7.1)  |  |  |
| 50-54 | 1,346 (100.0)  | 2 (0.1)   | 81 (6.0)   | 329 (24.4)   | 508 (37.7)   | 321 (23.8)   | 105 (7.8) |  |  |
| 55-59 | 1,482 (100.0)  | 10 (0.7)  | 85 (5.7)   | 377 (25.4)   | 585 (39.5)   | 328 (22.1)   | 97 (6.5)  |  |  |
| 60-64 | 1,968 (100.0)  | 10 (0.5)  | 129 (6.6)  | 552 (28.0)   | 774 (39.3)   | 408 (20.7)   | 95 (4.8)  |  |  |
| 65-69 | 2,306 (100.0)  | 23 (1.0)  | 192 (8.3)  | 684 (29.7)   | 890 (38.6)   | 400 (17.3)   | 117 (5.1) |  |  |
| 70-74 | 1,944 (100.0)  | 20 (1.0)  | 169 (8.7)  | 620 (31.9)   | 704 (36.2)   | 342 (17.6)   | 89 (4.6)  |  |  |
| 75-79 | 1,053 (100.0)  | 14 (1.3)  | 131 (12.4) | 350 (33.2)   | 336 (31.9)   | 175 (16.6)   | 47 (4.5)  |  |  |
| 80歳以上 | 313 (100.0)    | 11 (3.5)  | 41 (13.1)  | 110 (35.1)   | 98 (31.3)    | 40 (12.8)    | 13 (4.2)  |  |  |
| 計     | 12,269 (100.0) | 103 (0.8) | 961 (7.8)  | 3,550 (28.9) | 4,606 (37.5) | 2,375 (19.4) | 674 (5.5) |  |  |

表53 血清総蛋白の平均値、標準偏差および分布（性・年齢階級別）

| 年齢階級  | 男     |           |         |     |     |     | 女   |        |           |         |     |     |     |     |
|-------|-------|-----------|---------|-----|-----|-----|-----|--------|-----------|---------|-----|-----|-----|-----|
|       | 人数    | 平均値(SD)   | パーセンタイル |     |     |     |     | 人数     | 平均値(SD)   | パーセンタイル |     |     |     |     |
|       |       |           | 5       | 25  | 50  | 75  | 95  |        |           | 5       | 25  | 50  | 75  | 95  |
| 29歳以下 | 58    | 7.4 (0.4) | 6.8     | 7.1 | 7.4 | 7.6 | 7.8 | 80     | 7.4 (0.4) | 6.7     | 7.2 | 7.4 | 7.6 | 8.2 |
| 30-39 | 140   | 7.3 (0.4) | 6.7     | 7.0 | 7.2 | 7.5 | 7.9 | 301    | 7.3 (0.4) | 6.7     | 7.0 | 7.3 | 7.6 | 8.0 |
| 40-44 | 270   | 7.3 (0.4) | 6.6     | 7.0 | 7.2 | 7.6 | 8.0 | 612    | 7.3 (0.4) | 6.6     | 7.0 | 7.3 | 7.5 | 7.9 |
| 45-49 | 362   | 7.3 (0.4) | 6.6     | 7.0 | 7.3 | 7.6 | 7.9 | 864    | 7.3 (0.4) | 6.7     | 7.0 | 7.3 | 7.6 | 8.0 |
| 50-54 | 557   | 7.3 (0.4) | 6.6     | 7.0 | 7.2 | 7.6 | 8.0 | 1,346  | 7.4 (0.4) | 6.7     | 7.1 | 7.4 | 7.6 | 8.1 |
| 55-59 | 539   | 7.3 (0.4) | 6.6     | 7.0 | 7.2 | 7.5 | 7.9 | 1,482  | 7.3 (0.4) | 6.7     | 7.1 | 7.3 | 7.6 | 8.0 |
| 60-64 | 938   | 7.3 (0.4) | 6.6     | 7.0 | 7.3 | 7.5 | 8.0 | 1,968  | 7.3 (0.4) | 6.7     | 7.0 | 7.3 | 7.6 | 7.9 |
| 65-69 | 1,359 | 7.2 (0.4) | 6.6     | 7.0 | 7.2 | 7.5 | 7.9 | 2,306  | 7.3 (0.4) | 6.6     | 7.0 | 7.3 | 7.5 | 8.0 |
| 70-74 | 1,325 | 7.2 (0.4) | 6.5     | 6.9 | 7.2 | 7.5 | 7.9 | 1,944  | 7.2 (0.4) | 6.6     | 7.0 | 7.2 | 7.5 | 7.9 |
| 75-79 | 753   | 7.2 (0.4) | 6.5     | 6.9 | 7.2 | 7.4 | 8.0 | 1,053  | 7.2 (0.4) | 6.5     | 6.9 | 7.2 | 7.5 | 7.9 |
| 80歳以上 | 280   | 7.1 (0.4) | 6.4     | 6.8 | 7.1 | 7.4 | 7.9 | 313    | 7.2 (0.4) | 6.4     | 6.9 | 7.1 | 7.5 | 7.9 |
| 計     | 6,581 | 7.2 (0.4) | 6.6     | 6.9 | 7.2 | 7.5 | 7.9 | 12,269 | 7.3 (0.4) | 6.6     | 7.0 | 7.3 | 7.5 | 8.0 |

g/dl

表54 血清アルブミンの状況 (性・年齢階級別)

| 年齢階級  | 人 (%)         |          |           |              |              |            |           |
|-------|---------------|----------|-----------|--------------|--------------|------------|-----------|
|       | 総数            | -3.5     | 3.6-3.9   | 4.0-4.3      | 4.4-4.7      | 4.8-5.1    | 5.2g/dl以上 |
| 男     |               |          |           |              |              |            |           |
| -29歳  | 58 (100.0)    | 0 (0.0)  | 0 (0.0)   | 6 (10.3)     | 25 (43.1)    | 22 (37.9)  | 5 (8.6)   |
| 30-39 | 140 (100.0)   | 0 (0.0)  | 0 (0.0)   | 11 (7.9)     | 70 (50.0)    | 58 (41.4)  | 1 (0.7)   |
| 40-44 | 270 (100.0)   | 0 (0.0)  | 1 (0.4)   | 45 (16.7)    | 145 (53.7)   | 72 (26.7)  | 7 (2.6)   |
| 45-49 | 362 (100.0)   | 1 (0.3)  | 3 (0.8)   | 61 (16.9)    | 205 (56.6)   | 85 (23.5)  | 7 (1.9)   |
| 50-54 | 557 (100.0)   | 0 (0.0)  | 7 (1.3)   | 140 (25.1)   | 310 (55.7)   | 93 (16.7)  | 7 (1.3)   |
| 55-59 | 539 (100.0)   | 2 (0.4)  | 8 (1.5)   | 191 (35.4)   | 271 (50.3)   | 64 (11.9)  | 3 (0.6)   |
| 60-64 | 938 (100.0)   | 3 (0.3)  | 29 (3.1)  | 345 (36.8)   | 461 (49.1)   | 94 (10.0)  | 6 (0.6)   |
| 65-69 | 1,359 (100.0) | 3 (0.2)  | 70 (5.2)  | 562 (41.4)   | 620 (45.6)   | 99 (7.3)   | 5 (0.4)   |
| 70-74 | 1,325 (100.0) | 10 (0.8) | 91 (6.9)  | 606 (45.7)   | 539 (40.7)   | 76 (5.7)   | 3 (0.2)   |
| 75-79 | 753 (100.0)   | 3 (0.4)  | 82 (10.9) | 376 (49.9)   | 259 (34.4)   | 33 (4.4)   | 0 (0.0)   |
| 80歳以上 | 280 (100.0)   | 4 (1.4)  | 46 (16.4) | 157 (56.1)   | 66 (23.6)    | 6 (2.1)    | 1 (0.4)   |
| 計     | 6,581 (100.0) | 26 (0.4) | 337 (5.1) | 2,500 (38.0) | 2,971 (45.1) | 702 (10.7) | 45 (0.7)  |

| 年齢階級  | 人 (%)          |          |           |              |              |             |           |
|-------|----------------|----------|-----------|--------------|--------------|-------------|-----------|
|       | 総数             | -3.5     | 3.6-3.9   | 4.0-4.3      | 4.4-4.7      | 4.8-5.1     | 5.2g/dl以上 |
| 女     |                |          |           |              |              |             |           |
| -29歳  | 80 (100.0)     | 0 (0.0)  | 1 (1.3)   | 15 (18.8)    | 43 (53.8)    | 21 (26.3)   | 0 (0.0)   |
| 30-39 | 301 (100.0)    | 1 (0.3)  | 4 (1.3)   | 86 (28.6)    | 170 (56.5)   | 39 (13.0)   | 1 (0.3)   |
| 40-44 | 612 (100.0)    | 0 (0.0)  | 15 (2.5)  | 248 (40.5)   | 307 (50.2)   | 42 (6.9)    | 0 (0.0)   |
| 45-49 | 864 (100.0)    | 0 (0.0)  | 33 (3.8)  | 330 (38.2)   | 426 (49.3)   | 70 (8.1)    | 5 (0.6)   |
| 50-54 | 1,346 (100.0)  | 4 (0.3)  | 26 (1.9)  | 463 (34.4)   | 708 (52.6)   | 136 (10.1)  | 9 (0.7)   |
| 55-59 | 1,482 (100.0)  | 1 (0.1)  | 36 (2.4)  | 485 (32.7)   | 792 (53.4)   | 161 (10.9)  | 7 (0.5)   |
| 60-64 | 1,968 (100.0)  | 2 (0.1)  | 44 (2.2)  | 745 (37.9)   | 996 (50.6)   | 178 (9.0)   | 3 (0.2)   |
| 65-69 | 2,306 (100.0)  | 8 (0.3)  | 84 (3.6)  | 903 (39.2)   | 1,136 (49.3) | 168 (7.3)   | 7 (0.3)   |
| 70-74 | 1,944 (100.0)  | 5 (0.3)  | 91 (4.7)  | 802 (41.3)   | 911 (46.9)   | 130 (6.7)   | 5 (0.3)   |
| 75-79 | 1,053 (100.0)  | 4 (0.4)  | 91 (8.6)  | 501 (47.6)   | 397 (37.7)   | 57 (5.4)    | 3 (0.3)   |
| 80歳以上 | 313 (100.0)    | 2 (0.6)  | 41 (13.1) | 146 (46.6)   | 106 (33.9)   | 18 (5.8)    | 0 (0.0)   |
| 計     | 12,269 (100.0) | 27 (0.2) | 466 (3.8) | 4,724 (38.5) | 5,992 (48.8) | 1,020 (8.3) | 40 (0.3)  |

表55 血清アルブミンの平均値、標準偏差および分布 (性・年齢階級別)

| 年齢階級  | 男     |           |         |     |     |     | 女   |        |           |         |     |     | g/dl |     |    |
|-------|-------|-----------|---------|-----|-----|-----|-----|--------|-----------|---------|-----|-----|------|-----|----|
|       | 人数    | 平均値(SD)   | パーセンタイル |     |     |     |     | 人数     | 平均値(SD)   | パーセンタイル |     |     |      |     |    |
|       |       |           | 5       | 25  | 50  | 75  | 95  |        |           | 5       | 25  | 50  |      | 75  | 95 |
| 29歳以下 | 58    | 4.7 (0.3) | 4.3     | 4.5 | 4.7 | 5.0 | 5.2 | 80     | 4.6 (0.3) | 4.1     | 4.4 | 4.6 | 4.8  | 4.9 |    |
| 30-39 | 140   | 4.7 (0.2) | 4.3     | 4.5 | 4.7 | 4.8 | 5.0 | 301    | 4.5 (0.3) | 4.1     | 4.3 | 4.5 | 4.6  | 4.9 |    |
| 40-44 | 270   | 4.6 (0.3) | 4.2     | 4.4 | 4.6 | 4.8 | 5.0 | 612    | 4.4 (0.2) | 4.0     | 4.2 | 4.4 | 4.6  | 4.8 |    |
| 45-49 | 362   | 4.6 (0.3) | 4.2     | 4.4 | 4.5 | 4.8 | 5.0 | 864    | 4.4 (0.3) | 4.0     | 4.2 | 4.4 | 4.6  | 4.8 |    |
| 50-54 | 557   | 4.5 (0.3) | 4.1     | 4.3 | 4.5 | 4.7 | 4.9 | 1,346  | 4.4 (0.3) | 4.0     | 4.3 | 4.4 | 4.6  | 4.9 |    |
| 55-59 | 539   | 4.4 (0.3) | 4.1     | 4.3 | 4.4 | 4.6 | 4.9 | 1,482  | 4.4 (0.3) | 4.0     | 4.3 | 4.4 | 4.6  | 4.9 |    |
| 60-64 | 938   | 4.4 (0.3) | 4.0     | 4.2 | 4.4 | 4.6 | 4.9 | 1,968  | 4.4 (0.3) | 4.0     | 4.3 | 4.4 | 4.6  | 4.8 |    |
| 65-69 | 1,359 | 4.4 (0.3) | 3.9     | 4.2 | 4.4 | 4.5 | 4.8 | 2,306  | 4.4 (0.3) | 4.0     | 4.2 | 4.4 | 4.6  | 4.8 |    |
| 70-74 | 1,325 | 4.3 (0.3) | 3.9     | 4.2 | 4.3 | 4.5 | 4.8 | 1,944  | 4.4 (0.3) | 4.0     | 4.2 | 4.4 | 4.5  | 4.8 |    |
| 75-79 | 753   | 4.3 (0.3) | 3.9     | 4.1 | 4.3 | 4.5 | 4.7 | 1,053  | 4.3 (0.3) | 3.9     | 4.2 | 4.3 | 4.5  | 4.8 |    |
| 80歳以上 | 280   | 4.2 (0.3) | 3.7     | 4.0 | 4.2 | 4.4 | 4.6 | 313    | 4.3 (0.3) | 3.8     | 4.1 | 4.3 | 4.5  | 4.8 |    |
| 計     | 6,581 | 4.4 (0.3) | 3.9     | 4.2 | 4.4 | 4.6 | 4.9 | 12,269 | 4.4 (0.3) | 4.0     | 4.2 | 4.4 | 4.6  | 4.8 |    |

表56 A/Gの状況(性・年齢階級別)

| 年齢階級  | 男             |           |              |              |              | 女         |                |           |              |              |              |           |
|-------|---------------|-----------|--------------|--------------|--------------|-----------|----------------|-----------|--------------|--------------|--------------|-----------|
|       | 総数            | -1.09     | 1.10-1.39    | 1.40-1.69    | 1.70-1.99    | 2.00以上    | 総数             | -1.09     | 1.10-1.39    | 1.40-1.69    | 1.70-1.99    | 2.00以上    |
| -29歳  | 58 (100.0)    | 0 (0.0)   | 0 (0.0)      | 20 (34.5)    | 23 (39.7)    | 15 (25.9) | 80 (100.0)     | 0 (0.0)   | 11 (13.8)    | 37 (46.3)    | 29 (36.3)    | 3 (3.8)   |
| 30-39 | 140 (100.0)   | 0 (0.0)   | 3 (2.1)      | 38 (27.1)    | 60 (42.9)    | 39 (27.9) | 301 (100.0)    | 0 (0.0)   | 52 (17.3)    | 163 (54.2)   | 76 (25.2)    | 10 (3.3)  |
| 40-44 | 270 (100.0)   | 0 (0.0)   | 13 (4.8)     | 116 (43.0)   | 100 (37.0)   | 41 (15.2) | 612 (100.0)    | 4 (0.7)   | 133 (21.7)   | 336 (54.9)   | 119 (19.4)   | 20 (3.3)  |
| 45-49 | 362 (100.0)   | 2 (0.6)   | 26 (7.2)     | 153 (42.3)   | 128 (35.4)   | 53 (14.6) | 864 (100.0)    | 8 (0.9)   | 213 (24.7)   | 476 (55.1)   | 141 (16.3)   | 26 (3.0)  |
| 50-54 | 557 (100.0)   | 3 (0.5)   | 51 (9.2)     | 260 (46.7)   | 207 (37.2)   | 36 (6.5)  | 1,346 (100.0)  | 12 (0.9)  | 324 (24.1)   | 725 (53.9)   | 254 (18.9)   | 31 (2.3)  |
| 55-59 | 539 (100.0)   | 6 (1.1)   | 74 (13.7)    | 279 (51.8)   | 151 (28.0)   | 29 (5.4)  | 1,482 (100.0)  | 12 (0.8)  | 317 (21.4)   | 803 (54.2)   | 308 (20.8)   | 42 (2.8)  |
| 60-64 | 938 (100.0)   | 9 (1.0)   | 176 (18.8)   | 499 (53.2)   | 227 (24.2)   | 27 (2.9)  | 1,968 (100.0)  | 18 (0.9)  | 423 (21.5)   | 1,076 (54.7) | 401 (20.4)   | 50 (2.5)  |
| 65-69 | 1,359 (100.0) | 15 (1.1)  | 296 (21.8)   | 730 (53.7)   | 270 (19.9)   | 48 (3.5)  | 2,306 (100.0)  | 31 (1.3)  | 508 (22.0)   | 1,238 (53.7) | 463 (20.1)   | 66 (2.9)  |
| 70-74 | 1,325 (100.0) | 25 (1.9)  | 337 (25.4)   | 690 (52.1)   | 243 (18.3)   | 30 (2.3)  | 1,944 (100.0)  | 31 (1.6)  | 437 (22.5)   | 1,059 (54.5) | 365 (18.8)   | 52 (2.7)  |
| 75-79 | 753 (100.0)   | 24 (3.2)  | 216 (28.7)   | 371 (49.3)   | 121 (16.1)   | 21 (2.8)  | 1,053 (100.0)  | 27 (2.6)  | 265 (25.2)   | 552 (52.4)   | 178 (16.9)   | 31 (2.9)  |
| 80歳以上 | 280 (100.0)   | 19 (6.8)  | 92 (32.9)    | 126 (45.0)   | 36 (12.9)    | 7 (2.5)   | 313 (100.0)    | 10 (3.2)  | 89 (28.4)    | 156 (49.8)   | 48 (15.3)    | 10 (3.2)  |
| 計     | 6,581 (100.0) | 103 (1.6) | 1,284 (19.5) | 3,282 (49.9) | 1,566 (23.8) | 346 (5.3) | 12,269 (100.0) | 153 (1.2) | 2,772 (22.6) | 6,621 (54.0) | 2,382 (19.4) | 341 (2.8) |

| 年齢階級  | 男              |           |              |              |              | 女         |                |           |              |              |              |           |
|-------|----------------|-----------|--------------|--------------|--------------|-----------|----------------|-----------|--------------|--------------|--------------|-----------|
|       | 総数             | -1.09     | 1.10-1.39    | 1.40-1.69    | 1.70-1.99    | 2.00以上    | 総数             | -1.09     | 1.10-1.39    | 1.40-1.69    | 1.70-1.99    | 2.00以上    |
| -29歳  | 80 (100.0)     | 0 (0.0)   | 11 (13.8)    | 37 (46.3)    | 29 (36.3)    | 3 (3.8)   | 80 (100.0)     | 0 (0.0)   | 11 (13.8)    | 37 (46.3)    | 29 (36.3)    | 3 (3.8)   |
| 30-39 | 301 (100.0)    | 0 (0.0)   | 52 (17.3)    | 163 (54.2)   | 76 (25.2)    | 10 (3.3)  | 301 (100.0)    | 0 (0.0)   | 52 (17.3)    | 163 (54.2)   | 76 (25.2)    | 10 (3.3)  |
| 40-44 | 612 (100.0)    | 4 (0.7)   | 133 (21.7)   | 336 (54.9)   | 119 (19.4)   | 20 (3.3)  | 612 (100.0)    | 4 (0.7)   | 133 (21.7)   | 336 (54.9)   | 119 (19.4)   | 20 (3.3)  |
| 45-49 | 864 (100.0)    | 8 (0.9)   | 213 (24.7)   | 476 (55.1)   | 141 (16.3)   | 26 (3.0)  | 864 (100.0)    | 8 (0.9)   | 213 (24.7)   | 476 (55.1)   | 141 (16.3)   | 26 (3.0)  |
| 50-54 | 1,346 (100.0)  | 12 (0.9)  | 324 (24.1)   | 725 (53.9)   | 254 (18.9)   | 31 (2.3)  | 1,346 (100.0)  | 12 (0.9)  | 324 (24.1)   | 725 (53.9)   | 254 (18.9)   | 31 (2.3)  |
| 55-59 | 1,482 (100.0)  | 12 (0.8)  | 317 (21.4)   | 803 (54.2)   | 308 (20.8)   | 42 (2.8)  | 1,482 (100.0)  | 12 (0.8)  | 317 (21.4)   | 803 (54.2)   | 308 (20.8)   | 42 (2.8)  |
| 60-64 | 1,968 (100.0)  | 18 (0.9)  | 423 (21.5)   | 1,076 (54.7) | 401 (20.4)   | 50 (2.5)  | 1,968 (100.0)  | 18 (0.9)  | 423 (21.5)   | 1,076 (54.7) | 401 (20.4)   | 50 (2.5)  |
| 65-69 | 2,306 (100.0)  | 31 (1.3)  | 508 (22.0)   | 1,238 (53.7) | 463 (20.1)   | 66 (2.9)  | 2,306 (100.0)  | 31 (1.3)  | 508 (22.0)   | 1,238 (53.7) | 463 (20.1)   | 66 (2.9)  |
| 70-74 | 1,944 (100.0)  | 31 (1.6)  | 437 (22.5)   | 1,059 (54.5) | 365 (18.8)   | 52 (2.7)  | 1,944 (100.0)  | 31 (1.6)  | 437 (22.5)   | 1,059 (54.5) | 365 (18.8)   | 52 (2.7)  |
| 75-79 | 1,053 (100.0)  | 27 (2.6)  | 265 (25.2)   | 552 (52.4)   | 178 (16.9)   | 31 (2.9)  | 1,053 (100.0)  | 27 (2.6)  | 265 (25.2)   | 552 (52.4)   | 178 (16.9)   | 31 (2.9)  |
| 80歳以上 | 313 (100.0)    | 10 (3.2)  | 89 (28.4)    | 156 (49.8)   | 48 (15.3)    | 10 (3.2)  | 313 (100.0)    | 10 (3.2)  | 89 (28.4)    | 156 (49.8)   | 48 (15.3)    | 10 (3.2)  |
| 計     | 12,269 (100.0) | 153 (1.2) | 2,772 (22.6) | 6,621 (54.0) | 2,382 (19.4) | 341 (2.8) | 12,269 (100.0) | 153 (1.2) | 2,772 (22.6) | 6,621 (54.0) | 2,382 (19.4) | 341 (2.8) |

表57 A/Gの平均値、標準偏差および分布（性・年齢階級別）

| 年齢階級  | 男     |           |     |     |     | 女   |     |        |           |     |     |     |     |     |
|-------|-------|-----------|-----|-----|-----|-----|-----|--------|-----------|-----|-----|-----|-----|-----|
|       | 人数    | 平均値 (SD)  | 5   | 25  | 50  | 75  | 95  | 人数     | 平均値 (SD)  | 5   | 25  | 50  | 75  | 95  |
| 29歳以下 | 58    | 1.8 (0.2) | 1.5 | 1.6 | 1.8 | 2.0 | 2.3 | 80     | 1.6 (0.2) | 1.3 | 1.5 | 1.6 | 1.8 | 2.0 |
| 30-39 | 140   | 1.8 (0.2) | 1.5 | 1.7 | 1.8 | 2.0 | 2.3 | 301    | 1.6 (0.2) | 1.3 | 1.5 | 1.6 | 1.7 | 2.0 |
| 40-44 | 270   | 1.7 (0.2) | 1.4 | 1.6 | 1.7 | 1.9 | 2.1 | 612    | 1.6 (0.2) | 1.3 | 1.4 | 1.6 | 1.7 | 1.9 |
| 45-49 | 362   | 1.7 (0.2) | 1.4 | 1.6 | 1.7 | 1.9 | 2.1 | 864    | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |
| 50-54 | 557   | 1.7 (0.2) | 1.3 | 1.5 | 1.7 | 1.8 | 2.0 | 1,346  | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |
| 55-59 | 539   | 1.6 (0.2) | 1.3 | 1.5 | 1.6 | 1.7 | 2.0 | 1,482  | 1.6 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |
| 60-64 | 938   | 1.6 (0.2) | 1.2 | 1.4 | 1.6 | 1.7 | 1.9 | 1,968  | 1.6 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |
| 65-69 | 1,359 | 1.6 (0.2) | 1.2 | 1.4 | 1.6 | 1.7 | 1.9 | 2,306  | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |
| 70-74 | 1,325 | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 | 1,944  | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |
| 75-79 | 753   | 1.5 (0.2) | 1.1 | 1.4 | 1.5 | 1.6 | 1.9 | 1,053  | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |
| 80歳以上 | 280   | 1.5 (0.2) | 1.1 | 1.3 | 1.5 | 1.6 | 1.9 | 313    | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.6 | 1.9 |
| 計     | 6,581 | 1.6 (0.2) | 1.2 | 1.4 | 1.6 | 1.7 | 2.0 | 12,269 | 1.5 (0.2) | 1.2 | 1.4 | 1.5 | 1.7 | 1.9 |

表58 尿酸の状況 (性・年齢階級別)

| 年齢階級  | 男             |              |              |              |              | 女          |                |               |              |             |           |            |
|-------|---------------|--------------|--------------|--------------|--------------|------------|----------------|---------------|--------------|-------------|-----------|------------|
|       | 総数            | -4.9         | 5.0-5.9      | 6.0-6.9      | 7.0-7.9      | 8.0mg/dl以上 | 総数             | -4.9          | 5.0-5.9      | 6.0-6.9     | 7.0-7.9   | 8.0mg/dl以上 |
| -29歳  | 86 (100.0)    | 12 (14.0)    | 27 (31.4)    | 24 (27.9)    | 15 (17.4)    | 8 (9.3)    | 153 (100.0)    | 118 (77.1)    | 30 (19.6)    | 3 (2.0)     | 2 (1.3)   | 0 (0.0)    |
| 30-39 | 191 (100.0)   | 31 (16.2)    | 49 (25.7)    | 51 (26.7)    | 40 (20.9)    | 20 (10.5)  | 511 (100.0)    | 419 (82.0)    | 71 (13.9)    | 18 (3.5)    | 2 (0.4)   | 1 (0.2)    |
| 40-44 | 307 (100.0)   | 59 (19.2)    | 85 (27.7)    | 94 (30.6)    | 55 (17.9)    | 14 (4.6)   | 728 (100.0)    | 621 (85.3)    | 87 (12.0)    | 17 (2.3)    | 2 (0.3)   | 1 (0.1)    |
| 45-49 | 422 (100.0)   | 89 (21.1)    | 121 (28.7)   | 124 (29.4)   | 57 (13.5)    | 31 (7.3)   | 1,055 (100.0)  | 864 (81.9)    | 139 (13.2)   | 44 (4.2)    | 7 (0.7)   | 1 (0.1)    |
| 50-54 | 680 (100.0)   | 168 (24.7)   | 219 (32.2)   | 154 (22.6)   | 91 (13.4)    | 48 (7.1)   | 1,664 (100.0)  | 1,256 (75.5)  | 305 (18.3)   | 83 (5.0)    | 17 (1.0)  | 3 (0.2)    |
| 55-59 | 687 (100.0)   | 161 (23.4)   | 218 (31.7)   | 171 (24.9)   | 102 (14.8)   | 35 (5.1)   | 1,915 (100.0)  | 1,366 (71.3)  | 410 (21.4)   | 111 (5.8)   | 23 (1.2)  | 5 (0.3)    |
| 60-64 | 1,233 (100.0) | 340 (27.6)   | 345 (28.0)   | 297 (24.1)   | 167 (13.5)   | 84 (6.8)   | 2,613 (100.0)  | 1,807 (69.2)  | 588 (22.5)   | 178 (6.8)   | 35 (1.3)  | 5 (0.2)    |
| 65-69 | 1,741 (100.0) | 500 (28.7)   | 534 (30.7)   | 424 (24.4)   | 191 (11.0)   | 92 (5.3)   | 2,925 (100.0)  | 1,968 (67.3)  | 667 (22.8)   | 229 (7.8)   | 52 (1.8)  | 9 (0.3)    |
| 70-74 | 1,666 (100.0) | 525 (31.5)   | 520 (31.2)   | 373 (22.4)   | 177 (10.6)   | 71 (4.3)   | 2,438 (100.0)  | 1,598 (65.5)  | 567 (23.3)   | 203 (8.3)   | 54 (2.2)  | 16 (0.7)   |
| 75-79 | 988 (100.0)   | 298 (30.2)   | 311 (31.5)   | 223 (22.6)   | 109 (11.0)   | 47 (4.8)   | 1,284 (100.0)  | 803 (62.5)    | 285 (22.2)   | 129 (10.0)  | 51 (4.0)  | 16 (1.2)   |
| 80歳以上 | 347 (100.0)   | 97 (28.0)    | 104 (30.0)   | 89 (25.6)    | 35 (10.1)    | 22 (6.3)   | 391 (100.0)    | 242 (61.9)    | 87 (22.3)    | 40 (10.2)   | 12 (3.1)  | 10 (2.6)   |
| 計     | 8,348 (100.0) | 2,280 (27.3) | 2,533 (30.3) | 2,024 (24.2) | 1,039 (12.4) | 472 (5.7)  | 15,677 (100.0) | 11,062 (70.6) | 3,236 (20.6) | 1,055 (6.7) | 257 (1.6) | 67 (0.4)   |



表59 尿酸の平均値、標準偏差および分布（性・年齢階級別）

| 年齢階級  | mg/dl |           |         |     |     |     |     |         |           |     |     |     |     |     |
|-------|-------|-----------|---------|-----|-----|-----|-----|---------|-----------|-----|-----|-----|-----|-----|
|       | 男     |           |         |     |     | 女   |     |         |           |     |     |     |     |     |
|       | 人数    | 平均値(SD)   | パーセンタイル |     |     |     | 人数  | 平均値(SD) | パーセンタイル   |     |     |     |     |     |
| 5     |       |           | 25      | 50  | 75  | 95  |     |         | 5         | 25  | 50  | 75  | 95  |     |
| 29歳以下 | 86    | 6.2 (1.3) | 3.9     | 5.4 | 6.3 | 7.1 | 8.3 | 153     | 4.2 (0.9) | 2.8 | 3.6 | 4.1 | 4.9 | 5.9 |
| 30-39 | 191   | 6.3 (1.3) | 4.1     | 5.4 | 6.2 | 7.2 | 8.4 | 511     | 4.1 (0.9) | 2.8 | 3.5 | 4.1 | 4.6 | 5.8 |
| 40-44 | 307   | 6.0 (1.3) | 3.7     | 5.2 | 6.0 | 6.9 | 7.9 | 728     | 4.0 (1.0) | 2.5 | 3.4 | 3.9 | 4.5 | 5.7 |
| 45-49 | 422   | 6.0 (1.3) | 3.8     | 5.1 | 6.0 | 6.8 | 8.3 | 1,055   | 4.1 (1.0) | 2.6 | 3.5 | 4.1 | 4.7 | 5.9 |
| 50-54 | 680   | 5.8 (1.4) | 3.7     | 5.0 | 5.7 | 6.7 | 8.3 | 1,664   | 4.3 (1.0) | 2.8 | 3.7 | 4.3 | 4.9 | 6.2 |
| 55-59 | 687   | 5.8 (1.4) | 3.6     | 5.0 | 5.8 | 6.7 | 8.0 | 1,915   | 4.4 (1.0) | 2.9 | 3.8 | 4.4 | 5.1 | 6.2 |
| 60-64 | 1,233 | 5.8 (1.4) | 3.6     | 4.8 | 5.7 | 6.7 | 8.1 | 2,613   | 4.5 (1.0) | 2.9 | 3.8 | 4.4 | 5.1 | 6.3 |
| 65-69 | 1,741 | 5.7 (1.3) | 3.6     | 4.8 | 5.7 | 6.5 | 8.0 | 2,925   | 4.5 (1.1) | 2.8 | 3.8 | 4.5 | 5.2 | 6.4 |
| 70-74 | 1,666 | 5.6 (1.3) | 3.5     | 4.7 | 5.6 | 6.4 | 7.8 | 2,438   | 4.6 (1.2) | 2.8 | 3.8 | 4.5 | 5.3 | 6.5 |
| 75-79 | 988   | 5.7 (1.4) | 3.6     | 4.8 | 5.6 | 6.5 | 7.9 | 1,284   | 4.7 (1.3) | 2.8 | 3.9 | 4.6 | 5.4 | 7.0 |
| 80歳以上 | 347   | 5.7 (1.4) | 3.4     | 4.8 | 5.7 | 6.5 | 8.3 | 391     | 4.8 (1.3) | 3.0 | 4.0 | 4.6 | 5.4 | 7.1 |
| 計     | 8,348 | 5.8 (1.4) | 3.6     | 4.9 | 5.7 | 6.6 | 8.0 | 15,677  | 4.5 (1.1) | 2.8 | 3.7 | 4.4 | 5.1 | 6.4 |

表60 尿中微量アルブミン指数の状況 (性・年齢階級別)

| 年齢階級  | 人 (%)         |              |              |           |           |             |
|-------|---------------|--------------|--------------|-----------|-----------|-------------|
|       | 総数            | -29.9        | 30-99.9      | 100-199   | 200-299   | 300mg/gCr以上 |
| 男     |               |              |              |           |           |             |
| -29歳  | 83 (100.0)    | 82 (98.8)    | 1 (1.2)      | 0 (0.0)   | 0 (0.0)   | 0 (0.0)     |
| 30-39 | 211 (100.0)   | 194 (91.9)   | 8 (3.8)      | 4 (1.9)   | 2 (0.9)   | 3 (1.4)     |
| 40-44 | 342 (100.0)   | 315 (92.1)   | 20 (5.8)     | 5 (1.5)   | 1 (0.3)   | 1 (0.3)     |
| 45-49 | 454 (100.0)   | 393 (86.6)   | 40 (8.8)     | 10 (2.2)  | 4 (0.9)   | 7 (1.5)     |
| 50-54 | 726 (100.0)   | 587 (80.9)   | 97 (13.4)    | 19 (2.6)  | 11 (1.5)  | 12 (1.7)    |
| 55-59 | 768 (100.0)   | 607 (79.0)   | 109 (14.2)   | 24 (3.1)  | 8 (1.0)   | 20 (2.6)    |
| 60-64 | 1,335 (100.0) | 1,024 (76.7) | 205 (15.4)   | 45 (3.4)  | 16 (1.2)  | 45 (3.4)    |
| 65-69 | 1,863 (100.0) | 1,390 (74.6) | 318 (17.1)   | 75 (4.0)  | 24 (1.3)  | 56 (3.0)    |
| 70-74 | 1,741 (100.0) | 1,234 (70.9) | 306 (17.6)   | 104 (6.0) | 33 (1.9)  | 64 (3.7)    |
| 75-79 | 1,021 (100.0) | 673 (65.9)   | 238 (23.3)   | 50 (4.9)  | 18 (1.8)  | 42 (4.1)    |
| 80歳以上 | 361 (100.0)   | 228 (63.2)   | 80 (22.2)    | 24 (6.6)  | 4 (1.1)   | 25 (6.9)    |
| 計     | 8,905 (100.0) | 6,727 (75.5) | 1,422 (16.0) | 360 (4.0) | 121 (1.4) | 275 (3.1)   |

| 年齢階級  | 人 (%)          |               |              |           |           |             |
|-------|----------------|---------------|--------------|-----------|-----------|-------------|
|       | 総数             | -29.9         | 30-99.9      | 100-199   | 200-299   | 300mg/gCr以上 |
| 女     |                |               |              |           |           |             |
| -29歳  | 176 (100.0)    | 164 (93.2)    | 10 (5.7)     | 0 (0.0)   | 1 (0.6)   | 1 (0.6)     |
| 30-39 | 610 (100.0)    | 570 (93.4)    | 27 (4.4)     | 6 (1.0)   | 4 (0.7)   | 3 (0.5)     |
| 40-44 | 780 (100.0)    | 704 (90.3)    | 62 (7.9)     | 9 (1.2)   | 3 (0.4)   | 2 (0.3)     |
| 45-49 | 1,151 (100.0)  | 982 (85.3)    | 129 (11.2)   | 23 (2.0)  | 4 (0.3)   | 13 (1.1)    |
| 50-54 | 1,836 (100.0)  | 1,516 (82.6)  | 252 (13.7)   | 44 (2.4)  | 10 (0.5)  | 14 (0.8)    |
| 55-59 | 2,082 (100.0)  | 1,692 (81.3)  | 300 (14.4)   | 51 (2.4)  | 19 (0.9)  | 20 (1.0)    |
| 60-64 | 2,811 (100.0)  | 2,162 (76.9)  | 502 (17.9)   | 89 (3.2)  | 29 (1.0)  | 29 (1.0)    |
| 65-69 | 3,126 (100.0)  | 2,224 (71.1)  | 677 (21.7)   | 122 (3.9) | 36 (1.2)  | 67 (2.1)    |
| 70-74 | 2,538 (100.0)  | 1,677 (66.1)  | 658 (25.9)   | 117 (4.6) | 36 (1.4)  | 50 (2.0)    |
| 75-79 | 1,318 (100.0)  | 773 (58.6)    | 389 (29.5)   | 85 (6.4)  | 19 (1.4)  | 52 (3.9)    |
| 80歳以上 | 383 (100.0)    | 193 (50.4)    | 127 (33.2)   | 33 (8.6)  | 11 (2.9)  | 19 (5.0)    |
| 計     | 16,811 (100.0) | 12,657 (75.3) | 3,133 (18.6) | 579 (3.4) | 172 (1.0) | 270 (1.6)   |

表61 尿中微量アルブミン指数の平均値、標準偏差および分布（性・年齢階級別）

| 年齢階級  | 男     |               |         |      |      |      | 女     |         |              |     |      |      |      |       |
|-------|-------|---------------|---------|------|------|------|-------|---------|--------------|-----|------|------|------|-------|
|       | 人数    | 平均値(SD)       | パーセンタイル |      |      |      | 人数    | 平均値(SD) | パーセンタイル      |     |      |      |      |       |
|       |       |               | 5       | 25   | 50   | 75   |       |         | 95           | 5   | 25   | 50   | 75   | 95    |
| 29歳以下 | 83    | 8.4 ( 7.9)    | 2.4     | 4.1  | 5.6  | 10.0 | 25.7  | 176     | 16.9 ( 55.7) | 3.3 | 6.1  | 9.2  | 13.6 | 33.6  |
| 30-39 | 211   | 24.5 ( 90.8)  | 2.8     | 4.7  | 7.0  | 12.0 | 78.7  | 610     | 16.6 ( 36.5) | 3.2 | 6.0  | 8.8  | 14.8 | 43.4  |
| 40-44 | 342   | 15.8 ( 41.3)  | 2.8     | 4.7  | 7.4  | 13.8 | 43.7  | 780     | 16.6 ( 32.3) | 3.4 | 6.1  | 9.4  | 15.2 | 49.3  |
| 45-49 | 454   | 36.9 (176.1)  | 3.1     | 5.8  | 9.6  | 17.5 | 99.0  | 1,151   | 27.8 (104.6) | 3.6 | 7.0  | 10.9 | 19.7 | 75.9  |
| 50-54 | 726   | 35.2 (111.2)  | 3.4     | 6.8  | 10.9 | 22.5 | 112.6 | 1,836   | 27.6 ( 90.5) | 4.1 | 7.8  | 12.5 | 22.1 | 74.5  |
| 55-59 | 768   | 39.3 (133.0)  | 3.2     | 6.4  | 11.1 | 24.2 | 129.6 | 2,082   | 29.6 ( 82.9) | 4.5 | 8.5  | 13.8 | 23.3 | 88.7  |
| 60-64 | 1,335 | 61.0 (315.9)  | 3.4     | 6.9  | 12.7 | 28.0 | 181.1 | 2,811   | 35.8 (138.2) | 4.7 | 9.1  | 15.1 | 27.9 | 105.8 |
| 65-69 | 1,863 | 53.1 (222.9)  | 3.9     | 7.6  | 13.5 | 30.6 | 170.3 | 3,126   | 43.6 (124.3) | 5.3 | 10.7 | 18.0 | 33.8 | 132.1 |
| 70-74 | 1,741 | 62.8 (214.5)  | 3.8     | 8.5  | 15.6 | 37.2 | 219.4 | 2,538   | 52.0 (199.7) | 5.6 | 11.9 | 20.4 | 40.1 | 151.9 |
| 75-79 | 1,021 | 75.6 (317.5)  | 4.4     | 9.1  | 17.1 | 41.4 | 234.3 | 1,318   | 69.5 (214.3) | 6.2 | 13.4 | 24.6 | 48.8 | 219.3 |
| 80歳以上 | 361   | 101.0 (340.0) | 4.6     | 10.1 | 20.2 | 55.8 | 394.3 | 383     | 87.4 (249.0) | 7.2 | 16.5 | 29.6 | 62.1 | 298.9 |
| 計     | 8,905 | 54.7 (235.1)  | 3.5     | 7.2  | 12.9 | 29.1 | 174.9 | 16,811  | 39.5 (141.3) | 4.5 | 9.1  | 15.4 | 29.6 | 117.7 |

表62 高感度CRPの状況 (性・年齢階級別)

| 年齢階級  | 総数            | 人 (%)        |              |              |              |           |             |
|-------|---------------|--------------|--------------|--------------|--------------|-----------|-------------|
|       |               | -0.01        | 0.02-0.04    | 0.05-0.09    | 0.10-0.19    | 0.20-0.29 | 0.30mg/dl以上 |
| 男     |               |              |              |              |              |           |             |
| -29歳  | 83 (100.0)    | 22 (26.5)    | 35 (42.2)    | 12 (14.5)    | 6 (7.2)      | 2 (2.4)   | 6 (7.2)     |
| 30-39 | 211 (100.0)   | 44 (20.9)    | 76 (36.0)    | 44 (20.9)    | 29 (13.7)    | 9 (4.3)   | 9 (4.3)     |
| 40-44 | 343 (100.0)   | 56 (16.3)    | 133 (38.8)   | 84 (24.5)    | 36 (10.5)    | 13 (3.8)  | 21 (6.1)    |
| 45-49 | 456 (100.0)   | 70 (15.4)    | 178 (39.0)   | 123 (27.0)   | 54 (11.8)    | 12 (2.6)  | 19 (4.2)    |
| 50-54 | 730 (100.0)   | 96 (13.2)    | 301 (41.2)   | 184 (25.2)   | 82 (11.2)    | 25 (3.4)  | 42 (5.8)    |
| 55-59 | 770 (100.0)   | 103 (13.4)   | 295 (38.3)   | 201 (26.1)   | 95 (12.3)    | 20 (2.6)  | 56 (7.3)    |
| 60-64 | 1,343 (100.0) | 143 (10.6)   | 488 (36.3)   | 357 (26.6)   | 184 (13.7)   | 66 (4.9)  | 105 (7.8)   |
| 65-69 | 1,875 (100.0) | 202 (10.8)   | 626 (33.4)   | 506 (27.0)   | 280 (14.9)   | 88 (4.7)  | 173 (9.2)   |
| 70-74 | 1,749 (100.0) | 199 (11.4)   | 565 (32.3)   | 472 (27.0)   | 275 (15.7)   | 77 (4.4)  | 161 (9.2)   |
| 75-79 | 1,027 (100.0) | 85 (8.3)     | 322 (31.4)   | 272 (26.5)   | 158 (15.4)   | 69 (6.7)  | 121 (11.8)  |
| 80歳以上 | 371 (100.0)   | 26 (7.0)     | 104 (28.0)   | 97 (26.1)    | 74 (19.9)    | 21 (5.7)  | 49 (13.2)   |
| 計     | 8,958 (100.0) | 1,046 (11.7) | 3,123 (34.9) | 2,352 (26.3) | 1,273 (14.2) | 402 (4.5) | 762 (8.5)   |

| 年齢階級  | 総数             | 人 (%)        |              |              |              |           |             |
|-------|----------------|--------------|--------------|--------------|--------------|-----------|-------------|
|       |                | -0.01        | 0.02-0.04    | 0.05-0.09    | 0.10-0.19    | 0.20-0.29 | 0.30mg/dl以上 |
| 女     |                |              |              |              |              |           |             |
| -29歳  | 179 (100.0)    | 84 (46.9)    | 49 (27.4)    | 23 (12.8)    | 11 (6.1)     | 1 (0.6)   | 11 (6.1)    |
| 30-39 | 618 (100.0)    | 207 (33.5)   | 209 (33.8)   | 100 (16.2)   | 61 (9.9)     | 12 (1.9)  | 29 (4.7)    |
| 40-44 | 789 (100.0)    | 248 (31.4)   | 287 (36.4)   | 126 (16.0)   | 70 (8.9)     | 15 (1.9)  | 43 (5.4)    |
| 45-49 | 1,164 (100.0)  | 333 (28.6)   | 448 (38.5)   | 226 (19.4)   | 89 (7.6)     | 21 (1.8)  | 47 (4.0)    |
| 50-54 | 1,852 (100.0)  | 369 (19.9)   | 799 (43.1)   | 390 (21.1)   | 165 (8.9)    | 52 (2.8)  | 77 (4.2)    |
| 55-59 | 2,103 (100.0)  | 345 (16.4)   | 868 (41.3)   | 488 (23.2)   | 239 (11.4)   | 52 (2.5)  | 111 (5.3)   |
| 60-64 | 2,830 (100.0)  | 387 (13.7)   | 1,142 (40.4) | 720 (25.4)   | 324 (11.4)   | 100 (3.5) | 157 (5.5)   |
| 65-69 | 3,147 (100.0)  | 357 (11.3)   | 1,206 (38.3) | 887 (28.2)   | 388 (12.3)   | 113 (3.6) | 196 (6.2)   |
| 70-74 | 2,557 (100.0)  | 297 (11.6)   | 957 (37.4)   | 686 (26.8)   | 359 (14.0)   | 95 (3.7)  | 163 (6.4)   |
| 75-79 | 1,336 (100.0)  | 158 (11.8)   | 433 (32.4)   | 355 (26.6)   | 211 (15.8)   | 61 (4.6)  | 118 (8.8)   |
| 80歳以上 | 395 (100.0)    | 41 (10.4)    | 128 (32.4)   | 114 (28.9)   | 55 (13.9)    | 25 (6.3)  | 32 (8.1)    |
| 計     | 16,970 (100.0) | 2,826 (16.7) | 6,526 (38.5) | 4,115 (24.2) | 1,972 (11.6) | 547 (3.2) | 984 (5.8)   |