

表13 飲酒の状況（性・年齢階級別）

年齢階級	総数	飲酒				2台/日以上*
		非飲酒	禁酒	機会飲酒	2台/日未満*	
男						
-29歳	41 (100.0)	16 (39.0)	0 (0.0)	3 (7.3)	12 (29.3)	10 (24.4)
30-39	96 (100.0)	12 (12.5)	2 (2.1)	13 (13.5)	36 (37.5)	33 (34.4)
40-44	155 (100.0)	35 (22.6)	2 (1.3)	11 (7.1)	57 (36.8)	50 (32.3)
45-49	224 (100.0)	52 (23.2)	5 (2.2)	10 (4.5)	77 (34.4)	80 (35.7)
50-54	296 (100.0)	56 (18.9)	8 (2.7)	24 (8.1)	112 (37.8)	96 (32.4)
55-59	254 (100.0)	45 (17.7)	5 (2.0)	16 (6.3)	121 (47.6)	67 (26.4)
60-64	443 (100.0)	86 (19.4)	31 (7.0)	37 (8.4)	169 (38.1)	120 (27.1)
65-69	658 (100.0)	149 (22.6)	69 (10.5)	44 (6.7)	254 (38.6)	142 (21.6)
70-74	676 (100.0)	195 (28.8)	89 (13.2)	45 (6.7)	250 (37.0)	97 (14.3)
75-79	371 (100.0)	127 (34.2)	55 (14.8)	24 (6.5)	134 (36.1)	31 (8.4)
80歳以上	150 (100.0)	65 (43.3)	13 (8.7)	8 (5.3)	53 (35.3)	11 (7.3)
計	3,364 (100.0)	838 (24.9)	279 (8.3)	235 (7.0)	1,275 (37.9)	737 (21.9)

年齢階級	総数	飲酒				2台/日以上*
		非飲酒	禁酒	機会飲酒	2台/日未満*	
女						
-29歳	41 (100.0)	22 (53.7)	4 (9.8)	8 (19.5)	5 (12.2)	2 (4.9)
30-39	182 (100.0)	87 (47.8)	8 (4.4)	32 (17.6)	51 (28.0)	4 (2.2)
40-44	305 (100.0)	172 (56.4)	6 (2.0)	33 (10.8)	82 (26.9)	12 (3.9)
45-49	416 (100.0)	277 (66.6)	4 (1.0)	48 (11.5)	79 (19.0)	8 (1.9)
50-54	622 (100.0)	464 (74.6)	9 (1.4)	57 (9.2)	89 (14.3)	3 (0.5)
55-59	689 (100.0)	524 (76.1)	13 (1.9)	61 (8.9)	82 (11.9)	9 (1.3)
60-64	936 (100.0)	786 (84.0)	10 (1.1)	50 (5.3)	84 (9.0)	6 (0.6)
65-69	1,138 (100.0)	988 (86.8)	8 (0.7)	47 (4.1)	93 (8.2)	2 (0.2)
70-74	987 (100.0)	900 (91.2)	6 (0.6)	26 (2.6)	54 (5.5)	1 (0.1)
75-79	560 (100.0)	514 (91.8)	2 (0.4)	12 (2.1)	32 (5.7)	0 (0.0)
80歳以上	171 (100.0)	160 (93.6)	2 (1.2)	3 (1.8)	6 (3.5)	0 (0.0)
計	6,047 (100.0)	4,894 (80.9)	72 (1.2)	377 (6.2)	657 (10.9)	47 (0.8)

*日本酒換算アルコール量（合）×週あたりの飲酒日数÷7として算出

表14 尿糖の状況 (性・年齢階級別)

年齢階級	総数				人 (%)		
	(-)	(±)	(+)	(2+)	(3+)	(2+)	(3+)
男							
-29歳	41 (100.0)	39 (95.1)	1 (2.4)	0 (0.0)	1 (2.4)	0 (0.0)	0 (0.0)
30-39	96 (100.0)	89 (92.7)	4 (4.2)	1 (1.0)	0 (0.0)	2 (2.1)	2 (2.1)
40-44	155 (100.0)	147 (94.8)	3 (1.9)	2 (1.3)	0 (0.0)	3 (1.9)	3 (1.9)
45-49	224 (100.0)	207 (92.4)	6 (2.7)	3 (1.3)	2 (0.9)	6 (2.7)	6 (2.7)
50-54	294 (100.0)	270 (91.8)	6 (2.0)	3 (1.0)	6 (2.0)	9 (3.1)	9 (3.1)
55-59	253 (100.0)	223 (88.1)	7 (2.8)	13 (5.1)	4 (1.6)	6 (2.4)	6 (2.4)
60-64	441 (100.0)	409 (92.7)	6 (1.4)	5 (1.1)	6 (1.4)	15 (3.4)	15 (3.4)
65-69	655 (100.0)	592 (90.4)	20 (3.1)	16 (2.4)	13 (2.0)	14 (2.1)	14 (2.1)
70-74	674 (100.0)	603 (89.5)	17 (2.5)	14 (2.1)	17 (2.5)	23 (3.4)	23 (3.4)
75-79	369 (100.0)	343 (93.0)	7 (1.9)	6 (1.6)	3 (0.8)	10 (2.7)	10 (2.7)
80歳以上	148 (100.0)	136 (91.9)	5 (3.4)	3 (2.0)	1 (0.7)	3 (2.0)	3 (2.0)
計	3,350 (100.0)	3,058 (91.3)	82 (2.4)	66 (2.0)	53 (1.6)	91 (2.7)	91 (2.7)

年齢階級	総数				人 (%)		
	(-)	(±)	(+)	(2+)	(3+)	(2+)	(3+)
女							
-29歳	41 (100.0)	41 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	181 (100.0)	179 (98.9)	0 (0.0)	0 (0.0)	1 (0.6)	1 (0.6)	1 (0.6)
40-44	302 (100.0)	298 (98.7)	0 (0.0)	2 (0.7)	1 (0.3)	1 (0.3)	1 (0.3)
45-49	412 (100.0)	400 (97.1)	3 (0.7)	2 (0.5)	3 (0.7)	4 (1.0)	4 (1.0)
50-54	621 (100.0)	608 (97.9)	3 (0.5)	1 (0.2)	3 (0.5)	6 (1.0)	6 (1.0)
55-59	689 (100.0)	676 (98.1)	1 (0.1)	5 (0.7)	1 (0.1)	6 (0.9)	6 (0.9)
60-64	935 (100.0)	917 (98.1)	7 (0.7)	1 (0.1)	7 (0.7)	3 (0.3)	3 (0.3)
65-69	1,138 (100.0)	1,109 (97.5)	5 (0.4)	6 (0.5)	4 (0.4)	14 (1.2)	14 (1.2)
70-74	983 (100.0)	953 (96.9)	11 (1.1)	6 (0.6)	0 (0.0)	13 (1.3)	13 (1.3)
75-79	557 (100.0)	538 (96.6)	8 (1.4)	0 (0.0)	4 (0.7)	7 (1.3)	7 (1.3)
80歳以上	170 (100.0)	165 (97.1)	2 (1.2)	0 (0.0)	0 (0.0)	3 (1.8)	3 (1.8)
計	6,029 (100.0)	5,884 (97.6)	40 (0.7)	23 (0.4)	24 (0.4)	58 (1.0)	58 (1.0)

表15 尿蛋白の状況 (性・年齢階級別)

年齢階級	男					女				
	総数	(-)	(±)	(+)	(2+)	総数	(-)	(±)	(+)	(2+)
-29歳	41 (100.0)	41 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	41 (100.0)	41 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	96 (100.0)	93 (96.9)	2 (2.1)	1 (1.0)	0 (0.0)	181 (100.0)	179 (98.9)	1 (0.6)	1 (0.6)	0 (0.0)
40-44	155 (100.0)	152 (98.1)	2 (1.3)	1 (0.6)	0 (0.0)	302 (100.0)	299 (99.0)	2 (0.7)	0 (0.0)	1 (0.3)
45-49	224 (100.0)	216 (96.4)	5 (2.2)	2 (0.9)	0 (0.0)	412 (100.0)	404 (98.1)	6 (1.5)	1 (0.2)	1 (0.2)
50-54	294 (100.0)	285 (96.9)	4 (1.4)	2 (0.7)	2 (0.7)	621 (100.0)	613 (98.7)	6 (1.0)	1 (0.2)	1 (0.2)
55-59	253 (100.0)	238 (94.1)	7 (2.8)	5 (2.0)	3 (1.2)	689 (100.0)	679 (98.5)	8 (1.2)	1 (0.1)	1 (0.1)
60-64	441 (100.0)	415 (94.1)	14 (3.2)	8 (1.8)	2 (0.5)	935 (100.0)	920 (98.4)	9 (1.0)	4 (0.4)	2 (0.2)
65-69	655 (100.0)	617 (94.2)	21 (3.2)	16 (2.4)	1 (0.2)	1,138 (100.0)	1,112 (97.7)	17 (1.5)	7 (0.6)	2 (0.2)
70-74	674 (100.0)	641 (95.1)	18 (2.7)	8 (1.2)	7 (1.0)	983 (100.0)	961 (97.8)	10 (1.0)	7 (0.7)	3 (0.3)
75-79	369 (100.0)	341 (92.4)	11 (3.0)	11 (3.0)	6 (1.6)	557 (100.0)	527 (94.6)	12 (2.2)	10 (1.8)	7 (1.3)
80歳以上	148 (100.0)	131 (88.5)	6 (4.1)	5 (3.4)	5 (3.4)	170 (100.0)	159 (93.5)	7 (4.1)	3 (1.8)	1 (0.6)
計	3,350 (100.0)	3,170 (94.6)	90 (2.7)	59 (1.8)	26 (0.8)	6,029 (100.0)	5,894 (97.8)	78 (1.3)	35 (0.6)	19 (0.3)

年齢階級	男					女					
	総数	(-)	(±)	(+)	(2+)	総数	(-)	(±)	(+)	(2+)	
-29歳	41 (100.0)	41 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	41 (100.0)	41 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	
30-39	181 (100.0)	179 (98.9)	1 (0.6)	1 (0.6)	0 (0.0)	302 (100.0)	299 (99.0)	2 (0.7)	0 (0.0)	1 (0.3)	
40-44	302 (100.0)	299 (99.0)	2 (0.7)	0 (0.0)	0 (0.0)	412 (100.0)	404 (98.1)	6 (1.5)	1 (0.2)	1 (0.2)	
45-49	412 (100.0)	404 (98.1)	6 (1.5)	1 (0.2)	1 (0.2)	621 (100.0)	613 (98.7)	6 (1.0)	1 (0.2)	1 (0.2)	
50-54	621 (100.0)	613 (98.7)	6 (1.0)	1 (0.2)	1 (0.2)	689 (100.0)	679 (98.5)	8 (1.2)	1 (0.1)	1 (0.1)	
55-59	689 (100.0)	679 (98.5)	8 (1.2)	1 (0.1)	1 (0.1)	935 (100.0)	920 (98.4)	9 (1.0)	4 (0.4)	2 (0.2)	
60-64	935 (100.0)	920 (98.4)	9 (1.0)	4 (0.4)	2 (0.2)	1,138 (100.0)	1,112 (97.7)	17 (1.5)	7 (0.6)	2 (0.2)	
65-69	1,138 (100.0)	1,112 (97.7)	17 (1.5)	7 (0.6)	2 (0.2)	983 (100.0)	961 (97.8)	10 (1.0)	7 (0.7)	3 (0.3)	
70-74	983 (100.0)	961 (97.8)	10 (1.0)	7 (0.7)	3 (0.3)	557 (100.0)	527 (94.6)	12 (2.2)	10 (1.8)	7 (1.3)	
75-79	557 (100.0)	527 (94.6)	12 (2.2)	10 (1.8)	7 (1.3)	170 (100.0)	159 (93.5)	7 (4.1)	3 (1.8)	1 (0.6)	
80歳以上	170 (100.0)	159 (93.5)	7 (4.1)	3 (1.8)	1 (0.6)	計	6,029 (100.0)	5,894 (97.8)	78 (1.3)	35 (0.6)	19 (0.3)
計	6,029 (100.0)	5,894 (97.8)	78 (1.3)	35 (0.6)	19 (0.3)						

表16 尿潜血の状況（性・年齢階級別）

年齢階級	総数		人 (%)		
	(-)	(+)	(2+)	(3+)	
男					
-29歳	41 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	96 (100.0)	5 (5.2)	0 (0.0)	0 (0.0)	0 (0.0)
40-44	155 (100.0)	147 (94.8)	0 (0.0)	1 (0.6)	1 (0.6)
45-49	224 (100.0)	219 (97.8)	3 (1.3)	2 (0.9)	0 (0.0)
50-54	294 (100.0)	281 (95.6)	9 (3.1)	2 (0.7)	2 (0.7)
55-59	253 (100.0)	239 (94.5)	10 (4.0)	3 (1.2)	1 (0.4)
60-64	441 (100.0)	423 (95.9)	13 (2.9)	5 (1.1)	0 (0.0)
65-69	655 (100.0)	609 (93.0)	35 (5.3)	7 (1.1)	4 (0.6)
70-74	674 (100.0)	625 (92.7)	38 (5.6)	11 (1.6)	0 (0.0)
75-79	369 (100.0)	335 (90.8)	24 (6.5)	7 (1.9)	3 (0.8)
80歳以上	148 (100.0)	122 (82.4)	23 (15.5)	3 (2.0)	0 (0.0)
計	3,350 (100.0)	3,132 (93.5)	167 (5.0)	40 (1.2)	11 (0.3)

年齢階級	総数		人 (%)		
	(-)	(+)	(2+)	(3+)	
女*					
-29歳	40 (100.0)	37 (92.5)	1 (2.5)	2 (5.0)	0 (0.0)
30-39	171 (100.0)	160 (93.6)	8 (4.7)	1 (0.6)	2 (1.2)
40-44	284 (100.0)	261 (91.9)	14 (4.9)	5 (1.8)	4 (1.4)
45-49	390 (100.0)	357 (91.5)	24 (6.2)	5 (1.3)	4 (1.0)
50-54	616 (100.0)	543 (88.1)	59 (9.6)	11 (1.8)	3 (0.5)
55-59	689 (100.0)	617 (89.6)	58 (8.4)	11 (1.6)	3 (0.4)
60-64	935 (100.0)	802 (85.8)	113 (12.1)	17 (1.8)	3 (0.3)
65-69	1,138 (100.0)	983 (86.4)	132 (11.6)	19 (1.7)	4 (0.4)
70-74	983 (100.0)	825 (83.9)	127 (12.9)	27 (2.7)	4 (0.4)
75-79	557 (100.0)	455 (81.7)	88 (15.8)	14 (2.5)	0 (0.0)
80歳以上	170 (100.0)	135 (79.4)	28 (16.5)	5 (2.9)	2 (1.2)
計	5,973 (100.0)	5,175 (86.6)	652 (10.9)	117 (2.0)	29 (0.5)

*生理中の者を除く

表17 血清総コレステロールの状況 (性・年齢階級別)

年齢階級	総数						人 (%)					
	-179	180-199	200-219	220-239	240-259	260mg/dl以上	-179	180-199	200-219	220-239	240-259	260mg/dl以上
男												
-29歳	41 (100.0)	10 (24.4)	1 (2.4)	0 (0.0)	2 (4.9)	2 (4.9)	26 (63.4)	10 (24.4)	1 (2.4)	0 (0.0)	2 (4.9)	2 (4.9)
30-39	96 (100.0)	19 (19.8)	21 (21.9)	7 (7.3)	10 (10.4)	5 (5.2)	34 (35.4)	19 (19.8)	21 (21.9)	7 (7.3)	10 (10.4)	5 (5.2)
40-44	155 (100.0)	33 (21.3)	26 (16.8)	28 (18.1)	11 (7.1)	11 (7.1)	46 (29.7)	33 (21.3)	26 (16.8)	28 (18.1)	11 (7.1)	11 (7.1)
45-49	224 (100.0)	56 (25.0)	49 (21.9)	24 (10.7)	17 (7.6)	16 (7.1)	62 (27.7)	56 (25.0)	49 (21.9)	24 (10.7)	17 (7.6)	16 (7.1)
50-54	296 (100.0)	69 (23.3)	50 (16.9)	56 (18.9)	25 (8.4)	14 (4.7)	82 (27.7)	69 (23.3)	50 (16.9)	56 (18.9)	25 (8.4)	14 (4.7)
55-59	253 (100.0)	63 (24.9)	55 (21.7)	29 (11.5)	16 (6.3)	3 (1.2)	87 (34.4)	63 (24.9)	55 (21.7)	29 (11.5)	16 (6.3)	3 (1.2)
60-64	443 (100.0)	104 (23.5)	96 (21.7)	70 (15.8)	29 (6.5)	19 (4.3)	125 (28.2)	104 (23.5)	96 (21.7)	70 (15.8)	29 (6.5)	19 (4.3)
65-69	657 (100.0)	166 (25.3)	155 (23.6)	71 (10.8)	38 (5.8)	11 (1.7)	216 (32.9)	166 (25.3)	155 (23.6)	71 (10.8)	38 (5.8)	11 (1.7)
70-74	676 (100.0)	181 (26.8)	141 (20.9)	83 (12.3)	27 (4.0)	9 (1.3)	235 (34.8)	181 (26.8)	141 (20.9)	83 (12.3)	27 (4.0)	9 (1.3)
75-79	371 (100.0)	93 (25.1)	71 (19.1)	42 (11.3)	19 (5.1)	11 (3.0)	135 (36.4)	93 (25.1)	71 (19.1)	42 (11.3)	19 (5.1)	11 (3.0)
80歳以上	150 (100.0)	44 (29.3)	30 (20.0)	17 (11.3)	2 (1.3)	0 (0.0)	57 (38.0)	44 (29.3)	30 (20.0)	17 (11.3)	2 (1.3)	0 (0.0)
計	3,362 (100.0)	838 (24.9)	695 (20.7)	427 (12.7)	196 (5.8)	101 (3.0)	1,105 (32.9)	838 (24.9)	695 (20.7)	427 (12.7)	196 (5.8)	101 (3.0)

年齢階級	総数						人 (%)					
	-179	180-199	200-219	220-239	240-259	260mg/dl以上	-179	180-199	200-219	220-239	240-259	260mg/dl以上
女												
-29歳	41 (100.0)	6 (14.6)	3 (7.3)	2 (4.9)	1 (2.4)	1 (2.4)	28 (68.3)	6 (14.6)	3 (7.3)	2 (4.9)	1 (2.4)	1 (2.4)
30-39	182 (100.0)	48 (26.4)	32 (17.6)	10 (5.5)	3 (1.6)	4 (2.2)	85 (46.7)	48 (26.4)	32 (17.6)	10 (5.5)	3 (1.6)	4 (2.2)
40-44	305 (100.0)	78 (25.6)	54 (17.7)	39 (12.8)	9 (3.0)	4 (1.3)	121 (39.7)	78 (25.6)	54 (17.7)	39 (12.8)	9 (3.0)	4 (1.3)
45-49	416 (100.0)	102 (24.5)	98 (23.6)	64 (15.4)	27 (6.5)	12 (2.9)	113 (27.2)	102 (24.5)	98 (23.6)	64 (15.4)	27 (6.5)	12 (2.9)
50-54	622 (100.0)	149 (24.0)	128 (20.6)	116 (18.6)	69 (11.1)	55 (8.8)	105 (16.9)	149 (24.0)	128 (20.6)	116 (18.6)	69 (11.1)	55 (8.8)
55-59	689 (100.0)	143 (20.8)	187 (27.1)	111 (16.1)	94 (13.6)	62 (9.0)	92 (13.4)	143 (20.8)	187 (27.1)	111 (16.1)	94 (13.6)	62 (9.0)
60-64	936 (100.0)	194 (20.7)	259 (27.7)	223 (23.8)	104 (11.1)	53 (5.7)	103 (11.0)	194 (20.7)	259 (27.7)	223 (23.8)	104 (11.1)	53 (5.7)
65-69	1,138 (100.0)	238 (20.9)	319 (28.0)	249 (21.9)	118 (10.4)	65 (5.7)	149 (13.1)	238 (20.9)	319 (28.0)	249 (21.9)	118 (10.4)	65 (5.7)
70-74	986 (100.0)	228 (23.1)	282 (28.6)	187 (19.0)	108 (11.0)	47 (4.8)	134 (13.6)	228 (23.1)	282 (28.6)	187 (19.0)	108 (11.0)	47 (4.8)
75-79	560 (100.0)	126 (22.5)	138 (24.6)	114 (20.4)	59 (10.5)	26 (4.6)	97 (17.3)	126 (22.5)	138 (24.6)	114 (20.4)	59 (10.5)	26 (4.6)
80歳以上	171 (100.0)	39 (22.8)	37 (21.6)	31 (18.1)	15 (8.8)	8 (4.7)	41 (24.0)	39 (22.8)	37 (21.6)	31 (18.1)	15 (8.8)	8 (4.7)
計	6,046 (100.0)	1,351 (22.3)	1,537 (25.4)	1,146 (19.0)	607 (10.0)	337 (5.6)	1,068 (17.7)	1,351 (22.3)	1,537 (25.4)	1,146 (19.0)	607 (10.0)	337 (5.6)

表18 血清総コレステロールの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女							
	人数	平均値(SD)	パーセントाइル					人数	平均値(SD)	パーセントाइル				
			5	25	50	75	95			5	25	50	75	95
29歳以下	41	172.8 (40.6)	110.1	144.5	170.0	189.0	263.2	41	173.7 (32.2)	116.7	156.5	168.0	185.0	251.3
30-39	96	197.3 (35.2)	144.7	167.5	195.5	218.5	263.5	182	182.4 (33.2)	131.2	164.0	181.5	201.0	228.9
40-44	155	199.8 (38.9)	136.4	172.0	199.0	229.0	264.0	305	188.3 (30.1)	138.0	166.0	188.0	207.5	237.4
45-49	224	201.5 (37.1)	144.3	178.0	196.5	220.8	271.3	416	199.4 (31.3)	152.0	177.0	198.0	219.0	249.3
50-54	296	201.8 (33.1)	150.9	176.0	198.5	226.0	255.8	622	211.2 (34.2)	161.2	188.0	210.0	232.0	272.0
55-59	253	193.0 (32.8)	144.7	171.5	191.0	213.0	247.3	689	214.3 (32.3)	165.0	192.0	211.0	236.5	270.5
60-64	443	200.6 (35.1)	149.0	177.0	198.0	221.0	257.8	936	213.4 (29.7)	168.9	193.0	212.0	232.0	262.2
65-69	657	193.1 (31.4)	139.0	172.5	193.0	214.0	246.1	1,138	211.3 (30.9)	159.0	191.8	211.5	229.0	262.0
70-74	676	190.5 (31.2)	138.0	170.0	191.0	212.0	242.0	986	210.0 (29.0)	166.0	190.0	208.0	228.3	259.0
75-79	371	191.9 (32.2)	143.2	169.0	189.0	212.0	249.8	560	208.6 (32.0)	158.0	186.0	209.0	229.0	259.0
80歳以上	150	186.8 (27.2)	139.7	168.0	185.5	207.0	231.0	171	203.3 (34.1)	147.8	180.0	201.0	225.0	259.0
計	3,362	194.7 (33.4)	142.0	172.0	193.0	216.0	250.0	6,046	208.2 (32.2)	157.0	187.0	207.0	228.0	262.0

表19 血清HDL-Cコレステロールの状況 (性・年齢階級別)

年齢階級	総数					人 (%)				
	-39	40-59	60-79	80-99	100mg/dl以上	-39	40-59	60-79	80-99	100mg/dl以上
男										
-29歳	41 (100.0)	24 (58.5)	13 (31.7)	2 (4.9)	0 (0.0)	2 (4.9)	13 (31.7)	2 (4.9)	0 (0.0)	0 (0.0)
30-39	96 (100.0)	48 (50.0)	30 (31.3)	13 (13.5)	4 (4.2)	13 (13.5)	30 (31.3)	4 (4.2)	4 (4.2)	1 (1.0)
40-44	155 (100.0)	86 (55.5)	46 (29.7)	14 (9.0)	8 (5.2)	14 (9.0)	46 (29.7)	8 (5.2)	8 (5.2)	1 (0.6)
45-49	224 (100.0)	133 (59.4)	57 (25.4)	22 (9.8)	9 (4.0)	22 (9.8)	57 (25.4)	9 (4.0)	9 (4.0)	3 (1.3)
50-54	296 (100.0)	139 (47.0)	96 (32.4)	32 (10.8)	23 (7.8)	32 (10.8)	96 (32.4)	23 (7.8)	23 (7.8)	6 (2.0)
55-59	253 (100.0)	121 (47.8)	94 (37.2)	24 (9.5)	13 (5.1)	24 (9.5)	94 (37.2)	13 (5.1)	13 (5.1)	1 (0.4)
60-64	443 (100.0)	223 (50.3)	135 (30.5)	55 (12.4)	25 (5.6)	55 (12.4)	135 (30.5)	25 (5.6)	25 (5.6)	5 (1.1)
65-69	657 (100.0)	318 (48.4)	215 (32.7)	72 (11.0)	42 (6.4)	72 (11.0)	215 (32.7)	42 (6.4)	42 (6.4)	10 (1.5)
70-74	676 (100.0)	350 (51.8)	204 (30.2)	75 (11.1)	37 (5.5)	75 (11.1)	204 (30.2)	37 (5.5)	37 (5.5)	10 (1.5)
75-79	371 (100.0)	190 (51.2)	101 (27.2)	47 (12.7)	27 (7.3)	47 (12.7)	101 (27.2)	27 (7.3)	27 (7.3)	6 (1.6)
80歳以上	150 (100.0)	77 (51.3)	48 (32.0)	18 (12.0)	7 (4.7)	18 (12.0)	48 (32.0)	7 (4.7)	7 (4.7)	0 (0.0)
計	3,362 (100.0)	1,709 (50.8)	1,039 (30.9)	374 (11.1)	197 (5.9)	374 (11.1)	1,039 (30.9)	197 (5.9)	197 (5.9)	43 (1.3)

年齢階級	総数					人 (%)				
	-39	40-59	60-79	80-99	100mg/dl以上	-39	40-59	60-79	80-99	100mg/dl以上
女										
-29歳	41 (100.0)	12 (29.3)	19 (46.3)	3 (7.3)	0 (0.0)	3 (7.3)	12 (29.3)	19 (46.3)	7 (17.1)	0 (0.0)
30-39	182 (100.0)	66 (36.3)	88 (48.4)	1 (0.5)	4 (2.2)	1 (0.5)	66 (36.3)	88 (48.4)	23 (12.6)	4 (2.2)
40-44	305 (100.0)	124 (40.7)	133 (43.6)	7 (2.3)	5 (1.6)	7 (2.3)	124 (40.7)	133 (43.6)	36 (11.8)	5 (1.6)
45-49	416 (100.0)	176 (42.3)	172 (41.3)	11 (2.6)	7 (1.7)	11 (2.6)	176 (42.3)	172 (41.3)	50 (12.0)	7 (1.7)
50-54	622 (100.0)	216 (34.7)	292 (46.9)	25 (4.0)	15 (2.4)	25 (4.0)	216 (34.7)	292 (46.9)	74 (11.9)	15 (2.4)
55-59	689 (100.0)	289 (41.9)	276 (40.1)	22 (3.2)	12 (1.7)	22 (3.2)	289 (41.9)	276 (40.1)	90 (13.1)	12 (1.7)
60-64	936 (100.0)	430 (45.9)	375 (40.1)	31 (3.3)	7 (0.7)	31 (3.3)	430 (45.9)	375 (40.1)	93 (9.9)	7 (0.7)
65-69	1,138 (100.0)	514 (45.2)	453 (39.8)	45 (4.0)	15 (1.3)	45 (4.0)	514 (45.2)	453 (39.8)	111 (9.8)	15 (1.3)
70-74	986 (100.0)	444 (45.0)	369 (37.4)	53 (5.4)	9 (0.9)	53 (5.4)	444 (45.0)	369 (37.4)	111 (11.3)	9 (0.9)
75-79	560 (100.0)	270 (48.2)	203 (36.3)	34 (6.1)	5 (0.9)	34 (6.1)	270 (48.2)	203 (36.3)	48 (8.6)	5 (0.9)
80歳以上	171 (100.0)	87 (50.9)	60 (35.1)	7 (4.1)	2 (1.2)	7 (4.1)	87 (50.9)	60 (35.1)	15 (8.8)	2 (1.2)
計	6,046 (100.0)	2,628 (43.5)	2,440 (40.4)	239 (4.0)	81 (1.3)	239 (4.0)	2,628 (43.5)	2,440 (40.4)	658 (10.9)	81 (1.3)

表20 血清HDL-Cコレステロールの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女							
	人数	パーセンタイル					人数	パーセンタイル						
		平均値 (SD)	5	25	50	75		95	平均値 (SD)	5	25	50	75	95
29歳以下	41	56.6 (13.5)	34.6	46.5	56.0	62.5	80.7	41	63.3 (15.3)	35.4	52.5	64.0	73.0	90.9
30-39	96	56.0 (14.6)	32.9	45.0	56.0	65.8	83.3	182	65.2 (15.0)	46.0	54.0	63.0	74.0	94.4
40-44	155	56.0 (13.8)	36.8	46.0	54.0	65.0	81.2	305	63.8 (14.2)	43.3	54.0	62.0	73.5	88.7
45-49	224	55.5 (14.3)	36.0	46.0	53.0	62.0	83.0	416	63.1 (14.5)	42.0	53.0	61.5	72.0	88.2
50-54	296	58.2 (16.5)	35.9	47.0	56.0	67.8	90.2	622	64.1 (15.1)	41.0	53.0	64.0	73.0	91.0
55-59	253	57.8 (13.8)	36.0	49.0	57.0	67.0	82.3	689	63.3 (15.4)	41.0	52.0	61.0	73.0	90.0
60-64	443	56.5 (15.3)	35.0	46.0	54.0	66.0	84.8	936	61.2 (14.0)	41.0	51.0	60.0	69.0	87.0
65-69	657	57.4 (15.7)	35.0	46.0	56.0	67.0	85.3	1,138	61.4 (14.2)	40.0	51.0	60.0	70.0	86.0
70-74	676	56.1 (15.4)	34.0	45.0	54.0	64.0	84.2	986	60.8 (14.7)	39.0	50.0	59.0	70.0	87.0
75-79	371	56.9 (16.6)	34.6	45.0	54.0	66.0	91.0	560	59.7 (14.1)	39.0	49.0	58.0	68.0	85.0
80歳以上	150	55.2 (13.5)	34.0	46.0	54.5	64.3	79.9	171	59.4 (14.0)	40.0	49.0	57.0	67.0	84.4
計	3,362	56.7 (15.3)	35.0	46.0	55.0	66.0	84.0	6,046	61.9 (14.6)	41.0	51.0	61.0	71.0	88.0

表21 血清LDL-Cコレステロールの状況 (性・年齢階級別)

男	年齢階級	総数						人 (%)	
		-99	100-119	120-139	140-159	160-179	180mg/dl以上		
	-29歳	19 (50.0)	11 (28.9)	4 (10.5)	1 (2.6)	1 (2.6)	2 (5.3)		
	30-39	24 (25.8)	25 (26.9)	19 (20.4)	16 (17.2)	5 (5.4)	4 (4.3)		
	40-44	41 (27.3)	38 (25.3)	32 (21.3)	22 (14.7)	10 (6.7)	7 (4.7)		
	45-49	54 (25.0)	63 (29.2)	40 (18.5)	32 (14.8)	18 (8.3)	9 (4.2)		
	50-54	72 (25.3)	77 (27.0)	61 (21.4)	42 (14.7)	26 (9.1)	7 (2.5)		
	55-59	74 (30.1)	76 (30.9)	45 (18.3)	36 (14.6)	10 (4.1)	5 (2.0)		
	60-64	112 (26.2)	107 (25.0)	99 (23.1)	68 (15.9)	26 (6.1)	16 (3.7)		
	65-69	199 (31.8)	154 (24.6)	149 (23.8)	85 (13.6)	29 (4.6)	10 (1.6)		
	70-74	209 (33.0)	164 (25.9)	141 (22.3)	89 (14.1)	24 (3.8)	6 (0.9)		
	75-79	105 (30.3)	101 (29.1)	80 (23.1)	42 (12.1)	11 (3.2)	8 (2.3)		
	80歳以上	41 (30.1)	45 (33.1)	25 (18.4)	21 (15.4)	3 (2.2)	1 (0.7)		
	計	950 (29.7)	861 (26.9)	695 (21.7)	454 (14.2)	163 (5.1)	75 (2.3)		

女	年齢階級	総数						人 (%)	
		-99	100-119	120-139	140-159	160-179	180mg/dl以上		
	-29歳	23 (57.5)	9 (22.5)	5 (12.5)	1 (2.5)	2 (5.0)	0 (0.0)		
	30-39	81 (45.0)	55 (30.6)	28 (15.6)	11 (6.1)	2 (1.1)	3 (1.7)		
	40-44	110 (36.8)	80 (26.8)	70 (23.4)	25 (8.4)	13 (4.3)	1 (0.3)		
	45-49	107 (27.0)	98 (24.7)	95 (23.9)	65 (16.4)	22 (5.5)	10 (2.5)		
	50-54	101 (16.8)	156 (26.0)	145 (24.1)	112 (18.6)	48 (8.0)	39 (6.5)		
	55-59	90 (13.5)	168 (25.3)	176 (26.5)	127 (19.1)	75 (11.3)	29 (4.4)		
	60-64	91 (10.1)	240 (26.6)	260 (28.9)	193 (21.4)	79 (8.8)	38 (4.2)		
	65-69	166 (15.2)	247 (22.6)	355 (32.5)	195 (17.9)	86 (7.9)	43 (3.9)		
	70-74	127 (13.6)	252 (27.0)	280 (30.0)	180 (19.3)	66 (7.1)	29 (3.1)		
	75-79	83 (16.1)	118 (22.9)	151 (29.3)	95 (18.4)	52 (10.1)	17 (3.3)		
	80歳以上	27 (17.5)	44 (28.6)	44 (28.6)	23 (14.9)	9 (5.8)	7 (4.5)		
	計	1,006 (17.4)	1,467 (25.4)	1,609 (27.8)	1,027 (17.8)	454 (7.9)	216 (3.7)		

表22 血清LDL-Cコレステロールの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女						mg/dl		
	人数	平均値(SD)	パーセンタイル					人数	平均値(SD)	パーセンタイル					
			5	25	50	75	95			5	25	50		75	95
29歳以下	38	101.6 (39.5)	45.3	79.5	99.0	112.5	187.1	40	100.3 (27.2)	60.4	83.5	96.0	111.0	167.1	
30-39	93	120.8 (29.9)	75.5	98.0	116.0	142.5	179.8	180	104.2 (28.2)	63.0	87.0	103.5	118.8	151.0	
40-44	150	120.3 (33.6)	65.7	97.8	119.0	141.8	179.5	299	110.6 (26.3)	70.0	92.0	109.0	128.0	159.0	
45-49	216	121.9 (34.5)	73.7	99.3	116.0	141.8	178.2	397	119.9 (29.6)	75.0	98.0	119.0	139.0	170.0	
50-54	285	120.5 (29.7)	76.0	99.0	117.0	141.0	170.4	601	127.6 (30.7)	83.0	106.0	126.0	145.5	184.9	
55-59	246	114.6 (31.6)	70.0	96.0	112.0	133.3	163.7	665	129.9 (29.3)	85.3	110.0	129.0	149.5	177.7	
60-64	428	120.7 (31.9)	73.0	98.0	119.0	140.0	174.1	901	130.1 (27.0)	87.0	113.0	128.0	147.0	177.0	
65-69	626	114.9 (29.5)	68.0	94.0	115.0	136.0	165.0	1,092	127.3 (27.8)	84.0	109.0	126.0	144.0	174.4	
70-74	633	113.2 (29.0)	64.7	94.0	113.0	133.0	158.3	934	126.8 (25.9)	88.8	108.0	125.0	144.0	172.3	
75-79	347	114.9 (27.7)	74.0	96.0	114.0	131.0	162.8	516	127.7 (28.7)	81.0	108.0	127.5	145.0	173.2	
80歳以上	136	112.0 (25.8)	70.1	93.0	112.0	130.0	153.5	154	123.0 (29.1)	78.0	104.0	121.0	140.0	178.8	
計	3,198	116.4 (30.5)	70.0	96.0	115.0	136.0	166.0	5,779	125.6 (28.7)	81.0	106.0	124.0	144.0	174.0	

表23 血清中性脂肪の状況 (性・年齢階級別)

年齢階級	総数						人 (%)	
	-39	40-99	100-149	150-199	200-239	240mg/dl以上		
-29歳	41 (100.0)	19 (46.3)	13 (31.7)	3 (7.3)	2 (4.9)	3 (7.3)		
30-39	96 (100.0)	27 (28.1)	26 (27.1)	17 (17.7)	13 (13.5)	12 (12.5)		
40-44	155 (100.0)	41 (26.5)	34 (21.9)	40 (25.8)	9 (5.8)	29 (18.7)		
45-49	224 (100.0)	59 (26.3)	71 (31.7)	37 (16.5)	22 (9.8)	34 (15.2)		
50-54	296 (100.0)	92 (31.1)	102 (34.5)	41 (13.9)	14 (4.7)	45 (15.2)		
55-59	253 (100.0)	104 (41.1)	69 (27.3)	33 (13.0)	16 (6.3)	26 (10.3)		
60-64	443 (100.0)	161 (36.3)	122 (27.5)	66 (14.9)	32 (7.2)	58 (13.1)		
65-69	657 (100.0)	276 (42.0)	200 (30.4)	88 (13.4)	35 (5.3)	53 (8.1)		
70-74	676 (100.0)	324 (47.9)	166 (24.6)	87 (12.9)	44 (6.5)	43 (6.4)		
75-79	371 (100.0)	179 (48.2)	102 (27.5)	44 (11.9)	16 (4.3)	24 (6.5)		
80歳以上	150 (100.0)	79 (52.7)	44 (29.3)	17 (11.3)	4 (2.7)	4 (2.7)		
計	3,362 (100.0)	1,361 (40.5)	949 (28.2)	473 (14.1)	207 (6.2)	331 (9.8)		

年齢階級	総数						人 (%)	
	-39	40-99	100-149	150-199	200-239	240mg/dl以上		
-29歳	41 (100.0)	29 (70.7)	2 (4.9)	3 (7.3)	0 (0.0)	2 (4.9)		
30-39	182 (100.0)	106 (58.2)	39 (21.4)	18 (9.9)	3 (1.6)	7 (3.8)		
40-44	305 (100.0)	167 (54.8)	70 (23.0)	24 (7.9)	9 (3.0)	14 (4.6)		
45-49	416 (100.0)	217 (52.2)	99 (23.8)	46 (11.1)	15 (3.6)	24 (5.8)		
50-54	622 (100.0)	295 (47.4)	175 (28.1)	66 (10.6)	32 (5.1)	41 (6.6)		
55-59	689 (100.0)	310 (45.0)	181 (26.3)	102 (14.8)	40 (5.8)	38 (5.5)		
60-64	936 (100.0)	376 (40.2)	276 (29.5)	153 (16.3)	56 (6.0)	65 (6.9)		
65-69	1,138 (100.0)	490 (43.1)	345 (30.3)	154 (13.5)	54 (4.7)	83 (7.3)		
70-74	986 (100.0)	432 (43.8)	307 (31.1)	119 (12.1)	45 (4.6)	74 (7.5)		
75-79	560 (100.0)	252 (45.0)	179 (32.0)	77 (13.8)	17 (3.0)	32 (5.7)		
80歳以上	171 (100.0)	69 (40.4)	63 (36.8)	18 (10.5)	12 (7.0)	8 (4.7)		
計	6,046 (100.0)	2,743 (45.4)	1,736 (28.7)	780 (12.9)	283 (4.7)	388 (6.4)		

表24 血清中性脂肪の平均値、標準偏差および分布 (性・年齢階級別)

年齢階級	男						女						mg/dl		
	人数	平均値(SD)	パーセンタイル					人数	平均値(SD)	パーセンタイル					
			5	25	50	75	95			5	25	50		75	95
29歳以下	41	120.2 (83.5)	49.6	78.0	101.0	140.0	323.8	41	86.1 (68.6)	35.1	47.0	69.0	88.5	271.9	
30-39	96	158.6 (98.0)	52.7	89.0	134.5	200.0	390.8	182	101.3 (64.7)	39.2	60.0	87.0	120.0	202.6	
40-44	155	171.7 (108.3)	50.8	96.0	150.0	199.0	420.2	305	101.9 (71.2)	37.3	59.0	80.0	120.5	232.5	
45-49	224	165.5 (120.1)	62.0	94.5	136.5	200.5	369.3	416	112.6 (72.0)	42.0	63.3	90.5	139.8	257.5	
50-54	296	152.6 (105.6)	49.9	82.3	124.5	173.0	348.3	622	119.2 (81.2)	46.0	70.0	100.5	141.3	260.6	
55-59	253	133.8 (87.6)	49.0	79.0	110.0	164.5	298.2	689	120.7 (68.9)	45.0	73.0	103.0	154.0	256.0	
60-64	443	148.6 (106.8)	53.0	81.0	120.0	175.0	345.6	936	128.7 (71.5)	50.9	80.0	111.0	158.8	260.0	
65-69	657	130.0 (86.2)	51.9	77.0	109.0	152.5	310.4	1,138	126.7 (72.7)	54.0	80.8	106.0	150.3	267.1	
70-74	676	124.1 (78.4)	47.9	74.3	100.0	152.0	268.3	986	126.6 (73.5)	53.0	79.0	108.0	148.0	272.5	
75-79	371	119.8 (71.2)	48.6	71.0	100.0	143.0	250.8	560	120.5 (62.8)	55.1	81.3	104.0	143.0	255.0	
80歳以上	150	109.1 (53.2)	51.6	72.8	94.5	134.0	210.1	171	121.6 (57.1)	51.2	82.0	112.0	141.0	239.8	
計	3,362	136.4 (92.5)	51.0	79.0	112.0	162.0	315.0	6,046	121.6 (71.9)	47.0	75.0	103.0	147.0	258.0	

表25 血清ASTの状況(性・年齢階級別)

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
男					
-29歳	41 (100.0)	13 (31.7)	27 (65.9)	1 (2.4)	0 (0.0)
30-39	96 (100.0)	18 (18.8)	74 (77.1)	2 (2.1)	2 (2.1)
40-44	155 (100.0)	20 (12.9)	117 (75.5)	14 (9.0)	4 (2.6)
45-49	224 (100.0)	33 (14.7)	171 (76.3)	15 (6.7)	5 (2.2)
50-54	296 (100.0)	45 (15.2)	226 (76.4)	16 (5.4)	9 (3.0)
55-59	253 (100.0)	37 (14.6)	188 (74.3)	16 (6.3)	12 (4.7)
60-64	443 (100.0)	46 (10.4)	358 (80.8)	29 (6.5)	10 (2.3)
65-69	657 (100.0)	64 (9.7)	523 (79.6)	55 (8.4)	15 (2.3)
70-74	676 (100.0)	68 (10.1)	548 (81.1)	44 (6.5)	16 (2.4)
75-79	371 (100.0)	50 (13.5)	287 (77.4)	31 (8.4)	3 (0.8)
80歳以上	150 (100.0)	20 (13.3)	121 (80.7)	6 (4.0)	3 (2.0)
計	3,362 (100.0)	414 (12.3)	2,640 (78.5)	229 (6.8)	79 (2.3)

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
女					
-29歳	41 (100.0)	29 (70.7)	10 (24.4)	2 (4.9)	0 (0.0)
30-39	182 (100.0)	116 (63.7)	61 (33.5)	5 (2.7)	0 (0.0)
40-44	305 (100.0)	177 (58.0)	125 (41.0)	2 (0.7)	1 (0.3)
45-49	416 (100.0)	190 (45.7)	208 (50.0)	15 (3.6)	3 (0.7)
50-54	622 (100.0)	167 (26.8)	434 (69.8)	16 (2.6)	5 (0.8)
55-59	689 (100.0)	114 (16.5)	549 (79.7)	19 (2.8)	7 (1.0)
60-64	936 (100.0)	127 (13.6)	776 (82.9)	29 (3.1)	4 (0.4)
65-69	1,138 (100.0)	150 (13.2)	934 (82.1)	40 (3.5)	14 (1.2)
70-74	986 (100.0)	106 (10.8)	843 (85.5)	31 (3.1)	6 (0.6)
75-79	560 (100.0)	60 (10.7)	475 (84.8)	24 (4.3)	1 (0.2)
80歳以上	171 (100.0)	27 (15.8)	138 (80.7)	5 (2.9)	1 (0.6)
計	6,046 (100.0)	1,263 (20.9)	4,553 (75.3)	188 (3.1)	42 (0.7)

表26 血清ASTの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女						U/L	
	人数	平均値(SD)	パーセンタイル				人数	平均値(SD)	パーセンタイル					
			5	25	50	75			95	5	25	50		75
29歳以下	41	23.8 (7.3)	14.2	18.5	22.0	27.5	37.8	41	19.2 (7.0)	14.0	15.0	17.0	20.0	41.3
30-39	96	25.9 (8.8)	17.0	21.0	23.5	28.8	40.2	182	19.6 (6.1)	14.0	16.0	19.0	21.0	30.0
40-44	155	28.8 (12.2)	17.0	21.0	25.0	32.0	45.4	305	20.1 (7.1)	14.0	17.0	19.0	22.0	30.0
45-49	224	28.3 (12.6)	17.0	21.0	25.0	31.0	48.0	416	21.8 (7.9)	15.0	17.3	20.0	23.0	36.0
50-54	296	27.4 (11.1)	17.0	21.0	25.0	30.0	46.4	622	24.1 (9.5)	16.2	19.0	22.0	26.0	36.9
55-59	253	31.2 (27.5)	17.0	21.0	26.0	32.0	56.5	689	25.1 (8.1)	17.0	21.0	23.0	27.0	38.0
60-64	443	29.8 (20.4)	18.0	22.0	27.0	32.0	46.0	936	25.5 (8.0)	18.0	21.0	24.0	28.0	37.0
65-69	657	29.2 (14.8)	18.0	23.0	26.0	32.0	46.0	1,138	26.2 (8.3)	18.0	21.0	25.0	29.0	39.0
70-74	676	28.3 (10.6)	18.0	22.0	26.0	31.0	45.0	986	26.1 (8.8)	18.0	22.0	25.0	29.0	37.0
75-79	371	27.7 (10.2)	17.0	22.0	25.0	31.0	42.4	560	25.8 (6.4)	17.0	22.0	25.0	29.0	38.9
80歳以上	150	26.9 (9.3)	18.0	21.0	25.0	30.0	42.5	171	25.6 (6.5)	17.6	21.0	25.0	29.0	37.4
計	3,362	28.6 (15.0)	17.0	22.0	26.0	31.0	45.0	6,046	24.8 (8.3)	16.0	20.0	23.0	27.0	37.0

表27 血清ALTの状況 (性・年齢階級別)

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
男					
-29歳	41 (100.0)	19 (46.3)	16 (39.0)	5 (12.2)	1 (2.4)
30-39	96 (100.0)	20 (20.8)	56 (58.3)	14 (14.6)	6 (6.3)
40-44	155 (100.0)	28 (18.1)	82 (52.9)	28 (18.1)	17 (11.0)
45-49	224 (100.0)	53 (23.7)	124 (55.4)	35 (15.6)	12 (5.4)
50-54	296 (100.0)	85 (28.7)	162 (54.7)	36 (12.2)	13 (4.4)
55-59	253 (100.0)	62 (24.5)	154 (60.9)	22 (8.7)	15 (5.9)
60-64	443 (100.0)	114 (25.7)	271 (61.2)	41 (9.3)	17 (3.8)
65-69	657 (100.0)	218 (33.2)	371 (56.5)	52 (7.9)	16 (2.4)
70-74	676 (100.0)	269 (39.8)	359 (53.1)	34 (5.0)	14 (2.1)
75-79	371 (100.0)	162 (43.7)	186 (50.1)	18 (4.9)	5 (1.3)
80歳以上	150 (100.0)	92 (61.3)	53 (35.3)	3 (2.0)	2 (1.3)
計	3,362 (100.0)	1,122 (33.4)	1,834 (54.6)	288 (8.6)	118 (3.5)

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
女					
-29歳	41 (100.0)	33 (80.5)	7 (17.1)	0 (0.0)	1 (2.4)
30-39	182 (100.0)	144 (79.1)	31 (17.0)	3 (1.6)	4 (2.2)
40-44	305 (100.0)	227 (74.4)	69 (22.6)	6 (2.0)	3 (1.0)
45-49	416 (100.0)	269 (64.7)	121 (29.1)	15 (3.6)	11 (2.6)
50-54	622 (100.0)	319 (51.3)	263 (42.3)	29 (4.7)	11 (1.8)
55-59	689 (100.0)	338 (49.1)	306 (44.4)	31 (4.5)	14 (2.0)
60-64	936 (100.0)	483 (51.6)	403 (43.1)	37 (4.0)	13 (1.4)
65-69	1,138 (100.0)	552 (48.5)	523 (46.0)	47 (4.1)	16 (1.4)
70-74	986 (100.0)	563 (57.1)	386 (39.1)	27 (2.7)	10 (1.0)
75-79	560 (100.0)	352 (62.9)	194 (34.6)	13 (2.3)	1 (0.2)
80歳以上	171 (100.0)	121 (70.8)	46 (26.9)	4 (2.3)	0 (0.0)
計	6,046 (100.0)	3,401 (56.3)	2,349 (38.9)	212 (3.5)	84 (1.4)

表28 血清ALTの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男					女					U/L			
	人数	平均値(SD)	パーセンタイル				人数	平均値(SD)	パーセンタイル					
			5	25	50	75			95	5		25	50	75
29歳以下	41	25.4 (17.6)	11.0	15.0	21.0	28.5	58.3	41	17.4 (15.7)	8.0	10.0	14.0	16.5	35.0
30-39	96	33.3 (20.2)	12.9	21.0	30.0	37.0	88.6	182	17.9 (12.1)	9.0	12.8	15.0	18.0	37.0
40-44	155	34.8 (20.2)	14.8	22.0	29.0	43.0	72.4	305	17.6 (10.9)	9.0	12.0	15.0	20.0	32.7
45-49	224	30.9 (16.7)	15.0	20.0	26.0	37.0	63.0	416	20.4 (13.8)	10.0	13.0	17.0	22.0	48.0
50-54	296	28.8 (15.9)	14.0	19.0	25.0	35.0	55.6	622	22.4 (14.6)	11.0	15.0	19.0	25.0	42.0
55-59	253	30.2 (22.0)	13.0	20.0	25.0	34.0	65.4	689	23.1 (13.5)	11.0	16.0	20.0	26.0	45.0
60-64	443	28.2 (15.3)	14.0	19.0	24.0	32.0	54.8	936	21.9 (10.2)	12.0	16.0	19.0	25.0	42.0
65-69	657	26.1 (15.2)	13.0	18.0	23.0	29.0	47.2	1,138	22.1 (10.8)	13.0	16.0	20.0	24.0	41.0
70-74	676	24.3 (12.3)	13.0	17.0	21.0	28.0	44.2	986	20.8 (10.1)	12.0	15.0	18.0	23.0	37.0
75-79	371	22.8 (10.4)	12.0	16.0	21.0	26.0	42.0	560	19.2 (7.8)	11.0	14.0	18.0	22.0	34.0
80歳以上	150	19.8 (9.4)	10.0	14.0	18.0	23.0	35.0	171	17.6 (7.5)	9.6	13.0	16.0	21.0	32.0
計	3,362	26.8 (15.7)	13.0	18.0	23.0	30.0	53.0	6,046	21.1 (11.5)	11.0	15.0	18.0	23.0	39.0

表29 γ-GTPの状況(性・年齢階級別)

年齢階級	総数					人(%)				
	-24	25-49	50-74	75-99	100U/L以上	-24	25-49	50-74	75-99	100U/L以上
男										
-29歳	41 (100.0)	12 (29.3)	2 (4.9)	2 (4.9)	3 (7.3)	22 (53.7)	12 (29.3)	2 (4.9)	2 (4.9)	3 (7.3)
30-39	96 (100.0)	36 (37.5)	13 (13.5)	7 (7.3)	16 (16.7)	24 (25.0)	36 (37.5)	13 (13.5)	7 (7.3)	16 (16.7)
40-44	155 (100.0)	60 (38.7)	25 (16.1)	7 (4.5)	34 (21.9)	29 (18.7)	60 (38.7)	25 (16.1)	7 (4.5)	34 (21.9)
45-49	224 (100.0)	89 (39.7)	37 (16.5)	18 (8.0)	36 (16.1)	44 (19.6)	89 (39.7)	37 (16.5)	18 (8.0)	36 (16.1)
50-54	296 (100.0)	116 (39.2)	47 (15.9)	25 (8.4)	33 (11.1)	75 (25.3)	116 (39.2)	47 (15.9)	25 (8.4)	33 (11.1)
55-59	253 (100.0)	89 (35.2)	43 (17.0)	24 (9.5)	31 (12.3)	66 (26.1)	89 (35.2)	43 (17.0)	24 (9.5)	31 (12.3)
60-64	443 (100.0)	189 (42.7)	66 (14.9)	28 (6.3)	49 (11.1)	111 (25.1)	189 (42.7)	66 (14.9)	28 (6.3)	49 (11.1)
65-69	657 (100.0)	258 (39.3)	78 (11.9)	29 (4.4)	62 (9.4)	230 (35.0)	258 (39.3)	78 (11.9)	29 (4.4)	62 (9.4)
70-74	676 (100.0)	281 (41.6)	73 (10.8)	20 (3.0)	41 (6.1)	261 (38.6)	281 (41.6)	73 (10.8)	20 (3.0)	41 (6.1)
75-79	371 (100.0)	133 (35.8)	34 (9.2)	14 (3.8)	19 (5.1)	171 (46.1)	133 (35.8)	34 (9.2)	14 (3.8)	19 (5.1)
80歳以上	150 (100.0)	43 (28.7)	14 (9.3)	6 (4.0)	4 (2.7)	83 (55.3)	43 (28.7)	14 (9.3)	6 (4.0)	4 (2.7)
計	3,362 (100.0)	1,306 (38.8)	432 (12.8)	180 (5.4)	328 (9.8)	1,116 (33.2)	1,306 (38.8)	432 (12.8)	180 (5.4)	328 (9.8)

年齢階級	総数					人(%)				
	-24	25-49	50-74	75-99	100U/L以上	-24	25-49	50-74	75-99	100U/L以上
女										
-29歳	41 (100.0)	4 (9.8)	0 (0.0)	1 (2.4)	0 (0.0)	36 (87.8)	4 (9.8)	0 (0.0)	1 (2.4)	0 (0.0)
30-39	182 (100.0)	32 (17.6)	2 (1.1)	2 (1.1)	1 (0.5)	145 (79.7)	32 (17.6)	2 (1.1)	2 (1.1)	1 (0.5)
40-44	305 (100.0)	46 (15.1)	11 (3.6)	6 (2.0)	2 (0.7)	240 (78.7)	46 (15.1)	11 (3.6)	6 (2.0)	2 (0.7)
45-49	416 (100.0)	82 (19.7)	16 (3.8)	8 (1.9)	10 (2.4)	300 (72.1)	82 (19.7)	16 (3.8)	8 (1.9)	10 (2.4)
50-54	622 (100.0)	148 (23.8)	39 (6.3)	10 (1.6)	19 (3.1)	406 (65.3)	148 (23.8)	39 (6.3)	10 (1.6)	19 (3.1)
55-59	689 (100.0)	192 (27.9)	41 (6.0)	7 (1.0)	13 (1.9)	436 (63.3)	192 (27.9)	41 (6.0)	7 (1.0)	13 (1.9)
60-64	936 (100.0)	235 (25.1)	33 (3.5)	11 (1.2)	15 (1.6)	642 (68.6)	235 (25.1)	33 (3.5)	11 (1.2)	15 (1.6)
65-69	1,138 (100.0)	291 (25.6)	55 (4.8)	15 (1.3)	17 (1.5)	760 (66.8)	291 (25.6)	55 (4.8)	15 (1.3)	17 (1.5)
70-74	986 (100.0)	193 (19.6)	37 (3.8)	13 (1.3)	8 (0.8)	735 (74.5)	193 (19.6)	37 (3.8)	13 (1.3)	8 (0.8)
75-79	560 (100.0)	119 (21.3)	22 (3.9)	8 (1.4)	1 (0.2)	410 (73.2)	119 (21.3)	22 (3.9)	8 (1.4)	1 (0.2)
80歳以上	171 (100.0)	34 (19.9)	1 (0.6)	2 (1.2)	3 (1.8)	131 (76.6)	34 (19.9)	1 (0.6)	2 (1.2)	3 (1.8)
計	6,046 (100.0)	1,376 (22.8)	257 (4.3)	83 (1.4)	89 (1.5)	4,241 (70.1)	1,376 (22.8)	257 (4.3)	83 (1.4)	89 (1.5)

表30 血清γ-GTPの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女						U/L		
	人数	平均値(SD)	パーセンタイル					人数	平均値(SD)	パーセンタイル					
			5	25	50	75	95			5	25	50		75	95
29歳以下	41	37.8 (34.8)	14.0	18.0	23.0	44.0	141.5	41	18.1 (12.6)	9.1	11.0	15.0	18.0	47.0	
30-39	96	56.0 (46.2)	15.0	24.3	39.0	72.0	158.2	182	20.3 (14.4)	11.0	13.0	16.0	22.0	43.0	
40-44	155	72.4 (75.2)	17.0	28.0	42.0	75.0	273.2	305	22.1 (18.5)	11.0	13.0	16.0	23.0	55.7	
45-49	224	64.5 (82.2)	16.3	26.0	43.0	71.8	178.8	416	26.7 (30.8)	11.0	14.0	18.0	26.0	70.3	
50-54	296	58.1 (70.6)	17.0	24.0	36.5	66.0	153.0	622	28.9 (30.1)	11.0	15.0	20.0	30.0	72.0	
55-59	253	63.1 (107.9)	17.0	24.0	37.0	66.5	163.0	689	27.8 (28.1)	12.0	15.0	20.0	31.0	64.0	
60-64	443	61.5 (117.6)	16.0	24.0	36.0	62.0	154.2	936	25.5 (22.8)	12.0	16.0	20.0	27.0	57.0	
65-69	657	50.3 (80.3)	15.0	22.0	31.0	51.5	143.9	1,138	26.6 (35.8)	12.0	15.0	20.0	28.0	61.1	
70-74	676	48.0 (99.3)	14.0	20.3	28.0	44.0	123.6	986	23.7 (17.8)	11.0	15.0	19.0	25.0	53.7	
75-79	371	37.4 (34.9)	14.0	19.0	26.0	42.0	101.0	560	22.8 (15.7)	11.0	14.0	18.0	25.0	52.9	
80歳以上	150	33.2 (35.7)	13.0	17.0	22.0	34.3	85.6	171	23.1 (21.5)	12.0	14.0	18.0	24.0	44.0	
計	3,362	52.8 (86.2)	15.0	22.0	32.0	54.0	147.0	6,046	25.4 (26.2)	11.0	15.0	19.0	27.0	59.0	

表31 血清クレアチニンの状況 (性・年齢階級別)

年齢階級	人 (%)				
	総数	-0.7	0.8-1.0	1.1-1.4	1.5mg/dl以上
男					
-29歳	41 (100.0)	12 (29.3)	29 (70.7)	0 (0.0)	0 (0.0)
30-39	96 (100.0)	33 (34.4)	63 (65.6)	0 (0.0)	0 (0.0)
40-44	155 (100.0)	51 (32.9)	99 (63.9)	5 (3.2)	0 (0.0)
45-49	224 (100.0)	94 (42.0)	125 (55.8)	5 (2.2)	0 (0.0)
50-54	296 (100.0)	120 (40.5)	171 (57.8)	5 (1.7)	0 (0.0)
55-59	253 (100.0)	111 (43.9)	135 (53.4)	7 (2.8)	0 (0.0)
60-64	443 (100.0)	177 (40.0)	247 (55.8)	15 (3.4)	4 (0.9)
65-69	657 (100.0)	254 (38.7)	372 (56.6)	27 (4.1)	4 (0.6)
70-74	676 (100.0)	217 (32.1)	407 (60.2)	44 (6.5)	8 (1.2)
75-79	371 (100.0)	90 (24.3)	233 (62.8)	45 (12.1)	3 (0.8)
80歳以上	150 (100.0)	35 (23.3)	94 (62.7)	17 (11.3)	4 (2.7)
計	3,362 (100.0)	1,194 (35.5)	1,975 (58.7)	170 (5.1)	23 (0.7)

年齢階級	人 (%)				
	総数	-0.7	0.8-1.0	1.1-1.4	1.5mg/dl以上
女					
-29歳	41 (100.0)	40 (97.6)	1 (2.4)	0 (0.0)	0 (0.0)
30-39	182 (100.0)	177 (97.3)	5 (2.7)	0 (0.0)	0 (0.0)
40-44	305 (100.0)	282 (92.5)	22 (7.2)	1 (0.3)	0 (0.0)
45-49	416 (100.0)	396 (95.2)	18 (4.3)	1 (0.2)	1 (0.2)
50-54	622 (100.0)	578 (92.9)	43 (6.9)	0 (0.0)	1 (0.2)
55-59	689 (100.0)	636 (92.3)	52 (7.5)	0 (0.0)	1 (0.1)
60-64	936 (100.0)	845 (90.3)	89 (9.5)	2 (0.2)	0 (0.0)
65-69	1,138 (100.0)	995 (87.4)	137 (12.0)	4 (0.4)	2 (0.2)
70-74	986 (100.0)	812 (82.4)	165 (16.7)	8 (0.8)	1 (0.1)
75-79	560 (100.0)	430 (76.8)	116 (20.7)	10 (1.8)	4 (0.7)
80歳以上	171 (100.0)	120 (70.2)	47 (27.5)	3 (1.8)	1 (0.6)
計	6,046 (100.0)	5,311 (87.8)	695 (11.5)	29 (0.5)	11 (0.2)

表32 血清クレアチニンの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女						mg/dl		
	人数	平均値 (SD)	パーセンタイル					人数	平均値 (SD)	パーセンタイル					
			5	25	50	75	95			5	25	50		75	95
29歳以下	41	0.8 (0.1)	0.6	0.7	0.8	0.9	1.0	41	0.6 (0.1)	0.4	0.5	0.6	0.6	0.7	
30-39	96	0.8 (0.1)	0.6	0.7	0.8	0.9	1.0	182	0.6 (0.1)	0.5	0.5	0.6	0.7	0.7	
40-44	155	0.8 (0.1)	0.6	0.7	0.8	0.9	1.0	305	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
45-49	224	0.8 (0.1)	0.6	0.7	0.8	0.9	1.0	416	0.6 (0.1)	0.5	0.5	0.6	0.7	0.7	
50-54	296	0.8 (0.1)	0.6	0.7	0.8	0.9	1.0	622	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
55-59	253	0.8 (0.1)	0.6	0.7	0.8	0.8	1.0	689	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
60-64	443	0.8 (0.2)	0.6	0.7	0.8	0.9	1.0	936	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
65-69	657	0.8 (0.2)	0.6	0.7	0.8	0.9	1.0	1,138	0.6 (0.1)	0.5	0.5	0.6	0.7	0.8	
70-74	676	0.8 (0.3)	0.6	0.7	0.8	0.9	1.1	986	0.6 (0.1)	0.5	0.6	0.6	0.7	0.9	
75-79	371	0.9 (0.2)	0.6	0.8	0.8	0.9	1.2	560	0.7 (0.2)	0.5	0.6	0.7	0.7	1.0	
80歳以上	150	0.9 (0.2)	0.7	0.8	0.9	1.0	1.2	171	0.7 (0.2)	0.5	0.6	0.7	0.8	0.9	
計	3,362	0.8 (0.2)	0.6	0.7	0.8	0.9	1.1	6,046	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	