

表15 尿蛋白の状況 (性・年齢階級別)

年齢階級	総数				人 (%)			
	(-)	(±)	(+)	(2+)	(3+)	(2+)	(+)	(3+)
男								
-29歳	7 (100.0)	6 (85.7)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	38 (100.0)	36 (94.7)	1 (2.6)	1 (2.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
40-44	79 (100.0)	77 (97.5)	0 (0.0)	1 (1.3)	0 (0.0)	0 (0.0)	1 (1.3)	1 (1.3)
45-49	96 (100.0)	88 (91.7)	4 (4.2)	3 (3.1)	1 (1.0)	1 (1.0)	0 (0.0)	0 (0.0)
50-54	159 (100.0)	151 (95.0)	5 (3.1)	2 (1.3)	1 (0.6)	1 (0.6)	0 (0.0)	0 (0.0)
55-59	208 (100.0)	199 (95.7)	6 (2.9)	2 (1.0)	1 (0.5)	1 (0.5)	0 (0.0)	0 (0.0)
60-64	339 (100.0)	320 (94.4)	10 (2.9)	4 (1.2)	4 (1.2)	4 (1.2)	1 (0.3)	1 (0.3)
65-69	459 (100.0)	441 (96.1)	8 (1.7)	7 (1.5)	2 (0.4)	2 (0.4)	1 (0.2)	1 (0.2)
70-74	420 (100.0)	389 (92.6)	12 (2.9)	10 (2.4)	6 (1.4)	6 (1.4)	3 (0.7)	3 (0.7)
75-79	217 (100.0)	201 (92.6)	6 (2.8)	5 (2.3)	4 (1.8)	4 (1.8)	1 (0.5)	1 (0.5)
80歳以上	90 (100.0)	87 (96.7)	1 (1.1)	1 (1.1)	1 (1.1)	1 (1.1)	0 (0.0)	0 (0.0)
計	2,112 (100.0)	1,995 (94.5)	54 (2.6)	36 (1.7)	20 (0.9)	20 (0.9)	7 (0.3)	7 (0.3)

年齢階級	総数				人 (%)			
	(-)	(±)	(+)	(2+)	(3+)	(2+)	(+)	(3+)
女								
-29歳	38 (100.0)	37 (97.4)	1 (2.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	139 (100.0)	134 (96.4)	2 (1.4)	3 (2.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
40-44	211 (100.0)	205 (97.2)	3 (1.4)	3 (1.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
45-49	333 (100.0)	327 (98.2)	4 (1.2)	2 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
50-54	525 (100.0)	516 (98.3)	7 (1.3)	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	1 (0.2)
55-59	590 (100.0)	581 (98.5)	5 (0.8)	4 (0.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
60-64	721 (100.0)	709 (98.3)	4 (0.6)	4 (0.6)	3 (0.4)	3 (0.4)	1 (0.1)	1 (0.1)
65-69	818 (100.0)	795 (97.2)	12 (1.5)	9 (1.1)	1 (0.1)	1 (0.1)	1 (0.1)	1 (0.1)
70-74	633 (100.0)	615 (97.2)	6 (0.9)	11 (1.7)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
75-79	308 (100.0)	292 (94.8)	7 (2.3)	6 (1.9)	0 (0.0)	0 (0.0)	3 (1.0)	3 (1.0)
80歳以上	66 (100.0)	59 (89.4)	5 (7.6)	2 (3.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
計	4,382 (100.0)	4,270 (97.4)	56 (1.3)	45 (1.0)	5 (0.1)	5 (0.1)	6 (0.1)	6 (0.1)

表16 尿潜血の状況（性・年齢階級別）

年齢階級	男			女		
	総数	(-)	(+)	総数	(-)	(+)
-29歳	7 (100.0)	6 (85.7)	1 (14.3)	33 (100.0)	33 (100.0)	0 (0.0)
30-39	38 (100.0)	36 (94.7)	2 (5.3)	111 (100.0)	93 (83.8)	14 (12.6)
40-44	79 (100.0)	77 (97.5)	2 (2.5)	187 (100.0)	152 (81.3)	30 (16.0)
45-49	96 (100.0)	89 (92.7)	4 (4.2)	300 (100.0)	263 (87.7)	35 (11.7)
50-54	159 (100.0)	148 (93.1)	11 (6.9)	517 (100.0)	432 (83.6)	69 (13.3)
55-59	208 (100.0)	190 (91.3)	16 (7.7)	589 (100.0)	475 (80.6)	95 (16.1)
60-64	339 (100.0)	308 (90.9)	29 (8.6)	720 (100.0)	583 (81.0)	116 (16.1)
65-69	459 (100.0)	417 (90.8)	38 (8.3)	818 (100.0)	654 (80.0)	146 (17.8)
70-74	420 (100.0)	370 (88.1)	44 (10.5)	633 (100.0)	474 (74.9)	139 (22.0)
75-79	217 (100.0)	201 (92.6)	12 (5.5)	308 (100.0)	239 (77.6)	58 (18.8)
80歳以上	90 (100.0)	79 (87.8)	10 (11.1)	66 (100.0)	51 (77.3)	15 (22.7)
計	2,112 (100.0)	1,921 (91.0)	169 (8.0)	4,282 (100.0)	3,449 (80.5)	717 (16.7)

年齢階級	男			女		
	総数	(-)	(+)	総数	(-)	(+)
-29歳	7 (100.0)	6 (0.0)	0 (0.0)	33 (100.0)	0 (0.0)	0 (0.0)
30-39	38 (100.0)	0 (0.0)	0 (0.0)	111 (100.0)	2 (1.8)	2 (1.8)
40-44	79 (100.0)	0 (0.0)	0 (0.0)	187 (100.0)	3 (1.6)	2 (1.1)
45-49	96 (100.0)	3 (3.1)	0 (0.0)	300 (100.0)	2 (0.7)	0 (0.0)
50-54	159 (100.0)	0 (0.0)	0 (0.0)	517 (100.0)	14 (2.7)	2 (0.4)
55-59	208 (100.0)	2 (1.0)	0 (0.0)	589 (100.0)	19 (3.2)	0 (0.0)
60-64	339 (100.0)	1 (0.3)	1 (0.3)	720 (100.0)	19 (2.6)	2 (0.3)
65-69	459 (100.0)	3 (0.7)	1 (0.2)	818 (100.0)	13 (1.6)	5 (0.6)
70-74	420 (100.0)	5 (1.2)	1 (0.2)	633 (100.0)	19 (3.0)	1 (0.2)
75-79	217 (100.0)	4 (1.8)	0 (0.0)	308 (100.0)	9 (2.9)	2 (0.6)
80歳以上	90 (100.0)	1 (1.1)	0 (0.0)	66 (100.0)	0 (0.0)	0 (0.0)
計	2,112 (100.0)	19 (0.9)	3 (0.1)	4,282 (100.0)	100 (2.3)	16 (0.4)

*生理中の者を除く

表17 血清総コレステロールの状況 (性・年齢階級別)

年齢階級	総数						人 (%)	
	-179	180-199	200-219	220-239	240-259	260mg/dl以上		
男								
-29歳	7 (100.0)	2 (28.6)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)		
30-39	38 (100.0)	7 (18.4)	8 (21.1)	3 (7.9)	3 (7.9)	1 (2.6)		
40-44	79 (100.0)	29 (36.7)	12 (15.2)	9 (11.4)	6 (7.6)	4 (5.1)		
45-49	96 (100.0)	20 (20.8)	18 (18.8)	14 (14.6)	4 (4.2)	6 (6.3)		
50-54	159 (100.0)	40 (25.2)	35 (22.0)	23 (14.5)	12 (7.5)	6 (3.8)		
55-59	208 (100.0)	59 (28.4)	41 (19.7)	32 (15.4)	5 (2.4)	4 (1.9)		
60-64	340 (100.0)	68 (20.0)	67 (19.7)	38 (11.2)	14 (4.1)	11 (3.2)		
65-69	462 (100.0)	133 (28.8)	88 (19.0)	41 (8.9)	15 (3.2)	2 (0.4)		
70-74	422 (100.0)	111 (26.3)	62 (14.7)	38 (9.0)	16 (3.8)	5 (1.2)		
75-79	219 (100.0)	57 (26.0)	33 (15.1)	20 (9.1)	6 (2.7)	0 (0.0)		
80歳以上	92 (100.0)	16 (17.4)	16 (17.4)	9 (9.8)	3 (3.3)	1 (1.1)		
計	2,122 (100.0)	542 (25.5)	381 (18.0)	228 (10.7)	84 (4.0)	40 (1.9)		

年齢階級	総数						人 (%)	
	-179	180-199	200-219	220-239	240-259	260mg/dl以上		
女								
-29歳	39 (100.0)	9 (23.1)	2 (5.1)	0 (0.0)	0 (0.0)	0 (0.0)		
30-39	139 (100.0)	34 (24.5)	13 (9.4)	5 (3.6)	2 (1.4)	0 (0.0)		
40-44	211 (100.0)	55 (26.1)	31 (14.7)	23 (10.9)	8 (3.8)	3 (1.4)		
45-49	335 (100.0)	79 (23.6)	68 (20.3)	45 (13.4)	25 (7.5)	14 (4.2)		
50-54	525 (100.0)	135 (25.7)	129 (24.6)	95 (18.1)	37 (7.0)	26 (5.0)		
55-59	589 (100.0)	135 (22.9)	156 (26.5)	102 (17.3)	54 (9.2)	35 (5.9)		
60-64	722 (100.0)	168 (23.3)	201 (27.8)	124 (17.2)	53 (7.3)	28 (3.9)		
65-69	819 (100.0)	168 (20.5)	239 (29.2)	133 (16.2)	62 (7.6)	31 (3.8)		
70-74	637 (100.0)	164 (25.7)	171 (26.8)	113 (17.7)	33 (5.2)	15 (2.4)		
75-79	311 (100.0)	80 (25.4)	84 (27.0)	36 (11.6)	20 (6.4)	12 (3.9)		
80歳以上	68 (100.0)	16 (23.5)	19 (27.9)	9 (13.2)	3 (4.4)	1 (1.5)		
計	4,395 (100.0)	1,043 (23.7)	1,113 (25.3)	685 (15.6)	297 (6.8)	165 (3.8)		

表18 血清総コレステロールの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	mg/dl													
	男					女								
	人数	平均値(SD)	パーセンタイル				人数	平均値(SD)	パーセンタイル					
5			25	50	75	95			5	25	50	75	95	
29歳以下	7	184.9 (28.6)	149.0	158.0	189.0	212.0	219.0	39	166.5 (21.8)	132.0	148.0	165.0	184.0	205.0
30-39	38	190.7 (36.5)	132.9	166.0	188.5	213.5	259.2	139	170.1 (28.7)	127.0	149.0	166.0	192.0	221.0
40-44	79	201.0 (37.7)	151.0	180.0	194.0	218.0	283.0	211	187.7 (30.8)	139.6	168.0	186.0	206.0	240.0
45-49	96	196.4 (33.7)	142.9	173.0	191.5	223.5	264.8	335	197.7 (35.4)	143.6	174.0	197.0	220.0	254.2
50-54	159	199.9 (32.1)	152.0	178.0	197.0	220.0	256.0	525	204.8 (31.2)	154.3	185.0	202.0	224.5	259.4
55-59	208	192.6 (31.0)	140.0	174.0	189.0	214.8	238.1	589	207.6 (31.7)	156.0	186.0	206.0	227.5	262.5
60-64	340	190.3 (32.0)	142.1	166.3	187.5	212.0	247.9	722	204.1 (30.2)	154.2	183.8	204.0	222.0	257.0
65-69	462	186.9 (28.6)	143.0	166.8	186.0	205.0	235.0	819	203.7 (30.2)	156.0	183.0	203.0	222.0	256.0
70-74	422	185.3 (31.0)	137.0	164.8	183.5	204.0	239.7	637	201.6 (27.7)	158.0	182.5	201.0	220.0	247.1
75-79	219	182.8 (29.0)	132.0	163.0	182.0	203.0	233.0	311	200.0 (31.0)	153.6	178.0	199.0	217.0	256.0
80歳以上	92	181.6 (33.2)	136.3	155.3	176.0	205.5	240.4	68	197.6 (27.8)	150.5	176.5	198.0	213.8	253.3
計	2,122	189.0 (31.5)	141.0	167.0	187.0	209.0	243.0	4,395	201.1 (31.5)	152.0	180.0	201.0	221.0	255.0

表19 血清HDL-L-コレステロールの状況 (性・年齢階級別)

年齢階級	総数					100mg/dl以上		人 (%)
	-39	40-59	60-79	80-99	計	人数	割合 (%)	
男								
-29歳	7 (100.0)	1 (14.3)	6 (85.7)	0 (0.0)	7 (100.0)	0 (0.0)	0 (0.0)	
30-39	38 (100.0)	23 (60.5)	11 (28.9)	2 (5.3)	74 (194.7)	0 (0.0)	0 (0.0)	
40-44	79 (100.0)	40 (50.6)	24 (30.4)	2 (2.5)	145 (183.5)	3 (3.8)	3 (3.8)	
45-49	96 (100.0)	49 (51.0)	27 (28.1)	10 (10.4)	182 (188.6)	0 (0.0)	0 (0.0)	
50-54	159 (100.0)	73 (45.9)	52 (32.7)	14 (8.8)	298 (187.6)	2 (1.3)	2 (1.3)	
55-59	208 (100.0)	114 (54.8)	50 (24.0)	15 (7.2)	387 (186.8)	1 (0.5)	1 (0.5)	
60-64	340 (100.0)	177 (52.1)	85 (25.0)	29 (8.5)	631 (185.5)	4 (1.2)	4 (1.2)	
65-69	462 (100.0)	245 (53.0)	132 (28.6)	30 (6.5)	870 (187.1)	3 (0.6)	3 (0.6)	
70-74	422 (100.0)	240 (56.9)	112 (26.5)	18 (4.3)	792 (187.7)	5 (1.2)	5 (1.2)	
75-79	219 (100.0)	130 (59.4)	51 (23.3)	9 (4.1)	419 (191.7)	2 (0.9)	2 (0.9)	
80歳以上	92 (100.0)	49 (53.3)	19 (20.7)	5 (5.4)	165 (179.4)	1 (1.1)	1 (1.1)	
計	2,122 (100.0)	1,141 (53.8)	569 (26.8)	134 (6.3)	3,966 (187.9)	21 (1.0)	21 (1.0)	

年齢階級	総数					100mg/dl以上		人 (%)
	-39	40-59	60-79	80-99	計	人数	割合 (%)	
女								
-29歳	39 (100.0)	10 (25.6)	24 (61.5)	4 (10.3)	77 (196.4)	1 (2.6)	1 (2.6)	
30-39	139 (100.0)	52 (37.4)	65 (46.8)	17 (12.2)	373 (267.4)	2 (1.4)	2 (1.4)	
40-44	211 (100.0)	70 (33.2)	91 (43.1)	41 (19.4)	413 (196.0)	6 (2.8)	6 (2.8)	
45-49	335 (100.0)	124 (37.0)	162 (48.4)	34 (10.1)	655 (195.5)	8 (2.4)	8 (2.4)	
50-54	525 (100.0)	214 (40.8)	227 (43.2)	66 (12.6)	1,032 (197.6)	5 (1.0)	5 (1.0)	
55-59	589 (100.0)	261 (44.3)	246 (41.8)	63 (10.7)	1,159 (196.8)	5 (0.8)	5 (0.8)	
60-64	722 (100.0)	346 (47.9)	292 (40.4)	59 (8.2)	1,419 (198.5)	7 (1.0)	7 (1.0)	
65-69	819 (100.0)	394 (48.1)	311 (38.0)	53 (6.5)	1,577 (190.6)	12 (1.5)	12 (1.5)	
70-74	637 (100.0)	323 (50.7)	234 (36.7)	41 (6.4)	1,235 (194.8)	4 (0.6)	4 (0.6)	
75-79	311 (100.0)	170 (54.7)	96 (30.9)	17 (5.5)	594 (191.3)	5 (1.6)	5 (1.6)	
80歳以上	68 (100.0)	31 (45.6)	29 (42.6)	3 (4.4)	131 (192.9)	0 (0.0)	0 (0.0)	
計	4,395 (100.0)	1,995 (45.4)	1,777 (40.4)	398 (9.1)	8,565 (194.9)	55 (1.3)	55 (1.3)	

表20 血清HDL-L-コレステロールの平均値、標準偏差および分布 (性・年齢階級別)

年齢階級	mg/dl													
	男					女								
	人数	平均値(SD)	パーセンタイル			人数	平均値(SD)	パーセンタイル						
5			25	50	75			95						
29歳以下	7	63.3 (9.3)	44.0	61.0	67.0	69.0	70.0	39	68.5 (14.8)	48.0	59.0	69.0	75.0	97.0
30-39	38	58.1 (13.6)	35.7	48.0	57.0	67.8	83.7	139	63.6 (14.5)	42.0	54.0	63.0	72.0	89.0
40-44	79	56.9 (17.0)	34.0	46.0	55.0	66.0	97.0	211	67.5 (15.7)	44.6	56.0	66.0	78.0	95.0
45-49	96	57.2 (14.8)	35.7	45.5	56.0	67.0	85.2	335	63.6 (14.2)	42.8	54.0	63.0	71.0	88.0
50-54	159	58.3 (18.7)	35.0	46.0	56.0	66.0	88.0	525	63.7 (14.1)	43.0	54.0	62.0	73.0	89.0
55-59	208	55.5 (14.7)	33.5	45.3	54.0	63.0	84.0	589	62.1 (14.1)	41.0	52.0	60.0	70.0	87.5
60-64	340	56.1 (15.9)	34.0	44.0	54.0	65.0	89.0	722	61.0 (13.7)	42.0	51.0	59.0	69.0	86.0
65-69	462	56.3 (15.7)	35.0	45.0	54.0	65.0	84.0	819	59.2 (14.7)	38.0	49.0	58.0	67.0	84.0
70-74	422	54.6 (14.5)	35.2	44.0	52.0	63.0	81.9	637	59.1 (13.2)	39.0	50.5	58.0	67.5	83.0
75-79	219	53.6 (14.1)	34.0	43.0	52.0	61.0	80.0	311	58.0 (14.1)	38.0	48.0	57.0	65.0	83.4
80歳以上	92	53.2 (14.9)	31.3	44.0	53.0	60.0	81.7	68	58.0 (12.0)	37.5	50.0	57.5	65.0	79.1
計	2,122	55.7 (15.4)	35.0	45.0	54.0	64.0	84.0	4,395	61.3 (14.3)	40.0	51.0	60.0	70.0	87.0

表21 血清LDL-Cコレステロールの状況 (性・年齢階級別)

年齢階級	総数							人 (%)		
	-99	100-119	120-139	140-159	160-179	180mg/dl以上				
男										
-29歳	7 (100.0)	3 (42.9)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)			
30-39	38 (100.0)	9 (23.7)	6 (15.8)	6 (15.8)	0 (0.0)	0 (0.0)	2 (5.3)			
40-44	79 (100.0)	25 (31.6)	15 (19.0)	7 (8.9)	4 (5.1)	4 (5.1)	5 (6.3)			
45-49	95 (100.0)	23 (24.2)	24 (25.3)	11 (11.6)	4 (4.2)	4 (4.2)	2 (2.1)			
50-54	159 (100.0)	40 (25.2)	42 (26.4)	19 (11.9)	14 (8.8)	14 (8.8)	2 (1.3)			
55-59	208 (100.0)	67 (32.2)	41 (19.7)	30 (14.4)	3 (1.4)	3 (1.4)	4 (1.9)			
60-64	337 (100.0)	91 (27.0)	73 (21.7)	29 (8.6)	16 (4.7)	16 (4.7)	5 (1.5)			
65-69	460 (100.0)	166 (36.1)	94 (20.4)	49 (10.7)	9 (2.0)	9 (2.0)	1 (0.2)			
70-74	419 (100.0)	125 (29.8)	73 (17.4)	43 (10.3)	15 (3.6)	15 (3.6)	0 (0.0)			
75-79	217 (100.0)	85 (39.2)	39 (18.0)	23 (10.6)	2 (0.9)	2 (0.9)	1 (0.5)			
80歳以上	92 (100.0)	40 (43.5)	13 (14.1)	7 (7.6)	1 (1.1)	1 (1.1)	2 (2.2)			
計	2,111 (100.0)	753 (35.7)	421 (19.9)	225 (10.7)	68 (3.2)	68 (3.2)	24 (1.1)			

年齢階級	総数							人 (%)		
	-99	100-119	120-139	140-159	160-179	180mg/dl以上				
女										
-29歳	39 (100.0)	11 (28.2)	1 (2.6)	1 (2.6)	0 (0.0)	0 (0.0)	0 (0.0)			
30-39	139 (100.0)	35 (25.2)	24 (17.3)	4 (2.9)	0 (0.0)	0 (0.0)	0 (0.0)			
40-44	211 (100.0)	65 (30.8)	32 (15.2)	18 (8.5)	5 (2.4)	5 (2.4)	1 (0.5)			
45-49	333 (100.0)	78 (23.4)	73 (21.9)	53 (15.9)	13 (3.9)	13 (3.9)	9 (2.7)			
50-54	525 (100.0)	147 (28.0)	129 (24.6)	73 (13.9)	28 (5.3)	28 (5.3)	18 (3.4)			
55-59	587 (100.0)	160 (27.3)	153 (26.1)	95 (16.2)	41 (7.0)	41 (7.0)	17 (2.9)			
60-64	716 (100.0)	183 (25.6)	215 (30.0)	115 (16.1)	30 (4.2)	30 (4.2)	16 (2.2)			
65-69	812 (100.0)	178 (21.9)	258 (31.8)	124 (15.3)	40 (4.9)	40 (4.9)	17 (2.1)			
70-74	630 (100.0)	139 (22.1)	187 (29.7)	93 (14.8)	28 (4.4)	28 (4.4)	7 (1.1)			
75-79	310 (100.0)	71 (22.9)	77 (24.8)	34 (11.0)	16 (5.2)	16 (5.2)	7 (2.3)			
80歳以上	66 (100.0)	21 (31.8)	19 (28.8)	6 (9.1)	4 (6.1)	4 (6.1)	1 (1.5)			
計	4,368 (100.0)	1,170 (26.8)	1,168 (26.7)	616 (14.1)	205 (4.7)	205 (4.7)	93 (2.1)			

表22 血清LDL-Cコレステロールの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	mg/dl													
	男						女							
	人数	平均値(SD)	パーセンタイル					人数	平均値(SD)	パーセンタイル				
5			25	50	75	95	5			25	50	75	95	
29歳以下	7	109.9 (27.2)	70.0	84.0	108.0	139.0	142.0	39	89.8 (22.4)	57.0	76.0	89.0	108.0	130.0
30-39	38	112.3 (31.6)	68.9	89.5	109.5	134.3	183.4	139	95.2 (24.2)	59.0	75.0	95.0	114.0	133.0
40-44	79	118.1 (33.8)	73.0	96.0	114.0	132.0	196.0	211	104.6 (26.7)	67.0	86.0	103.0	121.0	150.0
45-49	95	114.9 (30.4)	63.6	95.0	112.0	137.0	167.4	333	115.9 (30.8)	68.7	95.0	116.0	137.0	165.0
50-54	159	117.8 (28.7)	72.0	97.0	118.0	136.0	167.0	525	119.3 (28.4)	75.3	100.0	117.0	137.0	172.7
55-59	208	112.6 (28.6)	66.0	95.0	110.0	132.0	157.6	587	122.6 (27.9)	78.4	104.0	121.0	140.0	174.0
60-64	337	110.4 (29.1)	61.9	90.0	108.0	129.0	162.2	716	120.5 (26.6)	80.0	102.0	121.0	138.0	164.2
65-69	460	108.9 (25.8)	65.0	91.0	108.0	127.0	151.0	812	120.8 (26.8)	77.0	102.0	121.0	137.0	166.4
70-74	419	108.4 (26.5)	66.0	91.0	107.0	125.0	155.0	630	119.3 (24.4)	81.0	102.0	119.5	134.0	160.0
75-79	217	107.1 (25.3)	64.7	90.0	106.0	123.0	151.2	310	118.2 (26.7)	76.0	100.0	115.0	133.3	167.0
80歳以上	92	105.9 (28.0)	65.3	87.0	103.0	119.3	155.4	66	116.6 (25.4)	81.4	94.8	116.5	133.0	168.3
計	2,111	110.4 (27.8)	66.6	91.0	108.0	128.0	158.0	4,368	118.1 (27.6)	75.0	99.0	118.0	136.0	165.0

表23 血清中性脂肪の状況 (性・年齢階級別)

年齢階級	総数						人 (%)	
	-39	40-99	100-149	150-199	200-239	240mg/dl以上		
男								
-29歳	7 (100.0)	4 (57.1)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
30-39	38 (100.0)	15 (39.5)	10 (26.3)	3 (7.9)	4 (10.5)	6 (15.8)	6 (15.8)	6 (15.8)
40-44	79 (100.0)	27 (34.2)	18 (22.8)	15 (19.0)	6 (7.6)	12 (15.2)	12 (15.2)	12 (15.2)
45-49	96 (100.0)	37 (38.5)	23 (24.0)	13 (13.5)	7 (7.3)	14 (14.6)	14 (14.6)	14 (14.6)
50-54	159 (100.0)	64 (40.3)	41 (25.8)	23 (14.5)	7 (4.4)	18 (11.3)	18 (11.3)	18 (11.3)
55-59	208 (100.0)	91 (43.8)	55 (26.4)	27 (13.0)	5 (2.4)	26 (12.5)	26 (12.5)	26 (12.5)
60-64	340 (100.0)	139 (40.9)	110 (32.4)	37 (10.9)	27 (7.9)	20 (5.9)	20 (5.9)	20 (5.9)
65-69	462 (100.0)	245 (53.0)	106 (22.9)	49 (10.6)	18 (3.9)	30 (6.5)	30 (6.5)	30 (6.5)
70-74	422 (100.0)	204 (48.3)	113 (26.8)	49 (11.6)	22 (5.2)	15 (3.6)	15 (3.6)	15 (3.6)
75-79	219 (100.0)	115 (52.5)	50 (22.8)	32 (14.6)	7 (3.2)	10 (4.6)	10 (4.6)	10 (4.6)
80歳以上	92 (100.0)	49 (53.3)	28 (30.4)	8 (8.7)	4 (4.3)	3 (3.3)	3 (3.3)	3 (3.3)
計	2,122 (100.0)	990 (46.7)	556 (26.2)	256 (12.1)	107 (5.0)	154 (7.3)	154 (7.3)	154 (7.3)

年齢階級	総数						人 (%)	
	-39	40-99	100-149	150-199	200-239	240mg/dl以上		
女								
-29歳	39 (100.0)	29 (74.4)	3 (7.7)	0 (0.0)	0 (0.0)	1 (2.6)	1 (2.6)	1 (2.6)
30-39	139 (100.0)	97 (69.8)	13 (9.4)	4 (2.9)	4 (2.9)	5 (3.6)	5 (3.6)	5 (3.6)
40-44	211 (100.0)	138 (65.4)	28 (13.3)	14 (6.6)	6 (2.8)	4 (1.9)	4 (1.9)	4 (1.9)
45-49	335 (100.0)	203 (60.6)	69 (20.6)	21 (6.3)	13 (3.9)	8 (2.4)	8 (2.4)	8 (2.4)
50-54	525 (100.0)	281 (53.5)	127 (24.2)	56 (10.7)	15 (2.9)	27 (5.1)	27 (5.1)	27 (5.1)
55-59	589 (100.0)	285 (48.4)	164 (27.8)	71 (12.1)	26 (4.4)	26 (4.4)	26 (4.4)	26 (4.4)
60-64	722 (100.0)	349 (48.3)	211 (29.2)	85 (11.8)	23 (3.2)	30 (4.2)	30 (4.2)	30 (4.2)
65-69	819 (100.0)	382 (46.6)	238 (29.1)	115 (14.0)	32 (3.9)	34 (4.2)	34 (4.2)	34 (4.2)
70-74	637 (100.0)	290 (45.5)	185 (29.0)	103 (16.2)	29 (4.6)	24 (3.8)	24 (3.8)	24 (3.8)
75-79	311 (100.0)	133 (42.8)	105 (33.8)	35 (11.3)	16 (5.1)	16 (5.1)	16 (5.1)	16 (5.1)
80歳以上	68 (100.0)	33 (48.5)	20 (29.4)	10 (14.7)	4 (5.9)	0 (0.0)	0 (0.0)	0 (0.0)
計	4,395 (100.0)	2,220 (50.5)	1,163 (26.5)	514 (11.7)	168 (3.8)	175 (4.0)	175 (4.0)	175 (4.0)

表24 血清中性脂肪の平均値、標準偏差および分布 (性・年齢階級別)

年齢階級	男						女						mg/dl		
	人数	平均値 (SD)	パーセンタイル					人数	平均値 (SD)	パーセンタイル					
			5	25	50	75	95			5	25	50		75	95
29歳以下	7	80.7 (30.4)	35.0	64.0	82.0	104.0	117.0	39	65.3 (41.8)	29.0	43.0	54.0	73.0	146.0	
30-39	38	143.8 (84.6)	50.9	77.8	123.0	217.0	323.1	139	81.8 (58.5)	32.0	46.0	64.0	94.0	227.0	
40-44	79	157.9 (115.2)	49.0	82.0	125.0	186.0	400.0	211	84.9 (51.2)	35.6	51.0	70.0	98.0	198.2	
45-49	96	140.2 (90.4)	49.6	76.3	110.0	181.5	312.1	335	100.8 (126.2)	37.8	57.0	79.0	116.0	208.4	
50-54	159	137.2 (115.0)	43.0	76.0	103.0	162.0	312.0	525	109.3 (71.8)	41.3	64.5	90.0	132.0	249.4	
55-59	208	132.0 (94.7)	48.0	72.3	104.0	156.3	315.2	589	114.0 (66.2)	44.5	71.0	98.0	141.0	233.5	
60-64	340	126.4 (76.2)	46.0	76.0	109.0	148.8	263.5	722	109.9 (57.2)	46.0	67.0	97.0	138.0	223.0	
65-69	462	113.2 (74.5)	42.2	64.0	91.5	136.0	258.0	819	115.1 (64.3)	47.0	70.0	102.0	143.0	230.0	
70-74	422	111.7 (62.8)	41.2	67.8	95.0	141.3	228.3	637	117.9 (58.3)	50.9	75.0	105.0	147.0	219.1	
75-79	219	113.9 (78.3)	45.0	62.0	95.0	141.0	236.0	311	118.4 (61.5)	50.6	76.0	105.0	142.0	243.4	
80歳以上	92	108.5 (61.4)	46.7	67.0	93.0	134.0	218.8	68	108.2 (45.8)	50.3	73.5	99.5	138.3	205.5	
計	2,122	121.8 (81.9)	45.0	70.0	100.5	147.3	271.0	4,395	109.9 (69.7)	43.0	66.0	94.0	137.0	225.0	

表25 血清ASTの状況（性・年齢階級別）

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
男					
-29歳	7 (100.0)	3 (42.9)	4 (57.1)	0 (0.0)	0 (0.0)
30-39	38 (100.0)	7 (18.4)	27 (71.1)	3 (7.9)	1 (2.6)
40-44	79 (100.0)	9 (11.4)	62 (78.5)	5 (6.3)	3 (3.8)
45-49	96 (100.0)	17 (17.7)	68 (70.8)	9 (9.4)	2 (2.1)
50-54	159 (100.0)	21 (13.2)	120 (75.5)	12 (7.5)	6 (3.8)
55-59	208 (100.0)	28 (13.5)	158 (76.0)	16 (7.7)	6 (2.9)
60-64	340 (100.0)	46 (13.5)	264 (77.6)	22 (6.5)	8 (2.4)
65-69	462 (100.0)	51 (11.0)	366 (79.2)	37 (8.0)	8 (1.7)
70-74	422 (100.0)	49 (11.6)	333 (78.9)	31 (7.3)	9 (2.1)
75-79	219 (100.0)	33 (15.1)	165 (75.3)	10 (4.6)	11 (5.0)
80歳以上	92 (100.0)	11 (12.0)	71 (77.2)	9 (9.8)	1 (1.1)
計	2,122 (100.0)	275 (13.0)	1,638 (77.2)	154 (7.3)	55 (2.6)

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
女					
-29歳	39 (100.0)	31 (79.5)	7 (17.9)	1 (2.6)	0 (0.0)
30-39	139 (100.0)	97 (69.8)	39 (28.1)	2 (1.4)	1 (0.7)
40-44	211 (100.0)	142 (67.3)	67 (31.8)	2 (0.9)	0 (0.0)
45-49	335 (100.0)	160 (47.8)	170 (50.7)	4 (1.2)	1 (0.3)
50-54	525 (100.0)	158 (30.1)	348 (66.3)	16 (3.0)	3 (0.6)
55-59	589 (100.0)	124 (21.1)	446 (75.7)	17 (2.9)	2 (0.3)
60-64	722 (100.0)	118 (16.3)	571 (79.1)	24 (3.3)	9 (1.2)
65-69	819 (100.0)	156 (19.0)	636 (77.7)	22 (2.7)	5 (0.6)
70-74	637 (100.0)	103 (16.2)	512 (80.4)	19 (3.0)	3 (0.5)
75-79	311 (100.0)	58 (18.6)	241 (77.5)	10 (3.2)	2 (0.6)
80歳以上	68 (100.0)	11 (16.2)	56 (82.4)	1 (1.5)	0 (0.0)
計	4,395 (100.0)	1,158 (26.3)	3,093 (70.4)	118 (2.7)	26 (0.6)

表26 血清ASTの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男										女										U/L
	パーセンタイル					平均値(SD)	パーセンタイル					平均値(SD)	パーセンタイル								
	人数	5	25	50	75		95	人数	5	25	50		75	95							
29歳以下	7	21.3 (3.8)	18.0	18.0	20.0	25.0	26.5	39	17.7 (6.3)	12.0	14.0	17.0	19.0	25.0							
30-39	38	28.3 (13.6)	14.0	21.0	23.5	31.0	55.7	139	19.2 (8.4)	13.0	16.0	18.0	20.0	28.0							
40-44	79	28.4 (11.8)	18.0	22.0	25.0	32.0	48.0	211	18.8 (4.8)	13.0	15.0	18.0	21.0	27.0							
45-49	96	29.8 (35.1)	17.0	21.0	24.0	29.0	50.3	335	20.7 (6.1)	14.0	17.0	20.0	23.0	32.2							
50-54	159	29.2 (12.4)	17.0	22.0	26.0	32.0	53.0	525	23.7 (8.1)	16.0	19.0	22.0	26.5	37.7							
55-59	208	28.8 (13.7)	17.5	22.0	25.0	33.0	50.6	589	24.2 (7.1)	17.0	20.0	23.0	26.0	36.0							
60-64	340	27.6 (10.4)	17.0	21.0	25.0	31.0	44.0	722	25.3 (8.4)	17.0	21.0	23.0	27.0	39.0							
65-69	462	28.0 (10.5)	18.0	22.0	26.0	31.0	45.7	819	24.9 (7.4)	17.0	20.0	24.0	28.0	37.0							
70-74	422	28.6 (16.6)	17.2	22.0	26.0	31.0	47.9	637	24.8 (7.0)	17.0	21.0	24.0	27.0	37.0							
75-79	219	29.1 (15.4)	17.0	21.0	26.0	31.0	60.0	311	25.0 (7.4)	17.0	21.0	23.0	28.0	38.0							
80歳以上	92	29.8 (16.3)	17.0	23.0	27.0	33.0	47.8	68	24.4 (5.3)	17.5	21.0	23.0	26.8	36.0							
計	2,122	28.5 (15.0)	17.2	22.0	25.5	31.0	47.0	4,395	23.9 (7.6)	15.0	19.0	22.0	27.0	37.0							

表27 血清AL Tの状況(性・年齢階級別)

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
男					
-29歳	7 (100.0)	3 (42.9)	4 (57.1)	0 (0.0)	0 (0.0)
30-39	38 (100.0)	5 (13.2)	17 (44.7)	9 (23.7)	7 (18.4)
40-44	79 (100.0)	8 (10.1)	47 (59.5)	13 (16.5)	11 (13.9)
45-49	96 (100.0)	16 (16.7)	62 (64.6)	12 (12.5)	6 (6.3)
50-54	159 (100.0)	31 (19.5)	96 (60.4)	17 (10.7)	15 (9.4)
55-59	208 (100.0)	28 (13.5)	133 (63.9)	30 (14.4)	17 (8.2)
60-64	340 (100.0)	78 (22.9)	214 (62.9)	33 (9.7)	15 (4.4)
65-69	462 (100.0)	126 (27.3)	279 (60.4)	39 (8.4)	18 (3.9)
70-74	422 (100.0)	122 (28.9)	254 (60.2)	33 (7.8)	13 (3.1)
75-79	219 (100.0)	86 (39.3)	113 (51.6)	10 (4.6)	10 (4.6)
80歳以上	92 (100.0)	35 (38.0)	50 (54.3)	6 (6.5)	1 (1.1)
計	2,122 (100.0)	538 (25.4)	1,269 (59.8)	202 (9.5)	113 (5.3)

年齢階級	人 (%)				
	総数	-19	20-39	40-59	60U/L以上
女					
-29歳	39 (100.0)	35 (89.7)	2 (5.1)	2 (5.1)	0 (0.0)
30-39	139 (100.0)	104 (74.8)	26 (18.7)	5 (3.6)	4 (2.9)
40-44	211 (100.0)	155 (73.5)	50 (23.7)	5 (2.4)	1 (0.5)
45-49	335 (100.0)	204 (60.9)	107 (31.9)	20 (6.0)	4 (1.2)
50-54	525 (100.0)	218 (41.5)	253 (48.2)	43 (8.2)	11 (2.1)
55-59	589 (100.0)	230 (39.0)	310 (52.6)	35 (5.9)	14 (2.4)
60-64	722 (100.0)	285 (39.5)	369 (51.1)	45 (6.2)	23 (3.2)
65-69	819 (100.0)	322 (39.3)	442 (54.0)	41 (5.0)	14 (1.7)
70-74	637 (100.0)	296 (46.5)	315 (49.5)	17 (2.7)	9 (1.4)
75-79	311 (100.0)	167 (53.7)	130 (41.8)	12 (3.9)	2 (0.6)
80歳以上	68 (100.0)	44 (64.7)	23 (33.8)	1 (1.5)	0 (0.0)
計	4,395 (100.0)	2,060 (46.9)	2,027 (46.1)	226 (5.1)	82 (1.9)

表28 血清ALTの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	U/L													
	男					女								
	人数	平均値(SD)	パーセンタイル				人数	平均値(SD)	パーセンタイル					
5			25	50	75	95			5	25	50	75	95	
29歳以下	7	21.6 (5.0)	15.0	17.0	21.0	26.0	27.5	39	15.0 (7.9)	8.0	11.0	13.0	15.0	42.0
30-39	38	45.3 (36.1)	17.9	25.5	32.0	52.3	120.8	139	19.8 (17.6)	10.0	13.0	16.0	20.0	46.0
40-44	79	38.7 (22.7)	17.0	25.0	32.0	46.0	87.0	211	17.7 (9.0)	9.0	13.0	15.0	20.0	35.4
45-49	96	37.5 (53.9)	14.9	22.3	29.0	36.8	80.4	335	21.0 (14.2)	10.0	14.0	18.0	23.0	44.2
50-54	159	34.1 (18.9)	15.0	22.0	29.0	38.0	78.0	525	24.9 (14.8)	12.0	17.0	21.0	29.0	48.0
55-59	208	33.8 (19.3)	15.0	23.0	29.0	39.0	68.2	589	24.7 (14.7)	13.0	17.0	21.0	28.0	46.5
60-64	340	29.0 (13.8)	14.0	20.0	26.0	33.0	57.9	722	25.4 (15.4)	13.0	17.0	21.5	28.0	48.7
65-69	462	28.0 (15.9)	14.0	19.0	24.0	32.0	54.9	819	23.7 (11.9)	13.0	17.0	21.0	26.0	44.0
70-74	422	26.7 (16.1)	13.0	19.0	23.5	29.0	53.0	637	22.1 (10.0)	12.9	16.0	20.0	25.0	37.0
75-79	219	26.9 (19.3)	14.0	18.0	22.0	29.0	54.0	311	21.4 (9.3)	11.6	15.0	19.0	25.0	39.0
80歳以上	92	24.8 (17.8)	11.7	16.3	21.0	28.0	44.8	68	19.1 (7.2)	11.0	15.0	18.0	22.0	32.1
計	2,122	29.8 (21.0)	14.0	19.0	25.5	33.0	60.0	4,395	23.1 (13.3)	12.0	16.0	20.0	26.0	43.0

表29 γ-GTPの状況(性・年齢階級別)

年齢階級	総数					人(%)				
	-24	25-49	50-74	75-99	100U/L以上	-24	25-49	50-74	75-99	100U/L以上
男										
-29歳	7 (100.0)	5 (71.4)	1 (14.3)	0 (0.0)	0 (0.0)	1 (14.3)	5 (71.4)	1 (14.3)	0 (0.0)	0 (0.0)
30-39	38 (100.0)	13 (34.2)	6 (15.8)	6 (15.8)	8 (21.1)	5 (13.2)	13 (34.2)	6 (15.8)	6 (15.8)	8 (21.1)
40-44	79 (100.0)	27 (34.2)	14 (17.7)	11 (13.9)	14 (17.7)	13 (16.5)	27 (34.2)	14 (17.7)	11 (13.9)	14 (17.7)
45-49	96 (100.0)	36 (37.5)	18 (18.8)	9 (9.4)	15 (15.6)	18 (18.8)	36 (37.5)	18 (18.8)	9 (9.4)	15 (15.6)
50-54	159 (100.0)	59 (37.1)	29 (18.2)	14 (8.8)	28 (17.6)	29 (18.2)	59 (37.1)	29 (18.2)	14 (8.8)	28 (17.6)
55-59	208 (100.0)	79 (38.0)	24 (11.5)	28 (13.5)	31 (14.9)	46 (22.1)	79 (38.0)	24 (11.5)	28 (13.5)	31 (14.9)
60-64	340 (100.0)	125 (36.8)	55 (16.2)	20 (5.9)	47 (13.8)	93 (27.4)	125 (36.8)	55 (16.2)	20 (5.9)	47 (13.8)
65-69	462 (100.0)	176 (38.1)	69 (14.9)	30 (6.5)	41 (8.9)	146 (31.6)	176 (38.1)	69 (14.9)	30 (6.5)	41 (8.9)
70-74	422 (100.0)	159 (37.7)	49 (11.6)	23 (5.5)	36 (8.5)	155 (36.7)	159 (37.7)	49 (11.6)	23 (5.5)	36 (8.5)
75-79	219 (100.0)	79 (36.1)	23 (10.5)	8 (3.7)	10 (4.6)	99 (45.2)	79 (36.1)	23 (10.5)	8 (3.7)	10 (4.6)
80歳以上	92 (100.0)	34 (37.0)	9 (9.8)	1 (1.1)	5 (5.4)	43 (46.7)	34 (37.0)	9 (9.8)	1 (1.1)	5 (5.4)
計	2,122 (100.0)	792 (37.3)	297 (14.0)	150 (7.1)	235 (11.1)	648 (30.5)	792 (37.3)	297 (14.0)	150 (7.1)	235 (11.1)

年齢階級	総数					人(%)				
	-24	25-49	50-74	75-99	100U/L以上	-24	25-49	50-74	75-99	100U/L以上
女										
-29歳	39 (100.0)	3 (7.7)	1 (2.6)	0 (0.0)	0 (0.0)	35 (89.7)	3 (7.7)	1 (2.6)	0 (0.0)	0 (0.0)
30-39	139 (100.0)	20 (14.4)	6 (4.3)	2 (1.4)	2 (1.4)	109 (78.4)	20 (14.4)	6 (4.3)	2 (1.4)	2 (1.4)
40-44	211 (100.0)	33 (15.6)	7 (3.3)	0 (0.0)	3 (1.4)	168 (79.6)	33 (15.6)	7 (3.3)	0 (0.0)	3 (1.4)
45-49	335 (100.0)	50 (14.9)	16 (4.8)	2 (0.6)	13 (3.9)	254 (75.8)	50 (14.9)	16 (4.8)	2 (0.6)	13 (3.9)
50-54	525 (100.0)	140 (26.7)	41 (7.8)	10 (1.9)	11 (2.1)	323 (61.5)	140 (26.7)	41 (7.8)	10 (1.9)	11 (2.1)
55-59	589 (100.0)	155 (26.3)	40 (6.8)	9 (1.5)	18 (3.1)	367 (62.3)	155 (26.3)	40 (6.8)	9 (1.5)	18 (3.1)
60-64	722 (100.0)	171 (23.7)	40 (5.5)	17 (2.4)	12 (1.7)	482 (66.8)	171 (23.7)	40 (5.5)	17 (2.4)	12 (1.7)
65-69	819 (100.0)	194 (23.7)	40 (4.9)	19 (2.3)	7 (0.9)	559 (68.3)	194 (23.7)	40 (4.9)	19 (2.3)	7 (0.9)
70-74	637 (100.0)	143 (22.4)	16 (2.5)	10 (1.6)	2 (0.3)	466 (73.2)	143 (22.4)	16 (2.5)	10 (1.6)	2 (0.3)
75-79	311 (100.0)	63 (20.3)	5 (1.6)	3 (1.0)	9 (2.9)	231 (74.3)	63 (20.3)	5 (1.6)	3 (1.0)	9 (2.9)
80歳以上	68 (100.0)	15 (22.1)	3 (4.4)	0 (0.0)	0 (0.0)	50 (73.5)	15 (22.1)	3 (4.4)	0 (0.0)	0 (0.0)
計	4,395 (100.0)	987 (22.5)	215 (4.9)	72 (1.6)	77 (1.8)	3,044 (69.3)	987 (22.5)	215 (4.9)	72 (1.6)	77 (1.8)

表30 血清γ-GTPの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女						U/L		
	人数	平均値(SD)	パーセンタイル					人数	平均値(SD)	パーセンタイル					
			5	25	50	75	95			5	25	50		75	95
29歳以下	7	30.4 (9.8)	18.0	25.0	30.0	32.0	41.0	39	17.0 (10.9)	9.0	11.0	15.0	18.0	38.0	
30-39	38	87.1 (107.0)	18.8	33.8	54.5	96.0	349.1	139	23.4 (26.6)	10.0	13.0	16.0	23.0	65.0	
40-44	79	80.1 (104.4)	18.0	31.0	49.0	83.0	255.0	211	20.4 (15.9)	9.0	12.0	16.0	23.0	51.4	
45-49	96	68.8 (88.2)	18.9	26.0	40.0	75.3	198.0	335	29.3 (54.6)	10.0	13.0	17.0	24.0	70.6	
50-54	159	70.1 (74.0)	20.0	27.0	43.0	78.0	226.0	525	28.2 (26.0)	10.3	15.0	20.0	32.0	66.7	
55-59	208	61.5 (70.7)	18.0	26.3	39.0	81.0	156.5	589	28.5 (25.8)	11.0	15.0	20.0	31.0	72.0	
60-64	340	60.4 (69.9)	16.0	24.0	34.0	66.0	203.1	722	26.8 (27.3)	11.0	14.0	19.0	29.0	71.0	
65-69	462	50.2 (55.9)	14.0	22.0	33.0	56.0	160.6	819	25.3 (24.1)	11.0	15.0	19.0	27.0	64.0	
70-74	422	48.0 (73.8)	14.0	21.0	30.0	50.0	117.0	637	22.5 (14.6)	11.0	14.0	18.0	25.5	47.0	
75-79	219	39.7 (50.4)	12.0	19.0	26.0	41.0	88.0	311	24.1 (22.4)	10.0	13.0	17.0	25.0	53.8	
80歳以上	92	51.4 (135.3)	11.7	18.0	25.0	40.8	180.1	68	21.2 (11.5)	10.5	13.0	18.0	25.0	54.1	
計	2,122	55.5 (74.5)	15.0	23.0	33.0	60.0	168.0	4,395	25.7 (27.2)	10.0	14.0	19.0	27.0	63.0	

表31 血清クレアチニンの状況 (性・年齢階級別)

年齢階級	人 (%)				
	総数	-0.7	0.8-1.0	1.1-1.4	1.5mg/dl以上
男					
-29歳	7 (100.0)	1 (14.3)	6 (85.7)	0 (0.0)	0 (0.0)
30-39	38 (100.0)	10 (26.3)	28 (73.7)	0 (0.0)	0 (0.0)
40-44	79 (100.0)	24 (30.4)	54 (68.4)	1 (1.3)	0 (0.0)
45-49	96 (100.0)	38 (39.6)	53 (55.2)	5 (5.2)	0 (0.0)
50-54	159 (100.0)	63 (39.6)	95 (59.7)	1 (0.6)	0 (0.0)
55-59	208 (100.0)	73 (35.1)	122 (58.7)	12 (5.8)	1 (0.5)
60-64	340 (100.0)	115 (33.8)	206 (60.6)	18 (5.3)	1 (0.3)
65-69	462 (100.0)	163 (35.3)	281 (60.8)	17 (3.7)	1 (0.2)
70-74	422 (100.0)	124 (29.4)	258 (61.1)	34 (8.1)	6 (1.4)
75-79	219 (100.0)	46 (21.0)	142 (64.8)	29 (13.2)	2 (0.9)
80歳以上	92 (100.0)	13 (14.1)	55 (59.8)	22 (23.9)	2 (2.2)
計	2,122 (100.0)	670 (31.6)	1,300 (61.3)	139 (6.6)	13 (0.6)

年齢階級	人 (%)				
	総数	-0.7	0.8-1.0	1.1-1.4	1.5mg/dl以上
女					
-29歳	12 (100.0)	11 (91.7)	1 (8.3)	0 (0.0)	0 (0.0)
30-39	33 (100.0)	30 (90.9)	3 (9.1)	0 (0.0)	0 (0.0)
40-44	211 (100.0)	205 (97.2)	6 (2.8)	0 (0.0)	0 (0.0)
45-49	335 (100.0)	326 (97.3)	9 (2.7)	0 (0.0)	0 (0.0)
50-54	525 (100.0)	494 (94.1)	31 (5.9)	0 (0.0)	0 (0.0)
55-59	589 (100.0)	536 (91.0)	53 (9.0)	0 (0.0)	0 (0.0)
60-64	722 (100.0)	646 (89.5)	75 (10.4)	1 (0.1)	0 (0.0)
65-69	819 (100.0)	722 (88.2)	94 (11.5)	2 (0.2)	1 (0.1)
70-74	637 (100.0)	523 (82.1)	111 (17.4)	3 (0.5)	0 (0.0)
75-79	311 (100.0)	233 (74.9)	73 (23.5)	5 (1.6)	0 (0.0)
80歳以上	68 (100.0)	50 (73.5)	15 (22.1)	2 (2.9)	1 (1.5)
計	4,262 (100.0)	3,776 (88.6)	471 (11.1)	13 (0.3)	2 (0.0)

表32 血清クレアチニンの平均値、標準偏差および分布（性・年齢階級別）

年齢階級	男						女						mg/dl		
	人数	平均値 (SD)	パーセンタイル					人数	平均値 (SD)	パーセンタイル					
			5	25	50	75	95			5	25	50		75	95
29歳以下	7	0.9 (0.1)	0.7	0.8	0.9	0.9	0.9	12	0.7 (0.1)	0.6	0.6	0.7	0.7	0.8	
30-39	38	0.8 (0.1)	0.5	0.7	0.8	0.9	0.9	33	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
40-44	79	0.8 (0.1)	0.6	0.7	0.8	0.9	1.0	211	0.6 (0.1)	0.5	0.6	0.6	0.7	0.7	
45-49	96	0.8 (0.1)	0.6	0.7	0.8	0.9	1.1	335	0.6 (0.1)	0.5	0.6	0.6	0.7	0.7	
50-54	159	0.8 (0.1)	0.6	0.7	0.8	0.8	0.9	525	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
55-59	208	0.8 (0.1)	0.6	0.7	0.8	0.9	1.1	589	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
60-64	340	0.8 (0.1)	0.6	0.7	0.8	0.9	1.1	722	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
65-69	462	0.8 (0.1)	0.6	0.7	0.8	0.9	1.0	819	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	
70-74	422	0.8 (0.2)	0.6	0.7	0.8	0.9	1.1	637	0.7 (0.1)	0.5	0.6	0.6	0.7	0.8	
75-79	219	0.9 (0.2)	0.7	0.8	0.8	1.0	1.2	311	0.7 (0.1)	0.5	0.6	0.7	0.8	0.9	
80歳以上	92	0.9 (0.2)	0.7	0.8	0.9	1.1	1.2	68	0.7 (0.2)	0.5	0.6	0.7	0.8	1.1	
計	2,122	0.8 (0.2)	0.6	0.7	0.8	0.9	1.1	4,262	0.6 (0.1)	0.5	0.6	0.6	0.7	0.8	

表33 血糖の状況（空腹時採血者のみ、性・年齢階級別）

年齢階級	総数					人 (%)				
	-89	90-109	110-125	126-139	140-199	200mg/dl以上				
男										
-29歳	4 (100.0)	2 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)				
30-39	11 (100.0)	5 (45.5)	1 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)				
40-44	12 (100.0)	4 (33.3)	1 (8.3)	1 (8.3)	0 (0.0)	1 (8.3)				
45-49	21 (100.0)	3 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)				
50-54	36 (100.0)	6 (16.7)	6 (16.7)	2 (5.6)	0 (0.0)	1 (2.8)				
55-59	42 (100.0)	2 (4.8)	6 (14.3)	4 (9.5)	2 (4.8)	1 (2.4)				
60-64	59 (100.0)	10 (16.9)	6 (10.2)	0 (0.0)	4 (6.8)	0 (0.0)				
65-69	87 (100.0)	12 (13.8)	21 (24.1)	3 (3.4)	2 (2.3)	0 (0.0)				
70-74	67 (100.0)	9 (13.4)	14 (20.9)	1 (1.5)	2 (3.0)	1 (1.5)				
75-79	19 (100.0)	2 (10.5)	2 (10.5)	0 (0.0)	1 (5.3)	0 (0.0)				
80歳以上	5 (100.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)				
計	363 (100.0)	223 (61.4)	57 (15.7)	11 (3.0)	11 (3.0)	4 (1.1)				

年齢階級	総数					人 (%)				
	-89	90-109	110-125	126-139	140-199	200mg/dl以上				
女										
-29歳	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)				
30-39	11 (100.0)	4 (36.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)				
40-44	22 (100.0)	7 (31.8)	1 (4.5)	0 (0.0)	0 (0.0)	0 (0.0)				
45-49	53 (100.0)	16 (30.2)	4 (7.5)	1 (1.9)	0 (0.0)	0 (0.0)				
50-54	63 (100.0)	22 (34.9)	5 (7.9)	2 (3.2)	2 (3.2)	1 (1.6)				
55-59	71 (100.0)	22 (31.0)	3 (4.2)	1 (1.4)	1 (1.4)	0 (0.0)				
60-64	130 (100.0)	30 (23.1)	13 (10.0)	3 (2.3)	2 (1.5)	1 (0.8)				
65-69	121 (100.0)	19 (15.7)	16 (13.2)	4 (3.3)	5 (4.1)	0 (0.0)				
70-74	77 (100.0)	12 (15.6)	10 (13.0)	3 (3.9)	5 (6.5)	0 (0.0)				
75-79	33 (100.0)	6 (18.2)	3 (9.1)	1 (3.0)	4 (12.1)	0 (0.0)				
80歳以上	3 (100.0)	0 (0.0)	1 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)				
計	587 (100.0)	144 (24.5)	56 (9.5)	15 (2.6)	19 (3.2)	2 (0.3)				

表34 血糖の平均値、標準偏差および分布（空腹時採血者のみ、性・年齢階級別）

年齢階級	男						女						
	人数	平均値 (SD)	パーセンタイル				人数	平均値 (SD)	パーセンタイル				
			5	25	50	75			95	5	25	50	75
29歳以下	4	87.3 (6.9)	78.0	80.0	89.0	92.8	93.0	3	83.7 (3.5)	80.0	84.0	87.0	87.0
30-39	11	94.1 (9.4)	83.0	85.0	94.0	101.0	109.5	11	87.5 (6.7)	77.0	84.0	89.0	94.0
40-44	12	105.8 (37.0)	79.0	85.0	94.0	107.8	174.0	22	93.5 (7.9)	84.0	88.0	92.0	97.3
45-49	21	96.5 (7.7)	81.3	91.0	96.0	103.5	107.9	53	95.6 (10.6)	80.7	87.0	94.0	101.5
50-54	36	104.6 (23.7)	85.3	91.0	99.5	109.3	145.7	63	100.3 (28.9)	80.2	88.0	93.0	104.0
55-59	42	109.5 (28.4)	89.2	95.0	100.0	111.0	165.8	71	96.2 (15.6)	81.4	89.0	93.0	100.0
60-64	59	102.7 (18.3)	81.0	91.0	99.0	107.0	160.0	130	99.7 (19.1)	83.0	91.0	97.0	103.3
65-69	87	104.2 (16.6)	85.0	93.0	102.0	111.0	133.2	121	101.5 (15.3)	84.0	93.0	98.0	106.5
70-74	67	105.6 (30.8)	80.4	92.0	100.0	111.0	150.0	77	104.0 (21.0)	83.9	90.5	98.0	109.0
75-79	19	104.0 (16.8)	86.0	96.0	100.0	107.0	122.0	33	104.5 (20.5)	82.6	91.0	99.0	110.0
80歳以上	5	91.6 (5.4)	84.0	86.5	92.0	96.5	97.0	3	110.0 (12.2)	102.0	104.0	124.0	124.0
計	363	103.8 (22.7)	83.0	92.0	99.0	108.0	134.8	587	99.7 (18.8)	83.0	90.0	96.0	104.0