

生技術の確立が可能となることは疑いないもの
と考える。それによって自家骨移植が不要とな
り、治療期間短縮とともに能率よい骨再生が可
能となって、高度な整形外科治療が実現できる
ことが期待できる。

文 献

- 1) Urist MR : Bone formation by autoinduction. *Science* **150** : 893-899, 1965
- 2) Wozney JM, Rosen V, Celeste AJ et al : Novel regulators of bone formation ; molecular clones and activities. *Science* **242** : 1528-1534, 1988
- 3) Chen D, Zhao M, Mundy GR : Bone morphogenetic proteins. *Growth Factors* **22** : 233-241, 2004
- 4) Kloen P, Di Paola M, Borens O et al : BMP signaling components are expressed in human fracture callus. *Bone* **33** : 362-371, 2003
- 5) Yoshimura Y, Nomura S, Kawasaki S et al : Colocalization of noggin and bone morphogenetic protein-4 during fracture healing. *J Bone Miner Res* **16** : 876-884, 2001
- 6) Burkus JK, Transfeldt EE, Kitchel SH et al : Clinical and radiographic outcomes of anterior lumbar interbody fusion using recombinant human bone morphogenetic protein-2. *Spine* **27** : 2396-2408, 2002
- 7) Nohe A, Keating E, Knaus P et al : Signal transduction of bone morphogenetic protein receptors. *Cell Signal* **16** : 291-299, 2004
- 8) Einhorn TA, Majeska RJ, Mohaideen A et al : A single percutaneous injection of recombinant human bone morphogenetic protein-2 accelerates fracture repair. *J Bone Joint Surg* **85-A** : 1425-1435, 2003
- 9) Ohura K, Hamanishi C, Tanaka S et al : Healing of segmental bone defects in rats induced by a beta-TCP-MCPM cement combined with rhBMP-2. *J Biomed Mater Res* **44** : 168-175, 1999
- 10) Saito N, Takaoka K : New synthetic biodegradable polymers as BMP carriers for bone tissue engineering. *Biomaterials* **24** : 2287-2293, 2003
- 11) Saito N, Okada T, Toba S et al : New synthetic absorbable polymers as BMP carriers ; plastic properties of poly-D, L-lactic acid-polyethylene glycol block copolymers. *J Biomed Mater Res* **47** : 104-110, 1999
- 12) Saito N, Okada T, Horiuchi H et al : A biodegradable polymer as a cytokine delivery system for inducing bone formation. *Nat Biotechnol* **19** : 332-335, 2001
- 13) Murakami N, Saito N, Horiuchi H et al : Repair of segmental defects in rabbit humeri with titanium fiber mesh cylinders containing recombinant human bone morphogenetic protein-2 (rhBMP-2) and a synthetic polymer. *J Biomed Mater Res* **62** : 169-174, 2002
- 14) Murakami N, Saito N, Takahashi J et al : Repair of a proximal femoral bone defect in dogs using a porous surfaced prosthesis in combination with recombinant BMP-2 and a synthetic polymer carrier. *Biomaterials* **24** : 2153-2159, 2003
- 15) Takahashi J, Saito N, Ebara S et al : Anterior thoracic spinal fusion in dogs by injection of recombinant human bone morphogenetic protein-2 and a synthetic polymer. *J Spinal Disord Tech* **16** : 137-143, 2003
- 16) Matsushita N, Terai H, Okada T et al : A new bone-inducing biodegradable porous beta-tricalcium phosphate. *J Biomed Mater Res* **70** : 450-458, 2004
- 17) Yoneda M, Terai H, Imai Y et al : Repair of an intercalated long bone defect with a synthetic biodegradable bone-inducing implant. *Biomaterials* **26** : 5145-5152, 2005
- 18) Horiuchi H, Saito N, Kinoshita T et al : Effect of phosphodiesterase inhibitor-4, rolipram, on new bone formations by recombinant human bone morphogenetic protein-2. *Bone* **30** : 589-593, 2002
- 19) Yoshida K, Oida H, Kobayashi T et al : Stimulation of bone formation and prevention of bone loss by prostaglandin E EP 4 receptor activation. *Proc Natl Acad Sci USA* **99** : 4580-4585, 2002
- 20) Sasaoka R, Terai H, Toyoda H et al : A prostanoid receptor EP 4 agonist enhances ectopic bone formation induced by recombinant human bone morphogenetic protein-2. *Biochem Biophys Res Commun* **318** : 704-709, 2004
- 21) Takada T, Katagiri T, Ifuku M et al : Sulfated polysaccharides enhance the biological activities of bone morphogenetic proteins. *J Biol Chem* **31** : 43229-43235, 2003
- 22) Zhu W, Rawlins BA, Boachie-Adjei O et al : Combined bone morphogenetic protein-2 and-7 gene transfer enhances osteoblastic differentiation and spine fusion in a rodent model. *J Bone Miner Res* **19** : 2021-2032, 2004
- 23) Huang YC, Simmons C, Kaigler D et al : Bone regeneration in a rat cranial defect with delivery of PEI-condensed plasmid DNA encoding for bone morphogenetic protein-4 (BMP-4). *Gene Ther* **12** : 418-426, 2005
- 24) Fischer EM, Layrolle P, Van Blitterswijk CA et al : Bone formation by mesenchymal progenitor cells cultured on dense and microporous hydroxyapatite particles. *Tissue Eng* **9** : 1179-1188, 2003