

Injury due to falls

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No injury label	Male	8	53.3	5	50.0	15	68.2	14	38.9	2	20.0	44	47.3
	Female	6	22.2	5	20.8	9	29.0	11	34.4	2	28.6	33	27.3
	Total	14	33.3	10	29.4	24	45.3	25	36.8	4	23.5	77	36.0
Bruise label	Male	2	13.3	3	30.0	6	27.3	16	44.4	5	50.0	32	34.4
	Female	12	44.4	18	75.0	10	32.3	13	40.6	2	28.6	55	45.5
	Total	14	33.3	21	61.8	16	30.2	29	42.6	7	41.2	87	40.7
Hip joint fracture label	Male	0	0.0	1	10.0	0	0.0	1	2.8	0	0.0	2	2.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	1	0.8
	Total	0	0.0	1	2.9	0	0.0	1	1.5	1	5.9	3	1.4
Lumbar bone fracture label	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Lumbar bone fracture label	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hand or arm fracture label	Male	0	0.0	0	0.0	1	4.5	1	2.8	0	0.0	2	2.2
	Female	1	3.7	0	0.0	2	6.5	1	3.1	0	0.0	4	3.3
	Total	1	2.4	0	0.0	3	5.7	2	2.9	0	0.0	6	2.8
Others label	Male	5	33.3	2	20.0	1	4.5	5	13.9	3	30.0	16	17.2
	Female	10	37.0	3	12.5	10	32.3	10	31.3	2	28.6	35	28.9
	Total	15	35.7	5	14.7	11	20.8	15	22.1	5	29.4	51	23.8
Total	Male	15	100.0	10	100.0	22	100.0	36	100.0	10	100.0	93	100.0
	Female	27	100.0	24	100.0	31	100.0	32	100.0	7	100.0	121	100.0
	Total	42	100.0	34	100.0	53	100.0	68	100.0	17	100.0	214	100.0

8. Urinary disturbance

Feeling of residual urine after urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
None	219	82.6	192	82.1	201	70.8	156	65.5	28	62.2	796	74.7
Less than once in 5 times	35	13.2	31	13.2	58	20.4	48	20.2	8	17.8	180	16.9
Less than once in 2 times	4	1.5	5	2.1	8	2.8	11	4.6	1	2.2	29	2.7
Once in 2 times	0	0.0	4	1.7	7	2.5	6	2.5	2	4.4	19	1.8
More than once in 2 times	7	2.6	1	0.4	4	1.4	5	2.1	2	4.4	19	1.8
Always	0	0.0	1	0.4	6	2.1	12	5.0	4	8.9	23	2.2

Re-urination within 2 hours

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
None	143	54.0	113	48.3	123	43.3	103	43.3	11	24.4	493	46.2
Less than once in 5 times	99	37.4	92	39.3	105	37.0	80	33.6	20	44.4	396	37.1
Less than once in 2 times	10	3.8	16	6.8	25	8.8	14	5.9	7	15.6	72	6.8
Once in 2 times	6	2.3	4	1.7	11	3.9	7	2.9	1	2.2	29	2.7
More than once in 2 times	3	1.1	4	1.7	3	1.1	14	5.9	1	2.2	25	2.3
Always	4	1.5	5	2.1	17	6.0	20	8.4	5	11.1	51	4.8

Break during urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
None	242	91.3	192	82.1	202	71.1	169	71.0	26	57.8	831	78.0
Less than once in 5 times	19	7.2	29	12.4	48	16.9	37	15.5	10	22.2	143	13.4
Less than once in 2 times	2	0.8	7	3.0	8	2.8	5	2.1	3	6.7	25	2.3
Once in 2 times	1	0.4	1	0.4	8	2.8	10	4.2	0	0.0	20	1.9
More than once in 2 times	1	0.4	2	0.9	6	2.1	7	2.9	1	2.2	17	1.6
Always	0	0.0	3	1.3	12	4.2	10	4.2	5	11.1	30	2.8

Difficulty to suppress urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
None	234	88.3	182	77.8	189	66.5	144	60.5	23	51.1	772	72.4
Less than once in 5 times	25	9.4	42	17.9	70	24.6	58	24.4	13	28.9	208	19.5
Less than once in 2 times	1	0.4	5	2.1	7	2.5	6	2.5	4	8.9	23	2.2
Once in 2 times	0	0.0	0	0.0	1	0.4	5	2.1	1	2.2	7	0.7
More than once in 2 times	1	0.4	3	1.3	1	0.4	7	2.9	1	2.2	13	1.2
Always	4	1.5	1	0.4	16	5.6	17	7.1	3	6.7	41	3.8

No forcible urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
None	200	75.5	156	66.7	143	50.4	118	49.6	10	22.2	627	58.8
Less than once in 5 times	56	21.1	49	20.9	81	28.5	58	24.4	16	35.6	260	24.4
Less than once in 2 times	4	1.5	7	3.0	11	3.9	14	5.9	3	6.7	39	3.7
Once in 2 times	1	0.4	7	3.0	6	2.1	4	1.7	2	4.4	20	1.9
More than once in 2 times	3	1.1	6	2.6	10	3.5	5	2.1	1	2.2	25	2.3
Always	1	0.4	9	3.8	33	11.6	38	16.0	13	28.9	94	8.8

Necessity to bear down on urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
None	252	95.1	198	84.6	221	77.8	181	76.1	27	60.0	879	82.5
Less than once in 5 times	11	4.2	24	10.3	44	15.5	33	13.9	12	26.7	124	11.6
Less than once in 2 times	0	0.0	5	2.1	6	2.1	6	2.5	2	4.4	19	1.8
Once in 2 times	0	0.0	4	1.7	4	1.4	4	1.7	0	0.0	12	1.1
More than once in 2 times	0	0.0	1	0.4	2	0.7	4	1.7	0	0.0	7	0.7
Always	2	0.8	2	0.9	7	2.5	9	3.8	4	8.9	24	2.3

Times of urination in bedtime

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
None	185	69.8	121	51.7	64	22.5	37	15.5	4	8.9	411	38.6
Once	72	27.2	95	40.6	141	49.6	100	42.0	12	26.7	420	39.4
Twice	4	1.5	17	7.3	64	22.5	69	29.0	16	35.6	170	15.9
Three times	1	0.4	1	0.4	14	4.9	23	9.7	11	24.4	50	4.7
Four times	0	0.0	0	0.0	1	0.4	7	2.9	1	2.2	9	0.8
More than 5 times	3	1.1	0	0.0	0	0.0	2	0.8	1	2.2	6	0.6

Self-rated current urination

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Very satisfied	57	21.5	39	16.7	24	8.5	12	5.0	0	0.0	132	12.4
Satisfied	90	34.0	73	31.2	76	26.8	64	26.9	8	17.8	311	29.2
Satisfied a little	46	17.4	49	20.9	83	29.2	68	28.6	11	24.4	257	24.1
Not determined	49	18.5	42	17.9	56	19.7	47	19.7	14	31.1	208	19.5
Unsatisfied a little	16	6.0	23	9.8	34	12.0	26	10.9	5	11.1	104	9.8
Unsatisfied	4	1.5	7	3.0	7	2.5	15	6.3	5	11.1	38	3.6
Very unsatisfied	3	1.1	1	0.4	4	1.4	6	2.5	2	4.4	16	1.5

History of incontinence

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	72	27.2	71	30.3	73	25.7	91	38.2	25	55.6	332	31.1
No	193	72.8	163	69.7	211	74.3	147	61.8	20	44.4	734	68.9

Frequency of incontinence (for persons having a history of incontinence)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	1	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3
Once a week or less	64	88.9	59	83.1	62	84.9	64	70.3	16	64.0	265	79.8
Twice or 3 times a week	2	2.8	7	9.9	7	9.6	13	14.3	3	12.0	32	9.6
Once a day	1	1.4	2	2.8	2	2.7	9	9.9	4	16.0	18	5.4
twice a day or more	3	4.2	3	4.2	2	2.7	5	5.5	1	4.0	14	4.2
Always	1	1.4	0	0.0	0	0.0	0	0.0	1	4.0	2	0.6

Level of incontinence (for persons having a history of incontinence)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	1	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3
Low	70	97.2	67	94.4	71	97.3	85	93.4	20	80.0	313	94.3
Middle	1	1.4	4	5.6	1	1.4	5	5.5	4	16.0	15	4.5
High	0	0.0	0	0.0	1	1.4	1	1.1	1	4.0	3	0.9

Level of difficulty in daily life due to incontinence (for persons having a history of incontinence)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	1	1.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3
lowest	36	50.0	40	56.3	37	50.7	41	45.1	7	28.0	161	48.5
Grade 1	26	36.1	22	31.0	26	35.6	19	20.9	6	24.0	99	29.8
Grade 2	6	8.3	5	7.0	6	8.2	16	17.6	5	20.0	38	11.4
Grade 3	1	1.4	3	4.2	4	5.5	8	8.8	3	12.0	19	5.7
Grade 4	1	1.4	0	0.0	0	0.0	0	0.0	1	4.0	2	0.6
Grade 5	0	0.0	0	0.0	0	0.0	4	4.4	1	4.0	5	1.5
Grade 6	0	0.0	1	1.4	0	0.0	1	1.1	0	0.0	2	0.6
Grade 7	0	0.0	0	0.0	0	0.0	1	1.1	1	4.0	2	0.6
Grade 8	1	1.4	0	0.0	0	0.0	0	0.0	1	4.0	2	0.6
Grade 9	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	0.3

Occasion of incontinence (for persons having a history of incontinence)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
when going to rest room	Male	1	14.3	3	50.0	10	52.6	14	48.3	8	72.7	36	50.0
	Female	7	10.8	10	15.4	11	20.4	23	37.1	5	35.7	56	21.5
	Total	8	11.1	13	18.3	21	28.8	37	40.7	13	52.0	92	27.7
on sneezing or coughing	Male	1	14.3	1	16.7	5	26.3	5	17.2	1	9.1	13	18.1
	Female	62	95.4	61	93.8	43	79.6	47	75.8	11	78.6	224	86.2
	Total	63	87.5	62	87.3	48	65.8	52	57.1	12	48.0	237	71.4
during sleeping	Male	1	14.3	1	16.7	1	5.3	2	6.9	1	9.1	6	8.3
	Female	0	0.0	1	1.5	0	0.0	1	1.6	1	7.1	3	1.2
	Total	1	1.4	2	2.8	1	1.4	3	3.3	2	8.0	9	2.7
during physical activity	Male	0	0.0	0	0.0	1	5.3	7	24.1	0	0.0	8	11.1
	Female	15	23.1	5	7.7	8	14.8	7	11.3	1	7.1	36	13.8
	Total	15	20.8	5	7.0	9	12.3	14	15.4	1	4.0	44	13.3
after urination	Male	4	57.1	3	50.0	7	36.8	7	24.1	2	18.2	23	31.9
	Female	1	1.5	0	0.0	2	3.7	3	4.8	0	0.0	6	2.3
	Total	5	6.9	3	4.2	9	12.3	10	11.0	2	8.0	29	8.7
not determined	Male	0	0.0	0	0.0	1	5.3	2	6.9	1	9.1	4	5.6
	Female	1	1.5	3	4.6	2	3.7	2	3.2	1	7.1	9	3.5
	Total	1	1.4	3	4.2	3	4.1	4	4.4	2	8.0	13	3.9
always	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Total	Male	7	100.0	6	100.0	19	100.0	29	100.0	11	100.0	72	100.0
	Female	65	100.0	65	100.0	54	100.0	62	100.0	14	100.0	260	100.0
	Total	72	100.0	71	100.0	73	100.0	91	100.0	25	100.0	332	100.0

Frequency of communication with telephone or letter by children living apart from respondents (most frequent)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	4.5	0	0.0	1	0.4	0	0.0	0	0.0	2	0.3
	Female	1	1.6	0	0.0	0	0.0	1	0.5	0	0.0	2	0.3
	Total	2	2.3	0	0.0	1	0.2	1	0.2	0	0.0	4	0.3
Every day	Male	1	4.5	3	1.8	16	6.6	11	5.1	1	3.1	32	4.7
	Female	5	7.8	14	7.1	22	9.0	12	5.5	3	10.3	56	7.4
	Total	6	7.0	17	4.7	38	7.8	23	5.3	4	6.6	88	6.1
Several times a week	Male	4	18.2	27	16.1	55	22.6	52	24.1	8	25.0	146	21.4
	Female	22	34.4	61	31.1	81	33.2	54	24.5	7	24.1	225	29.9
	Total	26	30.2	88	24.2	136	27.9	106	24.3	15	24.6	371	25.9
Several times a month	Male	5	22.7	60	35.7	86	35.4	67	31.0	9	28.1	227	33.3
	Female	27	42.2	79	40.3	85	34.8	77	35.0	6	20.7	274	36.4
	Total	32	37.2	139	38.2	171	35.1	144	33.0	15	24.6	501	34.9
Once a month	Male	4	18.2	29	17.3	32	13.2	32	14.8	3	9.4	100	14.7
	Female	1	1.6	22	11.2	19	7.8	37	16.8	1	3.4	80	10.6
	Total	5	5.8	51	14.0	51	10.5	69	15.8	4	6.6	180	12.6
Several times a year	Male	4	18.2	29	17.3	24	9.9	25	11.6	6	18.8	88	12.9
	Female	6	9.4	13	6.6	17	7.0	17	7.7	7	24.1	60	8.0
	Total	10	11.6	42	11.5	41	8.4	42	9.6	13	21.3	148	10.3
Once a year	Male	0	0.0	1	0.6	2	0.8	2	0.9	1	3.1	6	0.9
	Female	0	0.0	0	0.0	2	0.8	3	1.4	0	0.0	5	0.7
	Total	0	0.0	1	0.3	4	0.8	5	1.1	1	1.6	11	0.8
No contact more than one year	Male	0	0.0	1	0.6	3	1.2	3	1.4	0	0.0	7	1.0
	Female	1	1.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	1.2	1	0.3	3	0.6	3	0.7	0	0.0	8	0.6
None	Male	3	13.6	18	10.7	24	9.9	24	11.1	4	12.5	73	10.7
	Female	1	1.6	7	3.6	18	7.4	19	8.6	5	17.2	50	6.6
	Total	4	4.7	25	6.9	42	8.6	43	9.9	9	14.8	123	8.6

### III. Drug Use for Medication

All drugs including prescription and drugs on market used within last 2 weeks were checked. All drugs were coded by drug effect according to Japan Standard Classification.

1. Drugs on nervous system and sensory organ
  11. Agent acting on central nervous system
    111. General anesthetic
    112. Hypnotic sedative agent, antianxiety agent
    113. Antiepileptic agent
    114. Antipyretic analgesic agent
    115. Stimulant drug, antihypnotic drug
    116. Antiparkinson drugs
    117. Antipsychotic drug
    118. Drug for common cold
    119. Other agent acting on central nervous system
  12. Agent acting on peripheral nervous system
    121. Local anesthetic
    122. Muscle relaxant
    123. Agent for autonomic nervous system
    124. Antispasmodic agent
    125. Diaphoretic, antiperspirant
    126. Other agent for peripheral nervous system
  13. Agent acting on sensory organ
    131. Ophthalmic solution (others)
      13111. Ophthalmic solution (for cataract)
      13121. Ophthalmic solution (pilocarpine)
      13122. Ophthalmic solution (beta blocker)
      13123. Ophthalmic solution (epinephrine)
      13124. Ophthalmic solution (other solutions for glaucoma)
      13131. Ophthalmic solution (steroid)
      13100. Ophthalmic solution (unknown)
    132. Agent for ear, nose and throat use
    133. Anti-vertiginous drug
    134. Other agent acting on sensory organ

- 2. Drugs on individual organs
  - 21. Agent acting on cardiovascular system
    - 21101. Digitalis agent
    - 21102. Xanthine agent
    - 21103. Other inotropic agent
    - 21201.  $\beta$  blocker
    - 21202. Agents for membrane-stabilizing activity
    - 21203. Other antiarrhythmic agent
    - 21301. Thiazide diuretic
    - 21302. Loop diuretic
    - 21303. Potassium sparing diuretic
    - 21304. Carbonate dehydratase inhibitor
    - 21305. Other diuretic
    - 21401. ACE inhibitor
    - 21402. Ca antagonist
    - 21403. Other antihypertensive agent
    - 21499. Unknown antihypertensive agent
  - 215. Vascular reinforcing agent
  - 216. Vasoconstrictor
  - 217. Vasodilator
  - 218. Antihyperlipidemic agent
  - 219. Other agent acting on cardiovascular system
- 22. Agent acting on respiratory system
  - 221. Respiratory stimulator
  - 222. Antitussive agent
  - 223. Expectorant
  - 224. Antitussive agent and expectorant
  - 225. Bronchodilator
  - 226. Gargle
  - 229. Other agent acting on respiratory system
- 23. Agent acting on alimentary system
  - 231. Antidiarrheal drug

- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive drug
- 239. Other agent acting on alimentary system
  
- 24. Hormone drug
  - 241. Pituitary hormone drug
  - 242. Hormone drug of salivary gland
  - 243. Thyroid hormone or parathyroid hormone drug
  - 244. Anabolic steroid drug
  - 245. Adrenocortical hormone drug
  - 246. Androgen drug
  - 247. Estrogen or progesterone drug
  - 248. Mixed hormone drug
  - 249. Other hormone drug
  
- 25. Agent acting on urogenital system or anus
  - 251. Agent acting on urinary system
  - 252. Agent acting on genital system
  - 253. Uterine constrictor
  - 254. Contraceptive
  - 255. Drugs for hemorrhoids
  - 259. Other agent acting on urogenital system or anus
  
- 26. Surface-acting agent
  - 261. Integumentary microbicide
  - 262. Protective agent for wound
  - 263. Pyostatics
  - 264. Analgenic, antipruritic, astringent, antiphlogistic (medicine for external application)
  - 265. Integumentary parasiticide
  - 266. Emollient
  - 267. Hair tonic

268. Bath liquid

269. Other surface-acting agent

27. Agent for dental use

271. Dental local anesthetic

272. Agent for devitalization of the pulp

273. Analgesic or sedative for dental use

274. Agent for mummification of the pulp

275. Agent for pulp capping

276. Antibiotics for dental use

279. Other agent for dental use

290. Other agent for organ system

3. Drugs on metabolism

31. Vitamins

311. Vitamin A or D preparation

312. Vitamin B<sub>1</sub> preparation

313. Vitamin B complex preparation (exclude B<sub>1</sub>)

314. Vitamin C preparation

315. Vitamin E preparation

316. Vitamin K preparation

317. Mixed vitamin preparation

319. Other vitamin preparation

32. Restoratives

321. Calcium preparation

322. Mineral preparation

323. Saccharides preparation

324. Organic acid preparation

325. Protein or amino acid preparation

326. Hormone drugs made from some internal organ

327. Drugs for infant

329. Other restoratives

- 33. Blood substitute
  - 331. Blood substitute
  - 332. Styptics
  - 333. Anticoagulant
  - 339. Other blood substitute
  
- 34. Agent for dialysis
  - 341. Agent for hemodialysis
  - 342. Agent for peritoneal dialysis
  - 349. Other agent for dialysis
  
- 39. Other agent acting on metabolic system
  - 391. Agent for liver disease
  - 392. Antidote
  - 393. Agent for habitual intoxication
  - 394. Drugs for gout
  - 395. Enzyme preparation
  - 396. Antidiabetics
  - 397. Agent acting generally on metabolic system
  - 399. Unclassified agent acting on metabolic system
  
- 4. Cell activation agent
  - 41. Cell activation agent
    - 411. Chlorophyll agent
    - 412. Pigment agent
    - 419. Other cell activation agent
  
- 42. Antitumor agent
  - 421. Alkylating agent
  - 422. Antimetabolite
  - 423. Antibiotics for antitumor agent
  - 424. Plant component for antitumor agent
  - 429. Other antitumor agent
  
- 43. Radioisotope

- 44. Antiallergic drug
  - 441. Antihistaminic drug
  - 442. Agent for stimulus therapy
  - 443. Agent for nonspecific immunogenicity
  - 449. Other antiallergic drug
  
- 5. Drugs prescribed by a crude drug or a herb medicine
  - 51. Crude drug
  - 52. Herb preparation
  - 59. Other drugs prescribed by a crude drug or herb preparation
  
- 6. Drugs for pathogenic organism
  - 61. Antibiotics
    - 611. Antibiotics against gram-positive bacteria
    - 612. Antibiotics against gram-negative bacteria
    - 613. Antibiotics against gram-positive and negative bacteria
    - 614. Antibiotics against gram-positive bacteria and Mycoplasma
    - 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
    - 616. Antibiotics against acid-fast bacterium
    - 617. Antibiotics against fungus
    - 619. Other antibiotics
  
  - 62. Agent for chemotherapy
    - 621. Sulfa drug
    - 622. Antituberculous agent
    - 623. Drugs for leprosy
    - 624. Synthetic antibiotics
    - 625. Antiviral agent
    - 626. Other agent for chemotherapy
  
  - 63. Biological agent
    - 631. Vaccine
    - 632. Poison or toxoid
    - 633. Antitoxic serum or leptospira serum

- 634. Blood supplements
- 635. Reagent for biological test
- 636. Mixed biological agent
- 639. Other biological agent
  
- 64. Drug against parasitic disease
  - 641. Protozoicide
  - 642. Parasiticide
  - 649. Other drug against parasitic disease
  
- 69. Other drugs for pathogenic organism
  
- 7. Drugs used not for treatment
  - 71. Dispensing drug
    - 711. Diluents
    - 712. Ointment base
    - 713. Solution
    - 714. Corrective, tinction
    - 715. Emulsifier
    - 719. Other dispensing drug
  
  - 72. Drugs used for diagnosis
    - 721. X-ray contrast medium
    - 722. Reagent for functional examination
    - 729. Other drugs for diagnosis
  
  - 73. Drugs used for public health
    - 731. Antiseptic
    - 732. Pesticide for prevention of epidemics
    - 733. Insect repellent
    - 734. Insecticide
    - 735. Rodenticide
    - 736. Other drug used for public health
  
  - 74. Reagent for extracorporeal diagnosis

- 741. Reagent for general examination
- 742. Reagent for blood analysis
- 743. Reagent for biochemical analysis
- 744. Reagent for immunologic or serologic test
- 745. Reagent for microbiological examination
- 746. Reagent for histopathological examination
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagent for extracorporeal diagnosis

- 791. Adhesive bandage
- 799. Other drug not for treatment

## 8. Narcotics

- 81. Alkaloid agent
  - 811. Opiate alkaloid agent
  - 812. Coca alkaloid agent
  - 819. Other alkaloid agent

## 82. Non-alkaloid narcotics

- 821. Synthetic narcotic

## 9. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks.

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hypogenic sadative agent	Male	1	0.8	3	2.9	3	2.0	12	9.5	4	15.4	23	4.3
	Female	1	0.7	4	3.1	11	8.1	22	19.6	3	15.8	41	7.7
	Total	2	0.8	7	3.0	14	4.9	34	14.3	7	15.6	64	6.0
Antiepileptic agent	Male	1	0.8	0	0.0	2	1.3	2	1.6	0	0.0	5	0.9
	Female	0	0.0	1	0.8	1	0.7	0	0.0	1	5.3	3	0.6
	Total	1	0.4	1	0.4	3	1.1	2	0.8	1	2.2	8	0.8
Antipyretic analgesic agent	Male	7	5.4	8	7.8	21	14.1	26	20.6	7	26.9	69	12.9
	Female	35	25.7	16	12.2	23	17.0	21	18.8	8	42.1	103	19.3
	Total	42	15.8	24	10.3	44	15.5	47	19.7	15	33.3	172	16.1
Stimulant drug, antihypnotic drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiparkinson drugs	Male	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	1	0.2
	Total	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0	2	0.2
Antipsychotic drug	Male	3	2.3	2	1.9	6	4.0	4	3.2	3	11.5	18	3.4
	Female	1	0.7	2	1.5	7	5.2	17	15.2	1	5.3	28	5.3
	Total	4	1.5	4	1.7	13	4.6	21	8.8	4	8.9	46	4.3
Drug for common cold	Male	10	7.8	11	10.7	9	6.0	6	4.8	0	0.0	36	6.8
	Female	14	10.3	10	7.6	8	5.9	5	4.5	0	0.0	37	6.9
	Total	24	9.1	21	9.0	17	6.0	11	4.6	0	0.0	73	6.8
Other agent acting on CNS	Male	0	0.0	0	0.0	0	0.0	1	0.8	1	3.8	2	0.4

(Continued)

Prevalence of taking medicine in previous 2 weeks.

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent acting on CNS	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.4	1	2.2	2	0.2
Local anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.7	0	0.0	0	0.0	1	0.2
	Total	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
Muscle relaxant	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agent for autonomic nervous system	Male	0	0.0	1	1.0	0	0.0	1	0.8	0	0.0	2	0.4
	Female	1	0.7	0	0.0	0	0.0	1	0.9	0	0.0	2	0.4
	Total	1	0.4	1	0.4	0	0.0	2	0.8	0	0.0	4	0.4
Antispasmodic agent	Male	0	0.0	0	0.0	2	1.3	2	1.6	1	3.8	5	0.9
	Female	1	0.7	0	0.0	4	3.0	4	3.6	0	0.0	9	1.7
	Total	1	0.4	0	0.0	6	2.1	6	2.5	1	2.2	14	1.3
Diaphoretic, antiperspirants	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent for PNS	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male	26	20.2	19	18.4	31	20.8	22	17.5	7	26.9	105	19.7
	Female	21	15.4	37	28.2	40	29.6	33	29.5	8	42.1	139	26.1
	Total	47	17.7	56	23.9	71	25.0	55	23.1	15	33.3	244	22.9
Ophthalmic solution (for cataract)	Male	0	0.0	0	0.0	9	6.0	12	9.5	2	7.7	23	4.3
	Female	0	0.0	1	0.8	7	5.2	14	12.5	4	21.1	26	4.9

(Continued)

Prevalence of taking medicine in previous 2 weeks.

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Ophthalmic solution (for cataract)	Total	0	0.0	1	0.4	16	5.6	26	10.9	6	13.3	49	4.6
Ophthalmic solution (pilocarpine)	Male	0	0.0	0	0.0	3	2.0	0	0.0	0	0.0	3	0.6
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	3	1.1	0	0.0	0	0.0	3	0.3
Ophthalmic solution ( $\beta$ blocker)	Male	0	0.0	1	1.0	3	2.0	10	7.9	1	3.8	15	2.8
	Female	0	0.0	1	0.8	4	3.0	4	3.6	0	0.0	9	1.7
	Total	0	0.0	2	0.9	7	2.5	14	5.9	1	2.2	24	2.3
Ophthalmic solution (epinephrine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (for glaucoma)	Male	0	0.0	0	0.0	4	2.7	4	3.2	3	11.5	11	2.1
	Female	0	0.0	0	0.0	4	3.0	1	0.9	0	0.0	5	0.9
	Total	0	0.0	0	0.0	8	2.8	5	2.1	3	6.7	16	1.5
Ophthalmic solution (steroid)	Male	0	0.0	0	0.0	4	2.7	2	1.6	3	11.5	9	1.7
	Female	3	2.2	2	1.5	7	5.2	7	6.3	2	10.5	21	3.9
	Total	3	1.1	2	0.9	11	3.9	9	3.8	5	11.1	30	2.8
Ophthalmic solution (unknown)	Male	0	0.0	0	0.0	0	0.0	2	1.6	0	0.0	2	0.4
	Female	1	0.7	0	0.0	1	0.7	4	3.6	0	0.0	6	1.1
	Total	1	0.4	0	0.0	1	0.4	6	2.5	0	0.0	8	0.8
Agent for ENT use	Male	1	0.8	0	0.0	1	0.7	2	1.6	0	0.0	4	0.8
	Female	0	0.0	4	3.1	1	0.7	0	0.0	0	0.0	5	0.9
	Total	1	0.4	4	1.7	2	0.7	2	0.8	0	0.0	9	0.8
Anti-vertigeneous drug	Male	2	1.6	0	0.0	0	0.0	2	1.6	1	3.8	5	0.9
	Female	1	0.7	1	0.8	0	0.0	4	3.6	1	5.3	7	1.3
	Total	3	1.1	1	0.4	0	0.0	6	2.5	2	4.4	12	1.1

(Continued)

Prevalence of taking medicine in previous 2 weeks.

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent acting on sensory organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Digitalis agent	Male	0	0.0	0	0.0	2	1.3	6	4.8	0	0.0	8	1.5
	Female	0	0.0	1	0.8	1	0.7	0	0.0	0	0.0	2	0.4
	Total	0	0.0	1	0.4	3	1.1	6	2.5	0	0.0	10	0.9
Xanthine agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other inotropic agent	Male	0	0.0	0	0.0	0	0.0	1	0.8	1	3.8	2	0.4
	Female	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	1	0.2
	Total	0	0.0	0	0.0	0	0.0	2	0.8	1	2.2	3	0.3
$\beta$ blocker	Male	1	0.8	1	1.0	6	4.0	8	6.3	0	0.0	16	3.0
	Female	0	0.0	4	3.1	2	1.5	6	5.4	0	0.0	12	2.3
	Total	1	0.4	5	2.1	8	2.8	14	5.9	0	0.0	28	2.6
Agents for membrane-stabilizing activity	Male	0	0.0	1	1.0	1	0.7	3	2.4	1	3.8	6	1.1
	Female	1	0.7	0	0.0	1	0.7	3	2.7	0	0.0	5	0.9
	Total	1	0.4	1	0.4	2	0.7	6	2.5	1	2.2	11	1.0
Other antiarrhythmic agent	Male	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	1	0.2
	Total	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0	2	0.2
Thyazide diuretic	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	1	0.2
	Female	0	0.0	0	0.0	0	0.0	3	2.7	1	5.3	4	0.8
	Total	0	0.0	0	0.0	0	0.0	3	1.3	2	4.4	5	0.5
Loop diuretic	Male	0	0.0	0	0.0	1	0.7	2	1.6	1	3.8	4	0.8

(Continued)